

DIGITAL

COPIERS • PRINTERS • DOCUMENT MANAGEMENT

Proposal Prepared for

Hidalgo County PCT 1

Weslaco

By

Daniel Montaña

Vice President



McAllen
4800 W Expressway 83
(956) 630-1877

Harlingen: (956) 428-1866
Toll Free: (800) 880-7807
Fax: (956) 631-7728

Brownsville
1600 University Blvd
(956) 554-3900

September 24, 2015

Proposal Prepared For
DIR TSO-3092 PRICING
HIDALGO COUNTY PCT. 1
Attn: KATIA GARCIA
TASKalfa/COPYSTAR CS-3051ci

System P5
Color Multifunctional System
Digital Copier | Network Print/Color Scan System | Network Fax System

30 Copies Per Minute B&W
Dual 500-Sheet Paper Drawers
150-Sheet Multipurpose Tray
3.5 GB RAM
Dual Scan Pass Feeder (DP772)
Dual 500-Sheet Drawers (PF-730b)
Internet Fax
Surge Protector

30 Copies Per Minute Full-Color
150 k Max Monthly Volume
Automatic Duplex Unit
160GB HDD
1 K Sheet Finisher (DF770c)
Bridge Unit (AK731)
Hole Punch Unit (PH7A)
Data Security Kit

FEATURES: 3.5 GB RAM; 160GB x 2 HD, 8 Bit Color Depth, 600 x 600 DPI Resolution, Paper Size: 5.5" x 8.5" – 11" x 17" (Legal to Ledger); Input Materials: Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes; Zoom 25% - 400% in 1 step increments, 5 Reduction / Enlargement Settings, 5.5 sec Black/7.3 Color sec first copy/print out

DIGITAL FEATURES: 1-999 Continuous Copy, Mirror Image, Rotate Copy, Erase, Split Copy, Electronic Sort, Margin Shift, XY-Zoom, Job Interrupt, Job Build, Job Programs, Repeat Copy, 1,000 Department Codes, OneTouch Color Adjustment, Color Balance, Color Calibration, Page Number, Form Overlay, Shortcut Keys, Job Box, Removable Memory Box, Custom Box

PRINT/COLOR SCAN FEATURES: 200/300/400/600 DPI Scan Resolution, Black & White: PDF, TIFF File Formats; Color: PDF, JPEG, TIFF, XPS File Formats; Windows 2000/XP/2003/Vista/2008, Mac OS 10.x, Novell, UNIX Compatible, Standard 10/100/1000 BaseTX, High Speed USB 2.0, USB Host Interface, 2 Expansion Slots, Scan to Folder (SMB) / e-Mail / FTP / USB / WSD Scan / TWAIN Scan

FAX FEATURES: G3 Fax, Transmission Speed 3 sec./page, Modem Speed 33.6 Kbps, Data Compression: JBIG/MMR/MR/MH, Memory 12MB, Duplex TX/RX, Confidential RX/TX, Broadcasting, Dual Fax, Fax Box



September 24, 2015

	Purchase Price
Package System P5	
TASKalfa/Copystar CS-3051ci	\$ 5,653.00
DP-772-175 Sheet Dual Scan Document Processor Included	\$ 0.00
DF-770(C)- 1,000 Sheet Staple Finisher Included	\$ 0.00
AK-731-Attachment kit for DF-770(C) Included	\$ 0.00
PF-730(B)-Dual 500 Sheet Paper Trays Included	\$ 0.00
Fax WB-Fax Board	\$ 558.21
PH-7A-2/3 Hole Punch Unit	\$ 405.02
Data Security Kit E	\$ 350.61
Internet Fax(A)	\$ 181.35
Surge Protector	<u>\$ 108.81</u>
Purchase Price	\$ 7,257.00

LEASE INVESTMENT

COPYSTAR CS-3051ci (Lease Rate Factor .03092) 36 Months \$ 224.39

SERVICE AGREEMENT

This service agreement covers FULL maintenance and replacement of any necessary parts and consumable supplies including Drum, Developer & Toner. The service agreement will exclude paper & staples only.

Black/White Copies

\$ 18.75 per Month

The service agreement will cover up to 2,500 copies per month for the full term of the lease. Overages will bill monthly at \$.0075 per black copy.

SERVICE AGREEMENT METER PLAN COLOR \$.0455 PER COPY

This service agreement will cover up to the full term of the lease and will cover FULL maintenance and replacement of any necessary parts and consumable supplies including Drum, Developer & Toner. The service agreement will exclude paper & staples only.

- Free Installation.
- No Property Taxes
- No Documentation Fee
- No Insurance Needed
- No Freight Cost at end of term

Thank You,

Daniel Montano
Vice President



Authorized Signature for approval of proposal as stated above

Date

www.digitalrgv.com



Contract #: DIR-TSO-3092


- Copiers/MFPs
- Printers
- How to Order or Obtain Quote
- Return to DIR Website For the Contract
- DIR Co-op Contract Program Overview
- Appendix C - Pricing Index
- Authorized Resellers
- Warranty/Return Policy
- [additional product information](#)

Package	Purchase Price	Monthly Base Charge	Copies Included	Excess Copy Charge
TASKalfa/Copystar 3051ci System P5	\$5,653.00	\$18.75	2,500	\$ 0.0075
Color Charges	-----		0	\$ 0.0455

Please contact John Green for current promotional pricing!

TASKalfa/Copystar 3051ci	30/30 PPM A3 Color MFP
DP-772	175 sheet Dual Scan Document Processor
DF-770(C)	1,000 Sheet Staple Finisher- (Requires AK-731)
AK-731	Attachment Kit for DF-770(C)/790(C)
PF-730(B)	Dual 500 Sheet Paper Trays

Functions: Standard Network Print, Scan, Copy and Document Box
Speed: 30 ppm Black / 30 ppm Color
Resolution: 600 x 600 dpi, 9600 x 600 dpi interpolated / 8 bit color depth
Paper Supply: 1,150 Sheets



KYOCERA Document Solutions
 America, Inc.
 225 Sand Road
 Fairfield, NJ 07004

National Acct. Manager
 John Green
 Phone: (713) 725-6172
 john.green@da.kyocera.com



[click here for additional product information](#)

Accessories

Accessory	Description	Purchase Price
DP-770(B)	100 sheet Reversing Automatic Document Processor	\$686.12
DP-772	175 sheet Dual Scan Document Processor	\$870.48
DF-790(C)	4,000 Sheet Staple Finisher- (Requires AK-731)	\$1,209.00
DF-770(C)	1,000 Sheet Staple Finisher- (Requires AK-731)	\$744.59
PF-730(B)	Dual 500 Sheet Paper Trays	\$622.66
PF-740(B)	Dual 1,500 Sheet Paper Trays	\$666.95
PF-770	3,000 Sheet Side Large Capacity Tray - Letter	\$686.12
PF-780(B)	500 Sheet Side Multi-Media Tray (for TA4551ci/5551ci/6551ci/7551ci/6501i/8001i ONLY)	\$404.00
PH-7A	2/3 Hole Punch Unit for DF-770(C)/790(C)	\$405.02
BF-730	Booklet and Tri Folding Unit for DF-790(C)	\$906.75
MT-730(B)	7 Bin Mailbox for 4,000 Sheet Finisher	\$604.50
JS-731	Outer Job Separator	\$114.86
JS-732	Inner Job Separator (can not be install with DF-790(C)/DF-770(C))	\$123.92
Fax System (W)B	Fax Board	\$558.21
Keyboard Holder (B)	Keyboard Tray Kit	\$68.51
Internet Fax (A)	Internet Fax Kit [requires Fax System (W)B]	\$181.35
Data Security (E)	Hard Drive Encryption/Overwrite Kit	\$350.61
Printed Document Guard Kit (B)	Print Document Guard	\$698.20
Banner Guide(A)	MPT Guide attachment to assist the feeding of banner paper.	\$187.40
Scan Extension kit(A)	Searchable PDF Kit	\$362.70
AK-731	Attachment Kit for DF-770(C)/790(C)	\$77.57
UG-34	Optional Printer Emulation for IBM Proprinter, Epson LQ-850, Diabro 630	\$338.52
Card Reader Holder(E)	Card Reader Tray Kit	\$68.51
Printing System (13)	EFI FIERY Controller with Spot-On. (Requires Printing System Interface Kit (B))	\$2,757.33
Printing System Interface Kit (B)	Interface kit for Printing System(13), includes mounting kit and circuit board	\$453.38
IB-50	Gigabit EtherNet Board for Dual NIC	\$266.99

IB-51	Wireless LAN NIC	\$356.66
MM-16-128	Additional Fax Memory Board	\$120.90
DT-730	Original Hard Copy Holder	\$27.20
Netgard MFD	CAC Netgard MFD (Scan Block ONLY Network Connection)	\$934.97
MFP Interface Cable	MFP Interface Cable (Required for Full Scan, Copy & Fax Locking Capability)	\$42.32
Parts Key Counter Wire	Parts Key Counter Wire (Required for Full Scan, Copy & Fax Locking Capability)	\$0.00
Platen Cover Type E	Platen Cover	\$69.51
Copier Stand	Copier Stand	\$215.62
Teaching Assistant	Business application for automated printing and grading of bubble sheet tests	\$401.97
Surge Protector-MX (15A)	15 Amp Surge Protector	\$108.81
EFI Color Profiler Kit (ES-2000)	EFI Color Profiler Kit, Includes ES-2000 (for Printing System (13))	\$2,599.35
ES-2000	EFI Spectrophotometer(For Printing System(13))	\$951.08
EFI Secure Erase	EFI Secure Erase (for Printing System(11) and (12))	\$584.33
EFI Hot Folder & Virtual Printer	EFI for Hot Folder & Virtual Printer (for Printer System(11) and (12))	\$584.33
EFI Sequence Impose	EFI Sequence Impose (for Printing System(11) and (12))	\$1,695.62
EFI Productivity Package	Automate job processes to achieve maximum productivity and the right color	\$3,737.83
EFI Sequence Compose	EFI Sequence Compose (for Printing System(11) and (12))	\$775.78
EFI Sequence Suite	EFI Sequence Suite (for Printing System(11) and (12))	\$2,115.75

© 2015 KYOCERA Document Solutions America, Inc.



Kyocera Technology

> PRINT > COPY > SCAN > FAX

CS 3051ci

COLOR MULTIFUNCTIONAL
SYSTEM

POWERING COLOR PERFORMANCE... COMPANY-WIDE.








- > Vibrant, Color Output Up to 30 Pages Per Minute in Color and Black
- > Color Scan Up to 100 ipm
- > Intuitive and Customizable Touch Screen Control Panel
- > Advanced Finishing Options to Power Workflow
- > Robust and Scalable Business Applications
- > Statement - 12" x 18" Printing from the Paper Trays
- > Standard Gigabit Ethernet
- > Tab Printing Available Through Multi Purpose Tray
- > AirPrint Enabled for a Mobile Printing Solution



The Copystar CS 3051ci delivers all the functionality needed to help maximize productivity, bringing flexible configuration and advanced finishing abilities for exceptional color and black & white output. Seamlessly integrated business applications power workflow. And, when combined with award-winning ultra-reliability and unique long-life technology, ensure superior performance and maximum efficiency. When it comes to document imaging innovation and quality you can rely on, the CS 3051ci delivers.

HARNESS THE POWER OF YOUR COPYSTAR MFP WITH CUSTOMIZED BUSINESS APPLICATIONS

-  **KYOCERA CLOUD CONNECT:** Easily print from and scan directly to the cloud while on the go from your Copystar MFPs.
-  **KYOCERA MOBILE PRINT:** Simply and conveniently print files, web pages, and images using your smartphone or tablet.
-  **DMS LINK:** Simplify document workflow through digital imaging, distribution, retrieval and long-time archival.
-  **PINPOINT SCAN:** Scan from your Copystar MFP to your PC with added speed, functions and versatility.
-  **SHAREPOINT CONNECTOR:** Enhance collaboration utilizing your Copystar MFPs and your existing Microsoft SharePoint Server.

BASIC SPECIFICATIONS

Configuration: Color Multifunctional System – Print/Scan/Copy/Optional Fax
Pages Per Minute: Color and Black – Letter: 30 ppm, Legal: 18 ppm, Ledger: 15 ppm, 12" x 18": 15 ppm (print only)
Warm Up Time: 25 Seconds or Less (Power On)
First Page Out: Copy: 5.5 Seconds or Less Black, 7.3 Seconds or Less Color; Print: 7.3 Seconds or Less Black, 9.5 Seconds or Less Color
Resolution / Bit Depth: 600 x 600 dpi; 9600 x 600 dpi interpolated / 8 bit depth
Memory / Hard Disk Drive: 3.5 GB RAM Standard / 160 GB HDD
Duplex: Standard Stackless Duplex Supports Statement to 12" x 18", 16 lb Bond - 120 lb Index (60 – 220gsm)
Standard Output Tray: Statement - 12" x 18" / 250 sheets; up to 12" x 48" Banner / Single Sheet
Electrical Requirements: 120V, 60Hz, 12.0A; 220-240V, 50Hz, 7.2A
Dimensions / Weight: 25.51" x 30.20" x 29.41" / 251.33 lbs
Maximum Monthly Duty Cycle: 150,000 Pages Per Month

PAPER SUPPLY

Standard Paper Sources: Dual 500 Sheet Trays, 150 Sheet MPT; Auto Selection/Switching
Optional Paper Sources: Dual 500 Sheet Trays (PF-730(B)), Dual 1,500 Sheet Trays (PF-740(B)); 3,000 Sheet Large Capacity Tray (PF-770)
Paper Capacity: Standard: 1,150 Sheets; Maximum: 7,150 Sheets
Paper Size: Trays 1, 2 and PF-730(B): 5.5" x 8.5" – 12" x 18"; PF-740(B), PF-770: 8.5" x 11"; MPT: 5.5" x 8.5" – 12" x 18" (Multiple Sheets); Up to 12" x 48" Banner (Single Sheet)
Paper Weight: Trays: 16 lb Bond – 120 lb index (60 – 220gsm) MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm)
Input Materials: Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes, Labels, Tabs, Gloss

SECURITY SPECIFICATIONS

Standard: Local Authentication, Network Authentication (IPsec, HTTPS, LDAP over SSL, SNMPv3); Secure Print (IPP over SSL); Scan to e-mail (POP3/SMTP over SSL); Scan to FTP (FTP over SSL); Scan to SMB/PC/USB; FTP over SSL
Optional: Data Security Kit (E): Network Data Encryption, HDD Overwrite Mode, HDD Data Encryption

PRINT SPECIFICATIONS

Standard Controller: Freescale QorIQ P1022 (Dual Core) / 800MHz
PDLs / Emulations: PRESCRIBE, PCL6 (5e, XL), KPDL3 (PS3), XPS; Optional (UG-34) : IBM ProPrinter, Line Printer, LQ-850
Fonts: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap
Windows® OS Compatibility: Windows XP/2003/Vista/2008/7/8/Server 2008 R2/Server 2012

Novell OS Compatibility: Novell NetWare 3.x/4.x/5.x/6.x
Mac OS Compatibility: Mac OS 10.x; AirPrint Enabled
UNIX OS Compatibility: Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR)
Interfaces: Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 4 USB Host Interfaces, 2 Expansion Slots
 Optional: 10/100/1000BaseTX (IB-50 for Dual NIC); Optional: IEEE 802.11 b/g/n (IB-51 for Wireless LAN Interface)
Network Print and Supported Protocols: TCP/IP, NetBEUI, FTP, LPR, IPv6, IPsec, SSL, WSD Print
Drivers: KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC
Utilities: KYOCERA Net Admin, KYOCERA Net Viewer, PDF Direct Print, Command Center RX

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner
Scan Resolution: 600 dpi, 400 dpi, 300 dpi, 200 dpi, 200 x 100 dpi, 200 x 400 dpi
File Formats: BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A
Color: TIFF, JPEG, XPS, PDF, PDF/A
PDF Extension: High Compression PDF, Encrypted PDF, Searchable PDF (OCR) Option
Scan Speeds: DP-770(B): Simplex: 65 ipm BW/Color (300 dpi); Duplex: 39 ipm BW/Color (300 dpi) DP-772: Simplex: 70 ipm BW/Color (300 dpi); Duplex: 100 ipm BW/Color (300 dpi)
Connectivity / Supported Protocols: 10/100/1000BaseTX, TCP/IP
Scanning Functions: Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to FTP over SSL, Scan to USB, WSD Scan, TWAIN Scan
Original Size: Through DP: Statement to 11" x 17"; Glass: up to 11" x 17"
Driver: TWAIN/WIA/Driver

COPY SPECIFICATIONS

Image Mode: Text, Photo, Text/Photo, Auto, Manual, Map
Continuous Copy: 1 – 999 / Auto Reset to 1
Additional Features: Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Text Stamp, Bates Stamp, Blank Page Skip
Job Management: 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy
Color Adjustment: One Touch, Hue, Auto Exposure, Sharpness
Magnification / Zoom: Full Size, 4 Reduction, 4 Enlargement Preset Ratios, 25 – 400% in 1 step increments
Document Box: Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System)

DOCUMENT PROCESSOR OPTIONAL DP-770(B) OR DP-772

Type / Capacity: DP-770(B): Reversing Automatic Document Processor / 100 Sheets DP-772: Dual Scan Document Processor / 175 Sheets
Acceptable Originals: 5.5" x 8.5" – 11" x 17"

Acceptable Weights (Simplex / Duplex):

DP-770(B): Simplex: 13 lb Bond – 90 lb Index (45 – 160gsm); Duplex: 16 lb – 32 lb Bond (50 – 120gsm)
DP-772: Simplex: 13 lb Bond – 120 lb Index (35 – 220gsm); Duplex: 16 lb Bond – 120 lb Index (50 – 220gsm)

FAX SPECIFICATIONS

Fax Type: Fax System W(B) / Internet Fax Kit (A) (requires Fax System W(B))
Compatibility / Data Compression: G3 Fax / MMR, MR, MH, JBIG
Transmission Speed / Modem Speed: Approximately 3 seconds per page / 33.6 Kbps
Fax Memory: Standard: 12 MB; Maximum: 120 MB
Driver: Network Fax Driver
Fax Functions: Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax

OPTIONAL 1,000 SHEET FINISHER DF-770(C/D)

Stack / Staple Capacity: Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm))
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 16 lb Bond – 110 lb Cover (60 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 13 lb Bond – 110 lb Cover (45 – 300gsm)

OPTIONAL 4,000 SHEET FINISHER DF-790(C)

Stack / Staple Capacity: Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsm))
Paper Size: 5.5" x 8.5" – 12" x 18"
Paper Weight: 16 lb Bond – 110 lb Cover (60 – 300gsm)
Edge Staple Position: 3 Positions: Top Left, Bottom Left, Center Bind
Optional Multi-bin Mailbox: MT-730(B) Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm) Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"
Optional Punch: PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 12" x 18"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Optional Booklet Folder / Tri-fold Unit: BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; Fold booklet staple: 16 lb Bond – 24 lb Bond (60 – 90gsm) 16 sheets; 25 lb Bond – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet no staple: 16 lb Bond – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 – 256gsm) 1 sheet; Trifold supports 8.5" x 11" only: 16 lb Bond – 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 16 lb Bond – 28 lb Bond (60 – 105gsm) 1 sheet

ADDITIONAL OPTIONS

Data Security Kit (E) Provides Security Overwrite and Encryption for Print, Copy, and Scan, Optional Fax Memory, Original Hardcopy Holder (Document Tray), Card Authentication Kit (B), Banner Guide (A), Keyboard Holder, Scan Extension Kit (A) for Searchable PDF/OCR, EFI Fiery Printing System

Specifications and design are subject to change without notice. For the latest on connectivity visit www.copystar.com
 DMS Link and PinPoint Scan are trademarks of the KYOCERA Companies. MAC and AirPrint are trademarks of Apple, Inc. Java is a trademark of Oracle Corporation. Fiery is a trademark of Electronics for Imaging, Inc. Other trademarks are the property of their respective owners.



KYOCERA Document Solutions America, Inc.
 Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
 ©2013 KYOCERA Document Solutions America, Inc.

