



CT660S SBA 6x4

Sales Proposal For:

South TX Stock Dump Truck

Presented By:

HOLT TEXAS LTD.



Prepared For:
South TX Stock Dump Truck

Reference ID: Manual Transmis

Presented By:
HOLT TEXAS LTD.
Mark Brunnemann
3302 S W W WHITE RD
SAN ANTONIO TX 78222 - 4843
(210)648-8343

We are pleased to have the opportunity to offer the following proposal for the application you requested.

Model Profile
2016 CT660S SBA 6x4 (CF7AA)

APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 54000. Calc. GVWR: 54780 Calc. Start / Grade Ability: 34.69% / 2.35% @ 55 MPH Calc. Geared Speed: 92.6 MPH
DIMENSION:	Wheelbase: 199.00, CA: 137.00, Axle to Frame: 59.00
ENGINE, DIESEL:	{CT 13} EPA 10, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)
TRANSMISSION, MANUAL:	{Fuller RTO(F)-14908LL} 10-Speed Manual; Double Lo With Overdrive and With Air Shift
CLUTCH:	{Eaton Fuller Easy-Pedal Advantage} Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Dana Spicer I-160W} Wide Track, I-Beam Type, 16,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-4DFR-P} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000- lb Capacity, R Wheel Ends, With Lube Oil Pump Gear Ratio: 3.70
CAB:	Conventional
TIRE, FRONT:	(2) 12R22.5 XZY-3 (MICHELIN) 483 rev/mile, load range H, 16 ply
TIRE, REAR:	(8) 11R22.5 XDE M/S (MICHELIN) 497 rev/mile, load range H, 16 ply
SUSPENSION, REAR, TANDEM:	{Hendrickson RT-403} Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
PAINT:	Cab schematic 100KT Location 1: 9219, Winter White (Std) Chassis schematic N/A



Vehicle Specifications

January 13, 2015

2016 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
CF7AA00	Base Chassis, Model CT660S SBA 6x4 with 199.00 Wheelbase, 137.00 CA, and 59.00 Axle to Frame.	9385/6587	15972	\$138,181.66
1570	TOW HOOK, FRONT (2) Frame Mounted	49/-9	40	\$372.38
1652	CROSSMEMBER, REAR Relocated to End of Frame	-19/100	81	\$234.14
1CDH	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 543.0" (13793mm) Maximum OAL	112/149	261	\$0.00
1LBC	BUMPER, FRONT Multi-piece Stainless Steel <u>Includes</u> : FOG LIGHT OPENING (2) and with Rectangular Hole for Step	0/0	0	\$0.00
1WVS	WHEELBASE RANGE 183" (465cm) Through and Including 228" (580cm)	0/0	0	\$865.38
2AEU	AXLE, FRONT NON-DRIVING {Dana Spicer I-160W} Wide Track, I-Beam Type, 16,000-lb Capacity <u>Notes</u> : Axle Lead Time is 52 Days	51/0	51	\$1,763.86
3703	SHOCK ABSORBERS, FRONT for Axles Under 20,000-lb Capacity	42/0	42	\$135.45
3ACP	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type; 16,000-lb Capacity; Less Shock Absorbers <u>Includes</u> : SPRING PINS Threaded	7/0	7	\$16.34
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : INVERSION VALVE Bendix SR-1 and Double Check Valve : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE Bendix On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SWITCH, AUXILIARY Interrupter for Cab Clearance/Marker Lights (Blinks Lights with Headlight Switch in "ON" Position); Instrument Panel Mounted <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	0/0	0	\$0.00



Vehicle Specifications

January 13, 2015

2016 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	115/0	115	\$0.00
4619	TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck <u>Includes</u> : INVERSION VALVE Bendix SR-1 and Double Check Valve	2/0	2	\$306.70
4732	DRAIN VALVE {Berg} Manual; With Pull Chain, for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank	0/0	0	\$0.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	0/0	0	\$0.00
4EBS	AIR DRYER {Bendix AD-9} With Heater <u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab	0/0	0	\$0.00
4ETE	BRAKE CHAMBERS, FRONT AXLE {Haldex} 24 SqIn	0/0	0	\$11.65
4EVL	BRAKE CHAMBERS, REAR AXLE {Haldex GC3030LHDHO} 30/30 Spring Brake	0/0	0	\$0.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	0/0	0	\$0.00
4SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM Capacity, Single Cylinder	0/0	0	\$0.00
5710	STEERING COLUMN Tilting and Telescoping	0/0	0	\$0.00
5PTB	STEERING GEAR (2) {Sheppard M-100/M-80} Dual Power	125/-12	113	\$1,047.23
5WBH	STEERING WHEEL {Caterpillar} 2-Spoke, 18" Diam., Dark Neutral, Leather Wrapped	0/0	0	\$0.00
7BJU	EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe & Guard, Right Side, Cab Mounted	0/0	0	\$0.00
7WBA	TAIL PIPE (1) Turnback Type, Bright, for Single Exhaust	0/0	0	\$145.13
7WBS	MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel	5/2	7	\$119.15
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : BATTERY BOX Aluminum : CIGAR LIGHTER Includes Ash Cup, Center Console Mounted : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Integral with Turn Signal Switch : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Composite with Halogen Projector Beam : HORN, AIR Single, Chrome : HORN, ELECTRIC Single : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : READING LIGHT, CAB (2) with Individual Switches; One Above Each Door	0/0	0	\$0.00



Vehicle Specifications

January 13, 2015

2016 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL FLASHER : TURN SIGNAL SWITCH Manual Cancelling with Lane Change Feature : TURN SIGNALS, FRONT Includes Integral Reflectors and Side Marker Lights; Fender Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature, Steering Column Mounted : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered			
8554	TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame	1/5	6	\$196.19
8653	HORN, AIR Single, Located Under Cab	5/0	5	\$0.00
8718	POWER SOURCE Cigar Type Receptacle without Plug and Cord	0/0	0	\$0.00
8GGN	ALTERNATOR {Bosch LH160} Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount	0/0	0	\$0.00
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	2/1	3	\$96.75
8MMJ	BATTERY SYSTEM {Caterpillar} (3) 12 Volt 2130CCA Total	0/0	0	\$0.00
8RMA	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers	1/0	1	\$432.69
8RMG	ANTENNA BASE (2) Single Function, (1) for CB and (1) for Entertainment Radio, Without Splitter, Separate Lead-Ins, With CB Antenna Mounted on Left Mirror and AM/FM Antenna Mounted on Right Mirror	0/0	0	\$0.00
8VUK	BATTERY BOX Aluminum With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Right Side Back of Cab	0/0	0	\$0.00
8WCK	POWER SOURCE, TERMINAL TYPE 2-Post	0/0	0	\$0.00
8WEZ	TURN SIGNAL SWITCH Self-Canceling	0/0	0	\$0.00
8WNH	RUNNING LIGHT (2) Daytime	0/0	0	\$0.00
8WVR	FOG LIGHTS (2) Clear, Round, Halogen	7/-1	6	\$200.27
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start	0/0	0	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	0/0	0	\$88.69
8XCC	TOGGLE SWITCH, AUXILIARY (2) with Two 20-Amp Fuses/ Circuit Breakers	1/0	1	\$67.19
9ASE	FRONT END Tilting Composite	0/0	0	\$0.00



Vehicle Specifications

January 13, 2015

2016 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	<u>Includes</u> : GRILLE SURROUND Brushed Stainless Steel			
9HAN	INSULATION, UNDER HOOD for Sound Abatement	0/0	0	\$143.62
9HBN	INSULATION, SPLASH PANELS for Sound Abatement	0/0	0	\$65.36
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0	\$0.00
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0	\$0.00
11MGZ	CLUTCH {Eaton Fuller Easy-Pedal Advantage} Manual Adjust, Two-Plate, Cast Angle Spring; Ceramic, 15.5" Diameter, 7-Spring Damper, Mechanical Pull-Type Control, 1700 lb-ft Torque Capacity	0/0	0	\$0.00
	<u>Includes</u> : CLUTCH RELEASE BEARING Greasable			
11WAE	GREASE FITTINGS Remote; for Clutch Cross Shaft	0/0	0	\$29.99
12KXN	ENGINE, DIESEL {CT 13} EPA 10, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)	0/0	0	\$200.67
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed	0/0	0	\$0.00
12UND	FEDERAL EMISSIONS EPA, OBD and GHG Certified for Calendar Year 2015; CT13 Engines	0/0	0	\$8,000.00
12VBT	AIR CLEANER Single Element, Heavy Duty	0/0	0	\$0.00
12WBR	FAN OVERRIDE Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On)	2/0	2	\$28.06
12WCX	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	0/0	0	\$0.00
12WEG	COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	0/0	0	\$0.00
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	0/0	0	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations	0/0	0	\$0.00
12XAV	RADIATOR Aluminum; Welded, Front to Back Down Flow System, 1429 SqIn, 740 SqIn CAC, 1099 SqIn 3 Core LTR	0/0	0	\$0.00
13GHW	TRANSMISSION, MANUAL {Fuller RTO(F)-14908LL} 10-Speed Manual; Double Lo With Overdrive and With Air Shift	82/20	102	\$2,807.04
	<u>Includes</u> : CLUTCH BRAKE Torque Limiting : FILL PLUG, MAGNETIC			
13WAP	TRANSMISSION LUBE PUMP for International, Fuller, Meritor or Spicer Transmissions; USE ONLY WHEN PUMP IS NOT INCLUDED STANDARD IN TRANSMISSION	7/3	10	\$278.64
13WGJ	OIL COOLER,MANUAL TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)	2/0	2	\$211.88



Vehicle Specifications

January 13, 2015

2016 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
13WLB	TRANSMISSION OIL {EmGard 50W} Synthetic; 22 thru 33.99 Pints	0/0	0	\$101.23
14862	PDL WARNING BUZZER Power Divider Lock	0/2	2	\$26.88
14AJX	SHIELD, TEMPERATURE SENSOR Mounted to Rear Axle	0/3	3	\$41.21
14GVU	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR-P} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, With Lube Oil Pump . Gear Ratio: 3.70 <u>Includes</u> : POWER DIVIDER LOCK Air Operated, Cab Control with Indicator Light in Cluster : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle	0/0	0	\$0.00
14UHD	SUSPENSION, REAR, TANDEM {Hendrickson RT-403} Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings <u>Includes</u> : CROSSMEMBER, SUSPENSION 5-Piece <u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	0/713	713	(\$311.54)
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions	0/0	0	\$171.10
14WMJ	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 50 thru 64.99 Pints	0/0	0	\$313.04
15DYP	DEF TANK 9.5 U.S. Gal. 36.0L Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0	\$0.00
15LKU	FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor	0/0	0	\$0.00
15SHC	FUEL TANK Non-Polished Aluminum, 24" Diam., 100 U.S. Gal., 378 L Capacity Left Side, Under Cab.	22/16	38	\$237.40
16031	CAB Conventional <u>Includes</u> : COAT HOOK, CAB Located on Rear Wall, Behind Passenger Seat : CONSOLE, CENTER Plastic, Driver Convenience with a Cup and Change Holder, Ash Tray and Lower Storage Area : DOME LIGHT, CAB (2) Driver and Passenger Dome Lights with Individual Switches, in Headliner : DOOR CHECK STRAP (2) One Each Door : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, EXTERIOR (2) Mounted Behind Driver and Passenger Doors : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color	0/0	0	\$0.00



Vehicle Specifications

January 13, 2015

2016 CT660S SBA 6x4 (CF7AA)

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)	<u>List</u> (US DOLLAR)
	: SKIN Riveted : STEP (4) Two Steps Per Door			
16HBA	GAUGE CLUSTER English With English Electronic Speedometer	0/0	0	\$0.00
16HGL	GAUGE, OIL TEMP, REAR AXLE	0/0	0	\$163.40
16HKB	GAUGE, MANIFOLD PRESSURE Data Link Driven; Mounted in Instrument Panel, Includes Controller Module	0/0	0	\$83.42
16JPC	SEAT, DRIVER {National 2000 Model 295} Air Suspension, Intermediate Back, All Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 3 Position Rear Cushion, 2-15 Degree Back Angle Adjust, Vinyl Suspension Cover	0/0	0	\$0.00
16RAC	SEAT, PASSENGER {National 2000 Model 292} Non Suspension, Intermediate Back, All Vinyl, 11 Degree Back Angle Adjustment	31/5	36	\$484.65
16SKU	MIRRORS (2) {Lang Mekra} Aero; Rectangular, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing, Breakaway Type, Thermostatically Controlled Heated Heads, Power Both Sides, Amber Lens Clearance Light LED, Black Painted Finish Heads, Brackets & Arms	-1/0	-1	\$43.00
16VRT	HEATER, ENHANCED CIRCULATION {Bergstrom} Control, for Extreme Cold Weather Climates	0/0	0	\$0.00
16VTH	CAB INTERIOR TRIM Premium Level; for Caterpillar, Day Cab	0/0	0	\$0.00
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Vinyl : CONSOLE, OVERHEAD Molded Plastic with Three Storage Pockets; One with Strap for CB Radio Mounting; Two with Netting, Courtesy Lights with Switches : COURTESY LIGHT (2) Driver and Passenger Door Mounted : DOOR TRIM PANELS Vinyl Upper with Power Locks and Windows, Upper and Lower Grab Handles, Both Sides : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Vinyl : HEATER BOX Metal, Painted Black : INSTRUMENT PANEL TRIM Vinyl : MIRROR, CONVEX, LOOK DOWN Black Finish; 6" x 10-1/4"; Located on Passenger Side : STORAGE POCKET, DOOR (2) Driver and Passenger Door : SUN VISOR (2) Vinyl with Molded Toll Ticket Retainer			
16VZA	WINDOW, REAR 52.25" Wide	0/0	0	\$0.00
16WAK	WINDOW, POWER (2) in Left and Right Doors	0/0	0	\$0.00
16WJG	CAB DOOR LOCKS Power	0/0	0	\$0.00
16WKB	AIR CONDITIONER {International Blend-Air} With Integral Heater & Defroster	0/0	0	\$0.00
16WKR	WINDSHIELD Single Piece	0/0	0	\$0.00



Vehicle Specifications

January 13, 2015

2016 CT660S SBA 6x4 (CF7AA)

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)	List (US DOLLAR)
16WLD	CAB REAR SUSPENSION {Link Z9079D1} Dual Frame Mounted Cab Rear Air Suspension; Includes Special Crossmember Assembly	0/0	0	\$0.00
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights	0/0	0	\$0.00
16ZDU	GRAB HANDLE Exterior; Towel Bar Type In Lieu Of Non-Bright Grab Handles; for use with Cab or Cab/Sleeper Non-Bright Access, Without Frame Access or Chassis Skirts	2/0	2	\$29.03
27DMC	WHEELS, FRONT DISC; 22.5" Polished Aluminum, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	-48/0	-48	\$506.97
28DTJ	WHEELS, REAR {Maxion 90541} DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs	0/447	447	\$51.96
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied White Powder Coat Paint	0/0	0	\$77.40
29WLA	WHEEL BEARING, FRONT, LUBE {EmGard 50W} Synthetic Oil	0/0	0	\$21.50
7452133217	(8) TIRE, REAR 11R22.5 XDE M/S (MICHELIN) 497 rev/mile, load range H, 16 ply	0/8	8	\$1,674.72
7482153208	(2) TIRE, FRONT 12R22.5 XZY-3 (MICHELIN) 483 rev/mile, load range H, 16 ply	58/0	58	\$791.20
Total of Product Features				\$160,552.68
Total Component Weight:		10048/8039	18087	
Total List Price Including Options:				\$160,552.68

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Neither Caterpillar nor its suppliers shall be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

(Base Price + Optional Additions) - \$118,814.50

(Total Discount) \$ 48,738.18



TRUCK BODIES & EQUIPMENT INTERNATIONAL, Inc.
 Ox Bodies | Crysteel | DuraClass | Rugby | J-Craft | Hardee

TBEI - Ox Bodies
 719 Columbus Street East
 PO Box 886
 Fayette AL 35555
 800-844-2519

Taken By: Robert Fowler

Quote Response Form

End User: UNKNOWN
Customer: 104731
 Mark Brunnemann
 HOLT TRUCK CENTERS
 1320 SOUTH 25TH STREET
 EDINBURG TX 78539
 USA

Phone: 956-330-0630
Fax: 956-383-6819

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
FA00066862	Net 30 Days	7/8/2015		HOWARD, CHIP	USD

UM	Quantity	Item	Unit Price	Extended Price
EA	1.000	1764570 MV85-1600-1518YD-63130-56/42/50STR-S	10,853.75	10,853.75

Yardage 15/16

Body: Maverick

- Body: 16' MAVERICK
- Hoist Model: 1248910-63130
- Frame Style: 2x8 RT w/1.5x3 RT xmem on 12 CL (framele
- Rear Style: Straight
- Front Exhaust Notch: No
- Front Height: 56"
- Side Height Front: 42" 10 Gauge
- Side Height Rear: 42"
- Rear Height: 50" 7 Gauge
- Front Material: 10 Gauge
- Floor Material: 7 Gauge
- Cabshield Style: Standard
- Cabshield Projection: 24"
- Cabshield Width: 85"
- Tarp Style: SEMI AUTO GROUND LEVEL
- Tailgate Type: Standard
- Sealed Tailgate: No
- Coal Chute: None
- Tailgate Operation: Air
- Tailgate Bracing Style: 1 Horizontal (TG height 37" to 54")
- Horizontal Side Brace: No
- Side Top Rail Style: Standard 4x4 11 GA
- Tread Plate Aluminum Bottom Rail: No
- Polished Aluminum Insulation Side/Front : No
- Dump Assist Vibrator: None
- Dump Apron: Standard 1/4" Plate - 10"
- Side Light Cutouts: Lower Front/Rear Clearance
- Cabshield Cutouts: 1 Set
- Metro Light Cutouts: 1 set
- Dirt Shedding Angle: No
- Board Holder Height: 8"
- ID: 85"
- Cover Bottom Rail with Alum: No
- **Cab Height**76"
- **Paint**Black



TRUCK BODIES & EQUIPMENT INTERNATIONAL, Inc.
 Ox Bodies | Crysteel | DuraClass | Rugby | J-Craft | Hardee

TBEI - Ox Bodies
 719 Columbus Street East
 PO Box 886
 Fayette AL 35555
 800-844-2519

Taken By: Robert Fowler

Quote Response Form

End User: UNKNOWN
Customer: 104731
 Mark Brunnemann
 HOLT TRUCK CENTERS
 1320 SOUTH 25TH STREET
 EDINBURG TX 78539
 USA
Phone: 956-330-0630
Fax: 956-383-6819

Estimate	Terms	Quote Date	Expiration Date	Salesperson	Customer Currency
FA00066862	Net 30 Days	7/8/2015		HOWARD, CHIP	USD

UM	Quantity	Item	Unit Price	Extended Price
----	----------	------	------------	----------------

Truck: CAT
 Truck: Installed
 Side Boards: 1248918-Wood 8" - Up to 17' body
 Hydraulic Tank: 1250596-Pyramid Flat Bottom Standard
 Rear Hinge: Standard - Removable Pin
 Hoist: 1248910-63130
 Cab Controls: Man. Transmission: 1250602-AS PTO/AS Feat Pmp/Elec MT Tarp
 Pump - Manual Transmission: 1249979-AS/Man/Pump C102-D2.5-3 D/MT CCW
 PTO - Manual Transmission: 1249991-PTO KIT AS MT TG8S-U6806-P3KX
 Mud Flaps: 1258524-36"Mud Flaps Texas 12" Anti Sail
 Backup Alarm: 1248915-Back-Up Alarm
 Side Light Quantity: Lower Front Amber / Rear Clearance Red
 Cab Shield Light Quantity: 1 set Amber
 Metro Light Quantity: 1 set Red

*				
EA	1.000	1260055 TARP GROUND LEVEL KIT 10-16FT ME	860.00	860.00
FREIGHT TO EDINBURG - ADD \$400.00				

***REQUIRED CT: 132"-138"

Requested 01/14/14

Gross Sales:	12,285.00
Total Discounts:	571.25
Sale Amount:	11,713.75
Freight:	1,800.00
Sales Tax:	0.00
FET Charges:	0.00
Total Amount:	13,513.75