COUNTY OF HIDALGO - URBAN COUNTY PROGRAM

Price Proposal Form

RECEIVED
MAR 3 1 2016
URBAN COUNTY PROGRAM

Price Proposal Form must be submitted to Urban County for pre-approval prior to the purchase.
Use additional forms as needed.

Name of Cooperative: Buyboard **Person Contacted:** Gene Lednicky

Purchase #1 **Vendor Name:** Neel Fire Protection Apparatus, Inc. **Contract No. :** 491-15 **Phone:** 1-800-433-3402

Quantity	Description of Items	List Price per Unit	10% Discount	Total Amount
1	Hidalgo Rescue/1st Attack Unit Spec			
	New F-550 4 Door, 4 X 4, V-10 Gas, Automatic			
	Aluminum Bed & Compartments, Skid unit with and 600 gallons of water	$104,011.12	$93,610.01	$90,761.00
	The total amount reflects an 11% discount			

TOTAL:	**$90,761.00**

Recommendation:

Requested by: Erika Zamora **Date** 3/31/16 **UCP Approval:** [illegible] **Date** 3-31-16

UCA-5

NEEL Fire Protection Apparatus, INC.
NEEL Assoc., INC.
Serving the Fire Service Needs Since 1960
Hidalgo Cty. Small Brush/1st Attack Specification
March 3, 2016

CHASSIS:

Ford F- 550 **Additions, Changes or Deletions of Equipment, may affect final price.** **Chassis**

NEW Ford F-550 4 Door (Crew Cab),18,000 gvwr, dual rear axle
4 x 4 Drive
Limited Slip rear axle; 4.88
GAS V - 8
84" Cab to Axle for 11' bed
50 state emissions
Hydraulic Brakes, anti locking
6 speed automatic transmission; w/trailer tow feature
Heavy Duty Front Suspension
Replacement Front Bumper/Grill Guard w/ receiver
and w/extension for bumper monitor
HI 200 amp alternator
1 – 650 cca battery
40 gallon fuel cell;
Front Tow Hook/Eye
Steel wheels; 17"

Tires LT 245/75R/17E Max Trac AT radials
40/20/40 Front Seat
Adjustable & Tilt steering wheel

AM&FM radio
Solid paint; choice of colors
All Standard Equipment
Standard Warranty

2 Door, Crew Cab and Extended Cab units also available
Dodge chassis available

FireBed BODY:

Fire Bed will be an **All Aluminum bed**. Fire Bed will be 132" long by 96" wide. The FireBed will have two (2) main beams that align over the chassis frame rails. There will be 9 cross members, spaced at 12" intervals. Bed has a Deck Plate surface. The outside channels will have the "WEB" to the outside, so that the clearance lights, intersection lights and reflective tape will be protected from damage. Smooth rear skirt for installation of Chevron Striping.

Our Body is of Welded Construction

The Fire Bed will be secured to the chassis frame at a minimum of six (6) locations, each with two (2) grade 8 bolts.
Two (2) Large Folding Steps attached on the rear skirt.

D O T, EMERGENCY LIGHT & SOUND EQUIPMENT:

The 12 volt apparatus electrical wiring will be independent of the chassis electrical system. The Service Body electrical system shall incorporate a state of the art distribution center. All wires will be color coded. Each circuit will be protected by a mechanical reset circuit breaker. The distribution panel shall be mounted in an area behind the seating area, this will be easily accessible and weather proof.
The system will have spare ports for additional electrical components, should there be a need to add systems in the future.

All wiring will be encased in split barrel loom, which is moisture and heat resistant. All wiring will be a continuous length, no splice. The wiring will be strand copper alloy, automotive grade, of a gauge ample in size of carrying 125% of the anticipated load. All connections shall be made with lugs or terminals mechanically secured to the wiring. The wiring will be thoroughly secured in all places and suitably protected from heat, oil and possible physical damage.

A wiring diagram will be provided. All wiring shall meet or exceed all automotive wiring recommended standards.

Wiring for radio unit will be installed.

D O T LIGHTING

Stop/Signal/Tail & Back Up Lights: LED 4" round will be installed in the rear skirt.

Clearance Lights: four(4) clearance **LED** lights, 2 - red & 2 - amber; lights will be mounted at each corner of the service body inside the rub rails.

Three Light DOT Rear Cluster: will be installed in the channel of the rear tailboard.

License plate light: will be installed on the rear of the service body.

Back Up alarm: will be installed under the rear of the service body, it will be activated when he transmission is placed in the reverse mode.

EMERGENCY LIGHT & SOUND EQUIPMENT

Light Bar: will be an **L E D** 47"; Chameleon bar; colors to be designated with order, Light Bar will be mounted on the platform off the headache rack. Front of Bar becomes A "Massive Scene Light" at the flip of a switch; rear of bar remains in the emergency Light mode.

Front, Rear & Intersection Flashing Light: Two (2) Front **L E D** Red Flashing Lights; Four (4) Rear **L E D** Lights, 2-Red, 2-Amber; Four (4) Intersection **L E D** Red Flashing Lights;

100 watt siren; full feature 100 watt siren will be installed in the cab.

Siren Speakers, 100 watt mounted in the front grill area.

Master Switch Control Panel: (6) switch master control panel. This panel will be located within easy reach distance for the Vehicle operator. There will be a separate, illuminated switch for the Light Bar, Intersection Lights, Front & Rear Flashers and Ground lights.

Console Unit: Siren, Master Switch Control Panel & Radio plate will be mounted In a console.

Door Adjar Light: There will be a light in Cab that will alert the operator that a compartment Door Is not fully secured/shut.
Ground Lights: ground illumination lights will be installed under each chassis door and one under each side of body and at rear.

Master "Add ON" Power Cut Off. Master Cut Off will be for all **ADD ON** Electrical service ONLY; it will not cut off the OEM chassis circuits. This cut off will be wired into the ignition switch.

Lettering; up to 60 vinyl turned gold leaf letters and unit number will be installed on the apparatus, per department instructions. Unit number will be installed on each front fender, front bumper, rear skirt and cab roof in reflective material.

Striping: will be 4" reflective installed on the chassis doors, inside the web of the service body rail and on/in front bumper. Striping will be installed inside the door of the chassis.

Chevron Striping: at least 50% of rear of the service body will be covered.

FIRE FIGHTING UNIT: NFPA SKID / SLIDE ON UNIT

Skid unit will be a N F P A model 23 hp B & S 25/20– 600 /10
23 hp B & S gas, air cooled engine; Pump will be a 25/20 w/mechanical seal.
Performance will be approximately 80 gpm @ 150 psi; 200 gpm @ 100/120 psi; 350 gpm @ 30 psi;
Pump unit will be pull fuel from the truck cell, and electrical from chassis batteries.
Discharge manifold will be powder coated with Brass Fittings & Brass, Full Flow quarter turn Valves

- 1 - 2 ½" valve inlet/suction w/plug
- 1 – 2 ½" valve tank to pump
- 1 - 2 ½" valve discharge w/cap
- 1 - 1 ½" valve discharge w/cap
- 1 – 1 ½" valve discharge for Hose Lay
- 1 - 1 1/2" plugged
- 1 - 1" valve to reel;
- 1 - 1" valved discharge w/ cap
- 1 – 1 ½" valve tank refill
- 1 - ¼" check valve for automatic pump cooling line
- 1 - Electric Primer
- 1 - Electric Reel with 100' of 1" booster line and Pistol Grip viper Nozzle
  Reel will be mounted as directed.

TANK: 600 gallon POLLYproplyene Water tan
with one sight level gauge. **L E D water level gauge on panel**
Tank is baffled to Texas Forest Service & NFPA RECOMMENDATIONS.

Other Equipment:

- 1 - 2.5" x 15' Fill Hose
- 1 - Spanner/Hydrant Wrench Set & Mount

Compliance: Unit will be build to meet or exceed ALL Texas Forest Service 2604 Grant Minimum standards.

YOUR Investment in this NEW F – 550 4 Door: 4 x 4; V-10 GAS; Automatic, All Aluminum Bed; Skid unit with foam and 600 gallons of water
$90,761.00

TERMS: County Purchase Order and signing of contact
BALANCE NET DUE AT DELIVERY

On Texas Forest Service Grants, this unit would normally sell for $111,111.12. Taking the $111,111.12 - $7,100.00 (dsl engine) = $104,011.12 @ 90% = $93,610.01. Buyboard contract number 491-15

WARRANTIES:

Chassis:	by Chassis Manufacturer
Body:	by NEEL 5 years Material & Labor
Electrical:	by Manufacturer of Product
Pump:	by NEEL 10 years, except mechanical seal
Pump Eng:	by B & S 3 years
Manifold:	by NEEL 5 years
Fittings & Valves:	by NEEL 5 years
Water Tnk:	by NEEL, Lifetime
Other:	by Part manufacturer

DELIVERY WITHIN 90 WORKING DAYS AFTER RECEIPT OF Chassis

OPTIONAL EQUIPMENT :

Extended Cab	DEDUCT $ 1,800.00
Diesel Chassis engine	ADD $ 7,100.00
Hale HP 200x series pump	ADD $ 975.00
Front Bumper Spray tips w/elec valves	ADD $ 1,200.00
Optional CAFS Unit	ADD $ 20,000.00
All Aluminum Service/Rescue Body	ADD $ 15,000.00
Different Size Compartments	Call for Pricing

Prices on pumps & equipment include installation

OTHER OPTIONAL EQUIPMENT AVAILABLE, JUST CALL !

Additions, Changes or Deletions of Equipment, may affect final price.

ALL Prices are FIRM UNTIL May 1, 2016

We are FULLY INSURED; can provide Bid and Performance Bonds, at an additional fee. Our firm is in compliance with ALL current Texas & Oklahoma Department of Motor Vehicle regulations.

WE ARE LISTED CONTRACTORS WITH BUY BOARD BUYING CO' OP.

REFERENCES: Holland, Little River, Jarrell, Sargent, Port Neches; La Rosita Groveton, Crockett, Lovelady, Weldon, Willow City and others are available.

Should you have any question, call me at 800-433-3402 or Fx 254-799-9248; Email neel@texnet.net.

We are available to come to your department to discuss this unit or any other Fire fighting equipment needs your department may have. Your favorable consideration of our proposal will be appreciated!
Thank You,

CLAY LEDNICKY
President





Sample of Brush Truck





#SBW-12 / Prairie Hill

-F-550 Gas 4x4
-Aluminum Bed w/Workstations
-23/25/20 Hydra Pump
-500 Gallon Tank w/15 Gal. Foam Cell
-9500 lb winch w/Air Compressor
-Electric Front Monitor
-Aluminum Compartments
-PAC System
-LED Light Package









 # LBW-1 / Aquilla

-F-750 4x4 Diesel Auto Reg. Cab
-14' Aluminum Bed w/Workstations
-Upper Aluminum Boxes w/Roll up Doors
-Lower Aluminum Boxes
-1500Gal. w/12Gal. Foam Cell
-34HP Diesel CAFS Units
-30/25/70 Rotary Screw Air Compressor w/Foam it Sys. 1.1
-Drop Tank Rack
-12,000lb Winch
-Front Bumper External LED Light Package
-Electric Side Monitor, Rear Chevron Striping







 # LBW-2 / Ben Wheeler

- C-5500 with grill guard
- 4x4 gas
- 10' Aluminium bed with workstations
- 4 Aluminium boxes with roll up doors
- 2 underbody boxes
- 12,000 lb winch
- LED light package
- 23/25/20IF Foam It 1.1 system
- 500 gallons of water
- 1 1/2 hosela

SAE J845 Class 1



SHO-OFF® Chameleon LED Light Bars

Scene Lights & Multi-Color Lights in One Bar

With the touch of a switch the Chameleon Light Bar can change from a multi-color warning light to a blazingly bright scene light.

- White 3W LEDs alternate with colored 3W LEDs on the front of the light bar to provide a wide-angle scene light or a warning light depending on the situation.
- Alternating LED colors in the back of the light bar alert and warn motorists.
- LEDs are available in your choice of:
- Meets SAE J845 Class 1 certifications in amber, blue, red and white. (LEDs in the angled end modules do not alternate colors in order to meet Class 1 standards.)
- Solid-state flasher features selectable patterns including random. Patterns vary depending on the light bar configuration.
- Optional signal stick, stop-turn-tail function with red LEDs, and LED or halogen alley lights are available upon request.
- Chameleon Light Bar lengths are available in 10" increments ranging from 27" to 97" with four standard lengths: 27", 37", 47" and 67". Custom lengths are available in 67", 77", 87" and 97". (Minimum length is 27".)
- Aerodynamic, low-profile housing.
- Heavy-duty extruded aluminum base with gasket & UV-resistant polycarbon dome.
- Specify driver- or passenger-side cable exit.
- Dimensions: 4" H x 9¼" D x four standard lengths: 27", 37", 47", 57"
- Made in the U.S.A.

Variety of Lengths



- *Lengths available in 10" increments*
- *Standard lengths: 27", 37", 47" and 57"*
- *Custom lengths: 67", 77", 87" and 97"*
- *Heavy-duty extruded aluminum base*
- *Clear UV-resistant Lexan® dome*

12.1327CH 27" Chameleon LED Light Bar *12V / 18A max / 9A avg.*
12.1337CH 37" Chameleon LED Light Bar *12V / 24A max / 12A avg.*
12.1347CH 47" Chameleon LED Light Bar *12V / 30A max / 15A avg.*
12.1357CH 57" Chameleon LED Light Bar *12V / 36A max / 18A avg.*
Includes 3W LEDs, mounting kit, standard adapter brackets and 15' hardwire cable.



12.1337CH Chameleon Light Bar Front Layout with red & blue LEDs and white LED scene light.



12.1337CH Chameleon Light Bar Back Layout with red, blue and amber LEDs.



SHO-ME www.able2products.com

02/23/2016 12:48 2547999248 NEEL FIRENC PAGE 07/09

SHO-OFF®
Chameleon LED Light Bar

The SHO-OFF® Chameleon Light Bar features three-watt white LEDs alternating with three-watt colored LEDs to provide intense scene light AND warning light in one bar.



Shines so brightly it eliminates questions on tag numbers.

2 FUNCTIONS - 1 LIGHT BAR

Choose the function depending upon the situation:

- 180° **scene lights** fully illuminate traffic stops and investigative scenes.
- 360° **warning lights** alert passing motorists so they can slow down, change lanes, and provide safe clearance to police, paramedics, fire crews, utility workers and tow truck drivers.



Can you spot the officer standing behind his car door?

SAFELY SECURES THE SCENE

Brighter illumination of the scene means that:

- license plate numbers can be identified better.
- officers can see into the vehicle while those in the vehicle can't see out because of the glare.
- dash cams and body cameras can record clearer images for use in criminal investigations.

ADVANTAGES OVER TRADITIONAL SPOTLIGHTS

Because traditional spotlights provide only moderate light, it can be dangerous for an officer to approach a vehicle where someone is hiding a weapon or illegal substance.

The Chameleon Light Bar allows officers to see what is happening inside a vehicle because it has up to ten times brighter light over a wider area than traditional spotlights.

One light optimizes traffic control **AND** keeps officers safe in dangerous nighttime environments.

ONE Light Bar with BOTH Warning and Scene Lighting

02/23/2016 12:48 2547999248 NEEL FIRE INC PAGE 08/09

MEGA LED Scene Lights

SHO-ME

- Suitable for 12V - 24V vehicles.
- Long-lasting white LEDs are maintenance-free.
- Low current draw conserves battery life.
- 100% sealed housing is moisture-, dirt- & dust-resistant.
- 36W & 72W models have 60° flood reflectors.
- Other models have 60° flood and 30° spot LEDs.
- IP67 rated.
- Black cast aluminum alloy housing.
- Ratcheted brackets permit vertical adjustment.
- Includes mounting kit and double-insulated cable.

36W Scene Light
Model 10.7036.W00



12 White LEDs - All 60° Flood
Amp Draw: 2.5 Amps Max
Output: 2160 Lumens

Lamp Life: Up to 30,000 Hours
Temperature Range: -80° F - 168° F
4½" H x 10⅛" W x 3½" D w/ brackets out



Heavy-duty brackets can be configured in two ways.

72W Scene Light
Model 10.7072.W00

24 White LEDs - All 60° Flood
Amp Draw: 4.0 Amps Max
Output: 4200 Lumens

Lamp Life: Up to 30,000 Hours
Temperature Range: -80° F - 168° F
4½" H x 16" W x 3½" D with brackets out



Integrated passive heat sink improves LED lifespan.

120W Scene Light
Model 10.7120.W00



40 White LEDs - (24) 30° Spot / (16) 60° Flood
Amp Draw: 8.0 Amps Max
Output: 7200 Lumens

Lamp Life: Up to 30,000 Hours
Temperature Range: -80° F - 168° F
4½" H x 24¼" W x 3½" D with brackets out

180W Scene Light
Model 10.7180.W00



60 White LEDs - (36) 30° Spot / (24) 60° Flood
Amp Draw: 11.0 Amps Max
Output: 10,800 Lumens

Lamp Life: Up to 30,000 Hours
Temperature Range: -80° F - 168° F
4½" H x 34⅜" W x 3½" D with brackets out

Mounted on upper complete

240W Scene Light
Model 10.7240.W00



80 White LEDs - (40) 30° Spot / (40) 60° Flood
Amp Draw: 15.0 Amps Max
Output: 12,600 Lumens

Lamp Life: Up to 30,000 Hours
Temperature Range: -80° F - 168° F
4½" H x 44½" W x 3½" D with brackets out

300W Scene Light
Model 10.7300.W00



100 White LEDs - (52) 30° Spot / (48) 60° Flood
Amp Draw: 19.0 Amps Max
Output: 14,400 Lumens

Lamp Life: Up to 30,000 Hours
Temperature Range: -80° F - 168° F
4½" H x 54½" W x 3½" D with brackets out

02/23/2016 12:48 2547999248 NEEL FIRENC PAGE 09/09

Search Results

Search:

- (•) All
- ( ) Vendor Discounts Only
- ( ) Catalog Pricing Only

Refine Your Search:

Vendors
Neel Fire Protection[X]
Price Range
Show all prices
Category
None Selected
Contract
None selected

Additional Searches:

Search by Vendor

Browse Contracts

Additional Resources

Show 25 results

Narrow Results:

Vendor	Description	Pricing
Neel Fire Protection	Hourly Labor Rate for Repair/Service of Fire Apparatus, Equipment, and Products. Line Item 52	
Neel Fire Protection	Per Mile Delivery Fee for Vehicles. Line Item 53	
Neel Fire Protection	NFPA, 14' NWI, Gas 2-Dr. Cab, 170" cab to axle, A/C, Rescue. Line Item 34	
Neel Fire Protection	NFPA, 14' NWI, Diesel 2-Dr. Cab, 170" cab to axle, A/C, Rescue. Line Item 34	
Neel Fire Protection	NFPA, 14' NWI 2-Dr. Cab, 170" cab to axle, A/C, Rescue. Line Item 34	
Neel Fire Protection	NFPA Quick Response Unit 2-Dr. Cab, 4x4, 60" C/A, A/C, 15,000# GVW, Brush Fire. Line Item 43	
Neel Fire Protection	NFPA Quick Attack 2-Dr. Cab, 4x4, 60" C/A, A/C, 15,000# GVW, Brush Fire. Line Item 42	
Neel Fire Protection	NFPA Quick Attack 2-Dr. Cab, 4x4, 17500# GVW, 275 HP Diesel, manual transmission, Brush Fire. Line Item 46	

Extended Product Information

Reference Number: 491-15

Unit Measure: EA

Full Description: NFPA Quick Attack 2-Dr. Cab, 4x4, 17500# GVW, 275 HP Diesel, manual transmission, Brush Fire. Lin

Neel Fire Protection	NFPA Quick Attack 2-Dr. Cab, 4x2, 60" C/A, A/C, 15,000# GVW, Brush Fire. Line Item 41	
Neel Fire Protection	NFPA Quick Attack 2-Dr. Cab, 4x2, 17500# GVW, 275 HP Diesel, Brush Fire. Line Item 44	
Neel Fire Protection	NFPA Light Rescue Unit, 12' Body, Gas 2-Dr. Cab, 84" cab to axle, A/C, Rescue. Line Item 33	
Neel Fire Protection	NFPA Light Rescue Unit, 12' Body, Diesel 2-Dr. Cab, 84" cab to axle, A/C, Rescue. Line Item 33	
Neel Fire Protection	NFPA Light Rescue Unit, 10' Body 2-Dr. Cab, 60" cab to axle, A/C, Rescue. Line Item 32	
Neel Fire Protection	NFPA Large Brush Unit 2-Dr. Cab, 4x2, 300 HP, Automatic, A/c, Brush Fire. Line Item 47	
Neel Fire Protection	10% Discount Off Neel Fire Protection pricelist for Third Party (not OEM) Options. Line Item 49	
Neel Fire Protection	10% Discount Off Neel Fire Protection pricelist for Optional Equipment. Line Item 48	

Extended Product Information

Reference Number: 491-15

Full Description: 10% Discount Off of Neel Fire Protection pricelist for Optional Equipment. Line Item 48

Showing 1 to 16 of 16 entries

Vendor Contract Information

Back

Search:

- (•) All
- ( ) Vendor Discounts Only
- ( ) Catalog Pricing Only

Refine Your Search:

Vendors
Neel Fire Protection[X]
Price Range
Show all prices
Category
None Selected
Contract
None selected

Additional Searches:

Search by Vendor

Browse Contracts

Additional Resources

Vendor Name:	Neel Fire Protection
Address:	1118 Interstate 35 North Waco, TX 76705
Phone Number:	(254) 799-9176
Email:	neel@texnet.net
Federal ID:	75-2255624
Contact:	Gene Lednicky
Accepts RFQs:	Yes
Minority Owned Vendor:	No
Women Owned Vendor:	No
Contract Name:	Fire Apparatus (Repair Parts and Repair Labor)
Contract#:	491-15
Effective Date:	09/01/2015
Expiration Date:	08/31/2018
Payment Terms:	Upon delivery
Delivery Days:	100
Shipping Terms:	Pre-paid and added to invoice
Freight Terms:	FOB Destination
Ship Via:	Common Carrier
Region Served:	All Texas Regions
States Served:	All States
Quote Reference Number:	491-15

Contract Documents

Proposal Documents:	**Click to view BuyBoard Proposal Documents**
Vendor Documents:	**Click to view Vendor Proposal Documents**
Regulatory Notice:	**Click to view Bonding Regulatory Notice**

FW: Vehicle Sale, Different Chassis

From : Gene Lednicky <neel@texnet.net> Wed, Mar 02, 2016 10:32 AM
Subject : FW: Vehicle Sale, Different Chassis 1 attachment
To : Monica Leal <monica.leal@co.hidalgo.tx.us>

From: Connie Burkett [mailto:Connie.Burkett@tasb.org]
Sent: Monday, February 29, 2016 11:14 AM
To: 'neel@texnet.net'
Cc: Sharon McAfee
Subject: FW: Vehicle Sale, Different Chassis

Good morning, Gene!

Neel Fire Protection has an award for 10% off Manufacturer's Optional Equipment. The upgrades for crew cab and gas engine would be covered under this award. On your quote, you will need to show the awarded base price, and detail the published and unpublished options (if any).

Respectfully,

Connie W. Burkett, CTPM
Contract Administrator
BuyBoard / TASB
12007 Research Blvd
Austin TX 78759
Phone: 800-695-2919, ext 7152
Fax: 800-211-5454

BuyBoard® Cooperative Purchasing

From: Gene Lednicky [mailto:neel@texnet.net]
Sent: Thursday, February 25, 2016 10:49 AM
To: 'meloniw.perry@tasb.org'
Subject: Vehicle Sale, Different Chassis

Ms. Perry we are in the process of being awarded a Buy board purchase for
Our unit #46. Which is a F-550 2 door cab unit with aluminum body and skid

Unit; The county wants a Crew Cab chassis, and gas engine; besides these
Two changes, the unit is the same as the #46 spec. What do we need to
Do to qualify this unit, with Buy Board, which would allow us to make the
Sale. I looked thru the original 491-15 spec and I found nothing that
Listed the crew cab unit and gas engines. Many departments are
Now going with this crewcab chassis, and the gas engine because
Of the $ 6000 -7000.00 up charge for diesel powered chassis.
Your reply will be appreciated.
Thank you Gene Lednicky GM Neel Fire/Associates Waco

---

image003.png
19 KB

CERTIFICATE OF INTERESTED PARTIES

FORM **1295**

Complete Nos. 1 - 4 and 6 if there are interested parties.
Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

OFFICE USE ONLY
CERTIFICATION OF FILING

Certificate Number:
2016-21866

Date Filed:
03/04/2016

Date Acknowledged:
03/14/2016

1 Name of business entity filing form, and the city, state and country of the business entity's place of business.

Neel Assoc. Inc
Waco, TX United States

2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.

Hidalgo County

3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the goods or services to be provided under the contract.

03062016
Fire truck

4 Name of Interested Party	City, State, Country (place of business)	Nature of interest (check applicable)	
		Controlling	Intermediary
Lednicky, William	Waco, TX United States		X
Lednicky, Clayton	Waco, TX United States	X	

5 Check only if there is NO Interested Party. ☐

6 AFFIDAVIT

I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.

_____
Signature of authorized agent of contracting business entity

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said _____, this the _____ day of _____, 20_____, to certify which, witness my hand and seal of office.

_____
Signature of officer administering oath | Printed name of officer administering oath | Title of officer administering oath

CERTIFICATE OF INTERESTED PARTIES

FORM **1295**

Complete Nos. 1 - 4 and 6 if there are interested parties.
Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

OFFICE USE ONLY
CERTIFICATION OF FILING

Certificate Number:
2016-21866

Date Filed:
03/04/2016

Date Acknowledged:

1 Name of business entity filing form, and the city, state and country of the business entity's place of business.

Neel Assoc. Inc
Waco, TX United States

2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.

Hidalgo County

3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the goods or services to be provided under the contract.

03062016
Fire truck

4 Name of Interested Party	City, State, Country (place of business)	Nature of interest (check applicable)	
		Controlling	Intermediary
Lednicky, William	Waco, TX United States		X
Lednicky, Clayton	Waco, TX United States	X	

5 Check only if there is NO Interested Party. ☐

6 AFFIDAVIT

I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.

W. E. LEDNICKY
Notary Public, State of Texas
My Commission Expires
January 07, 2019

Signature of authorized agent of contracting business entity

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said CLAYTON LEDNICKY, this the 4 day of MARCH, 20 16, to certify which, witness my hand and seal of office.

Signature of officer administering oath	Printed name of officer administering oath	Title of officer administering oath
	WILLIAM LEDNICKY	NOTARY

Customer #: HIDALGO COUNTY-URBAN COUNTY PROGRAM 3/30/2016 **Chk#:** 87536

2016-FIRE STATION EQUIPMENT FIRE STATION EQUIPMENT	3/30/2016	$1,964.00

Total: **$1,964.00**

THIS CHECK IS PROTECTED BY A VOID PANTOGRAPH, MICROPRINT SIGNATURE LINE AND A HEAT SENSITIVE PADLOCK ICON. ADDITIONAL SECURITY FEATURES ARE LISTED ON BACK.

VOID VOID VOID

GF - OPERATING - LSNB
633 S. INTERNATIONAL BLVD
HIDALGO, TX 78557

87536

CITY OF HIDALGO
(956) 843-2286
704 E TEXANO
HIDALGO, TX 78557
(956) 843-2286

HIDALGO All-America City 2004

** One Thousand Nine Hundred Sixty-Four And 00/100 **

3/30/2016 **$1,964.00**

AUTHORIZED SIGNATURE

AUTHORIZED SIGNATURE

HIDALGO COUNTY-URBAN COUNTY PROGRAM
427 E DURANTA AVE
SUITE 107
ALAMO, TX 78516

⑈087536⑈ ⑆114911687⑆ 1025012747⑈