

Sidewalks on State Right of Way


Date: July 19, 2017
County: Hidalgo
Control Section: 864-1
Highway: FM 494
Location: Granjeno, Tx.

Owner Name: City of Granjeno
Address: 6603 S. FM 494 78572

Phone: (956) 519-7662
Fax: NA



SIGNATURE (RECEIVED BY)



DATE:

This will be your authority, subject to city's approval, to enter upon the highway right of way at the above referenced location, for the purpose of constructing a 2,776 Ft. concrete sidewalk (s) subject to the following conditions:


1. You shall provide proper protection for all traffic affected by your project, as described in the *Manual on Uniform Traffic Control Devices*. To include warning signs, flags, arrow boards and flagmen where necessary.
2. The only approved surfaces for sidewalks on state right of way are concrete, brick pavers and hot mix. Any type of tile on sidewalks will not be allowed. All materials used will be of good commercial quality. It is required your sidewalk be constructed with a minimum thickness of four (4") inches and include 6" X 6" wire mesh or re-bar if concrete. All concrete must be class "A".
3. If in a curb and gutter section, the edge of the proposed sidewalk shall be placed Approx. 10 ' feet from the back of the curb. The edge of the sidewalk nearest the curb shall be placed a minimum of 0-1" above the top of the curb. The Proposed sidewalk shall have a minimum slope of 1/4" per foot upward toward the right of way line. The surface of future widened sidewalk shall be the same elevation as the top of the existing curb.
4. If in a non-curb and gutter section, the edge of the proposed sidewalk shall be placed n/a feet from the right of way line and be placed at an elevation with a minimum slope of 1/4" per foot.
5. A 1/2" expansion joint shall be provided where the sidewalk abuts the back of the existing curb. The expansion joint material shall be fiber board or redwood strips, every twenty (20') feet. Your sidewalk shall have a dummy joint every ten (10') feet.

6. Should the sidewalk interfere with future highway maintenance or construction, you will adjust the sidewalk at your own expense. TxDOT will not be responsible for damage to this sidewalk by maintenance or construction machinery.
7. All work shall be performed during dry weather so that your equipment will not damage highway facilities. Repairs to damaged highway facilities shall be the responsibility of the contractor. If not repaired in a timely manner TxDOT forces will make the repairs and you will be billed for the actual cost.
8. Sidewalk shall be Americans with Disabilities Act (ADA) compliant. Said sidewalk shall be a minimum of five (5') foot wide and have wheel chair ramps at all crosswalks. Sidewalk and wheelchair ramp detail will be attached.
9. The right of way must be cleared of all trash and other debris upon completion of work.
10. This permit expires six (6) months from the date shown on the face of this permit. A request for an extension of time will be given consideration at that time.

If these requirements are acceptable you may proceed with the work **after giving forty-eight (48) hours notification.**

Please notify this office at (956) 585-5761.
Phone Number

Respectfully,



Jose Carlos Solis
Mission Maintenance Supervisor