



Hidalgo County Purchasing Department
 2812 S. Business Highway 281
 New Administration Building
 Edinburg, Texas 78539
 (956) 318-2626/ Fax: (956) 318-2629

MEMORANDUM

(Approval of Specifications)

TO: J. E. "Eddie" Guerra
 Hidalgo County Sheriff

ATTN: Joel Rivera

via email: joel.rivera@hidalgoso.org

FROM: Heidi Garcia Ortiz, Buyer III
 Hidalgo County Purchasing Department

DATE: June 9, 2017

RE: Approval or Disapproval of Specifications for: – Hidalgo County Law Enforcement Agencies -
 "Purchase of Uniforms and Accessories for Hidalgo County Law Enforcement Agencies"
 Bid No. 2017-122-00-00-HGO

Please review the CURRENT SPECIFICATIONS and verify if all requirements are met by selecting APPROVE, DISAPPROVE (or) APPROVED WITH MODIFICATIONS and signing below. If your answer is DISAPPROVE, please make any modifications necessary to the specifications and return the revised copy to the designated Buyer in the Purchasing Department.

If you have any questions, please call me at (956) 318-2626 ext. # 4877.

APPROVE <input type="checkbox"/>	DISAPPROVE <input type="checkbox"/>
APPROVE WITH MODIFICATIONS <input checked="" type="checkbox"/>	

Funds Availability: _____ YES / _____ NO/ _____

Other (Specify) _____

Budget Account No.: _____


 SIGNATURE

Steve Herrera
 PRINTED NAME

H.P.S.O.
 DEPARTMENT

7/10/17
 DATE

SUBMIT THIS FORM TO THE HIDALGO COUNTY PURCHASING DEPARTMENT, VIA FAX TO (956) 292-7612 or e-mail: heidi.ortiz@co.hidalgo.tx.us by no later than Friday JUNE 16, 2017 @ 10:00 A.M.

Enclosures

Modifications Needed To Sheriff's Office Uniform Specifications

Line 12 - BDU (Battle Dress Uniform) Style Shirt:

- a) Addition of sizes 5x and 6X
- b) Addition of shirt option 2 (2 style pockets) that is shown in line 14 description

Line 13 – BDU Shirt S.E.R.T. Officer (Battle Dress Uniform):

- a) Addition of sizes 5x and 6X
- b) Addition of shirt option 2 (2 style pockets) that is shown in line 14 description

Re: HC-PURCHASE OF UNIFORMS AND ACCESSORIES FOR HC LAW ENFORCEMENT AGENCIES BID NO. 2017-122-SMA

From : Terry Contreras <terry.contreras@hidalgo.org>
Subject : Re: HC-PURCHASE OF UNIFORMS AND ACCESSORIES FOR HC LAW ENFORCEMENT AGENCIES BID NO. 2017-122-SMA
To : Sandra Montalvo <sandra.montalvo@co.hidalgo.tx.us>

Tue, Jul 11, 2017 01:11 PM

Hello,

Below is both the account numbers for the Sheriff's Office Law Enforcement and Adult Detention Center.

Sheriff's Law: 7-1100-421-00-280-001-0-
Adult Detention: 7-1100-423-21-280-002-0-

Thank you,
Terry Contreras
Quartermaster
Hidalgo County Sheriff's Office
711 El Cibolo Rd.
Edinburg, Texas 78542
Phone: [956.383.8114](tel:956.383.8114)
Direct: [956.393.6020](tel:956.393.6020)
Fax: [956.393.6021](tel:956.393.6021)
terry.contreras@hidalgo.org

From: "Sandra Montalvo" <sandra.montalvo@co.hidalgo.tx.us>
To: "Terry Contreras" <terry.contreras@hidalgo.org>
Sent: Tuesday, July 11, 2017 10:52:35 AM
Subject: Re: HC-PURCHASE OF UNIFORMS AND ACCESSORIES FOR HC LAW ENFORCEMENT AGENCIES BID NO. 2017-122-SMA

[Mr. Contreras,](#)

[Will you provide me with the budget acct # for the Uniforms its not on the attached memorandum.](#)

From: "Terry Contreras" <terry.contreras@hidalgo.org>
To: "Sandra Montalvo" <sandra.montalvo@co.hidalgo.tx.us>
Cc: "steve herrera" <steve.herrera@hidalgo.org>, "Darlene H. Betancourt" <darlene.betancourt@co.hidalgo.tx.us>
Sent: Monday, July 10, 2017 9:12:48 AM
Subject: Re: HC-PURCHASE OF UNIFORMS AND ACCESSORIES FOR HC LAW ENFORCEMENT AGENCIES BID NO. 2017-122-SMA

Good Morning Sandra,

Attached is the form you sent for approval on the above listed project. We have submitted an approval with modifications and have attached a list of the modifications needed. Please let me know if you should



Hidalgo County Purchasing Department
 2812 S. Business Highway 281
 New Administration Building
 Edinburg, Texas 78539
 (956) 318-2626/ Fax: (956) 318-2629

MEMORANDUM

(Approval of Specifications)

TO: Celestino Avila, Jr.
 Hidalgo County Constable – Precinct 1

ATTN: John Saucedo via email: john.sauceda@co.hidalgo.tx.us

FROM: Heidi Garcia Ortiz, Buyer III
 Hidalgo County Purchasing Department

DATE: June 9, 2017

RE: Approval or Disapproval of Specifications for: – Hidalgo County Law Enforcement Agencies -
 “Purchase of Uniforms and Accessories for Hidalgo County Law Enforcement Agencies”
 Bid No. 2017-122-00-00-HGO

Please review the CURRENT SPECIFICATIONS and verify if all requirements are met by selecting APPROVE, DISAPPROVE (or) APPROVED WITH MODIFICATIONS and signing below. If your answer is DISAPPROVE, please make any modifications necessary to the specifications and return the revised copy to the designated Buyer in the Purchasing Department.

If you have any questions, please call me at (956) 318-2626 ext. # 4877.

APPROVE <input checked="" type="checkbox"/>	DISAPPROVE <input type="checkbox"/>
APPROVE WITH MODIFICATIONS <input type="checkbox"/>	

Funds Availability: _____ YES / _____ NO/ _____

Other (Specify) _____

Budget Account No.: _____

Celestino Avila Jr Celestino Avila Jr, Constable Precinct #1 07-12-17
 SIGNATURE PRINTED NAME DEPARTMENT DATE

SUBMIT THIS FORM TO THE HIDALGO COUNTY PURCHASING DEPARTMENT, VIA FAX TO (956) 292-7612 or e-mail: heidi.ortiz@co.hidalgo.tx.us by no later than Friday JUNE 16, 2017 @ 10:00 A.M.

Enclosures



Hidalgo County Purchasing Department
 2812 S. Business Highway 281
 New Administration Building
 Edinburg, Texas 78539
 (956) 318-2626/ Fax: (956) 318-2629

MEMORANDUM

(Approval of Specifications)

TO: Martin Cantu
 Hidalgo County Constable – Precinct 2

ATTN: Norma Castellon via email: norma.castrellon1@co.hidalgo.tx.us

FROM: Heidi Garcia Ortiz, Buyer III
 Hidalgo County Purchasing Department

DATE: June 9, 2017

RE: Approval or Disapproval of Specifications for: – Hidalgo County Law Enforcement Agencies -
 “Purchase of Uniforms and Accessories for Hidalgo County Law Enforcement Agencies”
 Bid No. 2017-122-00-00-HGO

Please review the CURRENT SPECIFICATIONS and verify if all requirements are met by selecting APPROVE, DISAPPROVE (or) APPROVED WITH MODIFICATIONS and signing below. If your answer is DISAPPROVE, please make any modifications necessary to the specifications and return the revised copy to the designated Buyer in the Purchasing Department.

If you have any questions, please call me at (956) 318-2626 ext. # 4877.

APPROVE <input checked="" type="checkbox"/>	DISAPPROVE <input type="checkbox"/>
APPROVE WITH MODIFICATIONS <input type="checkbox"/>	

Funds Availability: YES / NO/ _____

Other (Specify) N/A

Budget Account No.: _____

Martin N. Cantu Martin N. Cantu HCC Precinct 2 6-12-17
 SIGNATURE PRINTED NAME DEPARTMENT DATE

SUBMIT THIS FORM TO THE HIDALGO COUNTY PURCHASING DEPARTMENT, VIA FAX TO (956) 292-7612 or e-mail: heidi.ortiz@co.hidalgo.tx.us by no later than Friday JUNE 16, 2017 @ 10:00 A.M.

Enclosures



Hidalgo County Purchasing Department
 2812 S. Business Highway 281
 New Administration Building
 Edinburg, Texas 78539
 (956) 318-2626/ Fax: (956) 318-2629



MEMORANDUM

(Approval of Specifications)

TO: Larry Gallardo, Jr.
 Hidalgo County Constable – Precinct 3

ATTN: Dan Broyles via email: dan.broyles@co.hidalgo.tx.us

FROM: Heidi Garcia Ortiz, Buyer III
 Hidalgo County Purchasing Department

DATE: June 9, 2017

RE: Approval or Disapproval of Specifications for: – Hidalgo County Law Enforcement Agencies -
 “Purchase of Uniforms and Accessories for Hidalgo County Law Enforcement Agencies”
 Bid No. 2017-122-00-00-HGO

Please review the CURRENT SPECIFICATIONS and verify if all requirements are met by selecting APPROVE, DISAPPROVE (or) APPROVED WITH MODIFICATIONS and signing below. If your answer is DISAPPROVE, please make any modifications necessary to the specifications and return the revised copy to the designated Buyer in the Purchasing Department.


If you have any questions, please call me at (956) 318-2626 ext. # 4877.

APPROVE <input checked="" type="checkbox"/>	DISAPPROVE <input type="checkbox"/>
APPROVE WITH MODIFICATIONS <input type="checkbox"/>	

Funds Availability: YES / NO

Other (Specify) _____

Budget Account No.: 7-1100-42100-293-0010-605

	RENE GONZALEZ	Constable's Dept. Pct. 3	7/7/17
SIGNATURE	PRINTED NAME	DEPARTMENT	DATE

SUBMIT THIS FORM TO THE HIDALGO COUNTY PURCHASING DEPARTMENT, VIA FAX TO (956) 292-7612 or e-mail: heidi.ortiz@co.hidalgo.tx.us by no later than Friday JUNE 16, 2017 @ 10:00 A.M.

Enclosures



Hidalgo County Purchasing Department
 2812 S. Business Highway 281
 New Administration Building
 Edinburg, Texas 78539
 (956) 318-2626/ Fax: (956) 318-2629

MEMORANDUM

(Approval of Specifications)

TO: Anastacio "J. R." Gaytan
 Hidalgo County Constable – Precinct 4

ATTN: Nayla Munoz via email: nayla.munoz@co.hidalgo.tx.us

FROM: Heidi Garcia Ortiz, Buyer III
 Hidalgo County Purchasing Department

DATE: June 9, 2017

RE: Approval or Disapproval of Specifications for: – Hidalgo County Law Enforcement Agencies -
 "Purchase of Uniforms and Accessories for Hidalgo County Law Enforcement Agencies"
 Bid No. 2017-122-00-00-HGO

Please review the CURRENT SPECIFICATIONS and verify if all requirements are met by selecting APPROVE, DISAPPROVE (or) APPROVED WITH MODIFICATIONS and signing below. If your answer is DISAPPROVE, please make any modifications necessary to the specifications and return the revised copy to the designated Buyer in the Purchasing Department.

If you have any questions, please call me at (956) 318-2626 ext. # 4877.

APPROVE <input type="checkbox"/>	DISAPPROVE <input type="checkbox"/>
APPROVE WITH MODIFICATIONS <input checked="" type="checkbox"/>	

Funds Availability: YES / NO/

Other (Specify) _____

Budget Account No.: 7-1100-421-00-294-001-0-605

Heidi Garcia Ortiz Heidi Garcia Constable 4 6/15/2017
 SIGNATURE PRINTED NAME DEPARTMENT DATE

SUBMIT THIS FORM TO THE HIDALGO COUNTY PURCHASING DEPARTMENT, VIA FAX TO (956) 292-7612 or e-mail: heidi.ortiz@co.hidalgo.tx.us by no later than Friday **JUNE 16, 2017 @ 10:00 A.M.**

Enclosures

Bid No: 2017-122-00-00-SMA

Buyer : Sandra Montalvo

Tel. No: (956) 318-2626 ext. 4865

REQUEST FOR BIDS

HIDALGO COUNTY

"PURCHASE OF UNIFORMS & ACCESSORIES FOR HIDALGO COUNTY LAW ENFORCEMENT AGENCIES"

BID OPENING DATE: AUGUST 00, 2017 @ 9:30 a.m.

Contact Person:

Martha L. Salazar, CPPB, Purchasing Agent
Hidalgo County Purchasing Department
Physical Address: 2802 S. Business Hwy. 281 -New Administration Building
Mailing/Postal Address: 2812 S. Business Hwy. 281
Edinburg, Texas 78539
956 318-2626



Form HCPD-03
REVISED 09/9/16

- 1) Sealed bids will be received for [HIDALGO COUNTY-"PURCHASE OF UNIFORMS & ACCESSORIES FOR HIDALGO COUNTY LAW ENFORCEMENT AGENCIES"](#) in accordance with the specifications attached as **Exhibit "A"** hereto. Bids should address all specifications set forth. Bidders may suggest substitutions of features which they feel would be in the best interest of Hidalgo County ("County"). Strong rationale must be presented for any deviation from the specifications. Hidalgo County reserves the right to reject the deviation and its effect on the overall bid.
- 2) **One (1) original and Three (3) copies** of all bids are required with the bidders name and return address clearly typed and or/printed on upper left hand corner and the proper notation clearly typed/printed on the lower left hand corner of the envelope and/or package: [BID NO.: 2017-122-00-00-SMA- HIDALGO COUNTY-"PURCHASE OF UNIFORMS & ACCESSORIES FOR HIDALGO COUNTY LAW ENFORCEMENT AGENCIES"](#) and at County's Purchasing Department with a physical address: 2802 S. Business 281 and a mailing address: 2812 S. Business Hwy 281, Administration Building, Edinburg, Texas, [on or before 9:30 A.M, WEDNESDAY, AUGUST 00, 2017.](#)

NO FACSIMILES, EMAILS OR LATE ARRIVALS WILL BE ACCEPTED. ANY RFB RECEIVED AFTER THAT TIME WILL NOT BE OPENED AND WILL BE RETURNED. OVERNIGHT MAIL MUST ALSO BE PROPERLY LABELED ON THE OUTSIDE OF EXPRESS ENVELOPE OR PACKAGE WITH REFERENCE TO [RFB NO.:2017-122-00-00-SMA HIDALGO COUNTY-"PURCHASE OF UNIFORMS & ACCESSORIES FOR HIDALGO COUNTY LAW ENFORCEMENT AGENCIES -"](#) Hidalgo County reserves the right to refuse and reject any/all bids and to waive any/all formalities or technicalities, or to accept the bids considered the best and most advantageous to Hidalgo County.

Additionally, all forms listed below must be properly executed and included with your bid:

- 1) Legal Notice (See page 8);
 - 2) Bid Page (See **Exhibit "B"**);
 - 3) Insurance pages with Acknowledgment Forms (See **Exhibit "C"**);
 - 4) Form CIQ-Conflict of Interest Questionnaire (See **Exhibit "D"**);
 - 5) Vendor Bidder Application & W-9 forms (See **Exhibit "E"**);
 - 6) Certification Regarding Debarment (See **Exhibit "F"**); and
 - 7) **SAMS.gov Registration Acknowledgement** (See Number 18 below).
- 3) Hidalgo County reserves the right to: A) separate and accept, or eliminate any item(s) listed under this bid that it deems necessary to accommodate budgetary and/or operational requirements; B). reject any or all bids submitted and further reserves the right to design the evaluation criteria to be used in selecting the lowest and best bid for approval; C) . award the bid to one bidder or to multiple bidders if the County determines it is in its best interest to do so; D). Award the contract to the responsible bidder who submits the lowest and best bid. "Lowest and best" means a bid or offer providing the best value considering associated direct and indirect costs, including transport, maintenance, reliability, life cycle, warranties, and customer service after a sale.
 - 4) The Bidder shall not substitute items named in the bid without the express written consent of Hidalgo County. Failure of the delivered item to perform as specified or failure to meet the stated delivery schedule shall release Hidalgo County from all obligations to the contracting party with regard to the item(s) in question. In such event, County may elect to award the contract to the next-lowest responsible bidder, or to reject all bids and re-advertise.
 - 5) For work to be performed at a County owned or operated location, each bidder shall, in its sole

discretion, visit the job site before preparing the bid and thoroughly familiarize himself/herself with existing conditions. Bidder should take field dimensions and note all circumstances which affect the dollar amount of the bid.

- 6) Descriptive specifications are referenced in this document to indicate the general kind and quality of equipment desired by Hidalgo County. Due to various styles and models of equipment, bidders are required to include illustrations, specifications, explanation of warranties, and service data with their bid including catalogue numbers and any necessary references.
- 7) No bid may be withdrawn within thirty (30) days from the scheduled time to open bids.
- 8) Proposed prices are to remain firm for a minimum of ninety (90) days after bid opening.
- 9) Any interpretations, amendments, corrections or changes to this bid document must be in a written addendum and signed by the County Judge or his designee. Addenda will be mailed to all who are known to have received a copy of the Request for Bids. Bidders shall acknowledge receipt of all addenda as a part of their bid.
- 10) County reserves the right to accept or reject any or all Bids.
- 11) Costs are to be net F.O.B., County Prepaid.
- 12) County is exempt from Federal Excise Tax, State Tax and Local Tax. Do Not include tax in cost figure. If it is determined that tax was included in the cost figures it will not be included in the tabulation of any awards. Tax exemption certificates will be furnished upon request.
- 13) Funds for this procurement have been provided through the County budget for this fiscal year only. County, on an annual basis, has the right to reconsider a contract during the budget process for ensuing years if financial resources of County are insufficient to meet the liabilities of said contract. The award of a bid or contract hereunder will not be construed to create a debt of the County which is payable out of funds beyond the current fiscal year.
- 14) Upon award and prior to execution of a contract, Sole Proprietorships are required to submit a copy of their social security cards to the Hidalgo County Auditor's Office in order to establish an account with the County. All awarded vendors must submit a completed W-9 and a copy of their Federal ID Number Certificate.
- 15) **DELIVERY INSTRUCTIONS of goods and/or services:**
 - No deliveries accepted after 3:00 P.M., Monday-Friday.
 - At least seventy two (72) hours prior notice of delivery must be given to Martha L. Salazar, Purchasing Agent before delivery will be accepted.
 - If you need additional information call the office listed below:
Hidalgo County Purchasing Department
Martha L. Salazar, Purchasing Agent
(956) 318-2626

16) **BILLING AND PAYMENT INSTRUCTIONS:**

- Invoices must include:
 - a) Name and address of successful bidder
 - b) Name and address of receiving department or official
 - c) Purchase Order Number (if any)
 - d) Notation -[HIDALGO COUNTY-"PURCHASE OF UNIFORMS & ACCESSORIES FOR Hidalgo County Law Enforcement Agencies"](#) Descriptive information as to the items or services delivered, including product code, item number, quantity, etc.
 - e) Contract number must be indicated on all invoices
- Discount payments will be considered when offered.
- Contact person for Billing and Payment questions:

Hidalgo County Auditor's Office
 2808 S. Business Hwy 281
 Edinburg, TX 78539
 (956) 318-2511

17) **SCHEDULE OF EVENTS**

Bid Opening, 9:30 A.M.	<u>AUGUST 00, 2017</u>
Award of Contract	_____, 2017
Commence Work or Deliver Products	_____, 2017

18) **BID OR PERFORMANCE BOND AND DEBARMENT CERTIFICATION; PAYMENT UNDER CONTRACT (if applicable):**

- If the contract proposed is for the construction of public works or is for a contract for goods & services exceeding \$100,000, all bidders shall furnish a good and sufficient bid bond in the amount of five percent of the total contract price. A bid bond must be executed with a surety company authorized to do business in Texas. **All bidders are also required to furnish a certification or acknowledgment stating that the contractor or vendor is free from suspension or debarment pursuant to federal regulation 45CFR Part 76. Register at SAMs System for Award Management @ www.sam.gov.**
- Together with the signing of a contract or issuance of a purchase order following the acceptance of a bid, and prior to commencement of the actual work, the bidder shall furnish a performance bond to the County for the full amount of the contract, if that contract exceeds \$50,000.
- If the contract is for \$50,000 or less, no money will be paid to the contractor until completion and acceptance of the work or the fulfillment of the purchase obligation to the County, and, if applicable, the receipt by County of satisfactory evidence that all subcontractors and material men have been paid.
- If a contract is for the construction, alteration or repair of public buildings or public works, the contractor *shall* provide a payment bond for a contract in excess of Twenty Five Thousand Dollars (\$25,000.00), as required by Tex. Govt. Code Ch. 2253.
- For requirements contracts, bond requirements are determined by applying the proposed unit price to the estimated quantities included in the specifications.

19) **TITLE VI NOTICE/ NONDISCRIMINATION**

a) County of Hidalgo, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat.252, 42 U.S.C. §§2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.”

b)The appropriate clauses of Appendices “A” through “E” as delineated in the USDOT Standard Title VI/Non-discrimination Assurances-Specific Assurances are hereby incorporated by reference as applicable. Title VI Appendices “A” through “E” are attached as **Exhibit “G.”**

c)Bidder will attach all applicable notices to which it is obligated to provide or submit as part of the bid, including Form FHWA 1273 to be submitted by all contractors and subcontractors in relation to construction contracts.

20) **ETHICAL STANDARDS:**

- It shall be a breach of ethics to offer, give or agree to give any elected official, department head or employee, or former elected official, department head or employee, of the County, or for any elected official, department head or employee or former elected official, department head or employee of the County, to solicit, demand, accept or agree to accept from another person, entity or organization, a gratuity or an offer of employment in connection with any decision, approval, disapproval, recommendation, preparation or any part of a program requirement or purchase request, influencing the content of any specification or procurement standard, rendering of advice, investigation, auditing, or in any other advisory capacity in any proceeding or application, request for ruling, determination, claim or controversy, or other particular matter pertaining to any program requirement or a contract or subcontract, or to any solicitation or proposal therefore pending before any department or agency of the County.
- It shall be a breach of ethics for any payment, gratuity or offer of employment to be made by or on behalf of a subcontractor under a contract to the prime contractor or higher tier subcontractor for any contract for the County, or any person associated therewith, as an inducement for the award of a subcontract or order.
- No public official shall have an interest in a contract awarded hereunder except in accordance with Tex. Loc. Govt. Code Chapter 171.

NOTICE:

ALL COMMUNICATIONS BY A VENDOR TO THE COUNTY, ITS OFFICIALS, AND DEPARTMENT HEADS REGARDING THIS PROCUREMENT SHALL BE DONE THROUGH THE HIDALGO COUNTY PURCHASING DEPARTMENT.

21) **DISCLOSURE OF CONFLICT OF INTEREST**

- Effective January 1, 2016, Chapter 176 of the Texas Local Government Code requires that any vendor, person, consultant or contractor considering doing business with Hidalgo County (“the County”) to disclose in the Conflict of Interest Questionnaire (the “CIQ”) attached as Exhibit E, the vendor, person, consultant or contractor’s affiliation or business relationship that might cause a conflict of interest with the County. By law, the CIQ must be filed with the Hidalgo County Clerk’s Office no later than the seventh business day after the date the person becomes aware of facts that require that statement to be filed. The disclosure requirement applies to a person or business who

contracts or seeks to contract with Hidalgo County for the sale or purchase of property, goods or service. Any purchase order or contract resulting from this process shall be considered null and void if the successful bidder fails to comply with Texas Local Government Code Chapter 176. Vendors, consultants, contractors and others who desire to conduct business with Hidalgo County are encouraged to refer to Texas Local Government Code Chapter 176 for the details of this law. An offense under Texas Local Government Code Chapter 176 is a Class C Misdemeanor.

Completed Form CIQ must be submitted to the Hidalgo County Clerk's Office located at 100 N. Clossner, Edinburg, Texas 78539 - Hidalgo County Courthouse.

COMPLETION AND SUBMISSION OF FORM CIQ IS THE SOLE RESPONSIBILITY OF THE PROSPECTIVE RESPONDENT. QUESTIONS REGARDING COMPLIANCE SHOULD BE DIRECTED TO YOUR LEGAL COUNSEL.

22) **CERTIFICATE OF INTERESTED PARTIES (FORM HB1295)**

As of January 1, 2016, to comply with Texas Government Code Section §2252.908, and the rules issued by the Texas Ethics Commission found in Title 1, Section 46.1, 46.3 and 46.5 of the Texas Administrative Code, we have updated and revised our RFB packet. In accordance with these requirements, business must submit a completed Certificate of Interested Parties Form 1295 to the County before the County may enter into a contract with the business entity. **In box 3 of Form 1295, you will provide the RFB Project No. (2017-122), as shown on the packet.** Once completed and filed with the Texas Ethics Commission, Form 1295 must be printed and signed in the presence of a notary and submitted to our office via email to: sandra.montalvo@co.hidalgo.tx.us. Hidalgo County cannot enter into a contract until Form 1295 is submitted. Therefore, failure to timely submit Form 1295 signed and notarized may result in delay of award. Full instructions for completion and submittal of Form 1295 may be found on the Texas Ethics Commission website:

<https://www.ethics.state.tx.us/tec/1295-Info.htm>

THE AWARDED VENDOR WILL HAVE THIRTY (30) DAYS FROM THE DATE THE HIDALGO COUNTY COMMISSIONER'S COURT APPROVES THIS AGREEMENT TO SUBMIT THE SIGNED NOTARIZED FORM 1295. *HIDALGO COUNTY CANNOT ENTER INTO A CONTRACT UNTIL FORM 1295 IS SUBMITTED.*

- 23) If, during the life of any contract or bid awarded, the successful bidder's net prices generally available to other customers for items awarded herein are reduced below the contracted price, it is understood and agreed that the benefits of such reduction shall be extended to the County.
- 24) Bids, and all goods and services provided hereunder, shall comply with all federal, state and local laws concerning this type(s) of goods and/or services.
- 25) Minimum Standards for Responsible Prospective Bidders: A prospective bidder must affirmatively demonstrate bidder's responsibility. A prospective bidder, by submitting a bid, represents to County that it meets the following requirements:
- Possess or is able to obtain adequate financial resources as required to perform under the bid;
 - Be able to comply with the required or proposed delivery schedule;
 - Have a satisfactory record of performance;
 - Have a satisfactory record of integrity and ethics;
 - Be otherwise qualified and eligible to receive an award.

- 26) Successful bidder will pay or cause to be paid, without cost or expenses to County, all FICA,

FUTA/SUTA and Federal Income Withholding Taxes of all employees, and all wages and benefits as required by Federal or State law. Successful bidder's officers, agents and/or employees will not be entitled to any benefits of an employee or elected official of County, including, but not limited to, benefits associated with County's civil service system.

- 27) Any contract award to a successful bidder will be in effect until (a) the contract expires, (b) delivery and acceptance of products, and/or performance of services ordered, or (c) terminated by County with thirty day's written notice prior to cancellation.
- 28) County reserves the right to enforce performance of any contract awarded hereunder in any manner prescribed by law or deemed to be in the best interest of the County in the event of breach or default by successful bidder; County reserves the right to terminate any contract immediately in the event a successful bidder fails to:
 - A. Meet schedules;
 - B. Pay any required fees or taxes; or
 - C. Otherwise perform in accordance with the specifications.
- 29) Successful bidder shall defend, indemnify and save harmless County and all its elected officials, officers, agents and employees from all suits, actions, or other claims of any character, name and description brought for or on account of any injuries or damages received or sustained by any person, persons, or property on account of any negligent act or fault of the successful bidder, or of any agent, employee, subcontractor or supplier of successful bidder in the execution of, or performance under, any contract which may result from bid award or which arises from any event or casualty happening on or within County premises themselves or happening upon or in any halls, elevators, entrances, stairways or approaches of or to such County facilities. Successful bidder shall pay any judgment with costs which may be obtained against County growing out of such injury or damages, and shall, upon request, provide a defense to County by counsel reasonably acceptable to County. Successful bidder's indemnity hereunder shall include, but is not limited to, claims relating to patent, copyright or trademark infringement, and the like, arising out of the goods and services provided by successful bidder.
- 30) Successful bidder shall warrant that all items/services shall conform with the specifications and/or all warranties provided under the Uniform Commercial Code and be free from all defects in material, workmanship and the like. Items supplied under a contract pursuant to this Request for Bids shall be subject to County's approval. Items found to be defective or not meeting specifications shall be replaced by successful bidder within two business days at no expense to County. Items not picked up within one (1) week after notification shall be deemed a donation to County and may be used or disposed of at County's discretion and without waiver of any other rights of County as to the item's nonconformity.
- 31) This document and any disputes arising hereunder shall be governed and construed according to the laws of the State of Texas, and will be performable exclusively in Hidalgo County, Texas.
- 32) The successful bidder shall not assign, sell, transfer or convey its rights under any awarded contract, in whole or in part, without the prior written consent of County.

HIDALGO COUNTY

“PURCHASE OF UNIFORMS & ACCESSORIES FOR HIDALGO COUNTY LAW ENFORCEMENT AGENCIES”

To: Martha L. Salazar, CPPB, Purchasing Agent
Physical Address: 2802 S. Business Hwy. 281 -Administration Building
Mailing/Postal Address: 2812 S. Business Hwy. 281
Edinburg, Texas 78539

In accordance with the Specifications, and subject to all laws and regulations of the United States and state and local laws, the undersigned bidder proposes and commits to furnish all labor, equipment, material, software and services as set forth in the documents hereinbefore mentioned. The undersigned bidder further agrees, upon acceptance of its bid, to execute a contract and/or Purchase Order issued by Hidalgo County for performing and completing the work described in the Specifications within the time stated and for the prices proposed in the documents attached hereto and made a part hereof.

Bidder acknowledges receipt of all of the pages of the documents referenced in the Invitation to Bid Checklist presented in connection with this procurement. Bidder understands that Hidalgo County reserves the right to reject any or all bids and further reserves the right to design the evaluation criteria to be used in selecting the lowest and best bid.

Bidder agrees that this bid shall be good and may not be withdrawn for a period of ninety (90) calendar days after the scheduled closing time for receiving bids, as contained in the Specifications.

Respectfully submitted,

Bidder: _____
Address: _____
By: _____
Printed Name: _____
Title: _____

EXHIBIT “A”
Specifications/Requirements
Hidalgo County
“Purchase of Uniforms and Accessories for Hidalgo County Law Enforcement Agencies”
BID No. 2017-122-00-00-SMA

GENERAL REQUIREMENTS, TERMS AND CONDITIONS

PURPOSE

Hidalgo County is seeking to contract with a qualified vendor(s) to furnish *“Uniforms and Accessories for Hidalgo County Law Enforcement Agencies”* on an “As Needed Basis” including, but not limited to, the following:

1) PREPARATION of BID

All costs and expenses associated with the preparation and submission of bids shall be the responsibility of the bidder and no reimbursement for such charges or expenses shall be passed onto Hidalgo County.

2) EMERGENCY PURCHASE

Hidalgo County has the authority to utilize State Contracts whenever it is in the County’s best interest to do so.

3) QUANTITIES

Quantities are estimates only and are not a commitment to buy. Approximate usage does not constitute an order, but only implies the probable quantity that will be used. Commodities will be ordered on an **As- Needed Basis**. Bidder is responsible for accurate final counts.

4) CONTRACT TERM

The initial contract term will be for two (2) years with the County’s option to extend for an additional two (2) one (1) year term under the same rates, terms and conditions. Hidalgo County reserves the right to continue this bid for an additional sixty (60) day grace period, under the same rates, terms and conditions at the end of the contract term for unforeseen delays in award of new bid for the next contract term.

5) INSURANCE (requirements)

- a. The bidder must at all times during the term of this contract, maintain insurance coverage with not less than the type and requirements shown. **(Refer to Exhibit “C”)**
- b. Such insurance is to be provided at the sole cost of the bidder.
- c. Bidder shall furnish Hidalgo County with Certificate of Insurance naming Hidalgo County as additional insured.

6) MULTIPLE VENDOR AWARD (special requirements)

Hidalgo County reserves the right to award this contract to more than one vendor at the County’s discretion.

7) GARMENT FITTING

The successful vendor shall be required to measure each deputy in order to provide proper uniform fit for odd sizes and/or custom fit.

8) PRICING

All bid prices for items shall take into consideration shipping and handling costs, embroidery, patches on uniforms and any other items mentioned on specifications as part of the fixed unit price.

9) SHIPPING/PACKAGING

All Individual orders must be packaged individually, and must be folded and wrapped in plastic. The departments name must be indicated on the outside of the package including the packing slip with the following information:

- Name of address of vendor
- Name and address of requesting department
- Hidalgo County Purchase Order Number
- Description of product(s) or material shipped
- Quantity of items

10) BRAND NAMES

Specifications may reference name brands and model numbers. It is not the intent of Hidalgo County to restrict these bids in such cases, but to establish a desired quality level of merchandise or to meet a pre-established standard due to like existing items.

Bidder may offer items of equal stature and the burden of proof of such stature rests with Bidder. Hidalgo County shall act as sole judge in determining equality and acceptability of products offered.

11) FABRIC AND COLOR COMPATIBILITY

Due to existing stock, uniforms in use and color compatibility concern, the brand names and colors indicated in the specification are acceptable. Bid proposing any other names and colors will be required to provide a specifications sheet on the material proposing to be equal with the following information addressed.

- Weave
- Weight
- Fiber Content
- Ply of Yarn
- Breaking Strength
- Construction
- Fiber length
- Dye Procedure
- Kaumograph

Uniforms/clothing proposed must match colors and patches/embroidery of uniforms/clothing currently being used by user department.

12) AGE and MANUFACTURE

All tangible goods being bid must be new and unused. All items not specifically mentioned that are required for a complete unit shall be furnished.

13) DELIVERY SCHEDULE

Vendor will ensure that all deliveries will be delivered in full within thirty (30) to forty-five (45) days from purchase order.

14) SAMPLES

a. A sample of the uniform/clothing being proposed **MUST** be submitted at no charge to the County with the bids for review and inspection by Hidalgo County. Arrangements will be made with the vendor to return all uniform/clothing at no charge to the County. **IF SAMPLES ARE NOT SUBMITTED, THE BID WILL BE DISQUALIFIED AND REJECTED.**

15) PRE-BID CONFERENCE

A PRE-BID conference will be held on Wednesday, August 00, 2017 at 1:30p.m. in Hidalgo County Purchasing Department Conference Room located at 2812 South Business Hwy. 281, Edinburg, Texas. The purpose of the pre-bid conference is to answer any questions associated to the Specifications and/or Requirements. It is the responsibility of the bidder to acquire all applicable data needed to submit a bonafide response. **ALL INTERESTED BIDDERS ARE ENCOURAGED TO ATTEND THIS CONFERENCE.**

16) WARRANTIES

The successful vendor shall warrant that all materials utilized in the performance of this contract shall conform to the proposed specifications and/or all warranties as stated in the Uniform Commercial Code and be free from all defects in material, workmanship and title.

17) BID AWARD

Award of contract shall be made to the most responsible, responsive bidder, whose offer is determined to be the best value, taking into consideration the relative importance of price. Hidalgo County reserves the right to be the sole judge as to whether items bid will serve the purpose intended. Hidalgo County reserves the right to accept or reject in part or in whole any bid submitted, and to waive any technicalities or informalities for the best interest of the County. Hidalgo County reserves the right to award based upon individual line items, sections or total bid.

18) Hidalgo County reserves the right to seek purchases from state contracts whenever it is in the best interest to do so.

19) The contract for this project will be utilized by any Hidalgo County Law Enforcement Agency

20) The awarded vendor will have a representative made available to measure any and/or all participating county departments.

A.) Hidalgo County Constable Precinct No. 1

UNIFORM- I

1) SHIRTS -5.11 TACTICAL-(Taclite Pro SS 71175, 71175T) - equal or better

FABRIC TYPE	Main Body; 65% polyester 35% cotton 4.4 oz Taclite with Teflon® finish Lining: 100% Polyester Mesh
FEATURES & BENEFITS:	Teflon® finish for stain resistance; Large horizontal back vent lined with mesh that has good wicking properties; Locker loop at inside back neck; Collar features hidden button-down tabs; Two bellowed chest pockets and pencil pocket openings on each flap; Double pencil pocket on wearer's left sleeve; 5.11 patented hidden document pocket; Comes with an epaulette and badge holder kit for easy conversion; UPF Rating: 25
STITCHING & FINISHING:	Seams are durable with 10-12 stitches per inch on all operations Triple needle stitching on the armholes, front yoke, back cape, document pocket, pocket bags, both sides of center front placket and collar edge Double needle topstitching on pocket flaps, sleeve hems and clean finished shirt tail 2 Vertical bar tacks on each of the pocket flaps spaced 1 1/2 apart for the pen pocket opening " Bartacks at top corners of pocket flaps and chest pockets, top and bottoms of document pocket openings and at center back of cape
CLOSURES:	Buttons – 4 hole Melamine buttons that won't melt, burn, or crack 20 Ligne Buttons: 1 at center front neck band, 6 buttons on front placket, 1 spare button and 2 buttons provided for optional epaulettes 14Ligne Buttons: 2 buttons at hidden button-down tab, under collar 1 spare Hook and loop closure on document pockets and chest pockets
LABELS:	Parts # label, woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the inside of the shirt
STOCK SIZES:	S-3XL Regular; L-5XL Ta
COLORS:	019 Black, 162 TDU Khaki, 724 Dark Navy , 010 White, 190 TDU Green, 018 Charcoal in

2) SHIRTS – 5.11 Tactical -Performance Polo -71049(equal or better)

FABRIC TYPE	100% Smart Weave Polyester, Jersey Knit
FEATURES & BENEFITS	The performance polo is made with specialty engineered fabric that doesn't snag when it comes in contact with Velcro or other abrasive surfaces. There is a 3 button placket; Mic-clip pockets are conveniently located on each shoulder; a mic-clip loop is placed at the sternum level and a dual pen pocket on the left sleeve; The flat knit collar features an anti-rolling technology that keeps the collar from rolling or turning up; The body features saddle-shoulder construction and gusseted underarm sleeve for greater range of motion and also the bottom hem features a split side vent.
STITCHING & FINISHING	Stitches per inch are 10-12 on all operations Double needle coverstitch centered over the seams of the armholes and side gussets ; Neckline has ¼" single needle topstitching; Front Placket is 1 ¼" wide with edge stitching on both sides; Sleeve hem has 1" turned up with ¼"double needle coverstitch; Hem has 1" turned up with 1/4 " double needle coverstitch; Individually packaged in poly bag like a dress shirt with plastic clips, cardboard collar band, and antimicrobial, moisture-wicking
CLOSURES:	Buttons – 4 hole Melamine buttons that won't melt, burn, or crack 20 Ligne Buttons: 3 center front placket
LABELS:	5.11 Main Label is a heat transfer inside the back half moon. Fabric content / country of origin, size, and care instructions are all on the transfer label.
SIZES:	XS-3XL
COLORS:	Dark Navy, Black, Silver Tan, Charcoal, TDU Green, LE Green, White, Traffic Yellow and Range Red

3) TROUSERS-HORACE SMALL(HS2149) equal or better

FABRIC	100% polyester. Two ply warp and filling, 10.5 - 11 oz. per linear yard, 2 x 1 gabardine weave. SolarBan Technology Fabric.
DESIGN	Shall be made on a uniform pattern, having a plain front with quarter top pockets and two back pockets.
COLOR	Dark navy or optional
POCKETS	The front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. They shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide. The back pockets will have a minimum opening of 5½" and be 6" deep. Sizes 29 and smaller will have a 5" opening. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The front pockets shall each have a straight bar tack and each back pocket shall be bar tacked with a triangular bar tacking machine.
POCKETING	All pocketing shall be black, 75% polyester/25% cotton with a minimum thread count of 90 x 56. The weight shall be 3.0 yds/lb.
WAISTBAND	The waistband shall be 2" wide and shall close with a crush-proof hook and eye, the eye being bar tacked for stability. Stretch Ban-Rol III waistband stiffener, ¾" in width, shall be sewn into the top of the waistband to prevent rollover. The trousers are to be made with a continuous closed waistband. The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain. The inner waistband shall be composed of a one-piece elastic web. This web shall contain a blend of 42% Nylon / 20% Polyester / 14% Neoprene Rubber (3 strands) / 6% Lycra / 18% Cotton. The elastic web shall be constructed so that the cotton content of the band is in the upper 1-1/8" portion where the pressure of the belt would require the wicking properties of cotton close to the body to maintain comfort. The remainder of the band will be woven with an open mesh construction to promote breathability in the hip area. Additionally, the web will have 35% stretch and be 3" wide. The web will be sewn at the top and at the bottom waistband seams which will reduce its stretch in the upper area to allow for a comfortable fit at the waist when bending or sitting. The upper portion of the web shall have a stiffness of .09 oz. of torque (as specified in FED-STD-191, Method 5202) to prevent waistband rollover. The lower part of the web will be left free to stretch over the hips and give support to the back and abdomen. This lower high-stretch area will have pressure applied to it by the hips, preventing the trouser from slipping down while being worn. Three rows of exposed rubber woven into the center off the web will insure that the shirt remains tucked in for neat appearance.
INSIDE TRIM	The right fly and crotch linings shall be the same fabric and color as the waistband curtain. The right fly lining shall be sewn to the left

	fly below the zipper. The crotch lining shall be serged to each front. A separate French fly made of the outer fabric shall be sewn to the inside right fly.
BELT LOOPS	There shall be a minimum of five (5) belt loops on waist sizes 30 and down, seven (7) belt loops on waist sizes 31 - 48, and a minimum of nine (9) on sizes 50 and larger. Each loop is to be ¾" wide, of double thickness, and stitched on the face side with a two needle machine. Except for the center back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1 5/8" belt.
ZIPPER	The trousers shall be closed with a YKK brass zipper which has a brass bottom stop at the base of the zipper chain and a brass ratcheting cam lock slider. The inside left fly will be reinforced with Pellon under the zipper stitching. A straight bar tack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bar tack located below the bottom zipper stop on the inside of the trouser.
SEAMING	The entire trouser is to be seamed with polyester core thread. The seat seam shall be stitched with a tandem needle seat seaming machine. All exposed inside seams of the trouser are to be serged.
LABELING	Trousers shall be labeled with the following information: style number, size, fiber content, care instructions, WPL number and country of origin.
FINISHING & PRESSING	All loose threads shall be removed. Trousers must be pressed completely and properly with the side seam, inseam, and seat seam pressed open

UNIFORMS II

4) SHORT SLEEVE SHIRTS (8713X) BLAUER STREET GEAR (equal or better)

SHELL FABRIC	6.5 oz. per square yard 2 X 1 twill weave in a 65% polyester / 35% cotton fiber blend with 3XDRY® comfort finish and 10-12% filling stretch that is pre-cured for wrinkle resistance. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.	
COLOR	(45) Silver Tan or optional	
TRIM	Interlining: Small Parts: 100% polyester Front Placket: 50% Polyester 50% Cotton; Hook and loop, Woven Nylon base, Buttons: melamine, 20 ligne, matching shell fabric	
DESIGN & CONSTRUCTION	Short sleeve uniform shirt, 5 crease military style with permanent sewn in creases, Top fused convertible sport collar, Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure, Epaulets, Badge eyelets with internal support strap Extra long shirt tails	
CUSTOMIZATION	Emblems, Name Tab, Zipper Front, Metal Buttons on epaulets and pocket flaps	
STANDARD SIZE RANGE	Men's: Regular Length: S-3XL Women's: Regular Length: XS-2XL	
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with 4 1/2" emblem 80% embroidery with plastic backing. Emblems are to be included in the price of the shirt.	
MEASUREMENTS	Men's: Regular Length: L:	Women's: Regular Length: M
	Neck: 17.25 (plus or minus 0.5 inches) ½ Chest: 25.25 (plus or minus 0.75 inches) Back Length: 32.5 (plus or minus 0.5 inches)	Neck: 15.5 (plus or minus 0.5 inches) 1/2 Chest: 22 (plus or minus 0.75 inches) Back Length: 28.5 (plus or minus 0.5 inches)

5) TROUSERS (8810X) SIDE POCKET (equal or better)

SHELL FABRIC	6.5 oz. per square yard 2 X 1 twill weave in a 65% polyester / 35% cotton fiber blend with 3XDRY® comfort finish and 10-12% filling stretch that is pre-cured for wrinkle resistance. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.
COLOR	Dark Navy
TRIM	<ul style="list-style-type: none"> • Pocketing: 70/30 polyester/cotton twill, not less than 3.0 oz. sq. yd. • Interlining: polyester non-woven. • Binding: polyester/cotton bias cut. • Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip. • Stretch edge control. • Fly zipper: nylon coil, size #5, auto-lock slider. • Side Pocket Zipper: nylon coil, size #5. • Hook and eyes: nickel-plated. • Buttons: melamine, 22 ligne, matching shell fabric.
DESIGN & CONSTRUCTION	<ul style="list-style-type: none"> • Front quarter pockets; double section-side pockets with hidden cell phone pouch, a 1" Scotchlite strip under each pocket flap, hidden equipment tunnels; and inverted double cord hip pockets with button tabs. (Women Pattern: Front quarter pockets stay-stitched shut for appearance. Can be broken for functionality) • All pocket secured with bartacks. Stretch waistband with fly tab. • Interfined wide belt loops inserted in bottom of waistband and tacked at top. • Double hook and eye closure. <p>Quarter linings in front quarters. Outlets in waistband (back) and thigh inseam. Tandem needle seat seam. Seat, inseam, and out seams pressed open. 10-12 stitches per inch (all seams). Permanent silicone adhesive creases, front and back.</p>
CUSTOMIZATION (OPTIONAL)	Windproof-breathable liner. Removable reflective package. Removable identification package. Hemming.

STANDARD SIZE RANGE	Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 37 Women's: Regular Length: even dress sizes 6 - 24					
MEASUREMENTS	Men's: Regular Length: Waist Size 36:			Women's: Regular Length: Dress Size 12		
	½ waist	18	(plus 0.25 inches)	1/2 Waist:	15.25	(plus 0.25 inches)
	Seat	24	(plus or minus 0.25 inches)	Seat	22.625	(plus or minus 0.25 inches)
	½ Knee	10.875	(plus or minus 0.25 inches)	½ Knee	10.125	(plus or minus 0.25 inches)
	½ Bottom Leg	8.75	(plus or minus 0.25 inches)	½ Bottom Leg	8.5	(plus or minus 0.25 inches)
	Inseam	37	(plus or minus 0.50 inches)	Inseam	35.875	(plus or minus 0.50 inches)
	Out seam	46.25	(plus or minus 0.50 inches)	Out seam	45.875	(plus or minus 0.50 inches)
	Front Rise	10.375	(plus or minus 0.25 inches)	Front Rise	10.13	(plus or minus 0.25 inches)
Back Rise	16.875	(plus or minus 0.25 inches)	Back Rise	13.75	(plus or minus 0.25 inches)	

UNIFORM-III

6) SHIRTS -POLO-SHORT SLEEVE (5.11 Tactical -71048) equal or better

DESCRIPTION	<ul style="list-style-type: none"> • 100 % Treated 6.4 oz. Interlocked cotton fabric to prevent fading, wrinkling and shrinking • Moisture wicking finish • Tough melamine buttons • No roll Collar with flexible collar strays • Mic-loop pockets located at each shoulder and placed at the bottom of the placket at the sternum level • Reinforced dual pen pockets • Polo shirts with name & title embroidered on right breast and badge embroidered on left breast
COLOR	Silvertan
SIZE	Sm - XXL and Larger

7) PANTS-TACTICAL PRO (5.11 Tactical- 74273) equal or better

FABRIC & FINISHING	<ul style="list-style-type: none"> • Main body: 65% Polyester, 35% Cotton , 6.14 oz, tear resistant Ripstop; with HR Teflon water resistant • Pocketing : 65% Polyester 35% Cotton, 3.2 oz T/C, tightly woven poplin
SIZE	Pants must be available in Regular, Short, Long and X-Large Long. from stock
COLOR	Department to determine color
DESIGN FEATURES & BENEFITS	Self adjusting side elastic action waist with 7 wide belt loops and a key ring. Snap closure on outside and button on inside fly. Tool strap on right back. Front pleats and crotch gusset for maximum range of movement. Deep front pockets, Cordura lined knife pocket on right front and Cordura lined cell pocket on left; Pleated cargo pockets on both sides; two large, open back pockets. The pant has double seat and double knees of self fabric with knee pad openings inside.
DESIGN DETAILS POCKETS:	<ul style="list-style-type: none"> • Front and Back Pocket openings are reinforced with Cordura binding on knife clip area. Pocket openings are firmly bar tacked. Front pocket bags are made of durable Poly/cotton blend. Pocket bags are extra deep and finished clean inside the pant with stitched edge for heavy duty. • Knife Pocket has extra firm welt for knife clip, and is sized to accommodate C.U.B. knife or hide a magazine. • Cell Pocket is gusseted on both sides and accommodates blackberry, the flap has Velcro closure for safety. • Back Pockets are made of self fabric; they are extra large with easy access open tops and Velcro closure. • Cargo Pockets have expandable inverted box pleat in the center and flap with two-Velcro closures.
SEAMS & STITCHING	<ul style="list-style-type: none"> • Seams are durable with 10 stitches per inch and extra heavy 5-thread construction. • Top Stitching's are non-raveling lock stitching's. Belt loops are double top stitched, and bar tacked on all corners. Back pocket openings and tool strap are cross bar tacked. Side seams, fly outline, front rise and seat seam are double stitched. Crotch gusset is top stitched, crotch points and fly are bar tacked. Front pocket openings, pocket flaps, knee patches, and double seat are double top stitched. Cargo pockets are set with double stitching. Pocket and pocket flap setting stress points are bar tacked
LABELS	The woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the pant.
CLOSURES	Closures are high quality, proven performance brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is PRYM snap with extra firm grip. Inside button is cross stitched.

8) JACKETS

FABRIC	Outershell: Travis Mills #7450 100% Nylon Supplex (equal or better) Removable Lining: 104x86 Thread Count, 70 Denier Nylon Taffeta or equal Color: Navy Thinsulate by 3M quilted 200-gram body with 100-gram sleeve or equal. 100 % Nylon taffeta, thread counts 104x86 or equal
DESIGN	The jacket shall be a full cut, waist length model with two-way zipper front, Thinsulate zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction shall be used throughout the body and sleeves being fully lined
BODY DETAIL	The front shall be plain with patch pockets, flaps and badge tab. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a one piece back designed with the Articulated Gusset for full freedom of movement. There is to be a separate 2- ½" shirred waistband with 2- ½" heavy duty elastic. The entire waistband is to be shirred with the exception of an area 5 ¾" on either side of the front opening. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and elasticized snap closure. The shoulders shall have pads. A self goods reinforcement strip, approximately 3", shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side.
INSIDE DETAIL	On the left side of the coat, there shall be a gun pocket installed on the permanent lining to accept a small frame handgun. The gun pocket shall have a minimum opening of 4 ½" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closure. Bartacks shall reinforce the opening. There shall be two cut-in pockets on the left and right sides measuring approximately 5 ¼" wide and 6" deep. There shall be a strap and snap on the lining of each sleeve end for attaching the zip in liner. The bottom of the coat on the inside shall have a 4" piece of outer shell material between the waistband and the inner taffeta lining to guard against wear from the inside.
SLEEVES	The sleeves shall be one piece set in with a single needle machine. The bottom of the sleeve shall have Velcro and elastic for

	adjustable fit. The cuff itself should measure 1 7/8" in width. .
POCKETS	There shall be two patch pockets with 1½" box pleats, finishing approximately 6½" wide and 7 3/8" deep. Flaps shall be scalloped and self lined, measuring 6¾ wide and 3 3/8" long at center and 3" long at each end. They shall close with Velcro on the side points and with a centered buttonhole. The pockets shall be lined with pocketing material with an opening of approximately 5½" on the side. The left patch pocket is to have a 1½" pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked. Flaps are too interlined
COLLAR	The standup collar shall be made using self material and shall be interlined with Pellon. There shall be an option of a detachable hood and fur collar using Orlon pile. This collar and hood are to be attached to the permanent collar with buttons.
EPAULETS	The epaulets shall be made of self goods. They shall be sewn into the sleeve head seam, "X" stitched and tacked to the jacket at the neck.
SIZES	Jackets must be available small through XXL and larger
BADGE TAB	The badge tab shall be made of the outer fabric lined with pocketing fabric, and shall measure 2" tall by 1" wide. The first eyelets is ½ "down from the top finished edge and the second is ½" up from the bottom finished edge. The eyelets are spaced 1" apart from center to center. The badge tab shall be centered 2 ½" above the left flap pocket.
ZIPPER	There shall be an YKK #5, two-way molded nylon zipper in the front and an 11" nylon zipper on each side vent.
BUTTONS & SNAPS	The pocket flaps and epaulets shall be secured with 24 ligne metal buttons. The front fly and size zipper tabs shall be secured by high impact, non-reflective, non-glare, scratch resistant snaps.
THREAD	All sewing is to be done with polyester core thread or 100% spun polyester thread.
SIZE TAG & CARE INSTRUCTIONS	Each jacket shall have a sewn-in woven size label. There shall also be a printed label with care instructions. Each coat shall be marked with lot number, size fiber content and WPL number.
WARRANTY	Garments shall have a one year warranty against workmanship against workmanship or fabric defects.
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with a 4 1/2" emblem 80% embroidery with plastic backing. Emblem are to be included in the price of the jacket

9) WINDBREAKER

DESCRIPTION & COLOR	Windbreaker/navy
BLEND	80% polyester/20% cotton
FABRIC	Poplin weave Outershell
FINISH	Durable water repellent
CARE	Hand wash
LINER	Zip-Out liner
WAISTBAND	Elastic back bottom edge
CLOSURE	Two-way zipper
POCKET	Two pleated patched pockets and flaps with bottom-through closure; tow hand-warmer side panel pockets
CUFFS	Two button adjustable cuff
OTHER	Screen printed light jacket with name and title embroidered on right chest, badge on left chest, constable on the sleeves and on backside.

10) RAINCOATS

DESCRIPTION	Length 48"; heavy gauge; black/orange; screen-printed with "Constable" on orange side and on left chest
-------------	---

11) PATCHES

SHOULDER PATCHES	The department patch must be of the same design and color scheme by the Hidalgo County Constable Pct 1 . The patch has gold lettering and trim on a dark brown background. The bidders are encouraged to attend the pre-bid conference for exact design and size of patches. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt). Name Tab Zipper Front Metal Buttons on epaulets and pocket flaps
------------------	---

B.) Hidalgo County Constable Precinct No. 2

UNIFORM I

1) SHIRTS- BLAUER SHORT SLEEVE (8675-8900) equal or better

SHELL FABRIC	9.75-10.25 oz. per linear yard plain weave 80% polyester/20% rayon with 10-12% filling stretch. Machine washable and dry cleanable rayon blend provides user comfort, uniform appearance, durability, and easy care.
COLOR	Silver Tan or optional
TRIM	Lining: 100% Polyester Satin or 100% Polyester Taffeta Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton Hook and loop: Woven Nylon base Buttons: melamine, 20 ligne, matching shell fabric
DESIGN & CONSTRUCTION	Short sleeve uniform shirt, 5 military style creases stitched in, Top fused, convertible sport collar, Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure, Epaulets, Badge eyelets with internal support strap, Extra-long shirt tails. Western Stitched in the back area
CUSTOMIZATION	Emblems, Name Tab, Zipper Front, Metal Buttons on epaulets and pocket flaps
STANDARD SIZE RANGE	Men's: Regular Body: sizes 14.5-19.5; Women's: Regular Length: even sizes 32 – 46
MEASUREMENTS	Men's: Regular Length: Size 16.5: .Neck: 17 (plus or minus 0.5 inches) 1/2 Chest 25.25 (plus or minus 0.75 inches) Back Length: 32.5(plus or minus 0.5 inches)

	<p>Women's: Regular Length: Size 36 Neck 15 (plus or minus 0.5 inches) 1/2 Chest: 20.875 (plus or minus 0.75 inches) Back Length: 28.5(plus or minus 0.5 inches)</p>
<p>2) SHIRTS-BLAUER LONG SLEEVE (8674-8910) equal or better</p>	
SHELL FABRIC	9.75-10.25 oz. per linear yard plain weave 80% polyester/20% rayon 10-12% filling stretch. Machine washable and dry cleanable rayon blend provides user comfort, uniform appearance, durability, and easy care.
COLOR	Silver tan or optional
TRIM	Lining: 100% Polyester Satin or 100% Polyester Taffeta Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton Hook and loop: Woven Nylon base Buttons: melamine, 20 ligne, matching shell fabric
DESIGN & CONSTRUCTION	Long sleeve uniform shirt 5 military style creases stitched in Top fused banded dress collar Mitered pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure Collar stand and yoke lined with polyester taffeta or satin 2 button adjustable cuffs Epaulets Badge eyelets with internal support strap Extra long shirt tails Western Stitched in the back area
CUSTOMIZATION	Emblems Name Tab Zipper Front Metal Buttons on epaulets and pocket flaps
STANDARD SIZE RANGE	Men's: Body Length Regular: Sleeve Length: 32 sizes 14.5-17 Body Length Regular: Sleeve Length: 33 sizes 14.5-18.5 Body Length Regular: Sleeve Length: 34 sizes 15.5-18.5 Body Length Regular: Sleeve Length: 35 sizes 15.5-19.5 Body Length Tall: Sleeve Length: 37 Length: sizes 16.5-19.5 Women's: Regular Length: even sizes 32 – 46
MEASUREMENTS	Men's: Regular Length: Size 16.5: Neck 17 (plus or minus 0.5 inches) 1/2 Chest: 25.25 (plus or minus 0.75 inches) Back Length: 32.5 (plus or minus 0.5 inches) Women's: Regular Length: Size 36 Neck 15 (plus or minus 0.5 inches) 1/2 Chest: 20.875 (plus or minus 0.75 inches) Back Length: 28.5 (plus or minus 0.5 inches)
<p>3) TROUSERS-HORACE SMALL (HS2147) equal or better</p>	
FABRIC	100% polyester. Two ply warp and filling, 10.5 – 11 oz. per linear yard, 2 x 1 gabardine weave. SolarBan Technology Fabric.
DESIGN	Shall be made on a uniform pattern, having a plain front with quarter top pockets and two back pockets.
COLOR	Brown or optional
POCKETS	The front pocket opening will be a minimum 6½” and be 6” deep from the bottom of the opening. They shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼” wide. The back pockets will have a minimum opening of 5½” and be 6” deep. Sizes 29 and smaller will have a 5” opening. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The front pockets shall each have a straight bar tack and each back pocket shall be bar tacked with a triangular bar tacking machine.
POCKETING	All pocketing shall be black, 75% polyester/25% cotton with a minimum thread count of 90 x 56. The weight shall be 3.0 yds/lb.
STRIPING	The trouser must have a stripe from waistband. The stripe shall be brown measuring ½” wide on ¾ red striping on pant leg from waistband down.
WAISTBAND	The waistband shall be 2” wide and shall close with a crush-proof hook and eye, the eye being bar tacked for stability. Stretch Ban-Rol III waistband stiffener, ¾” in width, shall be sewn into the top of the waistband to prevent rollover. The trousers are to be made with a continuous closed waistband. The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain. The inner waistband shall be composed of a one-piece elastic web. This web shall contain a blend of 42% Nylon/20% Polyester/14% Neoprene Rubber (3 strands)/6% Lycra/18% Cotton. The elastic web shall be constructed so that the cotton content of the band is in the upper 1-1/8” portion where the pressure of the belt would require the wicking properties of cotton close to the body to maintain comfort. The remainder of the band will be woven with an open mesh construction to promote breathability in the hip area. Additionally, the web will have 35% stretch and be 3” wide. The web will be sewn at the top and at the bottom waistband seams which will reduce its stretch in the upper area to allow for a comfortable fit at the waist when bending or sitting. The upper portion of the web shall have a stiffness of .09 oz. of torque (as specified in FED-STD-191, Method 5202) to prevent waistband rollover. The lower part of the web will be left free to stretch over the hips and give support to the back and abdomen. This lower high-stretch area will have pressure applied to it by the hips, preventing the trouser from slipping down while being worn. Three rows of exposed rubber woven into the center off the web will insure that the shirt remains tucked in for neat appearance.
INSIDE TRIM	The right fly and crotch linings shall be the same fabric and color as the waistband curtain. The right fly lining shall be sewn to the left fly below the zipper. The crotch lining shall be serged to each front. A separate French fly made of the outer fabric shall be sewn to the inside right fly.
BELT LOOPS	There shall be a minimum of five (5) belt loops on waist sizes 30 and down, seven (7) belt loops on waist sizes 31-48, and a minimum

	of nine (9) on sizes 50 and larger. Each loop is to be ¾" wide, of double thickness, and stitched on the face side with a two needle machine. Except for the center back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1 5/8" belt.
ZIPPER	The trousers shall be closed with a YKK brass zipper which has a brass bottom stop at the base of the zipper chain and a brass ratcheting cam lock slider. The inside left fly will be reinforced with Pellon under the zipper stitching. A straight bar tack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bar tack located below the bottom zipper stop on the inside of the trouser.
SEAMING	The entire trouser is to be seamed with polyester core thread. The seat seam shall be stitched with a tandem needle seat seaming machine. All exposed inside seams of the trouser are to be serged.
LABELING	Trousers shall be labeled with the following information: style number, size, fiber content, care instructions, WPL number and country of origin.
FINISHING AND PRESSING	All loose threads shall be removed. Trousers must be pressed completely and properly with the side seam, inseam, and seat seam pressed open.

UNIFORM -II

4) SHIRTS -SHORT SLEEVE (8713X) Blauer Street Gear (equal or better)

SHELL FABRIC	6.5 oz. per square yard 2 X 1 twill weave in a 65% polyester / 35% cotton fiber blend with 3XDRY® comfort finish and 10-12% filling stretch that is pre-cured for wrinkle resistance. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.	
COLOR	(45) Silver Tan	
TRIM	Interlining: Small Parts: 100% polyester Front Placket: 50% Polyester 50% Cotton, Hook and loop: Woven Nylon base, Buttons: melamine, 20 ligne, matching shell fabric	
DESIGN & CONSTRUCTION	Short sleeve uniform shirt, 5 crease military style with permanent sewn-in creases, Top fused convertible sport collar, Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure, Epaulets , Badge eyelets with internal support strap Extra long shirt tails	
CUSTOMIZATION	Emblems, Name Tab, Zipper Front, Metal Buttons on epaulets and pocket flaps	
SIZE RANGE	Men's: Regular Length: S-3XL, Women's: Regular Length: XS-2XL	
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with 4 1/2" emblem 80% embroidery with plastic backing. Emblems are to be included in the price of the shirt.	
MEASUREMENTS	Men's: Regular Length: L:	Women's: Regular Length: M
	Neck: 17.25 (plus or minus 0.5 inches) ½ Chest: 25.25 (plus or minus 0.75 inches) Back Length: 32.5 (plus or minus 0.5 inches)	Neck: 15.5 (plus or minus 0.5 inches) 1/2 Chest: 22 (plus or minus 0.75 inches) Back Length: 28.5 (plus or minus 0.5 inches)

UNIFORM-III

5) SHIRTS -POLO-SHORT SLEEVE -(5.11 Tactical 71048) equal or better

DESCRIPTION	<ul style="list-style-type: none"> • 100 % Treated 6.4 oz. Interlocked cotton fabric to prevent fading, wrinkling and shrinking • Moisture wicking finish • Tough melamine buttons • No roll Collar with flexible collar strays • Mic-loop pockets located at each shoulder and placed at the bottom of the placket at the sternum level • Reinforced dual pen pockets • Polo shirts with name & title embroidered on right breast and badge embroidered on left breast
COLOR	BROWN or BLUE
SIZE	Sm – XXL and Larger

6) PANTS -TACTICAL (5.11 Tactical) (61165-160) (71049-160) equal or better

FABRIC	100 % Cotton Tactical Canvas, 8.5 oz., 73x40/10x10, Pant weight
POCKETING	80% Polyester 20% Cotton T/C, tightly woven poplin
SIZE	Pants must be available in Regular, Short, Long and X-Large Long. from stock
COLOR	Chocolate Brown, Khaki 055 or Walnut 105
FEATURES & BENEFITS	Self adjusting action waist with elastic sides; 7 belt loops and a DORing; Deep front pockets; cargo pockets with flaps; phone pocket on right front, Large open-top back pockets, and a tool strap on right back. The pants have double knees of self fabric, removable 6mm Neoprene knee pad inserts; and a double seat of self fabric. Bottom hems have openings for draw cords.
POCKETS	<ul style="list-style-type: none"> • Front pocket openings have self fabric facings and extra reinforcements on knife clippings area. Pocket openings are firmly bar tacked on both ends. Pocket bags are made of durable Poly/Cotton blend and they are extra deep. Pocket bags are finished clean inside the pant and double stitched for heavy duty. • Cargo pockets have large flaps and Velcro closure. • Knife pocket? Is lined with extra durable Cordura Nylon. The pocket has gussets on sides and a large flap with Velcro closure; it accommodates a phone. • Back Pockets are formed of self fabric. They are extra large with large open top. The top has Velcro closure. Opening has extra reinforcement on the side seam side; both ends are firmly cross-bar tacked.
SEAMS & STITCHING	<ul style="list-style-type: none"> • Seams are durable with 10 stitches per inch and extra heavy 5-thread construction. • Top stitching are non-raveling lock stitching. Side seams, seat seam and front rise have two-needle top stitching. Crotch point is bar tacked. Fly outline, had pocket openings, all pocket flaps, knee patches and seat patch have double needle top stitching. Cargo pockets are attached with double needle top stitching. Belt loops are bar tacked on all corners. Cargo pocket openings are bar tacked and flaps are cross bar tacked. Back pocket openings are cross bar tacked. All Velcro pieces are attached with box stitching
LABELS	The woven logo label, care label, size label, country of origin label and fiber content are permanently attached to the pants.

CLOSURES	Closures are high quality, proven brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is metallic PRYM snaps with extra strong grip. Inside fly button is cross tacked.
----------	--

7) B.D.U. (BATTLE DRESS UNIFORM) STYLE PANT

COLOR: Tan and Black (Or Color Closest To The Tan And Black Of Existing Uniforms)

If The Color Varies Distinctly From Existing Sample Uniform It Will Not Be Considered. This Is Done To Keep The Appearance Of Uniformity.

100% Cotton Ripstop Only.

Pant Must Have:

- Adjustable Waist Tabs
- Two (2) Front Pockets
- Two (2) Rear Pockets
- Two (2) Large Button Down Bellows Leg Pockets
- Reinforced Seat And Knees
- All Seams Double Stitched
- Drawstring Ankle Ties

Pants Must Come In Both Regular And Long Lengths.

The Sizes Of B.D.U.'S Used Are: ,Small, Medium, Large, X-Large, Xx-Large, Xxx-Large, Xxxx-Large

Note: Shrinkage Allowance Must Be Minimal On Pant And Contain Washing Care Instructions. Material Must Be Machine Washable And Able To Be Ironed.

8) JACKETS

FABRIC	Outershell: Travis Mills #7450 100% Nylon Supplex (equal or better) Removable Lining: 104x86 Thread Count, 70 Denier Nylon Taffeta or equal Color: BROWN Thinsulate by 3M quilted 200-gram body with 100-gram sleeve or equal. 100 % Nylon taffeta, thread counts 104x86 or equal
DESIGN	The jacket shall be a full cut, waist length model with two-way zipper front, Thinsulate zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction shall be used throughout the body and sleeves being fully lined
BODY DETAIL	The front shall be plain with patch pockets, flaps and badge tab. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a one piece back designed with the Articulated Gusset for full freedom of movement. There is to be a separate 2- 1/2" shirred waistband with 2- 1/2" heavy duty elastic. The entire waistband is to be shirred with the exception of an area 5 3/4" on either side of the front opening. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and elasticized snap closure. The shoulders shall have pads. A self goods reinforcement strip, approximately 3", shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side.
INSIDE DETAIL	On the left side of the coat, there shall be a gun pocket installed on the permanent lining to accept a small frame handgun. The gun pocket shall have a minimum opening of 4 1/2" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closure. Bartacks shall reinforce the opening. There shall be two cut-in pockets on the left and right sides measuring approximately 5 1/4" wide and 6" deep. There shall be a strap and snap on the lining of each sleeve end for attaching the zip in liner. The bottom of the coat on the inside shall have a 4" piece of outer shell material between the waistband and the inner taffeta lining to guard against wear from the inside.
SLEEVES	The sleeves shall be one piece set in with a single needle machine. The bottom of the sleeve shall have Velcro and elastic for adjustable fit. The cuff itself should measure 1 7/8" in width. .
POCKETS	There shall be two patch pockets with 1 1/2" box pleats, finishing approximately 6 1/2" wide and 7 3/8" deep. Flaps shall be scalloped and self lined, measuring 6 3/4 wide and 3 3/8" long at center and 3" long at each end. They shall close with Velcro on the side points and with a centered buttonhole. The pockets shall be lined with pocketing material with an opening of approximately 5 1/2" on the side. The left patch pocket is to have a 1 1/2" pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked. Flaps are too interlined
COLLAR	The standup collar shall be made using self material and shall be interlined with Pellon. There shall be an option of a detachable hood and for collar using Orlon pile. This collar and hood are to be attached to the permanent collar with buttons.
EPAULETS	The epaulets shall be made of self goods. They shall be sewn into the sleeve head seam, "X" stitched and tacked to the jacket at the neck.
SIZES	Jackets must be available small through XXL and larger
BADGE TAB	The badge tab shall be made of the outer fabric lined with pocketing fabric, and shall measure 2" tall by 1" wide. The first eyelets is 1/2 "down from the top finished edge and the second is 1/2" up from the bottom finished edge. The eyelets are spaced 1" apart from center to center. The badge tab shall be centered 2 1/2" above the left flap pocket.
ZIPPER	There shall be an YKK #5, two-way molded nylon zipper in the front and an 11" nylon zipper on each side vent.
BUTTONS & SNAPS	The pocket flaps and epaulets shall be secured with 24 ligne metal buttons. The front fly and size zipper tabs shall be secured by high impact, non-reflective, non-glare, scratch resistant snaps.
THREAD	All sewing is to be done with polyester core thread or 100% spun polyester thread.
SIZE TAG & CARE INTRUCTIONS	Each jacket shall have a sewn-in woven size label. There shall also be a printed label with care instructions. Each coat shall be marked with lot number, size fiber content and WPL number.
WARRANTY	Garments shall have a one year warranty against workmanship against workmanship or fabric defects.
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with a 4 1/2" emblem 80% embroidery with plastic backing. Emblem are to be included in the price of the jacket

9) WINDBREAKER

DESCRIPTION & COLOR	Windbreaker/ Chocolate Brown
BLEND	80% polyester/20% cotton
FABRIC	Poplin weave Outer shell
FINISH	Durable water repellent
CARE	Hand wash

LINER	Zip-Out liner
WAISTBAND	Elastic back bottom edge
CLOSURE	Two-way zipper
POCKET	Two pleated patched pockets and flaps with bottom-through closure; tow hand-warmer side panel pockets
SIZE	SMALL TO 3XLARGE.
OTHER	Screen printed light jacket with name and title embroidered on right chest, badge on left chest, and Constable on the backside.

10) RAINCOATS

DESCRIPTION	Length 48" Heavy Gauge; Black/Yellow; Screen-Printed With "Constable" 5' Reflective Lettering On Black And Yellow Backside; Also On Left Chest Logo And Right Side Name Of Deputy.
SIZES:	SMALL TO 3XLARGE

11) PATCHES

SHOULDER PATCHES	The office patch must be of the same design and color scheme by the Hidalgo County Constable Pct. 2. The patch has gold lettering and trim on a dark brown background. The bidders are encouraged to attend the pre-bid conference for exact design and size of patches. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt). Name Tab Zipper Front Metal Buttons
------------------	--

12) FELT COWBOY HATS (equal or better)

Description	Felt cowboy hat: Lariat felt
Style:	Roper
Color	Chocolate Brown
Quality	4X to 10 X
Brim	4" brim

C.) Hidalgo County Constable Precinct No. 3

1) SHIRTS- SHORT SLEEVE HORACE SMALL (Zipper Front HS1245) equal or better

FABRIC	Solid: A VISA fabric from Milliken & Company for fabrics, Style #7430, 100% polyester, texturized woven. Weight 7.25 oz. per yard. Single warp, two ply filling.
COLOR:	to be determine by dept.
CREASING	There are two sewn in permanent military creases in front and three in back.
FRONT	The left front has a self-fabric center pleat 1 3/8" wide extending from collar band to bottom of shirt. It has two rows of stitching 7/8" apart. The center pleat is interlined with 100% polyester, 250 denier. Right front has a 3-1/8" revere facing extending from neckline to bottom of shirt. There are seven front buttons.
COLLAR	Convertible collar measures 2 7/8" long at points and is topstitched 3/16" from the edge. The interlinings are 100% polyester, 250 denier. Permanent collar stays of proper length are fused or sewn inside collar so that no stitches are made through the bottom leaf.
YOKE	Two piece yoke of self-goods. The back of the yoke is topstitched 1/16".
SLEEVES	Sleeves are one piece, have a 7/8" hem and finish 10-3/8" long from the shoulder seam on a size Large. Sleeve setting and closing are sewn with an overedge and safety stitch. The sleeve is bartacked at the hem.
POCKETS	Two breast pockets finishing 5 3/8" wide and 5 3/4" long with mitered corners. Both pockets have a 1 1/2" box-pleat stitched top and bottom to prevent spreading. Left pocket has a sewn through pencil stall 1 3/8" wide. Woven hook fastener 1/2" wide and 1" long is placed on each pocket to secure woven loop fastener placed on each flap.
FLAPS	Flaps are scalloped, finishing 5 1/2" in width, 2 3/4" in length at the center and 2 1/2" at each side. Flaps are placed with a 1/4" space between the pocket and flap and have one centered buttonhole with button. The left flap has a pencil opening 1 3/8" wide. Woven loop fastener 1/2" wide and 1" long is placed on edges of each flap to secure woven hook fastener placed on pockets. Flaps have crease interlining.
BADGE TAB	Inside sling type of self goods approximately 1-1/8" wide extends from joining seam to pocket of left front. To have two small, uncut Buttonholes 1/4" apart with the lower buttonhole 1/4" above the flap.
EPAULETS	Sewn into sleeve head seam and measure approximately 1 7/8" tapering to 1 1/2" with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to shoulders with a row of x-stitching 2 1/2" from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.
SHIRT LABELING	Each garment is identified by permanent size, style number, cut number, fiber content, manufacturing RN number, care instructions and country of origin labeling.
BUTTONS	20-ligne melamine buttons dyed to match the fabric color.
PACKING	Shirts are polybagged individually.
ZIPPER CLOSURE	Zipper closure models have a 14" nylon separating zipper.

2) SHIRTS -LONG SLEEVE HORACE SMALL (zipper front HS1145) equal or better

FABRIC	Solid: A VISA fabric from Milliken and Company for fabrics, Style #7430, 100% polyester, texturized woven. Weight 7.25 oz. per yard. single warp, two ply filling.
COLOR:	brown
CREASING	There are two sewn in permanent military creases in front and three in back.
FRONT	The left front has a self-fabric center pleat 1 3/8" wide extending from collar band to bottom of shirt. The center pleat has two rows of stitching 7/8" apart and is interlined with 100% polyester, 250 denier. A self lined button stand 7/8" wide is on the right side and extends from collar band to bottom of shirt. There are six front buttons and one collar button.
COLLAR	The collar is banded. The back of the stand measures 1 1/2". The points are 3" in length and top stitched 3/16" from the edge. The interlinings are 100% polyester, 250 denier. Collar band has crease interlining. Permanent collar stays of proper length are fused or sewn inside collar so that no stitches are made through the bottom leaf. The stand fastens with one button.
YOKE	Two piece yoke of self-goods. The back of the yoke is topstitched 1/16".

SLEEVES	Each sleeve has a one piece pointed placket 1¼" wide both top and bottom, with one button and buttonhole centered in the vent opening. Sleeve setting and closing are sewn with an overedge and safety stitch. Cuffs close with two buttons and buttonholes, are 2¾" wide and have ¼" topstitching on the edge. Cuffs are interlined.
POCKETS	Two breast pockets finishing 5 3/8" wide and 5¾" long with mitered corners. Both pockets have a 1½" box-pleat stitched top and bottom to prevent spreading. Left pocket has a sewn through pencil stall 1 3/8" wide. Woven hook fastener ½" wide and 1" long is placed on each pocket to secure woven loop fastener placed on each flap.
FLAPS	Flaps are scalloped, finishing 5½" in width, 2¾" in length at the center and 2½" at each side. Flaps are placed with a ¼" space between the pocket and flap and have one centered buttonhole with button. The left flap has a pencil opening 1 3/8" wide. Woven loop fastener ½" wide and 1" long is placed on edges of each flap to secure woven hook fastener placed on pockets. Flaps have crease interlining
BADGE TAB	Inside sling type of self goods approximately 1-1/8" wide extends from joining seam to pocket of left front. To have two small, uncut buttonholes 1¼" apart with the lower buttonhole 1¼" above the flap.
EPAULETS	Sewn into sleeve head seam and measure approximately 1 7/8" tapering to 1½" with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to shoulders with a row of x-stitching 2½" from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.
SHIRT LABELING	Each garment is identified by permanent size, style number, cut number, fiber content, manufacturing RN number, care instructions and country of origin labeling
BUTTONS	20-ligne melamine buttons dyed to match the fabric color.
PACKING	Shirts are polybagged individually.
ZIPPER CLOSURE	Zipper closure models have a 14" nylon separating zipper.
WARRANTY	One year against workmanship or fabric defects.

3) TROUSERS – POLYESTER TWILL (Style -X13506NS) equal or better

FABRIC	Milliken 707428, Color: taupe/pick-tan 7496, 100% polyester, Weight: 15.75 oz./linear yard, Weave: 2 x 2 Right Hand Twill, Construction: 92 warp x 62 filling, Tensile Strength: 293 x 201 lbs., Finish: Visa® System III
POCKETING & LINING	All pocketing must be in black, 70% polyester/30% cotton, weave plain, 82 warp x 50 filling, 119 x 98 lbs. The weight must be 3.5 oz./square yard
CREASING	The front and rear creases in the trouser legs incorporate a permanent modified silicone crease produced by the Lintrak® System.
DESIGN	The trousers shall be made from a manufactured from a men's up-to-date uniform trouser pattern. The trouser styling shall incorporate a plain front with two quarter top pockets. Trouser is straight leg bottoms. Topstitched back pockets with triangle bartacks, left pocket has tab to button, zipper fly front with French fly. Inside belly band. Crotch lining. 1 1/2 inch waistband with dropped belt loops.
STRIPE	The trouser must have a stripe from waistband. The stripe shall be brown measuring ½" wide on ¾ red striping on pant leg from waistband down
POCKETS	The front pockets are quarter top style, with a minimum 6 1/2" opening and a 6" depth, measured from the bottom of the opening. The front pocket bags are double tipped and shall be stitched, turned, and re-stitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1 1/2" wide. The back pockets have 5 1/2" openings and are 6" deep. They shall be made with a Reese PW automatic machine and topstitched on the outside with an exposed top and bottom welt inside facing. The left pocket shall have a tab to button. The front pockets shall have straight bartacks at the ends of the openings. The back pockets shall have triangle bartacks at the ends of the openings.
WAISTBAND	The trousers are made with a continuous closed 1 1/2" wide waistband. The full length of the waistband is stabilized with fusible nonwoven interlining. The waistband shall close with a crush proof hook and eye, which are reinforced with canvas stays. There shall be a bartack behind the eye. The 3-strand Snugtex® waistband curtain finishes 2 1/4" wide. 3/4" Ultra BanRol® waistband stiffener is used in the full length of the waistband. The waistband curtain shall be set on with a rocap machine and be closed by stitching below the waistband through the outer fabric and the waistband curtain
BELT LOOPS	There shall be seven (7) belt loops on sizes 38 and smaller, and 8 belt loops on sizes 40 and larger. Each loop is to be 3/4" wide, of double thickness, have canvas interlining and be stitched with a 1/4" gauge twin needle. All loops shall be tacked to the outside of the waistband, folded over the tacking, with the bottom of the loop folded under and tacked to the trousers. The side loops shall be placed 3/4" behind the side seams. The loops shall accommodate a 2" wide belt.
ZIPPER & FLY	The trousers shall close with a YKK brass memory lock zipper which has a brass bottom stop at the base of the zipper chain and a brass ratcheting cam lock slider. Both flies have fusible nonwoven interlining. The right fly has a French fly extension and is lined with pocketing fabric, which extends from the top of the waistband to the inseam. A matching button is stitched to the left waistband curtain to fasten the French fly. A straight bartack shall be stitched at the bottom of the fly from the outside of the garment, through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trousers. The zipper and fly topstitching extend to the top of the waistband
INSIDE TRIM	Each front has a 4" wide belly band, made of pocketing fabric. It is sewn to the pocket bag and caught in the fly facing topstitching and the waist seam to provide a smooth front appearance. The crotch lining is made of folded pocketing fabric to provide a double layer and is serge to each front. The right fly lining extension is stitched to the front seat seam allowances and extends to the inseam.
STITCHING	The entire trouser is to be stitched with matching polyester core or 100% polyester spun thread. The thread shall be colorfast and match the fabric. All visible stitching must be 10-11 stitches per inch. All exposed inside seams are to be serge. The seat seam must be stitched with a tandem needle machine. There is a minimum 2 3/4" seat outlet for alterations.
PRESSING & FINISHING	All loose threads shall be removed. Trousers must be pressed on Hothead presses and properly shaped, with the inseams, outseams, and seat seam pressed open. There must be a Texpak clip attached to the waistband of the finished trousers
SIZES	The trousers shall be unhemmed and available in a regular rise length in waist sizes 28 through 60. Odd waist sizes must be available.
TAG & CARE INSTRUCTIONS	Trousers shall be labeled with the following information: manufacturer, style number, size, fiber content, care instructions, RN number and country of origin.

4) TROUSERS- HORACE SMALL TRADITIONAL STYLE (HS2144) equal or better

FABRIC	100% polyester. Two ply warp and filling, 10.5 11 oz. per linear yard, 2 x 1 gabardine weave. SolarBan Technology Fabric.
COLOR	Silver Tan
DESIGN	Shall be made on a uniform pattern, having a plain front with quarter top pockets and two back pockets.
POCKETS	The front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. They shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self material finishing no less than 1¼" wide. The back pockets will have a minimum opening of 5½" and be 6" deep. Sizes 29 and smaller will have a 5" opening. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The front pockets shall each have a straight bar tack and each back pocket shall be bar tacked with a triangular bar tacking machine.
POCKETING	All pocketing shall be black, 75% polyester/25% cotton with a minimum thread count of 90 x 56. The weight shall be 3.0 yds/lb. The inner waistband shall be composed of a one-piece elastic web. This web shall contain a blend of 42% Nylon / 20% Polyester / 14% Neoprene Rubber (3 strands) / 6% Lycra / 18% Cotton. The elastic web shall be constructed so that the cotton content of the band is in the upper 1-1/8" portion where the pressure of the belt would require the wicking properties of cotton close to the body to maintain comfort. The remainder of the band will be woven with an open mesh construction to promote breathability in the hip area. Additionally, the web will have 35% stretch and be 3" wide. The web will be sewn at the top and at the bottom waistband seams which will reduce its stretch in the upper area to allow for a comfortable fit at the waist when bending or sitting. The upper portion of the web shall have a stiffness of .09 oz. of torque (as specified in FED-STD-191, Method 5202) to prevent waistband rollover. The lower part of the web will be left free to stretch over the hips and give support to the back and abdomen. This lower high-stretch area will have pressure applied to it by the hips, preventing the trouser from slipping down while being worn. Three rows of exposed rubber woven into the center off the web will insure that the shirt remains tucked in for neat appearance.
WAISTBAND	The waistband shall be 2" wide and shall close with a crush-proof hook and eye, the eye being bar tacked for stability. Stretch Ban-Rol III waistband stiffener, ¾" in width, shall be sewn into the top of the waistband to prevent rollover. The trousers are to be made with a continuous closed waistband. The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain.
INSIDE TRIM	The right fly and crotch linings shall be the same fabric and color as the waistband curtain. The right fly lining shall be sewn to the left fly below the zipper. The crotch lining shall be serged to each front. A separate French fly made of the outer fabric shall be sewn to the inside right fly.
BELT LOOPS	There shall be a minimum of five (5) belt loops on waist sizes 30 and down, seven (7) belt loops on waist sizes 31 - 48, and a minimum of nine (9) on sizes 50 and larger. Each loop is to be ¾" wide, of double thickness, and stitched on the face side with a two needle machine. Except for the center back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1-5/8" belt.
ZIPPER	The trousers shall be closed with a YKK brass zipper which has a brass bottom stop at the base of the zipper chain and a brass ratcheting cam lock slider. The inside left fly will be reinforced with Pellon under the zipper stitching. A straight bar tack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bar tack located below the bottom zipper stop on the inside of the trouser.
SEAMING	The entire trouser is to be seamed with polyester core thread. The seat seam shall be stitched with a tandem needle seat seaming machine. All exposed inside seams of the trouser are to be serged.
LAB ELING	Trousers shall be labeled with the following information: style number, size, fiber content, care instructions, WPL number and country of origin.
FINISHING & PRESSING	All loose threads shall be removed. Trousers must be pressed completely and properly with the side seam, inseam, and seat seam pressed open.

5) PATROL JACKETS

FABRIC	Outershell: Travis Mills #7450 ,100% Nylon Supplex or equal Removable Lining: 104x86 Thread Count, 70 Denier Nylon Taffeta or equal Color: Brown Thinsulate by 3M quilted 200-gram body with 100-gram sleeve or equal. 100 % Nylon taffeta, thread counts 104x86 or equal
DESIGN	The jacket shall be a full cut, waist length model with two-way zipper front, Thinsulate zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction shall be used throughout the body and sleeves being fully lined
BODY DETAIL	The front shall be plain with patch pockets, flaps and badge tab. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a one piece back designed with the Articulated Gusset for full freedom of movement. There is to be a separate 2- ½" shirred waistband with 2- ½" heavy duty elastic. The entire waistband is to be shirred with the exception of an area 5 ¾" on either side of the front opening. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and elasticized snap closure. The shoulders shall have pads. A self goods reinforcement strip, approximately 3", shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side.
INSIDE DETAIL	On the left side of the coat, there shall be a gun pocket installed on the Removable lining to accept a small frame handgun. The gun pocket shall have a minimum opening of 4 ½" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closure. Bartacks shall reinforce the opening. There shall be two cut-in pockets on the left and right sides measuring approximately 5 ¼" wide and 6" deep. There shall be a strap and snap on the lining of each sleeve end for attaching the zip in liner. The bottom of the coat on the inside shall have a 4" piece of outer shell material between the waistband and the inner taffeta lining to guard against wear from the inside.
SLEEVES	The sleeves shall be one piece set in with a single needle machine. The bottom of the sleeve shall have Velcro and elastic for adjustable fit. The cuff itself should measure 1 7/8" in width. DEPARTMENT'S PATCH MUST BE SEWN ON BOTH SLEEVES.
POCKETS	There shall be two patch pockets with 1½" box pleats, finishing approximately 6 ½" wide and 7 3/8" deep. Flaps shall be scalloped and self lined, measuring 6 ¾ wide and 3 3/8" long at center and 3" long at each end. They shall close with Velcro on the side points and with a centered buttonhole. The pockets shall be lined with pocketing material with an opening of approximately 5½" on the side. The left patch pocket is to have a 1½" pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked. Flaps are too interlined
COLLAR	The standup collar shall be made using self material and shall be interlined with Pellon. There shall be an option of a detachable hood and fur collar using Orlon pile. This collar and hood are to be attached to the permanent collar with buttons.
EPAULETS	The epaulets shall be made of self goods. They shall be sewn into the sleeve head seam, "X" stitched and tacked to the jacket at the neck.

SIZES	Jackets must be available small through XXL and larger
BADGE TAB	The badge tab shall be made of the outer fabric lined with pocketing fabric, and shall measure 2" tall by 1" wide. The first eyelets is 1/2" down from the top finished edge and the second is 1/2" up from the bottom finished edge. The eyelets are spaced 1" apart from center to center. The badge tab shall be centered 2 1/2" above the left flap pocket.
ZIPPER	There shall be an YKK #5, two-way molded nylon zipper in the front and an 11" nylon zipper on each side vent.
BUTTONS & SNAPS	The pocket flaps and epaulets shall be secured with 24 ligne metal buttons. The front fly and size zipper tabs shall be secured by high impact, non-reflective, non-glare, scratch resistant snaps.
THREAD	All sewing is to be done with polyester core thread or 100% spun polyester thread.
SIZE TAG & CARE INSTRUCTIONS	Each jacket shall have a sewn-in woven size label. There shall also be a printed label with care instructions. Each coat shall be marked with lot number, size fiber content and WPL number.
WARRANTY	Garments shall have a one year warranty against workmanship against workmanship or fabric defects.
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders. Emblem are to be included in the price of the jacket

6) SHIRTS-POLO-SHORT SLEEVE (5.11 Tactical #71048) equal or better

DESCRIPTION	<ul style="list-style-type: none"> • 100 % Treated 6.4 oz. Interlocked cotton fabric to prevent fading, wrinkling and shrinking • Moisture wicking finish • Tough melamine buttons • No roll Collar with flexible collar strays • Mic-loop pockets located at each shoulder and placed at the bottom of the placket at the sternum level • Reinforced dual pen pockets • Polo shirts with name & title embroidered on right breast and badge embroidered on left breast
COLOR	to be determine by dept.
SIZE	Sm – XXL and Larger
EMBLEM	Hidalgo County CONSTABLE badge embroidered on left side of chest. Name (bottom) & title (top) to be on right side. Bidders are encouraged to attend the pre-bid conference for viewing of samples.

7) SHIRTS-PROFESSIONAL POLO-SHORT SLEEVE (5.11 Tactical #41060) equal or better

DESCRIPTION	100% Treated cotton to prevent fading, wrinkling, & shrinking, tough melamine buttons, No Roll Collar with flexible collar stays, Reinforced dual pen pockets on left sleeves, Accepts embroidery and silk screening well
SIZES	Small through 3XL
COLOR:	to be determine by dept.
EMBLEM	Hidalgo County CONSTABLE badge embroidered on left side of chest. Name (bottom) & title (top) to be on right side. Bidders are encouraged to attend the pre-bid conference for viewing of samples.

8) SHIRTS- HORACE SMALL LONG SLEEVE (zipper front with metal button HS 1150) equal or better

FABRIC	A VISA fabric from Milliken and Company for fabrics, Style #7430-2093 Dark Navy, 100% polyester, texturized woven. Weight 7.25 oz. per yard. single warp, two ply filling. SolarBan Technology Fabric.
COLOR	to be determine by dept
METAL BUTTON FEATURE	Shirts are made to accept metal buttons on the epaulets, fronts, pocket flaps and cuffs. The right front on these shirts is to have an approximate 2" turn back.
CREASING	There are two sewn in permanent military creases in front and three in back.
FRONT	Left front has a self-fabric center pleat 1 3/8" wide extending from collar band to bottom of shirt. The center pleat has two rows of stitching 7/8" apart and is interlined with 100% polyester, 250 denier. The right front has a 2" turn back facing that extends from collar band to bottom of shirt. Eyelets and stay tacks are sewn on the right front with buttons sewn centered over each eyelet for metal button feature. There are six front buttons and one collar button.
COLLAR	The collar is banded. The back of the stand measures 1 1/2". The points are 2 7/8" in length and top stitched 3/16" from the edge. The interlinings are 100% polyester, 250 denier. Collar band has crease interlining. Permanent collar stays of proper length are fused or sewn inside collar so that no stitches are made through the bottom leaf. The stand fastens with one button.
YOKE	The back of the yoke is topstitched 1/16"
SLEEVES	Each sleeve has a one piece pointed placket 1 1/4" wide both top and bottom, with one button and buttonhole centered in the vent opening. Sleeves setting and closing are sewn with an overage and safety stitch. Cuffs close with two buttons and buttonholes, are 2 3/4" wide and have 1/4" topstitching on the edge. A coverstrip is sewn inside the cuff for the metal button feature. Cuffs are interlined.
POCKETS	Two breast pockets finishing 5-3/8" wide and 5 3/4" long with mitered corners. Both pockets have a 1 1/2" box-pleat stitched top and bottom to prevent spreading. Left pocket has a sewn through pencil stall 1-3/8" wide. Woven hook fastener 1/2" wide and 1" long is placed on each pocket to secure woven loop fastener placed on each flap.
FLAPS	Flaps are scalloped, finishing 5 1/2" in width, 2 3/4" in length at the center and 2 1/2" at each side. Flaps are placed with a 1/4" space between the pocket and flap and have one centered buttonhole with button. The left flap has a pencil opening 1-3/8" wide. Woven loop fastener 1/2" wide and 1" long is placed on edges of each flap to secure woven hook fastener placed on pockets. Flaps have crease interlining.
BADGE TAB	Inside sling type of self-goods approximately 1-1/8" wide to extend from joining seam to pocket of left front. To have two small, uncut buttonholes 1/4" apart with the lower buttonhole 1/4" above the flap.
EPAULETS	Sewn into sleeve head seam and measure approximately 1-7/8" tapering to 1/2" with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to shoulders with a row of x-stitching 2 1/2" from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining. Epaulet points are tacked to shoulder for metal button feature.
SHIRT LABELING	Each garment will be identified by permanent size, style number, cut number, fiber content, manufacturing RN number, care instructions and country of origin labeling.
BUTTONS	20-ligne melamine buttons dyed to match the fabric color.
PACKING	Shirts are polybagged individually.
ZIPPER CLOSURE	Shirts shall have a 14" nylon separating zipper.

9) PANTS-TACTICAL (5.11 Tactical 74003) equal or better

FABRIC	100 % Cotton Tactical Canvas, 8.5 oz , 73x40/10x10, Pant weight
--------	---

POCKETING	80% Polyester 20% Cotton T/C, tightly woven poplin
SIZE	Pants must be available in Regular, Short, Long and X-Large Long, from stock
COLOR	Brown (108)
FEATURES & BENEFITS	Self adjusting action waist with elastic sides; 7 belt loops and a DORing; Deep front pockets; cargo pockets with flaps; phone pocket on right front, Large open-top back pockets, and a tool strap on right back. The pants have double knees of self fabric, removable 6mm Neoprene knee pad inserts; and a double seat of self fabric. Bottom hems have openings for draw cords.
POCKETS	<ul style="list-style-type: none"> • Front pocket openings have self fabric facings and extra reinforcements on knife clippings area. Pocket openings are firmly bar tacked on both ends. Pocket bags are made of durable Poly/Cotton blend and they are extra deep. Pocket bags are finished clean inside the pant and double stitched for heavy duty. • Cargo pockets have large flaps and Velcro closure. • Knife pocket is lined with extra durable Cordura Nylon. The pocket has gussets on sides and a large flap with Velcro closure; it accommodates a phone. • Back Pockets are formed of self fabric. They are extra large with large open top. The top has Velcro closure. Opening has extra reinforcement on the side seam side; both ends are firmly cross-bar tacked.
SEAMS & STITCHING	<ul style="list-style-type: none"> • Seams are durable with 10 stitches per inch and extra heavy 5-thread construction. • Top stitching are non-raveling lock stitching. Side seams, seat seam and front rise have two-needle top stitching. Crotch point is bar tacked. Fly outline, had pocket openings, all pocket flaps, knee patches and seat patch have double needle top stitching. Cargo pockets are attached with double needle top stitching. Belt loops are bar tacked on all corners. Cargo pocket openings are bar tacked and flaps are cross bar tacked. Back pocket openings are cross bar tacked. All Velcro pieces are attached with box stitching
LABELS	The woven logo label, care label, size label, country of origin label and fiber content are permanently attached to the pants.
CLOSURES	Closures are high quality, proven brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is metallic PRYM snaps with extra strong grip. Inside fly button is cross tacked.

10) SHIRT- SHORT SLEEVE-TACTICAL (Propper F5311-50) equal or better

DESCRIPTION	Made of 4-ounce 65% polyester/ 35% cotton ripstop This is an all-season weight, 65% polyester / 35% cotton fabric manufactured in a ripstop weave. The fabric is coated with DuPont Teflon to repel stains and liquids Hidden zipper (mock button) front for ease of use Battle Rip® fabric is lightweight and durable DuPont® Teflon® fabric protector repels stains and liquids Gusseted underarms for better range of motion Two zippered chest pockets Hidden collar stays provide a clean, professional look
SIZES	Small through 3XL
COLOR:	to be determine by dept.

11) RAINCOAT

DESCRIPTION	48" Vinyl Raincoat with sealed seams, pass through pockets, non-corrosive snap-front closure; detachable, snap on hood, ventilated back and underarms, and screen printed on the back in Black with Constable in capital letter 4"
SIZE	small to 4XL

12) CAPS

Fabric	Hot weather combat cap, constructed from 65% poly / 35% cotton w/ embroidered department emblem (emblems may vary) adjustable
Color	Brown
Size	Small to XXL)

13) CAPS-MISC.

Description	Mesh baseball cap 65% polyester / 35% cotton 100% mesh back w/ embroidered department emblem (emblems may vary) adjustable
-------------	--

14) FELT COWBOY HATS (equal or better)

Description	Felt cowboy hat: Stetson felt
Style:	Roper
Color	Silver Belly
Quality:	quality 4X to 10 X
Brim:	4" brim

D.) Hidalgo County Constable Precinct No. 4

UNIFORM I

1) SHIRTS-LONG SLEEVE(Elbeco Tex-Trop with Zipper) equal or better

STYLE	It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample. Shirts to have permanent sewn-in military stitches.
TAILORING	It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched 1/4" from edge. The pockets and flaps shall be single stitched on the edge.
FABRIC	To insure permanent moisture control, superior breathability, soil resistance, easy care, wrinkle resistance, color matching, and color retention, the fabric is to be 9.5 to 10 ounce per linear yard, tropical weave with mechanical stretch, 100% texturized polyester. Fabric is enhanced with Industrial Laundry Friendly NANO-DRY technology by Burlington. Style #618.

COLOR	to be determine by dept
CREASING	Pockets and pocket flaps to be die creased to give uniform shape and size.
FRONT	The front shall have a center facing 1-1/2" wide extending from the collar stand to bottom of shirt and be made of the same material as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3-1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.
COLLAR	The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1-1/2". The leaf shall be made of three pieces; two pieces of self cloth and one whole lining, which is to be fused to the top collar. The collar stays shall be of good quality Stalar vinyl, 2-3/4" in length and 3/8" wide and be attached to the bottom collar. The stand shall fasten with one button. There shall be one horizontal buttonhole. Innerstand and inner yoke to be made of matching 65% Dacron Polyester/35% Cotton, 4.2 ounce per square yard, 106 x 58.
SLEEVES	To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1-1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
ZIPPER	A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1-1/2" below the first front button and shall replace the 2nd, 3rd, 4th, and 5th front buttons, which are to be sewn on the top center. The neck button, 1st front button are to be functional.
BACK	There is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin.
POCKETS	To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1-1/4" wide. Both pockets to have 1-1/4" box stitching top and bottom to prevent spreading.
FLAPS	To have two scalloped flaps to finish 5-3/4" in length, 2-3/4" in width at center, and 2-1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1-1/2" in width. Flaps to be interlined. There will be a matching button and a buttonhole sewn on the flap.
FLAPS CLOSURE	The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
BADGE TAB:	To be reinforced on inside of the shirt by means of a strip of material 1-1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1-1/4" apart with the bottom buttonhole 1-1/2" above top of left flap
SHOULDER STRAPS:	The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam
PERMANENT CREASES:	Shirt to have permanent military creases. Creases to be stitched in shirt only, not through pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
INTERLINING:	Flaps to be EZ crease. Top center to be lined with QST interlining. Bands and cuffs to be 3.75 weight durapress
LABELS:	TexTrop woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem.
BUTTON:	All buttons shall be made from high impact melamine and must match fabric.
PRESSING & PACKING:	Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.

2) TROUSERS (flying cross -fechheimer #38205) equal or better

FABRIC	100% Polyester, 11-11½ oz. per linear yard, weave-serge
SYLE	Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection
COLOR	to be determine by dept.
LINING MATERIAL	The pocketing and fly lining material shall be 70% Polyester / 30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78 x 48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.
WAISTBAND	<p>The waistband shall be constructed using the "closed method" and shall measure a minimum of 1-7/8" wide when finished. The waistband curtain shall finish a minimum 2-1/8" wide and is to be made of the same fabric and color as the pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must contain Tru-Grip, a ½" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)</p> <p>The waistband curtain is composed of a wet laid non woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The ½" rubberized surface area is positioned 1-¼" up from the bottom of the curtain.</p> <p>The specifications for the rubberized Tru-Grip curtain are as follows:</p> <p>Width: 1-1/8-inch Warp: 300 Denier Texturized Polyester Filling: 300 Denier Texturized Polyester Rubber: 55 Gauge Count: 32-36 yarns per inch Contents: 59% Polyester/41% Rubber</p> <p>The waistband must contain ¾-inch Ban-Rol to prevent roll over at the trouser front. The waistband closure shall be accomplished with a single crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with 7/8-inch non-woven stay tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam through the waistband curtain for added strength. The back center seam of the trouser is to be finished to allow for alterations (with ample basic fabric and waistband curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be in proportion to waist outlet so seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum strength.</p>
BELT LOOPS	There shall be a minimum of seven belt loops ¾" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are

	tacked to the outside of the trouser all around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.
POCKETS	The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 4-1/2" measured from the bottom of the opening. Front pockets to have firm straight bartack at bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facings to be made of the basic trouser fabric and shall be a minimum of 1". Front pocket barrier shall also be made of the basic trouser fabric and to measure a minimum of 2" (measured to the inside edge of pocket lining). The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5-3/4 " measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight firm bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing to be made of basic trouser fabric and shall be a minimum of 3/4" and the barrier shall also be made of the basic trouser fabric and to be a minimum of 1-1/2". The left hip pocket shall have a centered tab made of basic trouser fabric inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2-3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.
FLY:	Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.
SEAT	Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.
STITCHING, PRESSING & FINISHING	Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Outseams and inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.
STOCK SIZES	Trouser must be available from stock in the following sizes: SHORT RISE: 28 - 40 (EVEN ONLY) REGULAR RISE: 28 - 56 (EVEN ONLY OVER 38) LONG RISE: 32 - 42 (EVEN ONLY)
LABELS:	Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL and RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

UNIFORM -II

3) SHIRTS--SHORT SLEEVE (8713X) Blauer Street Gear -equal or better

SHELL FABRIC	6.5 oz. per square yard 2 X 1 twill weave in a 65% polyester / 35% cotton fiber blend with 3XDRY® comfort finish and 10-12% filling stretch that is pre-cured for wrinkle resistance. Machine washable and dry cleanable cotton blend provides user comfort, uniform appearance, durability, and easy care.	
COLOR	silver tan or optional.	
TRIM	Interlining: Small Parts: 100% polyester Front Placket: 50% Polyester 50% Cotton Hook and loop: Woven Nylon base Buttons: melamine, 20 ligne, matching shell fabric	
DESIGN & CONSTRUCTION	Short sleeve uniform shirt 5 crease military style with permanent sewn in creases Top fused convertible sport collar Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure Epaulets Badge eyelets with internal support strap Extra long shirt tails	
CUSTOMIZATION	Emblems, Name Tab, Zipper Front, Metal Buttons on epaulets and pocket flaps	
SIZE RANGE	Men's: Regular Length: S-4XL & Women's: Regular Length: XS-3XL	
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with 4 1/2" emblem 80% embroidery with plastic backing. Emblems are to be included in the price of the shirt.	
MEASUREMENTS	Men's: Regular Length: L:	Women's: Regular Length: M
	Neck: 17.25 (plus or minus 0.5 inches) ½ Chest: 25.25 (plus or minus 0.75 inches) Back Length: 32.5 (plus or minus 0.5 inches)	Neck: 15.5 (plus or minus 0.5 inches) 1/2 Chest: 22(plus or minus 0.75 inches) Back Length: 28.5 (plus or minus 0.5 inches)

4) TROUSERS (5.11 Tactical Men's PDU #74338 Class A Twill) equal or better

FABRIC TYPE	Main Body: 65% Polyester 35% Cotton 7.25 oz PDU® Twill with Teflon finish; ;Pocketing: 80% Polyester 20% Cotton 4.0 oz. Plain Weave
FEATURES & BENEFITS:	Self adjusting tunnel waist for ease of movement, Silicone internal gripper waistband will help keep your shirt tucked in, Diamond gusseted crotch for added durability and range of motion, Permanent military creases for the professional appearance, Genuine YKK® zippers and PRYM® snaps to help prevent failures, Machine washable easy care, Hidden side seam pockets and coin pocket inside wearer's right hand pocket
STITCHING & FINISHING:	Durable 5-7 thread seam construction with 10 stitches per inch. Non-raveling lock stitch top stitching.

	<p>3 thread overlock placed at left and right inside fly, front rise, side seams, inseams, and bottom hem.</p> <p>Lock stitch seam placed at waistband, back rise, side seam pockets, crotch gusset side seam and inseams.</p> <p>Single needle topstitch at belt loops, tacked down and up and left fly outline.</p> <p>Edge stitch at waistband top and bottom, belt loops edges, right fly edge, around fly tab, front and back rise left, around back pocket welts, both edges of back pocket button loops, all pocket facings finish, front pocket bags binding, both crotch gusset edges.</p> <p>1/4" single needle topstitch at front pocket opening edges.</p> <p>1/4" gauge double needle stitching at waistband elastic attachments, front pocket bag closures, side seam pocket bags, back pocket bags.</p> <p>Bartacks at waistband opening, belt loop top corners, bottom of fly, back pocket button loops, front and back crotch gusset points, at left fly upper and top, front pocket bottom openings, and back welt pocket ends.</p> <p>Triangular bartacks at back welt pocket ends</p> <p>Key-hole button hole placed at center of fly tab.</p>
CLOSURES:	<p>Fly zipper is metallic YKK® zipper with locking slider.</p> <p>Side seam hidden pocket zipper is a coil YKK® zipper.</p> <p>Waist snap is metallic PRYM® 5.11 logo snap with extra strong grip.</p> <p>Buttons on inside French fly, back pockets and a spare placed at wearer's left pocket bag are Aetna Melamine satin finish 4-hole style and are cross tacked.</p>
LABELS:	The woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the pant
SIZES:	Pants must be available in Regular, Short, Long and X-Large Long. from stock
COLORS:	Sheriff Green or optional

UNIFORM-III

5) SHIRTS--POLO-SHORT SLEEVE -5.11 TACTICAL-(71048) equal or better

DESCRIPTION	<ul style="list-style-type: none"> • 100 % Treated 6.4 oz. Interlocked cotton fabric to prevent fading, wrinkling and shrinking • Moisture wicking finish • Tough melamine buttons • No roll Collar with flexible collar strays • Mic-loop pockets located at each shoulder and placed at the bottom of the placket at the sternum level • Reinforced dual pen pockets • Polo shirts with name & title embroidered on right breast and badge embroidered on left breast
COLOR	Silver tan or optional
SIZE	Sm – XXL and Larger

6) 5.11 Tactical -Performance Polo -71049(equal or better)

FABRIC TYPE	100% Smart Weave Polyester, Jersey Knit
FEATURES & BENEFITS	The performance polo is made with specialty engineered fabric that doesn't snag when it comes in contact with Velcro or other abrasive surfaces. There is a 3 button placket; Mic-clip pockets are conveniently located on each shoulder; a mic-clip loop is placed at the sternum level and a dual pen pocket on the left sleeve; The flat knit collar features an anti-rolling technology that keeps the collar from rolling or turning up; The body features saddle-shoulder construction and gusseted underarm sleeve for greater range of motion and also the bottom hem features a split side vent.
STITCHING & FINISHING	Stitches per inch are 10-12 on all operations; Double needle coverstitch centered over the seams of the armholes and side gussets ; Neckline has ¼" single needle topstitching; Front Placket is 1 ¼" wide with edge stitching on both sides; Sleeve hem has 1" turned up with ¼" double needle coverstitch; Hem has 1" turned up with 1/4 " double needle coverstitch; Individually packaged in poly bag like a dress shirt with plastic clips, cardboard collar band, and antimicrobial, moisture-wicking
CLOSURES:	Buttons – 4 hole Melamine buttons that won't melt, burn, or crack, <u>20 Ligne Buttons</u> ; 3 center front placket
LABELS:	5.11 Main Label is a heat transfer inside the back half moon. Fabric content / country of origin, size, and care instructions are all on the transfer label.
SIZES:	XS-4XL
COLORS:	Dark Navy, Black, Silver Tan, Charcoal, TDU Green, LE Green, White, Traffic Yellow and Range Red
FABRIC TYPE	100% Smart Weave Polyester, Jersey Knit

7) PANTS--TACTICAL - 5.11 TACTICAL (74251) equal or better

FABRIC	100 % Cotton Tactical Canvas, 8.5 oz , 73x40/10x10, Pant weight
POCKETING	80% Polyester 20% Cotton T/C, tightly woven poplin
SIZE	Pants must be available in Regular, Short, Long and X-Large Long. from stock
COLOR	OD Green or optional
FEATURES & BENEFITS	Self adjusting action waist with elastic sides; 7 belt loops and a DORing; Deep front pockets; cargo pockets with flaps; phone pocket on right front, Large open-top back pockets, and a tool strap on right back. The pants have double knees of self fabric, removable 6mm Neoprene knee pad inserts; and a double seat of self fabric. Bottom hems have openings for draw cords.
POCKETS	<ul style="list-style-type: none"> • Front pocket openings have self fabric facings and extra reinforcements on knife clippings area. Pocket openings are firmly bar tacked on both ends. Pocket bags are made of durable Poly/Cotton blend and they are extra deep. Pocket bags are finished clean inside the pant and double stitched for heavy duty. • Cargo pockets have large flaps and Velcro closure. • Knife pocket is lined with extra durable Cordura Nylon. The pocket has gussets on sides and a large flap with Velcro closure; it accommodates a phone. • Back Pockets are formed of self fabric. They are extra large with large open top. The top has Velcro closure. Opening has extra reinforcement on the side seam side; both ends are firmly cross-bar tacked.
SEAMS & STITCHING	<ul style="list-style-type: none"> • Seams are durable with 10 stitches per inch and extra heavy 5-thread construction. • Top stitching are non-raveling lock stitching. Side seams, seat seam and front rise have two-needle top stitching. Crotch point is bar tacked. Fly outline, had pocket openings, all pocket flaps, knee patches and seat patch have double needle top stitching. Cargo pockets are attached with double needle top stitching. Belt loops are bar tacked on all corners. Cargo pocket openings are bar tacked and flaps are cross bar tacked. Back pocket openings are cross bar tacked. All Velcro pieces are attached with box stitching
LABELS	The woven logo label, care label, size label, country of origin label and fiber content are permanently attached to the pants.

CLOSURES	Closures are high quality, proven brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is metallic PRYM snaps with extra strong grip. Inside fly button is cross tacked.
8) PANTS--TACLITE PRO (74273) equal or better	
FABRIC & FINISHING	<ul style="list-style-type: none"> Main body: 65% Polyester, 35% Cotton , 6.14 oz, tear resistant Ripstop; with HR Teflon water resistant Pocketing : 65% Polyester 35% Cotton, 3.2 oz T/C, tightly woven poplin
SIZE	Pants must be available in Regular, Short, Long and X-Large Long, from stock
COLOR	Department to determine color
DESIGN FEATURES & BENEFITS	Self adjusting side elastic action waist with 7 wide belt loops and a key ring. Snap closure on outside and button on inside fly. Tool strap on right back. Front pleats and crotch gusset for maximum range of movement. Deep front pockets, Cordura lined knife pocket on right front and Cordura lined cell pocket on left; Pleated cargo pockets on both sides; two large, open back pockets. The pant has double seat and double knees of self fabric with knee pad openings inside.
DESIGN DETAILS POCKETS:	<ul style="list-style-type: none"> Front and Back Pocket openings are reinforced with Cordura binding on knife clip area. Pocket openings are firmly bar tacked. Front pocket bags are made of durable Poly/cotton blend. Pocket bags are extra deep and finished clean inside the pant with stitched edge for heavy duty. Knife Pocket has extra firm welt for knife clip, and is sized to accommodate C.U.B. knife or hide a magazine. Cell Pocket is gusseted on both sides and accommodates blackberry, the flap has Velcro closure for safety. Back Pockets are made of self fabric; they are extra large with easy access open tops and Velcro closure. Cargo Pockets have expandable inverted box pleat in the center and flap with two-Velcro closures.
SEAMS & STITCHING	<ul style="list-style-type: none"> Seams are durable with 10 stitches per inch and extra heavy 5-thread construction. Top Stitchings are non-raveling lock stitchings. Belt loops are double top stitched, and bar tacked on all corners. Back pocket openings and tool strap are cross bar tacked. Side seams, fly outline, front rise and seat seam are double stitched. Crotch gusset is top stitched, crotch points and fly are bar tacked. Front pocket openings, pocket flaps, knee patches, and double seat are double top stitched. Cargo pockets are set with double stitching. Pocket and pocket flap setting stress points are bar tacked
LABELS	The woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the pant.
CLOSURES	Closures are high quality, proven performance brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is PRYM snap with extra firm grip. Inside button is cross stitched.
9) TIES	
DESCRIPTION	Clip-on tie, with buttonhole you can slide small end of tie through the loop and button to shirt size 3" wide with permanent knot, made of polyester
SIZES	regular: 17½ -long: 19½ or longer
COLOR	silver tan or optional
10) COWBOY HATS	
DESCRIPTION	Felt cowboy hat: Stetson felt (equal or better), Style: Roper, 4" brim, quality 4X or better
SIZES	sizes 6 ¾ and larger
COLOR	To be determine by department
11) JACKETS-BLAUER 6120-BOMBER	
SHELL FABRIC	100% texturized Nylon, 70 denier warp and 250 denier filling. Backcoating with printed breathable coating. (Color: see specified garment color.)
LINING FABRIC	Permanent Lining Fabric: B.Dry 1.85 oz. per square yard 100% nylon 70 denier ripstop with a total count of 210. Color: charcoal or black. Fabric shall be coated or laminated with a waterproof breathable polymer that can be washed and dry cleaned, and seam sealed. Fabric shall be 3,000 MM waterproofness (test method # JIS-L1092A) and 3,000 grams/M2/per 24 hours breathability (test method # JIS-L1099A). Removable Insulated Liner: 6 inch diamond pattern quilted insulation package. 1.85 oz. per square yard, 100% Nylon 70 denier ripstop woven face fabric (Color: charcoal). Thermolite Plus or B.Warm BSCL-120 insulation for sleeves and BSCL-120 for body. 1.8 oz. per square yard, 100% Nylon 70 denier plain weave taffeta backing fabric (Color: black). Fiber migration resistant construction and treatment with no added layers of scrim. Machine washable/dryable, dry cleanable, and can be pressed. Shrinkage less than 2%.
TRIM	<p>Pocketing: 65% polyester 35% Cotton. (Color: black), Brushed Pocketing:100% polyester tricot.(Color: black),Interlining:100% polyester non-woven, Binding: 100% Nylon Taffeta, Knit: 100% polyester in a 1 X 1 rib knit. (Color: match the shell fabric.) Ribbon Loops: 0.5 inch grosgrain. (Color: black), Snaps: 20 ligne spring snaps with closed backs, gunmetal finish on brass, heavy-duty closure, 24 ligne nylon cap (Color: Black), Seam Tape: waterproof seam sealing tape compatible with the permanent waterproof-breathable lining. (Color: Clear)</p> <p>ZIPPERS:</p> <ol style="list-style-type: none"> Front zipper: delrin, one-way, size #5, 26 inches. Sleeve underarm zippers: nylon coil, one-way, size #3, 10 inches. Inside pocket zipper: nylon coil, one-way zipper, size #3, 5.5 inches. Liner zipper: delrin, one-way, size #3, 46 inches. Removable sleeve liner zippers: delrin, one-way, size #3, 16 inches. Side vent zippers: nylon coil, one-way, size #5, 9.5 inches. <p>(Zipper lengths specified are for size L/Reg, Color: black)</p> <p>Hook and Loop: woven nylon base. (Color: black)</p> <p>Eyelets: aluminum. (Color: black)</p> <p>Metal Uniform Buttons: 24 ligne nickel "P" buttons unless specified by agency.</p>
DESIGN & CONSTRUCTITONS	Waterproof by design, Waist length bomber style, Front zipper closure, Two piece drop shoulder sleeves, Quilted liner with zip-off sleeves for versatile all-season wear, Underarm sleeve zippers, Permanently lined with waterproof- breathable lining, Collar with collar stand, Two lower reverse pleated patch pockets with flaps and side opening, Inside zippered pocket, Zippered side vents with snap tabs, Badge tab on left breast, Epaulets.
CUSTOMIZATION	Emblems, Name Tab, Microphone Tab, Detachable Pile Collar, Scotchlite Package
STANDARD SIZES	Unisex sizing: Regular: XS - 6XL & Tall: M - 6XL

MEASUREMENTS	Regular length: Size: L		
	a. Chest:	53.25	(plus or minus 0.75 inches)
	b. Sleeve from CB Neck:	37	(plus or minus 0.5 inches)
	c. Back Length:	26	(plus or minus 0.5 inches)

E.) HIDALGO COUNTY SHERIFF'S OFFICE UNIFORMS

1) RAINCOATS: Yellow/Gold With Screen Print Black Lettering On Back(Neese -equal of better)

- With Detachable Hood
- 3 inch Reflective Lettering in either "Detention Officer" or "Sheriff" per request
- Sizes: Small to 6X Large
- Slash Through pickets

2) GLOVES: (Hatch) Frisk Master Fm 2000 Gloves With Spectra (Equal Or Better)

Premium Leather shell
 100% Spectra Knit Liner
 Twice the cut resistance of Kevlar
 Sizes X-Small to 2Xlarger
 Elastic around glove wrist to hold cuff secure on hand

3) COVERALLS: (TYVEK) Personal Protection Coveralls With Attached Hood, And Booties (Equal Or Better)

Color White and Yellow
 Sizes Small to 3XLarge
 Protective barrier against particulates and liquid splashes
 Front zipper closure and elastic wrists

A). POLYPROPYLENE DISPOSABLE COVERALLS, LONG SLEEVE TOPS, PANTS

Polypropylene lightweight, spun bound 1.25 oz. material weight, Porous, breathable, economical and disposable

- Coveralls with collar and zipper, color and snap closures, color navy blue, sizes x-small to 5 x-large
- Long Sleeve shirts with collar and snap closures, color navy blue, sizes x-small to 5 x-large
- Pants with elastic waist, Color navy blue, Sizes x-small to 5 x-large

4) CUSTODIAN AND MAINTENANCE TEMPORARY KHAKI WORK SHIRTS

Dickies (or equivalent) Short & Long Sleeve Khaki Work Shirt # 1574KH Visa Stain release finish, Extra Long tail, Colors match traditional Work Pants 5 oz. Twill (65% Polyester / 35% Cotton)
 Sizes Small to 5XLarge
 Men and Female Sizes

5) TRADITIONAL WORK PANTS (SHERIFF DEPARTMENT)

Dickies (or equivalent)
 8 ¾ oz twill (65% Polyester/ 35% Cotton)
 Permanent crease, tunnel belt loops. No roll waistband lock stitched hem, stain release finish.
 Men Sizes 26" waist unhemmed to 60" waist unhemmed
 Colors: Dark navy, khaki, & black

6) WOMEN'S FLAT FRONT PANTS (SHERIFF DEPARTMENT)

- Easy care, Durable 2x1 twill. 1 ½" waistband, stain release finish, single right back pocket w/ button closure, two front quarter pockets. Hook & eye front closure, 7 oz twill mechanical stretch, 65% Polyester/ 35% Cotton
- Women sizes 2 unhemmed to 26 unhemmed
- Color: dark navy, khaki, and black

7) SCRUBS (SHERIFF DEPARTMENT)

- Cargo type shirt and pant, male and female sizes x-small to 6 x-large,
- Pants in regular length, and extra long lengths,
- Top with 3 pocket (1 breast, and 2 kangaroo pockets),
- Bottoms with 5 pockets (2 front side pockets, 1 rear back pocket and 2 cargo thigh pockets),
- Bottoms with elastic waist band and draw string, 65% polyester & 35% cotton
- Colors: dark navy, burgundy, dark green

8) RAIN BOOTS

- Norcross Servus 18822-9 - 16" Black Economy Knee Boot (equivalent or better)
- Seamless molded construction
- 100% Waterproof
- Anti-Skid outside and heal
- Reinforced construction at critical stress points
- Foot Form contour Inside
- Electrical hazard, non-marking, slip resistant
- Men sizes: 6-13
- Women sizes: 6-11

9) WATERPROOF SAFETY TOE BOOT

- Safety toe, electrical hazard, non-marking, slip resistant, waterproof
- Men sizes: 7-13

- Women sizes: 7-11

10) WATERPROOF SAFETY TOE SHOE

- Safety toe, electrical hazard, non-marking, slip resistant, waterproof
- Men sizes: 7-13
- Women sizes: 7-11

11) PANT- BDU (BATTLE DRESS UNIFORMS) STYLE:

Tan, Dark Brown, Black and Silver Grey (or color closest to the existing uniform) If the color varies distinctly from the existing uniform it will not be considered. This is done to keep the appearance of uniformity.
65 % Polyester 35 % cotton rip stop only

Pants must have:

- Adjustable waist tabs
- Two (2) front pockets
- Two (2) rear pockets
- Two (2) large button down bellows leg pockets
- Reinforced seat and knees
- All seams double stitched
- Drawstring ankle ties

Pants must come in both regular and long lengths. The sizes of BDU'S used are: X-SMALL, SMALL, MEDIUM, LARGE, X-LARGE, XX-LARGE, XXX-LARGE, and XXXX-LARGE.

Note: Shrinkage allowance must be minimal on pant and contain washing care instructions. Material must be machine washable and able to be ironed.

12) SHIRT- BDU (BATTLE DRESS UNIFORM) STYLE:

Tan and Dark brown (or color closest to the existing uniform) If the color carries distinctly from existing uniform color in will not be considered. This is done to keep the appearance of uniformity.

65 % Polyester 35 % cotton rip-stop only

SHIRTS MUST HAVE:

SHIRT- OPTION 1

- Four (4) below style pockets
- Reinforced elbows
- Adjustable button tab cuffs
- Button down front
- Double stitched seams
- Small -6 X-Large

SHIRT-OPTION 2

- Two (2) Style Pockets
- Reinforced Elbows
- Adjustable Button Tab Cuffs
- Button Down Front Double Stitched Seams
- Small -6 X-Large

SHOULDER PATCH:

Vendor shall supply with patches already attached to both sleeves. The standard department patch should be sewn on each sleeve. The sleeve patch must be of the same design currently used and same color scheme. Tan BDU shirt have the oval gold/brown patch on both sides of the upper arm area. Black BDU Shirt have the oval silver/black patch on both sides of the upper arm area. Silver/grey BDU shirt have the oval silver/black patch on both sides of the upper arm area. Chocolate brown BDU shirt have the oval gold/brown patch on both sides of the upper arm area. Purchased shirts must come with the patches attached. This cost must not be an additional charge.

BADGE PATCH:

A circular design that uses the same badge design as on shoulder patch. Tan BDU shirts have the round gold/brown patch in front chest area. Black BDU shirts have the round silver/black patch in front chest area. Silver/Grey BDU shirts have the round silver/black patch in front chest area. Chocolate Brown BDU shirts have the round gold/brown patch in front chest area. The chest patch must be sewn onto the shirt. SILK SCREEN IMAGES **WILL NOT** BE ACCEPTED.

SHOULDER AND BADGE PATCHES WILL BE AVAILABLE AT THE PRE-BID CONFERENCE TO ILLUSTRATE AND CLARIFY BID SPECIFICATIONS CONCERNING PATCH DESCRIPTIONS ON BID.

Shirts must come in both regular and long cuts. BDUs sizes: X-SMALL, SMALL, MEDIUM, LARGE, 1x large-6x large, .

Note: Shrinkage allowance must be minimal on pant and contain washing care instructions. Material must be machine washable and able to be ironed.

13) BDU SHIRT S.E.R.T. OFFICER (BATTLE DRESS UNIFORM)

COLOR

Black (or color closest to the existing uniform) If the color carries distinctly from existing uniform color in will not be considered. This is done to keep the appearance of uniformity.

65 % Polyester 35 % cotton ripstop only

Shirts must have:

SHIRT OPTION 1

Four (4) below style pockets
Reinforced elbows
Adjustable button tab cuffs
seams Button down front
Double stitched

SHIRT OPTION 2

Two (2) Style Pockets
Reinforced Elbows
Adjustable Button Tab Cuffs
Button Down Front Double Stitched Seams
Small -6 X-Large

SHOULDER PATCH ON BOTH SLEEVES:

Vendor shall supply with patches already attached to both sleeves. The standard department patch should be sewn on each sleeve. The sleeve patch must be of the same design currently used and same color scheme. The patch has silver lettering and trim on a dark black background. The shirts bought must come with the patches attached. This cost must not be an additional charge.

BADGE PATCH:

A circular design that uses the same badge design as on shoulder patch (silver star with dark black backing). The chest patch must be sewn onto the shirt. Silk screen images **will not** be accepted.

Shoulder patches and badge patches will be available at the Pre-Bid Conference to illustrate and clarify bid specifications concerning patch descriptions on Bid.

Shirts must come in both regular and long cuts. The sizes of the BDU's used are: XS-6x-large

Note: Shrinkage allowance must be minimal on pant and contain washing care instructions. Material must be machine washable and able to be ironed.

14) BDU SHIRT (BATTLE DRESS UNIFORM) Proper (equal or better)

65% Polyester, 35% Cotton "RIPSTOP" MATERIAL

COLOR

Silver gray (or color closest to the silver gray of existing uniforms) Shirts must come in both regular and long lengths (torso). The size of the B.D.U.'S used is small to 6 x-large

SHIRT OPTION 1

Four (4) Below Style Pockets
Reinforced Elbows
Adjustable Button Tab Cuffs
Button Down Front Double Stitched Seams
Small -6X-large

SHIRT OPTION 2

Two (2) Style Pockets
Reinforced Elbows
Adjustable Button Tab Cuffs
Button Down Front Double Stitched Seams
Small - 6X-Large

Shoulder Patch On Both Sleeves:

Vendor shall supply patches already attached to both sleeves. The standard office patch should be sewn on each sleeve. The sleeve patch must be of the same design currently used and same color scheme. The patch has silver lettering and trim on a black background. The shirts bought must come with the patches attached. This cost must not be an additional charge.

Badge Patch:

a circular design that uses the same badge design as on shoulder patch (Silver Star With Black Backing). Patch Must Read "SHERIFF'S OFFICE". The chest patch must be sewn onto the shirt. Silk screen images will not be accepted.

15) INVESTIGATOR RAID JACKETS

Brown/Black Nylon coach's jacket with white light lining
Outer shell 100% nylon taffeta
Fully lined with polyester brushed tricot
Snap front
Drawstring bottom
Elastic Cuffs
Sizes from Small to 6X-Large
Screen-printed with yellow and/or white ink /embroidering of badge or upon request reflective (tackle twill) material
Printing and jacket must match exactly what we currently have

SCREEN PRINT OPTION 1

Hidalgo County Sheriff's Office badge logo on **left breast** side or upon request embroidered and on the right breasts the embroidering of the department, agency or bureau. "POLICE" and/or "SHERIFF" across the **front** of (horizontal) jacket in 4" letters and below Hidalgo County Sheriff's Office in 1" letters. "POLICE" and/or "SHERIFF" on both **sleeves** (vertical) in 2" letters

Printing on **back** of jacket must be centered

BACK: SHERIFF'S.....4" letters
OFFICE.....1" letters
POLICE.....4" letters

SCREEN PRINT OPTION 2

Front and sleeves exactly the same as option 1

BACK: SHERIFF'S.....4" letters
NARCOTIC UNIT1" letters
POLICE.....4" letters

Must include following listed units and any other unit that is developed;

GANG UNIT..... 4" letters
LINEBACKER UNIT.....4" letters
PUBLIC INTEGRITY.....4" letters

16) SAFETY VESTS, BREAK-AWAY HIGH VISIBILITY

Traffic vest must meet ANSI (American National Standards Institute) / ISEA (International Safety Equipment Association) 107 compliance class 2 or better.

COLOR:

Fluorescent Yellow

SHELL FABRIC:

3.7 oz. per square yard, 100% Polyester heavy denier tricot mesh. (Color: see specified garment color).

TRIM:

- a) Binding: 100% nylon plain weave taffeta (Color: black), 100% polyester plain weave taffeta (Color: fluorescent yellow)
- b) Hook and loop: woven nylon base (Color: fluorescent yellow).
- c) Eyelets: aluminum, black enamel finish.
- d) Ribbon: 2.5-inches grosgrain. (Color: black)
- e) Reflective trim: 2.0 inch wide, 3M Scotchlite silver reflective fabric.

DESIGN AND CONSTRUCTION:

- a) Full Cut Vest.
- b) High contrast Scotchlite striping.
- c) Pen/penlight openings.
- d) Microphone tabs on each shoulder.
- e) Fully Adjustable waist.
- f) "Break Away" shoulder and side access.

CUSTOMIZATION:

- a) Sheriff lettering in Schotchlite on front and back vest.
- b) Badge tab.

STANDARD SIZE RANGE:

Unisex sizing:

- a) Regular: SM – M
- b) L – XL
- c) 2XL – 6XL

MEASUREMENTS:

Regular Length Size: L – XL

- a) Center Front: 21.625
- b) Center Back: 28.5
- c) Across Chest: 18.5
- d) Across Back: 19.5

17) LONG SLEEVE SHIRT COLOR: SILVER TAN

SHELL FABRIC

10.25-10.75 oz. per linear yard plain weave, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool with 10-12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

TRIM

Lining: 100% Polyester Satin or 100% Polyester Taffeta

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton

Hook and loop: Woven Nylon base

Buttons: melamine, 20 ligne, matching shell fabric

DESIGN AND CONSTRUCTION

Long sleeve uniform shirt

5 crease military style with permanent silicone adhesive creases

Top fused, banded dress collar

Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure

Collar stand and yoke lined with polyester taffeta or satin

2 button adjustable cuffs

Epaulets
Badge eyelets with internal support strap
Extra long shirt tails

CUSTOMIZATION

EMBLEMS

The department patch must be of the same design and color scheme currently in use by the Hidalgo County Sheriff's Department. The oval patches have gold lettering and trim on a dark brown background and is placed on both sides of the upper arm areas. **The bidders are encouraged to attend the pre-bid conference for exact design and size of patches. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).**

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

SHOULDER STRAPS

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of dark brown atop gold. The gold measures 2" in width. The dark brown sits atop with a width of 1.875". The gold should show only 0.0625" on both sides of the strap. The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department

STANDARD SIZE RANGE

Men's:

Body Length Regular: Sleeve Length: 32 sizes 14.5-17
Body Length Regular: Sleeve Length: 33 sizes 14.5-18.5
Body Length Regular: Sleeve Length: 34 sizes 15.5-18.5
Body Length Regular: Sleeve Length: 35 sizes 15.5-19.5
Body Length Tall: Sleeve Length: 37 sizes 16.5-19.5

Women's: Regular Length: even sizes 32 – 46

Optional Sizes - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

MEASUREMENTS

Men's: Regular Length: Size 16.5:

Neck 17 (plus or minus 0.5 inches)
1/2 Chest: 25.25 (plus or minus 0.75 inches)
Back Length: 32.5 (plus or minus 0.5 inches)

Women's: Regular Length: Size 38

Neck 15.5 (plus or minus 0.5 inches)
1/2 Chest: 22 (plus or minus 0.75 inches)
Back Length: 28.5 (plus or minus 0.5 inches)

18) SHORT SLEEVE SHIRT COLOR: SILVER TAN

SHELL FABRIC

10.25-10.75 oz. per linear yard plain weave, 2-ply warp, single-ply filling, 75% Dacron polyester / 25% worsted wool with 10-12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

TRIM

Lining: 100% Polyester Satin or 100% Polyester Taffeta

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton

Hook and loop: Woven Nylon base

Buttons: melamine, 20 ligne, matching shell fabric

DESIGN AND CONSTRUCTION

Short sleeve uniform shirt

5 crease military style with permanent silicone adhesive creases

Top fused, convertible sport collar

Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure

Back collar and yoke lined with polyester taffeta or satin

Epaulets

Badge eyelets with internal support strap

Extra long shirt tails

CUSTOMIZATION

Emblems - The department patch must be of the same design and color scheme currently in use by the Hidalgo County Sheriff's Department. The patch has gold lettering and trim on a dark brown background. Bidders are encouraged to attend the pre bid conference for exact design and size of patches. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

Shoulder Straps - The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of dark brown atop gold. The gold measures 2" in width. The dark brown sits atop with a width of 1.875". The gold should show only 0.0625" on both sides of the strap. The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department

STANDARD SIZE RANGE

Men's: Regular Body: 14.5-19.5

Women's: Regular Length: even sizes 32 – 46

Optional Sizing - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

MEASUREMENTS

Men's: Regular Length: Size 16.5:

Neck 17 (plus or minus 0.5 inches)

1/2 Chest: 25.25 (plus or minus 0.75 inches)

Back Length: 32.5 (plus or minus 0.5 inches)

Women's: Regular Length: Size 38

Neck 15.5 (plus or minus 0.5 inches)

1/2 Chest: **22 (plus or minus 0.75 inches)**

Back Length: 28.5 (plus or minus 0.5 inches)

19) FOUR POCKET TROUSER COLOR: SILVER TAN

SHELL FABRIC

14.0- 14.5 oz. per linear yard serge weave 75% Dacron polyester / 25% worsted wool with 10 - 12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

TRIM

Pocketing: 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd

Interlining: polyester non-woven.

Binding: polyester/cotton bias cut.

Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.

Stretch edge control.

Fly zipper: nylon coil #5 with auto lock slider.

Hook and eyes: nickel-plated.

Buttons: melamine, 22 ligne, matching shell fabric.

DESIGN AND CONSTRUCTION

Front quarter pockets and inverted double cord hip pockets with button tabs.

All pocket secured with bartacks.

Wide stretch waistband with fly tab.

Interlined wide belt loops inserted in bottom of waistband and tacked at top.

Double hook and eye closure.

Quarter linings in front quarters.

Outlets in waistband (back) and thigh inseam.

Tandem needle seat seam.

Seat, inseam, and out seams pressed open.

10-12 stitches per inch (all seams).

Permanent silicone adhesive creases front and back.

CUSTOMIZATION

Windproof breathable liner.

Striping - Stripe will be attached to the side of the pant. The stripe will start at the bottom seam of the pocket and run the length of the pant. The stripe has an overall width of 0.75". The stripe is a piggyback design of dark brown atop gold. The dark brown portion should be no wider than 0.5" and the gold should be 0.75" in total width with only 0.125 of an inch showing on either side of the dark brown. The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department

Hemming.

STANDARD SIZE RANGE

Men's: Regular Length: even waist sizes 28 - 54; odd sizes 31 - 39

Women's: Regular Length: even dress sizes 6 – 24

Optional Sizes - Trousers sizes for men must be available from 48 to 54 in addition to what was specified. Pants must be available in long stride if requested.

MEASUREMENTS

Men's: Regular Length: Waist Size 36:

1/2 Waist: 18 (plus 0.25 inch)

Seat: 24 (plus or minus 0.25 inches)

1/2 Knee 10.875 (plus or minus 0.25 inches)

1/2 Bottom Leg 8.75 (plus or minus 0.25 inches)

Inseam: 37 (plus or minus 0.50 inches)

Out seam: 46.25 (plus or minus 0.50 inches)

Front Rise: 10.375 (plus or minus 0.25 inches)

Back Rise: 16.875 (plus or minus 0.25 inches)

Women's: Regular Length: Dress Size 12

1/2 Waist: 15.25 (plus 0.25 inch)

Seat: 22.625 (plus or minus 0.25 inches)

1/2 Knee 10.125 (plus or minus 0.25 inches)

1/2 Bottom Leg 8.5 (plus or minus 0.25 inches)

Inseam: 35.875 (plus or minus 0.50 inches)

Out seam: 45.875 (plus or minus 0.50 inches)

Front Rise: 11.625 (plus or minus 0.25 inches)

Back Rise: 15.25 (plus or minus 0.25 inches)

20) TACTICAL OUTERSHELL POINT BLANK R 20 D (equal or better)

Carrier is designed to be worn externally to other clothing and shall not only provide a means of wearing armor but also provide a load carrying capabilities. The exterior of the garment shall provide removable identity both front and back. Identity shall be three (3) inches high and read "POLICE/SHERIFF" lettering. The front of the carrier shall provide five pockets to carry equipment such as, but not limited to, mini flash lights, side arm magazines, handcuffs and communication equipment. Two web shoulder straps, one on each shoulder shall provide a location to attach communication equipment or badges. The interior shall provide a means of ballistic panels within the carrier. A cummerbund shall be adjustable and close at the front. Side closure shall be accomplished with a combination elastic and Velcro system.

Rear (Back) lettering panel combination of lettering must be 3 to 5" lettering in two rows.

OPTIONS

Yellow/White "Police" Identity

Yellow/White "Sheriff" Identity

Or any other combination wording

SIZES

Small to 6 x-large

Note: Vest must meet all requirements of NIJ Standard 0104.04.

MATERIAL

- Hook and pile fastner tapes shall conform to the requirements of the Velcro manufacture, style h88 and I1000 (equal or better).
- The outer shell material shall be 420 denier nylon with a water repellant urethane coating.
- The elastic for the side closures straps shall be approximately eight (8) inches wide and of good commercial quality.

COLOR

Color shall be navy, black, camouflage and or dark green.

21) COLD WEATHER (WATERPROOF/BREATHABLE) JACKETS (FORCE 10 JACKET) equal of better

Waist length duty jacket with weatherproof windproof/waterproof/breathable system, zipper front, zipper fly, pleated two-way pockets, adjustable cuffs, shirt collar style, and zippered side vents with elasticized side tabs. Removable thermal liner. Color in Navy or Brown.

FABRIC/MATERIALS

OUTER SHELL:

Extreme all weather laminate technology fabric. Two layer laminated construction with 3-ply Supplex Supreme face fabric. 100% nylon Supplex 70 denier in the warp and in the filling, plain weave, 3-ply thread construction.

The fabric shall have a minimum non-coated weight of 3.5 ounces per square yard with a thread count of 154 in the warp and 62 in the filling (+/- 10%). The fabric shall have a good color fastness and crocking.

The fabric shall have to maintain a Mullens Hydrostatic rating of 75 psi during the five (5) year guaranteed life of the jacket. Any jacket tested by the Equipment Services Section that falls to remain at 75 psi shall be repaired or replaced by the vendor at the vendor's expense.

LINING FABRIC:

Black nylon taffeta lining. Plain weave, 70-denier nylon type 66 continuous filament yarns with 34 filaments, melting point 455 degree Fahrenheit. The fabric shall have a minimum weight of 1.80-ounces/sq. yard with a thread count of 104 in the warp and 86 in the filling (+/- 2%). The fabric shall have good color fastness and crocking.

Breaking Strength: Warp 125 lbs., Filling 85 lbs (+/- 5%)

Tear Strength: Warp 3.5 lbs., Filling 2.1 lbs (+/- 5%)

Shrinkage: Warp 2%, Filling 2%.

REMOVABLE LINER:

The face of the removable liner shall be 100% nylon taffeta and the inner side shall be 100% nylon tricot, both color black. The thermal batting is to be 7.5-ounce polyester fiber. The stitch pattern is the be 6" diamond.

INTERLINING:

White Pellon C-39

KNITTING:

100% nylon stretch knit, continuous filament yarn 400 denier, with a minimum of 16 wales and 32 courses, rating to light, perspiration and wet/dry cleaning to be a minimum of 4. Wristlet 3 x 6.

FLEECE POCKETING:

Black, fleece.

FASTENERS:

All fasteners shall be as follows or equivalent:

Zippers:

Front zipper, #8, Delrin with 2 sliders.

Liner zipper, #5, Delrin with 1 slider.

Pocket zipper, #2, coil with 1 slider.

Side zipper, #6, coil with 1 slider.

Sleeve zipper, #2, coil with 1 slider.

SNAPS:

The snaps shall 24 linger universal prong snaps that have been oxidized to prevent rusting.

EYELETS:

Black, meta, small.

THREAD:

All thread shall be polyester thread with a wrap with thirty (30) strength in a fifty (50) size or better.

SEAM TAPE:

Composite seam sealing tape that is compatible to the composite fabric, 7/8" wide.

Elastic:

Natural color, 1 1/2" Bi-swing.

Natural color, 2" Waistband.

Natural Color, 1" Cuff.

BINDING:

Black, 1- 3/4" wide, nylon bias.

VELCRO:

Black, 5/8" wide hook & loop.

METAL BUTTONS:

24 Ligne.

BUTTON RINGS:

Silver rings.

DESIGN FEATURES:**FRONT:**

There is to be a front zipper that shall run from the bottom of the jacket to the neck collar seam with a two-way zipper. Under the zipper and offset on the facing shall be a 1-1/2" wide zipper fly, which runs the full length of the front to stop water and other liquids. There shall be a two-way compartment pleated pockets that shall be placed 2" above the waistband. There shall be a badge holder above the left flap, made of shell fabric with two small black metal eyelets set 1-1/8" apart. The holder is to be 1" by 2-1/4", centered over the pocket flap, at chest height.

POCKETS:

Pockets to measure 7-1/2" wide by 8" deep; left to measure 1-1/2". Muff pockets shall be formed under each pocket with a 5-3/4" opening on the sleeve side. Pockets are to close with scalloped flaps that measure 2-1/2" at the points and 3-3/8" at the center. Flaps are to be held down with Velcro loops at the flap corners. 24 ligne metal buttons to be attached with rings at the center point through a buttonhole. A separate pencil pocket shall open between the left flap and pocket.

COLLAR:

The collar is to be cut in a shirt collar style with a collar stand. The collar is to measure 3-1/2" at the points and 4" at the center. Collar to be interlined but not zigzag stitched. There shall be a hanger made out of the outer shell fabric that is set at the center of the neck collar seam.

BACK DESIGN:

The back shall be a plain full cut back with an elasticized waistband that extends to the zippered side vents. The front waistbands shall have a plain section 5" from the front zipper and shirred with elastic to the zippered side vents. The waistband shall measure 2-1/2" wide.

SLEEVES:

The sleeves shall be a one-piece design with elasticized adjustable cuffs.

ADJUSTABLE CUFFS:

The cuff shall be a one-piece design made out of self-material and shall measure 1-3/4" wide. The top half of the cuffs shall have a heavy-duty 1-1/2" wide elastic stretched and sewn with double needle stitch. There shall be cuff tabs that measure 1-1/4" wide and taper to 3/4" wide, 3-1/2" long with a large snap (male portion). There shall be two large snaps (female portion) set 2" apart for cuff adjustments.

EPAULETS:

There shall be epaulets set on the shoulders and sewn into the shoulder and sleeve seam. The epaulets shall be cross-stitched and shall have a buttonhole. The epaulets are to measure 2-1/4" at the shoulders and 2" at the points. The epaulets shall be interlined. The epaulets shall be back tacked to the shoulder neck seam. The epaulets are to fasten with a 24-ligne metal button with a button ring through the buttonhole.

SIDE VENTS:

The zippered side vents are to be finished with a coil #6 size 10" long zipper with a reversible slider. There shall be side tabs made out of the self-material set to the bottom back vent, which will be elasticized with a 1" elastic. The side tab shall have a snap (male portion) and shall snap across the bottom vent of the waistband with a snap (female portion) set on the front and back of the zippered side vent. The side tab shall measure 1" by 3" long.

LINING:

The jacket is to be fully lined with nylon taffeta. There is to be a patch pocket made out of the outer shell fabric placed on the left side. It is to have a 6" zipper opening and to measure 7" x 7-1/2". The lining sleeves shall be a one-piece design with a sleeve zipper to allow emblems and embroidery applied without affecting water-proofness and contamination. There shall be a shell reinforcement panel sewn into the neck seam to secure the liner with a 24 ligne snap. The panel shall measure approximately 4" in width and in length. This panel shall also have the brand label and the permanent size labels sewn on.

FACINGS:

The facings are to be made out of outer shell fabric. The facings are to measure approximately 1-1/4" wide and shall be as long as the front length, not including the waistband. The liner attaching zippers are to be placed on the facings.

REMOVABLE LINER:

The removable thermal liner is to have a body and sleeve insulation. The cuffs are to be held in place with metal snaps. In the neck area there will be a black knit collar and a large metal snap. The liner will be attached to the jacket with #5 delrin zippers, 18" long, set on the front facings. Under the armholes will be a 4" by 12" knit gussets for movements. There shall be knit wristlets and large metal snaps at the cuff area for attachment. There will be 5-3/4" vents at the bottom of the seams. The quilt parts will be bound with 1-3/4" black nylon bias binding. There shall be one patch pocket on the left side.

LABELS:

Each jacket shall have a permanent brand label, a care instruction label, ID label and permanent size labels.

CUSTOMIZATION:

EMBLEMS

The department patch must be of the same design and color scheme currently in use by the Hidalgo County Sheriff's Department. The patch has gold lettering and trim on a dark brown background. The bidders are encouraged to attend the pre-bid conference for exact design and size of patches. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

SHOULDER STRAPS

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of dark brown atop gold. The gold measures 2" in width. The dark brown sits atop with a width of 1.875". The gold should show only 0.0625" on both sides of the strap. The Brown and Gold material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department

MEASUREMENTS

SIZING:

The manufacturer shall be capable of providing all sizes for men and women. Including any special size requirements. The manufacturer shall have a company representative or authorized dealer available to assist with the fittings of the garments at no additional cost.

The following sizes have been established.

Size Chart:

SIZE	FINISHED CHEST	BACK LENGTH	SLEEVE INSEAM
SMALL (36-38)	48	26	20
MEDIUM (40-42)	52	26	20
LARGE (44-46)	56	26	20
X-LARGE (48-50)	60	26	20
XX-LARGE (52-54)	64	26	20
XXX-LARGE (56-58)	68	26	20
XXXX-LARGE (60-62)	72	26	20
TOLERANCES	+/- 1"	+/- 1/2"	+/- 1/2"
LONG LENGTH	+/- 1"	+ 1"	+ 1"
X-LONG LENGTH	+/- 1"	+ 2"	+ 2"

22) TACTICAL PANTS (5.11 Tactical 74251) equal or better

FABRIC

100 % Cotton Tactical Canvas, 8.5 oz , 73x40/10x10, Pant weight

POCKETING

80% Polyester 20% Cotton T/C, tightly woven poplin

SIZE

Pants must be available in Regular, Short, Long and X-Large Long. from stock (28 – 60)

COLOR

Charcoal, Brown, Black, Coyote Brown, Grey, OD Green Khaki, Tundra, Walnut, Fire Navy, Sage.

FEATURES & BENEFITS

Self adjusting action waist with elastic sides; 7 belt loops and a DORing; Deep front pockets; cargo pockets with flaps; phone pocket on right front, Large open-top back pockets, and a tool strap on right back. The pants have double knees of self fabric, removable 6mm Neoprene knee pad inserts; and a double seat of self fabric. Bottom hems have openings for draw cords.

POCKETS

- Front pocket openings have self fabric facings and extra reinforcements on knife clippings area. Pocket openings are firmly bar tacked on both ends. Pocket bags are made of durable Poly/Cotton blend and they are extra deep. Pocket bags are finished clean inside the pant and double stitched for heavy duty.
- Cargo pockets have large flaps and Velcro closure.
- Knife or cell phone pocket is lined with extra durable Cordura Nylon. The pocket has gussets on sides and a large flap with Velcro closure; it accommodates a phone.
- Back Pockets are formed of self fabric. They are extra large with large open top. The top has Velcro closure. Opening has extra reinforcement on the side seam side; both ends are firmly cross-bar tacked.

SEAMS & STITCHING

- Seams are durable with 10 stitches per inch and extra heavy 5-thread construction.
- Top stitching are non-raveling lock stitching. Side seams, seat seam and front rise have two-needle top stitching. Crotch point is bar tacked. Fly outline, had pocket openings, all pocket flaps, knee patches and seat patch have double needle top stitching. Cargo pockets are attached with double needle top stitching. Belt loops are bar tacked on all corners. Cargo pocket openings are bar tacked and flaps are cross bar tacked. Back pocket openings are cross bar tacked. All Velcro pieces are attached with box stitching

LABELS

The woven logo label, care label, size label, country of origin label and fiber content are permanently attached to the pants.

CLOSURES

Closures are high quality, proven brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is metallic PRYM snaps with extra strong grip. Inside fly button is cross tacked.

23) TIES

Polyester 3" clip-on Tie

Color: Brown 5

Sizes:

3.0" x 18" – Men's Regular

3.0" x 20" – Men's Long

For 22" Length 3.5" Clip-on Tie

- Pre-tied clip-on tie
- 100% Polyester – tropical weave
- Black metal clip
- Packed 6 ties per bag

24) EMBLEM/PATCH CUSTOMIZATION

EMBLEM/PATCH CUSTOMIZATION:

Upon any emblem/patch customization to include size, shape, color and application change, vendor must be able to provide different digital variations to all county wide agencies. Vendor will provide a digital sample for pre-approval. Vendor will provide pricing per emblem/patch on bulk ranging from 0 to 100, 101 to 200 and 201 to 300. A sample patch/emblem is provided before order is processed for color and customization verification. Pricing will also be considered with various applications of Velcro which will be sewn onto the patch/emblem upon request.

25) SHORT SLEEVE SHIRT

SHELL FABRIC

5.21 ounce/sq plain weave, 100 % polyester, machine washable and dry cleanable polyester provides user comfort, uniform appearance, durability, and easy care. Breathable 4 way stretch, 5.5 ounce nylon with lycra mesh technical knit with high abrasion, pill resistance and anti-microbial finish. (Color: see specified garment color)

COLOR:

White and/or color upon request

TRIM

Lining: 100% Polyester Satin or 100% Polyester Taffeta

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton

Hook and loop: Woven Nylon base

Buttons: melamine, 20 ligné, matching shell fabric

DESIGN AND CONSTRUCTION

Short sleeve uniform shirt with shaped stretch side panels continuing under arms for improved fit, axon integration system, and hidden reflective pull downs. Axon pockets and electronic wire pass-through under pockets, in fronts, behind collar, and on side panels above radio. 5 crease military style with permanent silicone adhesive creases Convertible dress collar Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure, (2) napoleon style pocket openings beneath the upper pleated pockets with 4 way stretch mesh inner pockets. Yoke lined with polyester taffeta or satin, center positioned mic tab. Scotchlite reflective on top edge of front pockets and secured under rear collar and Scotchlite reflective stripes under sleeve hems. Epaulets Badge eyelets with internal support strap

CUSTOMIZATION

Emblems - The department patch must be of the same design and color scheme currently in use by the Hidalgo County Sheriff's Department. The patch has gold lettering and red trim on a dark brown background. Bidders are encouraged to attend the pre bid conference for exact design and size of patches. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

SHOULDER STRAPS

The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of dark brown atop red. The red measures 2" in width. The dark brown sits atop with a width of 1.875". The red should show only 0.0625" on both sides of the strap. The Brown and Red material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department

STANDARD SIZE RANGE

Men's: Regular Body: 14.5-19.5

Women's: Regular Length: even sizes 32 – 46

Optional Sizing - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

MEASUREMENTS

Men's: Regular Length: Size 16.5:

Neck 17 (plus or minus 0.5 inches)

1/2 Chest: 25.25 (plus or minus 0.75 inches)

Back Length: 32.5 (plus or minus 0.5 inches)

Women's: Regular Length: Size 38

Neck 15.5 (plus or minus 0.5 inches)

1/2 Chest: 22 (plus or minus 0.75 inches)

Back Length: 28.5 (plus or minus 0.5 inches)

26) LONG SLEEVE SHIRT

COLOR

White and/or color upon request

SHELL FABRIC

5.21 ounce/sq plain weave, 100 % polyester, machine washable and dry cleanable polyester provides user comfort, uniform appearance, durability, and easy care. Breathable 4 way stretch, 5.5 ounce nylon with lycra mesh technical knit with high abrasion, pill resistance and anti-microbial finish. (Color: see specified garment color)

TRIM

Lining: 100% Polyester Satin or 100% Polyester Taffeta

Interlining: Small Parts: 100% polyester, Front Placket: 50% Polyester 50% Cotton

Hook and loop: Woven Nylon base

Buttons: melamine, 20 ligne, matching shell fabric

DESIGN AND CONSTRUCTION

Long sleeve uniform shirt with shaped stretch side panels continuing under arms for improved fit, axon integration system, and hidden reflective pull downs.

Axon pockets and electronic wire pass-throughs under pockets, in fronts, behind collar, and on side panels above radio.

5 crease military style with permanent silicone adhesive creases

Convertible dress collar

Mitered, pleated pockets with scalloped flaps, pencil opening in left pocket, hook and loop closure, (2) napoleon style pocket openings beneath the upper pleated pockets with 4 way stretch mesh inner pockets.

Yoke lined with polyester taffeta or satin, center positioned mic tab.

Scotchlite reflective on top edge of front pockets and secured under rear collar and scotchlite reflective stripes under sleeve hems.

2 button adjustable cuffs

Extra long shirt tails

Epaulets

Badge eyelets with internal support strap

CUSTOMIZATION

Emblems - The department patch must be of the same design and color scheme currently in use by the Hidalgo County Sheriff's Department. The patch has gold lettering and red trim on a dark brown background. Bidders are encouraged to attend the pre bid conference for exact design and size of patches. Each shirt must come with a patch sewn onto each sleeve (Two patches per shirt).

Name Tab

Zipper Front

Metal Buttons on epaulets and pocket flaps

Shoulder Straps - The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The open ends shall be fastened with one dark brown button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross-stitching 2" from sleeve head seam. The strap is a piggyback design of dark brown atop red. The red measures 2" in width. The dark brown sits atop with a width of 1.875". The red should show only 0.0625" on both sides of the strap. The Brown and Red material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department

STANDARD SIZE RANGE

Men's: Regular Body: 14.5-19.5

Women's: Regular Length: even sizes 32 – 46

For both Men's and Women's sleeve lengths from (30-31), (32-33), (34-35) and (36-37)

Optional Sizing - Men's Short Sleeve and Long Sleeve shirts must be available in Size 20 and 22 if requested.

MEASUREMENTS

Men's: Regular Length: Size 16.5:

Neck 17 (plus or minus 0.5 inches)

1/2 Chest: 25.25 (plus or minus 0.75 inches)

Back Length: 32.5 (plus or minus 0.5 inches)

Women's: Regular Length: Size 38

Neck 15.5 (plus or minus 0.5 inches)

1/2 Chest: 22 (plus or minus 0.75 inches)

Back Length: 28.5 (plus or minus 0.5 inches)

27) SIX POCKET TROUSER

SHELL FABRIC

14.0- 14.5 oz. per linear yard serge weave 75% Dacron polyester / 25% worsted wool with 10 - 12% mechanical filling stretch. Machine washable and dry cleanable worsted wool blend provides user comfort, uniform appearance, durability, and easy care. (Color: see specified garment color)

TRIM

Pocketing: 50/50 polyester cotton twill, not less than 4.1 oz. Sq. yd

Interlining: polyester non-woven.

Binding: polyester/cotton bias cut.

Waistband: polyester, spandex, nylon blend with double strip of silicone shirt grip.

Stretch edge control.

Fly zipper: nylon coil #5 with auto lock slider.

Hook and eyes: nickel-plated.

Buttons: melamine, 22 ligne, matching shell fabric.

COLOR: Brown

DESIGN AND CONSTRUCTION

Front quarter pockets and inverted double cord hip pockets with button tabs.

All pocket secured with bar tacks.

Side cut-in zippered pockets
Stretch waistband with fly tab (men's only).
Interlined wide belt loops inserted in bottom of waistband and tacked at top.
Double hook and eye closure.
Quarter linings in front quarters.
Outlets in waistband (back) and thigh inseam.
Tandem needle seat seam.
Seat, inseam, and out seams pressed open.
10-12 stitches per inch (all seams).
Permanent silicone adhesive creases front and back.

CUSTOMIZATION

Windproof breathable liner. Striping - Stripe will be attached to the side of the pant. The stripe will start at the bottom seam of the pocket and run the length of the pant. The stripe has an overall width of 0.75". The stripe is a piggyback design of dark brown atop red. The dark brown portion should be no wider than 0.5" and the red should be 0.75" in total width with only 0.125 of an inch showing on either side of the dark brown. The Brown and Red material proposed must match the color scheme currently in use by the Hidalgo County Sheriff's Department Hemming.

STANDARD SIZE RANGE

Men's: Regular Length: even waist sizes 28 - 58; odd sizes 31 - 39

Women's: Regular Length: even dress sizes 6 - 24

Optional Sizes - Trouser sizes for men must be available from 48 to 58 in addition to what was specified. Pants must be available in long stride if requested.

MEASUREMENTS

Men's: Regular Length: Waist Size 36:

1/2 Waist: 18.5 (plus 0.25 inch)

Seat: 24 (plus or minus 0.25 inches)

1/2 Knee 10.875 (plus or minus 0.25 inches)

1/2 Bottom Leg 8.75 (plus or minus 0.25 inches)

Inseam: 37 (plus or minus 0.50 inches)

Out seam: 47 (plus or minus 0.50 inches)

Front Rise: 10.5 (plus or minus 0.25 inches)

Back Rise: 15. (plus or minus 0.25 inches)

Women's: Regular Length: Dress Size 12

1/2 Waist: 18 (plus 0.25 inch)

Seat: 22.625 (plus or minus 0.25 inches)

1/2 Knee 11 (plus or minus 0.25 inches)

1/2 Bottom Leg 8.5 (plus or minus 0.25 inches)

Inseam: 35.875 (plus or minus 0.50 inches)

Out seam: 45.875 (plus or minus 0.50 inches)

Front Rise: 9.375 (plus or minus 0.25 inches)

Back Rise: 14 (plus or minus 0.25 inches)

28) DRESS BUTTONS:

Dress buttons for uniform shirts: Waterbury button sizes 24 and 36 to include washer, fastener or clip, equal to and/or better:

- Premium Gold plated shirt button with washer, fastener or clip, front design STAR with the word TEXAS around star
- Nickel plated shirt button with washer, fastener or clip, front design STAR with the word TEXAS around star
- Premium Gold plated shirt button with washer, fastener or clip, front design Old English style letter S with a wreath around the border
- Nickel plated shirt button with washer, fastener or clip, front design Old English style letter S with a wreath around the border

Purchase price in bulk from 0 to 100, 101 to 200 and 201 to 300 in any combination listed above.

ADDITIONAL INFORMATION:

All costs and expenses associated with the preparation and submission of bids shall be the responsibility of the bidder and no reimbursements for such charges or expenses shall be passed on to Hidalgo County.

Hidalgo County is requesting that any and all questions, inquires and clarifications regarding bids, or statements of qualifications be addressed to Martha L. Salazar, CPPB, Purchasing Agent, 2812 South Business Hwy. 281, Edinburg, Tx 78539

ALL WRITTEN INQUIRIES WILL BE ACCEPTED via e-mail to sandra.montalvo@co.hidalgo.tx.us by no later than **Monday, AUGUST 00, 2017 by 5:00 p.m.** Responses to said inquiries will be sent to all applicants via email by no later than **Wednesday, AUGUST 00, 2017 by 5:00 p.m.**

Zimbra

leticia.saenz@co.hidalgo.tx.us

**RE: Review & Approve "draft" Service Contract - [Procurment Process] -
Purchas of Uniforms and Accessories for HC Law Enfcmnt**

From : Steve Crain <scrain@atlashall.com>

Wed, Jul 19, 2017 10:56 AM

Subject : RE: Review & Approve "draft" Service Contract -
[Procurment Process] - Purchas of Uniforms and
Accessories for HC Law Enfcmnt

📎 1 attachment

To : 'Leticia H. Saenz'
<leticia.saenz@co.hidalgo.tx.us>**The draft contract is OK.**

From: Leticia H. Saenz [mailto:leticia.saenz@co.hidalgo.tx.us]**Sent:** Wednesday, July 19, 2017 10:31 AM**To:** Steve Crain <scrain@atlashall.com>**Cc:** Marynel Trevino <mntrevino@atlashall.com>; Sandra Montalvo
<sandra.montalvo@co.hidalgo.tx.us>**Subject:** Re: Review & Approve "draft" Service Contract - [Procurment Process] - Purchas of
Uniforms and Accessories for HC Law Enfcmnt

Mr. Crain-

Per our conversation, please review and approve "draft" contract (attached) with
revisions as advised.

Please advise.

Respectfully,

Leticia H. Saenz, CPPB/Contracts ManagerHidalgo County Purchasing Department
2812 South Business Highway 281
Edinburg, Texas 78539**P**(956) 318-2626 **F**(956) 318-2629Email: leticia.saenz@co.hidalgo.tx.us

| ...DON'T WORRY...BE HAPPY...|

From: "Leticia H. Saenz" <leticia.saenz@co.hidalgo.tx.us>
To: "Steve Crain" <scrain@atlashall.com>
Cc: "Marynel Trevino" <mntrevino@atlashall.com>, "Sandra Montalvo" <sandra.montalvo@co.hidalgo.tx.us>
Sent: Wednesday, July 19, 2017 8:44:41 AM
Subject: Review & Approve "draft" Service Contract - [Procurement Process] - Purchas of Uniforms and Accessories for HC Law Enfcmnt

Good morning, Mr. Crain-

Please review and approve "**draft**" agreement attached hereto for the purposes of the [procurement process] for the: "**Purchase of Uniforms and Accessories for Hidalgo County Law Enforcement Agencies**" (on an as needed basis) for **Hidalgo County**.

Please advise.

Respectfully,

Leticia H. Saenz, CPPB/Contracts Manager
Hidalgo County Purchasing Department
2812 South Business Highway 281
Edinburg, Texas 78539
P(956) 318-2626 **F**(956) 318-2629
Email: leticia.saenz@co.hidalgo.tx.us

| ...DON'T WORRY...BE HAPPY...|

THE STATE OF TEXAS §
 §
COUNTY OF HIDALGO §

SERVICE CONTRACT
C-17-122-00-00

THIS CONTRACT is made and entered into this _____ day of _____, 2017 by and between the **County of Hidalgo, Texas** ("County") and _____ ("Company").

WHEREAS, Company responded to notices for Request for Sealed Bids (RFB) for: **"PURCHASE OF UNIFORMS and ACCESSORIES FOR HIDALGO COUNTY LAW ENFORCEMENT AGENCIES"** (on an as needed basis) for **HIDALGO COUNTY** (the "Services");

WHEREAS, Company submitted a sealed bid to provide services in accordance with Exhibit "A" Request for Sealed Bids (RFB) Procurement Packet attached hereto respectively, and incorporated herein for all purposes of (the "RFB"); and

WHEREAS, in recognition of and in consideration of Company's agreement to perform the Services in accordance with Specifications within Exhibit "A" Request for Sealed Bids (RFB) Procurement Packet, the Commissioners Court of County awarded the sealed bid to Company.

NOW, THEREFORE, in mutual consideration of the foregoing and the further consideration of the following, the parties hereto agree as follows:

1. County and Company hereby agrees that this Contract is entered into in order to provide the Services to **Hidalgo County**. This Contract does not extend to any third parties any duties or benefits conferred in any manner hereunder or otherwise.

2. Company hereby promises and agrees to render and provide, during the term of this Contract, and shall be obligated to render and provide the services in accordance with the Specifications contained in Exhibit "A" Request for Sealed Bids (RFB) Procurement Packet within **Hidalgo County**

"Purchase of Uniforms and Accessories for
Hidalgo County Law Enforcement Agencies"
Hidalgo County

C-17-122-00-00

following a request for Services by designee(s) of **Hidalgo Countywide Departments**. Company agrees in performing the Services that it will use proper professional standards, comply with any and all appropriate laws and regulations in providing the Services, and devote such time as is necessary to safely and efficiently provide the Services. Further Hidalgo County reserves the right to request these services from other sources other than the successful vendor and shall not be in violation of any terms or conditions of said contract.

3. This Contract shall be for a period of **two (2) years**, commencing on _____, **2017** and expiring on _____, **2019** and may be extended at the sole discretion of the County for an additional two (2) one (1) year terms under the same rates, terms and conditions. Hidalgo County also reserves the right to continue this sealed quote for an additional sixty (60) day grace period at the end of the contract term for unforeseen delay of award for the next term and contingent upon cost remaining unchanged.

4. As a condition of this Contract, Company shall hold and maintain throughout the term of this Contract all licenses and permits required, or which may be required by any authority during the term hereof to provide the Services.

5. All trucks or vehicles operated by the Company to perform the Services shall contain all equipment required by any authority to operate on streets and roads and all persons in the employ of Company who operate such trucks or vehicles shall have the required licenses, qualifications, skill and expertise to perform such Services and shall comply with all laws, rules and regulations prescribed by any agency or authority having jurisdiction with regard to the operation of such trucks or vehicles in providing the Services.

6. As consideration for rendering the Service provided for in this Contract, the County agrees to pay Company the amounts specified in Exhibit "B" attached hereto payable against written

invoice submitted by Company.

7. Company shall provide insurance in force on all its vehicles and all persons connected with providing services under this Contract naming County as an additional insured (with the coverages and in the amounts described on Exhibit "C" attached hereto and incorporated herein at this point for all purposes), and shall furnish to County certificates of such insurance coverage.

8. Company shall provide a sufficient number of trucks, vehicles, personnel and equipment available to safely and efficiently provide the Services.

9. Company shall indemnify and hold harmless County, its elected officials, employees and agents from any and all claims, damages, losses, and expenses including attorney's fees for the defense of any action against County arising out of, resulting from, or connected with the provision of the Service by Company under this Contract. Said indemnity shall cover any act or failure to act by the Company, its agents or employees.

10. This Contract shall not be assignable in whole or in part by either party without prior written consent of the other party.

11. It is expressly agreed that this Contract and the performance by the parties hereunder does not create any agency relationship or master-servant relationship that County has no supervision of the performance of the Services provided by Company, and that Company is an independent contractor under this Contract.

12. Any notice required or permitted to be given hereunder shall be in writing and shall be delivered personally or sent by certified mail, postage prepaid, as set forth below:

If to County:

County of Hidalgo
Attn: County Judge
100 East Cano, 2nd Floor
Edinburg, Texas 78539

**"Purchase of Uniforms and Accessories for
Hidalgo County Law Enforcement Agencies"
Hidalgo County**

C-17-122-00-00

If to Company:

13. In case any one or more of the provisions contained in this Agreement shall for any reason be held to be invalid, illegal or unenforceable in any respect, such invalidity, illegality, or unenforceability shall not affect any other provision thereof and this Agreement shall be construed as if such invalid, illegal, or unenforceable provision had never been contained herein.

14. This Agreement may be terminated by County without cause upon thirty (30) days written notice.

15. This Agreement shall be binding upon and inure to the benefit of and be enforceable by the parties hereto and their respective heirs, executors, administrators, legal representatives, successors, and assigns where permitted by this Agreement.

16. This Agreement shall be governed by and construed in accordance with the laws of the State of Texas and shall be performable in Hidalgo County.

17. **Commitment of Current Revenues Only.** In the event that, during any term hereof, the Commissioners Court does not appropriate sufficient funds to meet the obligations of County under this Agreement, County may terminate this Agreement upon ninety (90) days written notice to Company. County agrees, however, to use reasonable efforts to secure funds necessary for the continued performance of this Agreement. The parties intend this provision to be a continuing right to terminate this Agreement at the expiration of each budget period of County pursuant to the provisions of Tex. Loc. Govt. Code Ann. ' 271.903 (Vernon Supp. 1996).

18. **Entire Agreement.** This Agreement contains the entire contract between the parties hereto, and each party acknowledges that neither has made (either directly or through any agent or representative) any representation or agreement in connection with this Agreement not specifically set forth herein. This Agreement may be modified or amended only by agreement in writing executed by the parties hereto, and not otherwise.

19. **Immunities.** Nothing in this Agreement is intended to and County does not hereby waive, release or relinquish any right to assert any of the defenses County enjoys by virtue of the state or federal constitution, laws, rules or regulations, and any sovereign, official or qualified immunity available to County as to any claim or action of any person, entity, or individual against County.

20. **Nondiscrimination:** Company, including subcontractors, assignees and successors in interest, ensures that no person shall on the grounds of race, religion (where the primary objective of the financial assistance is to provide employment per 42 U.S.C. §2000d-3), color, national origin, sex, age, or disability be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination or retaliation in any federally or non-federally funded program or activity when providing any services described herein under this contract/agreement.

WITNESS our hands in duplicate originals this _____ day of _____, 2017.

APPROVED BY COMMISSIONER'S COURT ON: _____, 2017.

APPROVED AS TO FORM
Atlas, Hall & Rodriguez, L.L.P.

By: _____
Stephen L. Crain, Attorney

COUNTY OF HIDALGO

ATTEST:

By: _____
Ramon Garcia, County Judge

By: _____
Arturo Guajardo, Jr., County Clerk

COMPANY:

By: _____

Printed Name: _____

Title: _____

EXHIBIT "A"
REQUEST FOR SEALED BIDS (RFB) PROCUREMENT PACKET

DRAFT

EXHIBIT "B"
BID PRICE

DRAFT

EXHIBIT "C"
INSURANCE REQUIREMENTS

DRAFT