



Phone: 800.695.2919  
Fax: 800.211.5454  
Email: info@buyboard.com

Administration | RFQ | Reports | Shopping Cart | Welcome **Hector** [ Log Off ] | Help

### Vendor Contract Information

[Back](#)

#### Searches:

[Search by Vendor](#)

[Browse Contracts](#)

Search:

- All
- Vendor Discounts Only
- Catalog Pricing Only

#### Refine Your Search:

##### Vendors

Doggett Machinery Services - Houston[X]

##### Price Range

Show all prices

##### Category

None Selected

##### Contract

Construction, Road/Bridge, Ditching, Trenching, Utility and Other Equipment[X]

**Vendor Name:** Doggett Machinery Services - Houston

**Address:** 9111 North Freeway  
Houston, TX 77037

**Phone Number:** (713) 699-6556

**Email:** brad.penick@doggett.com

**Website:** <http://www.doggett.com>

**Federal ID:** 20-3694220

**Contact:** Brad Penick

**Accepts RFQs:** Yes

**Minority Owned:** No

**Women Owned:** No

**Service-Disabled Veteran Owned:** No

**EDGAR:** No

**Contract Name:** Construction, Road/Bridge, Ditching, Trenching, Utility and Other Equipment

**Contract Description:** Air compressors; articulated trucks; asphalt compactors, cutters, distributors, emulsion tank and pavers; chip spreaders; cold planers; conveyors; curb & gutter machines; forklifts; generators & electrical system equipment; hydraulic hammers; all types of general construct road & street, tree care, & trenching equipment; trommel screen/compost; compactors/roller street sweepers & road brooms; waste handling loaders & landfill compactors; paint striping equipment; service/repair

**Contract#:** 515-16

**Effective Date:** 12/01/2016

**Expiration Date:** 11/30/2019

**Payment Terms:** Upon Delivery

**Delivery Days:** 10

**Shipping Terms:** Freight prepaid by vendor and added to invoice

**Freight Terms:** FOB Destination

**Ship Via:** Best Way

**Region Served:** Texas Regions 1,2,3,4,5,6

**States Served:** Texas

**Quote Reference Number:** 515-16

**Additional Dealers:** See Dealers/Distributors link for dealer list.

#### Contract Documents

**EDGAR Notice:** [Click to view EDGAR Notice](#)

**Proposal Documents:** [Click to view BuyBoard Proposal Documents](#)

**Regulatory Notice:** [Click to view Bonding Regulatory Notice](#)

**Additional Dealers/Distributors:** [Click to view Vendor Additional Dealers/Distributors Documents](#)

Contact us 800.695.2919



**JOHN DEERE**

Current Date 27Feb2017

**350G LC FT4 EXCAVATOR**

**HYDRAULICS:**

Open Center, Load Sensing with Variable Displacement Pumps  
 Hydraulic Pilot Controls  
 Axial Piston Swing Motor  
 Multiple Wet Disk Swing Brake  
 Auxiliary Valve Section  
 Adjustable Flow for Attachments Through Monitor  
 Boom and Arm Reduced Drift Valves  
 Auto Power Lift  
 Hydraulic Tank Site Gauge  
 5,000 Hour Hydraulic Oil Change Interval  
 Hydraulic Oil Sampling Valve

**UNDERCARRIAGE:**

32 In. (800 mm) Triple Grouser Shoes  
 Two Speed Propel with Auto-Shift  
 Axial Piston Propel Motors  
 Propel Motor Shields  
 Planetary Final Drives  
 Sealed Track Chain  
 Three Track Guides  
 Provisions for Tie Downs  
 X-Frame Car Body  
 Hydraulic Track Adjuster  
 Eight Lower Rollers  
 Two Upper Rollers  
 Spring Applied Hydraulic Released Propel Brake

**UPPER STRUCTURE:**

Right, Left and Counterweight Mirrors  
 Toolbox  
 Vandal Locks for:  
 Cab Door  
 Service Doors  
 Tool Box

One Mounted on Boom  
 Debris Screening Side Panel

Remote Mounted Engine Oil and Fuel Filters  
 Handrails

**FRONT ATTACHMENT:**

Oil Impregnated Bushings  
 Reinforced Resin Thrust Plates  
 Tungsten Carbide Thermal Coating on arm to Bucket Joint  
 Centralized Lubrication System  
 Dirt Seals on Bucket Pins  
 Less Boom  
 Less Arm  
 Less Bucket

**OPERATOR'S STATION:**

Adjustable Control Positions (Levers to Seat, Seat to Pedals)  
 4" Arm Rests Attached to Side Consoles  
 Pilot Control Shut-Off Lever  
 Short Stroke, Low Effort Pilot Levers  
 Switches for Auxiliary Hydraulic Control on RH Pilot Lever  
 Deluxe Adjustable Cloth Seat with Suspension, Reclining Backrest,  
 Headrest, and Adjustable Lumbar Support  
 Multifunction, Color LCD Monitor System with:  
 Diagnostic Capability  
 Systems Monitoring Capability  
 Multiple Language Capability  
 Maintenance Tracking

Engine Oil Pressure Warning Indicator with Audible Alarm

Fuel Gauge with Low Fuel Indicator  
 Diesel Exhaust Fluid Gauge  
 Work Mode Indicator  
 Auto Idle Indicator  
 Alternator Charge Indicator  
 Air Filter Restriction Indicator  
 Fault Code Alert Indicator  
 Check Engine Indicator  
 Wiper Mode Indicator  
 Work Lights On Indicator  
 Fuel Rate Display  
 Clock

Hour Meter  
 Mode Selection:  
 One Work Mode  
 Three Power Modes  
 Numerous Attachment Modes  
 Auto-Climate Control/Air Conditioner, Heater with Pressurizer  
 AM-FM Radio  
 Machine Information Center (MIC)  
 Windshield Wiper/Washer with Intermittent Speed  
 12V-60W, 5 Amp Cell Phone Power Outlet  
 2 In. Retractable Seat Belt  
 Tinted Safety Glass  
 Hot/Cold Box Compartment  
 Horn  
 Two Cup Holders  
 Interior Light  
 Coat Hook  
 Floor Mat  
 Motion Alarm with Cancel Switch  
 Transparent Tinted Roof Hatch with Sunshade  
 Four Fluid-Filled Elastic

Counterweight, 15,274 lbs. (6,928 kg)	Engine Coolant Temperature Gauge	Mounts
Work Lights: One Mounted on Frame	Engine Coolant Temperature Warning Indicator with Audible Alarm	Easy Access Air Conditioning Filter

**Required - You must select one from each category**

BASE MACHINE

F.O.B Kernersville, North Carolina for Complete Machine. See DEALER-INSTALLED ATTACHMENT section for additional source notes.

Description	Code	Price
350G LC FT4 EXCAVATOR	OBJOFF	\$321,572.00

ENGINE

Description	Code	Price
Engine Stage IV Emissions	1095	\$36,270.00

John Deere PowerTech PSS 9.0L  
 271 Net Rated hp (ISO 9249)  
 Series Turbocharged  
 Charge Air Cooler  
 Electronic Engine Control Unit  
 Auto-Idle System  
 Cool on Demand Hydraulic Driven Fan  
 Antifreeze Protection to -34F (-37C)  
 Enclosed Fan Guard  
 A/C Condenser and Fuel Cooler  
 Dual Element Dry-type Air Filter with Restriction Indicator  
 Full Flow Oil Filter  
 Double Fuel Filter  
 Water Separator  
 Underhood Diesel Particulate Filter with Curved Exhaust  
 Automatic Belt Tension Device  
 Heavy Duty, Low Maintenance Batteries  
 80-Amp Alternator - 24 Volt  
 500 Hour Engine Oil Change Interval  
 70% (35 degrees) Off Level Capability  
 Engine Oil Sampling Valve

DECALS / OPERATOR MANUALS

Description	Code	Price
English Customer Delivery Packet	1600	No Charge

English Decals and Customer Delivery Packet

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink/ZXLink Ultimate Cellular for the Americas - 5 Years	1710	In Base Price

1700

Includes JDLink/ZXLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and JDLink/ZXLink Ultimate activation.

JDLink/ZXLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink/ZXLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink/ZXLink customer account must be created to access JDLink/ZXLink Ultimate data. Go to [www.StellarSupport.com](http://www.StellarSupport.com) to renew or update JDLink/ZXLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at [www.JohnDeere.com/Agreements](http://www.JohnDeere.com/Agreements). If these terms and conditions are not agreeable do not proceed and do not use the service.



## TRACK SHOES

Description	Code	Price
600 mm (24 In.) Triple Semi-Grouser Shoes	3310	(\$1,995.00)
Recommended for rocky terrain, hard ground and stumps.		
700 mm (28 In.) Triple Semi-Grouser Shoes	3330	(\$1,305.00)
Recommended for general conditions and soft terrain. 700 mm (28 In.)		
700 mm (28 In.) Single-Bar, Heavy-Duty Chain and Shoes	3320	\$8,878.00
Recommended for use only in mountainous terrain.		
Triple Semi-Grouser Shoes	3350	In Base Price
Recommended for extremely soft terrain. 800 mm (32 In.)		



## SEATS

Description	Code	Price
Seat, Standard Mechanical	4125	In Base Price
Seat, Heated Air-Suspension	4130	\$801.00



## BOOM

Description	Code	Price
Less Boom	6801	In Base Price
Excludes Arm Cylinder, Boom Cylinders and Plumbing on Boom. Includes Pin Connecting Boom to Mainframe and the Two Boom Cylinder Pins. Requires code 7001, "Less Arm". The "Hydraulic Filter Restriction Indicator" in DEALER-INSTALLED ATTACHMENTS is recommended		
6.4 M (21 Ft. 0 In. ) One Piece Boom with Arm Cylinder and Plumbing	6835	\$28,556.00
Mass Excavating (ME) Boom with Arm Cylinder and Plumbing	6840	\$27,516.00

Requires code 7275, Mass-Excavating (ME) Arm.  
5.8 M (19 Ft. 0 In.)



## ARMS

Description	Code	Price
Less Arm, Bucket Cylinder, Bucket Linkage and All Attaching Pins and Hoses	7001	In Base Price
Hydraulic Filter Indicator Recommended. Requires code 8001, Less Buckets.		
Arm with Bucket Cylinder and Linkage	7150	\$19,407.00
2.66 M (8 ft. 9 in.)		
Arm with Bucket Cylinder and Linkage	7222	\$20,940.00
3.2 M (10 ft. 6 in.) Arm		
Arm with Bucket Cylinder and Linkage	7267	\$22,391.00
4.0 M (13 ft. 1 in.) Not recommended for impact (hammer) or high density material applications.		
Mass Excavating (ME) Arm with Bucket Cylinder and Linkage	7275	\$19,118.00
2.1 M (6 ft. 11 in.) Requires Code 6840 Mass Excavating Boom.		



## AUXILIARY HYDRAULICS

Description	Code	Price
Less Auxiliary Hydraulics	7401	In Base Price
Auxiliary High-Flow Hydraulic Lines w/ 2-Way Foot Controller	7410	\$9,334.00
for 2.1 M Mass Excavating (ME) Arm		
Auxiliary High-Flow Hydraulic Lines w/ 2-Way Foot Controller	7420	\$9,334.00
for 3.2 M Arm		
Auxiliary High-Flow Hydraulic Lines w/ 2-Way Foot Controller	7430	\$9,383.00
for 4.0 M Arm		
Auxiliary High-Flow Hydraulic Lines w/ AFL (Pilot Lever Proportional Control)	7490	\$10,334.00
for 3.2 M Arm		
Auxiliary High-Flow Hydraulic Lines w/ AFL (Pilot Lever Proportional Control)	7495	\$10,383.00
for 4.0 M Arm		

Auxiliary High-Flow Hydraulic Lines Only	7440	\$7,343.00
Requires a control circuit such as a foot controller or the standard right-hand control handle with (2) switches. Also order a solenoid kit. for 2.1 M Mass Excavating (ME) Arm		
Auxiliary High-Flow Hydraulic Lines Only	7450	\$7,343.00
Requires a control circuit such as a foot controller or the standard right-hand control handle with (2) switches. Also order a solenoid kit. for 3.2 M Arm		
Auxiliary High-Flow Hydraulic Lines Only	7460	\$7,450.00
Requires a control circuit such as a foot controller or the standard right-hand control handle with (2) switches. Also order a solenoid kit. for 4.0 M Arm		



## BUCKETS

All Heavy-Duty and Severe-Duty Buckets come standard with TK-Series Fanggs Teeth.

Description	Code	Price
Less Bucket	8001	In Base Price
Includes bucket mounting pins.		
Heavy-Duty Bucket	8430	\$13,238.00
Includes Five (5) John Deere TK-Series Fanggs Teeth (TK400FD). 42 In. (1067 mm), 1.74 Yd3 (1.33 M3) Heavy-Duty, High-Capacity Bucket		
Heavy-Duty Bucket	8440	\$14,241.00
Includes Six (6) John Deere TK-Series Fanggs Teeth (TK450FD). 48 In. (1219 mm), 2.07 Yd3 (1.58 M3) Heavy-Duty, High-Capacity Bucket		
Heavy-Duty Bucket	8340	\$12,807.00
Includes Six (6) John Deere TK-Series Fanggs Teeth (TK450FD). 48 In. (1219 mm), 1.88 Yd3 (1.44 M3) Heavy-Duty Bucket		
Heavy-Duty Bucket	8350	\$13,718.00
Includes Six (6) John Deere TK-Series Fanggs Teeth (TK450FD). 54 In. (1372 mm), 2.18 Yd3 (1.67 M3) Heavy-Duty Bucket		
General-Purpose, High-Capacity Bucket	8270	\$16,248.00
Includes Seven (7) John Deere TK-Series Fanggs Teeth (TK450FD). 60 In. (1524 mm), 2.78 Yd3 (2.13 M3)		
Heavy-Duty, High-Capacity Bucket	8450	\$15,265.00
Includes Six (6) John Deere TK-Series Fanggs Teeth (TK450FD). 54 In. (1373 mm), 2.41 Yd3 (1.84 M3)		



## GRADE REFERENCE READY

Description	Code	Price
Less Grade Ready Reference Mounts	7901	In Base Price

Grade Reference Ready Mounts	7920	\$1,700.00
------------------------------	------	------------

Includes mounting points on link, arm, boom, upperstructure, and counterweight for grade reference sensors. Sensors, manufacturing specific mounts, wiring harness, and monitor provided by OEM suppliers.  
3.2M

Grade Reference Ready Mounts	7930	\$1,700.00
------------------------------	------	------------

4.0M  
Includes mounting points on link, arm, boom, upperstructure, and counterweight for grade reference sensors. Sensors, manufacturing specific mounts, wiring harness, and monitor provided by OEM suppliers.

### Optional - Select as desired

#### OPTIONAL EQUIPMENT--ORDER AS DESIRED

Description	Code	Price
Boom Cylinders with Plumbing to Main Frame	9010	\$7,546.00
Requires 6801, Less Boom, and Code 7001, Less Arm.		
Engine Block Heater	9015	\$243.00
Ether Start Aid	9030	\$340.00
Fuel Filter, Severe-Duty	9060	\$172.00
Automatic Reversing Cooling Fan	9115	\$1,747.00
Features selectable intervals and manual override. For use in environments with airborne debris.		
Light Package	9150	\$859.00
Additional 2 Cab lights, 1 Right hand Boom Light, and Under Engine Hood Light.		
Mechanical Control-Pattern Selector	9500	\$1,359.00
Rear View Camera	9600	\$1,780.00
Chrome Exhaust	9700	\$436.00
Special Export Preparation-- Do not install front for shipping	9803	No Charge
For Export Containerization		

#### ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to [www.johndeereinfo.com](http://www.johndeereinfo.com) and clicking on Library, or by clicking on this Hyperlink ( [Installation Bulletin Search](#) ), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits. All attachments are sold as a quantity of one.

Description	Code	Price
<b><u>Buckets, General-Purpose, High-Capacity:</u></b>		
Buckets come standard with horizontal wear strips. Vertical wear strips in lieu of horizontal are available at no additional charge. The switch to vertical wear strips MUST be indicated in the comments section of your order.		

Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.

Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.

Only available for the following arm lengths:  
350/380 4.0M (13'1")

#### **Operator Environment:**

3 Inch Seat Belt	AT173678	View Price
Exterior Work Lights Package	AT396663	\$726.00
Additional 2 Cab lights, with 1 Right hand Boom Light.		
Guard, Lower Front Window ISO Level II	AT390824	\$1,191.00
Guard, Upper Front Window ISO Level II	AT390823	\$1,502.00
MP3 Player Field Kit	ETN93549	\$220.00

#### **Overall Vehicle:**

Undercovers, Heavy-Duty	AT453318	\$3,941.00
Please see the parts catalog for undercover installation layout.		
Vandal Cover Kit	AT390721	\$2,964.00

#### **Powertrain & Cooling:**

Automatic Reversing Cooling Fan	AT449123	\$1,990.00
Features selectable intervals and manual override. For use in environments with airborne debris. Installation time 2 hours.		

#### **Powertrain:**

Severe Duty Water Separator	AT450168	\$626.00
-----------------------------	----------	----------



#### REFERRAL ATTACHMENTS

#### **Description**

#### **Code**

#### **Price**

#### **G.R. Mfg.:**

G.R. Manufacturing, Inc. \* Kits listed below must be ordered through John Deere. \* F.O.B. Trussville, Alabama \* All kits include installation instructions \* All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Auxiliary Counterweight, 2000 lbs. Bottom Mount	ETN85108	\$6,440.00
Auxiliary Counterweight, 4300 lbs, Bottom Mount, 22m Arm	ETN85109	\$10,864.00
Front Window Guard, Polycarbonate	ETN85142	\$2,520.00
Guard, Slant Top Rub Rails	AT401261	\$2,100.00