



Skrqh=#; 3 3 19 < 8 15 < 4 <
 Id{=#; 3 3 15 4 4 18 7 8 7
 Hp db=#
 IqirC ex | erduj lfrp

Administration RFQ Reports Shopping Cart Help

Vendor Contract Information

[Back](#)

Searches:

[Vhdufk# | #Yhggru](#)

[Eurzvh#Frqwdfw](#)

Vhdufk=#

- All
- Vendor Discounts Only
- Catalog Pricing Only

Refine Your Search:

[Yhggru](#)

Doggett Machinery Services - Houston[X]

[Suifh#Jdqjh](#)

Show all prices

[Fdwjruj](#)

None Selected

[Frqwdfw](#)

Construction, Road/Bridge, Ditching, Trenching, Utility and Other Equipment[X]

[DqgWrcqddUhvrxufhv](#)

Vendor Name: Doggett Machinery Services - Houston

Address: 9111 North Freeway

Houston, TX 77037

Phone Number: (713) 699-6556

Email: brad.penick@doggett.com

Website: <http://www.doggett.com>

Federal ID: 20-3694220

Contact: Brad Penick

Accepts RFQs: Yes

Minority Owned: No

Women Owned: No

Service-Disabled Veteran Owned: No

EDGAR: No

Contract Name: Construction, Road/Bridge, Ditching, Trenching, Utility and Other Equipment

Contract Description: Air compressors; articulated trucks; asphalt compactors, cutters, distributors, emulsion tanks and pavers; chip spreaders; cold planers; conveyors; curb & gutter machines; forklifts; generators & electrical system equipment; hydraulic hammers; all types of general construct road & street, tree care, & trenching equipment; trommel screen/compost; compactors/roller street sweepers & road brooms; waste handling loaders & landfill compactors; paint striping equipment; service/repair

Contract#: 515-16

Effective Date: 12/01/2016

Expiration Date: 11/30/2019

Payment Terms: Upon Delivery

Delivery Days: 10

Shipping Terms: Freight prepaid by vendor and added to invoice

Freight Terms: FOB Destination

Ship Via: Best Way

Region Served: Texas Regions 1,2,3,4,5,6

States Served: Texas

Quote Reference Number: 515-16

Additional Dealers: See Dealers/Distributors link for dealer list.

Contract Documents

EDGAR Notice: [Click to view EDGAR Notice](#)

Proposal Documents: [Click to view BuyBoard Proposal Documents](#)

Regulatory Notice: [Click to view Bonding Regulatory Notice](#)

Additional Dealers/Distributors: [Click to view Vendor Additional Dealers/Distributors Documents](#)

Frqwdfw#kv#; 3 3 19 < 8 15 < 4 < #

Zimbra**hector.garcia1@co.hidalgo.tx.us**

motorgrader

From : Andres Ramos <andy.ramos@doggett.com>

Tue, May 30, 2017 01:51 PM

Subject : motorgrader 1 attachment**To :** hector garcia1 <hector.garcia1@co.hidalgo.tx.us>**Cc :** blas gonzalez <blas.gonzalez@co.hidalgo.tx.us>

Hector

Info on the motorgrader, some codes are the same and other ones changed
Any questions let me know

Thanks

Andy Ramos
Territory Sales Manager
Andy.Ramos@doggett.com

Doggett Heavy Machinery Services
900 E. Expressway 83
San Juan, TX 78589
www.doggettgroup.com
Office: (956) 787-0001
Fax: (956) 787-0055
Cell: (956) 227-0877

-----Original Message-----

From: donotreply@doggett.com [mailto:donotreply@doggett.com]

Sent: Tuesday, May 30, 2017 1:55 PM

To: Andres Ramos

Subject: Scanned from MFP-05219990 05/30/2017 12:54

Scanned from MFP-05219990.

Date: 05/30/2017 12:54

Pages:3

Resolution:200x200 DPI
-----**DOC053017.pdf**54 KB



JOHN DEERE

Current Date 28Mar2017

670G MOTOR GRADER

670G Standard Equipment

VEHICLE COOLING:

Swing-Out, Cool-On-Demand, Hydraulic Fan (32 In.)
Enclosed Engine Fan and Fan Drive Guarding (Conforms to ISO 3457)
Heavy Duty Aluminum Coolers for Transmission, Axle, Hydraulic, Fuel, Charge Air, Radiator and A/C Condenser.
Engine Coolant Surge Tank Cool-Gard II Extended Life Engine Coolant -34 Degrees F (-37 Degrees C)

TRANSMISSION:

John Deere Powershift Plus Direct Drive, Countershaft Powershift
Event Based Shifting (EBS) - Load Sensing Electronic Shift Modulation
Over speed Protection
Quick Disconnect Pressure Ports
Matched 8 Forward and 8 Reverse Speeds
Industry Standard U-Shape Shift Pattern
Transmission Neutral Lock with Park Start Safety Switch
Rubber Isolation Mounting to Reduce Noise and Vibration
Independent Oil Reservoir, Filtration and Cooling System with:
31 GPM Transmission Hydraulic Gear Pump
2000 Hour Vertical Spin-On Filter

AXLE, BRAKES AND

TANDEMS:

Teammate II Axle
Planetary Single Reduction

Ports

(1) Interior and (2) Exterior Mounted Rearview Mirrors (Conforms to SAE J985)
Air Vents on all Front and side Tinted Windows
Fixed Lower Front Tinted Window
Rear Window Electric Defroster
Laminated Upper Front Tinted Window w/ Sun Shade Band
Upper Front and Rear Windshield Washers with Intermittent Wipers
Molded Floor Mat
Coat Hook
Universal RH & LH Mounting Bracket
Cooler/Lunch Box Storage with Cup Holder
Operator Manual Storage

ELECTRICAL:

24 Volt System
Alternator (dependent on engine emission and optional equipment)
Bypass Start Safety Cover on Starter
All Light and Wiper Switches have Solid State Electrical Power
Distribution System
Batteries (2), 1400 CCA with 440 Minute Reserve Capacity
Positive Terminal Battery Covers
Ground Level Electrical Master Disconnect Switch
Electric Fuel Shut off Switch
Transporting Lights w/LED Signal and Marker Lights (4 Halogen Transport lights)

HYDRAULIC SYSTEM:

PCLS (Pressure Compensating Load Sensing) Hydraulic System
Independent Hyd. Reservoir with Sight Glass
Independent Main Hydraulic filtration cooling system with:
56 GPM Main Hydraulic Axial Piston Pump
O-Ring Face Seal Connectors
Float control included with blade lifts
2000 Hour Vertical Spin-On Filter

STRUCTURE:

Main Frame with:
Double Ball-N-Socket Pivot Connection
Snow Wing Ready Frame
Midmount Scarifier Ready
Grade Control Mount Ready
Tapered Roller Bearing in Bottom Articulation Joint
Tapered Roller Bearing King Pins on Front Axle
Lift Eyes
Tiedowns
(20) NeverGrease Pin Joints for Saddle Linkage, Blade Tilt, Rear Steering and Lean Cylinders
MOLDBOARD:
Patented Pre-Stressed 12 Ft. x 24 In. x 7/8 In. (3.66 M x 610 mm x 22 mm)
Moldboard with:
6 In. x 5/8 In. (152 x 16 mm) Cutting Edge with 5/8 in. Reversible End Bits
Quick Change Circle Wear Inserts (All Nylon)
Quick Change and Adjustable Heavy Duty Moldboard Side

Final Drives	Transporting Lights (4 Halogen Transport Lights). Includes LED turn signals on front frame, LED rear turn signals mounted on rear grille, front and rear LED marker lights, LED brake lights and LED hazard warning lights.	Shift Wear Inserts
Internal Self-Adjusting Maintenance Free Wet Multi-Disk Brakes Inboard of Tandem Pivot		Single Input Circle Drive Gearbox (non-slip)
Continuous Pressurized Filtered Oil Cooled Brakes Independent Oil Reservoir, Filtration and Cooling System with:		OVERALL VEHICLE:
6.7 GPM Axle Hydraulic Gear Pump	Cab Pre-Wired (10 amp) for Beacon, Radio and Auxiliary Circuit	Left Side Daily Service Engine and Service Compartment Lights
2000 Hour Vertical Spin-On Filter	Electric Forward Warning Horn (Conforms to ISO 9533)	Hinged Engine Side Shields
Primary and Secondary Service Brakes (Conforms to ISO 3450)	Back up Warning Alarm (Conforms to ISO 9533)	Tool Box with Tray
Automatic Differential Lock with Override	Sealed Switch Module with Function Indicators	Articulation Joint Grease Bank
Automatic Spring-Applied Hydraulic Released Parking Brake (Conforms to SAE J1026)	Multi-Function / Multi-Language LCD Color Monitor includes:	Articulated frame with Safety (ISO 10570) locking pin
14.0 x 24 In. 12 PR (G2) Bias Tires	DIGITAL INSTRUMENTS ANALOG Display:	Radiator Surge Tank Access Panel
Slip Resistant Platforms on Tandems	Hydraulic Oil Temperature Engine Coolant Temperature Transmission Oil Temperature	DEF Tank Door and Cap (FT4 Only)
OPERATORS STATION:	Rear Steer Articulation Angle Fuel Level	Bottom/Side Guards with Access Panels
Low ROPS/FOPS Air Conditioned Cab (Conforms ROPS ISO 3471 / FOPS ISO 3449 Level II)	DEF Level (FT4 Only)	(6) D.O.T. (392&393)
Rubber Isolation Frame Mounted	DIGITAL Display:	Permanent Tie Downs for transport
Keyless Start with Multiple Security Modes	Engine RPM	Single Key Locks for Entire Vehicle
Anti-Skid 3 Step Cab Access Fabric Air Suspension Seat with Armrests and Headrest 3 In., (76 mm)	Transmission Gear Indicator Hour Meter	Ground Level Fuel Tank Filling (FT4 Only)
Seat Belt w/Retractors (Conforms to SAE J386)	Speedometer	Fluid Sampling Ports for Engine Oil, Engine Coolant, Hydraulic, Axle and Transmission Oils
Tilt Wheel and Control Console with 5 Lock to Lock Power Steering	Odometer	Vandal Protection Locking for:
Electronic Throttle Control with Auto / Manual Modes ECO Mode: limits engine rpms to 1900 in gears 1-5	Outside Ambient Temperature	Service Compartments Cab Doors
15 Amp (24 V to 12 V W/ Continuous 10 amps) Converter and (2) Power	Integrated Job Timer and Stop Watch	Radiator Surge Tank Access Door
	INDICATOR LIGHTS for Standard and Selected Options	DEF Tank Door and Cap (FT4 Only)
	INDICATOR LIGHTS for Amber Caution and Red Stop	Hydraulic Reservoir Cap
	OPERATOR WARNING MESSAGES	Battery Disconnect Switch
	BUILT-IN DIAGNOSTICS: Diagnostic Code Details Sensor Values Calibrations	Fuel Tank Door and Cap
	MENU DISPLAY: Codes Machine Settings	Tool Box
		Fuel tank, 110 gallon (416 L)
		Environmental Drains with Hoses for Engine, Transmission, Hydraulic, Axle Oils and Engine Coolant
		Remote Filter Bank for Hydraulic, Transmission and Axle Oils Vehicle
		Side Reflectors

Diagnostics
Monitor Settings

Required - You must select one from each category

▼ BASE MACHINE

FOB Davenport, Ia. "As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order"

Description	Code	Price
670G MOTOR GRADER	8440T	\$292,283.00

Keep in mind that the following John Deere motor graders 770, 772, 870 & 872 offer optimized performance for high speed snow plowing applications.

▼ MACHINE CONFIGURATION

Description	Code	Price
Standard Antler Rack Hydraulic Controls	1010	In Base Price

Armrest Fingertip Controls	1020	\$30,289.00
----------------------------	------	-------------

Grade Pro Armrest Controls Include:

- * Fingertip controls with industry standard control pattern
- * Automated Cross Slope control
- * Integrated grade control (Contact TOPCON, Trimble, or Leica for full install requirements)
- * Return-to-Straight
- * Armrest steering control AND conventional steering wheel

Requires alternator code 1220 or 1240 and cab code 5060 or 5070.
Includes seat code 6140 and grade pro controls code 6650.

Dual Joystick Controls	1030	\$30,289.00
------------------------	------	-------------

Grade Pro Armrest Controls Include:

- * Automated Cross Slope control
- * Integrated grade control (Contact TOPCON, Trimble, or Leica for full install requirements)
- * Return-to-Straight
- * Armrest steering control AND conventional steering wheel

Requires alternator code 1220 or 1240 and cab code 5060 or 5070.
Includes seat code 6140 and grade pro controls code 6650.

▼ ENGINE

Description	Code	Price
John Deere PowerTech PSS 9.0L meets EPA FT4 Emissions	1140	\$46,848.00

235 Net Peak hp
For use only in areas where EPA Final Tier 4 is required.
Requires engine exhaust code 1830 or 1840.

Automatic Exhaust Filter Regeneration
Automatic Hydraulic Reversing Fan
Series Turbo Chargers
Cooled Exhaust Gas Recirculation
4 Valves / Cylinder
Wet Sleeve Cylinder Liners
ECO Mode

Auto-Idle and Programmable Auto-Shutdown
Automatic Starter Overload Protection
Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible
Electric Fuel Priming System
10-Micron Primary Fuel Filter/Water Separator, 500 hour
2-Micron Final Fuel Filter, 500 hour
Inline Fuel Strainer
Spin-on Oil Filter, 500 hour
Oil crankcase filter, Lifetime
Auto-Tensioned Serpentine Belt
Under Hood Dual Element Air Cleaner with Restriction Indicator
Engine Intake Rotary Ejector Precleaner

ENGINE EXHAUST

Description	Code	Price
Engine Exhaust with Flat Black Stack (EPA FT4 only)	1830	In Base Price
Requires engine code 1140.		
Engine Exhaust with Chrome Stack (EPA FT4 only)	1840	\$691.00
Requires engine code 1140.		

GRADE CONTROL

Description	Code	Price
Topcon Grade Control Base Kit Installed	2500	\$7,019.00
Base kit is factory installed and includes additional brackets & wiring harnesses that further enhance and simplify the addition of a Topcon Grade Control System.		
Trimble Grade Control Base Kit Installed	2525	\$7,019.00
Base kit is factory installed and includes additional brackets and wiring harnesses that further enhance and simplify the addition of a Trimble GCS900 Grade Control System.		
Leica Grade Control Base Kit Installed	2550	\$7,019.00
Base kit is factory installed and includes additional brackets & wiring harnesses that further enhance and simplify the addition of a Leica 2D or 3D Grade Control System.		
No Grade Control Base Kit Installed	2575	In Base Price

TOPCON GRADE CONTROL SYSTEM

Description	Code	Price
No Topcon Radio Installation	2775	In Base Price

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract. Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate Cellular - 5 Years	170C	No Charge

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Satellite - 5 Years	170J	\$1,936.00
-------------------------------------	------	------------

Includes JDLink hardware: integrated cab wiring harness, antenna, 4G LTE modular telematics gateway (MTG), Wi-Fi data transfer, Blue Tooth capability and JDLink Ultimate activation.

JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality.

Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

▼ CIRCLE DRIVE GEARBOX

Description	Code	Price
Single Input Gearbox without Slip Clutch	2810	In Base Price

Single Input Gearbox with Slip Clutch	2820	\$2,704.00
---------------------------------------	------	------------

Slip clutch protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive gearbox assembly and allows the circle frame to rotate, avoiding damage to the machine, when the end of the moldboard comes in contact with an immovable object.

Heavy Duty Dual Input Gearbox without Slip Clutch	2830	\$1,546.00
---	------	------------

Heavy duty dual input gearbox is an industry exclusive and provides significant improvements in circle drive component durability. The heavy duty dual input circle drive gearbox provides comparable circle torque and circle rotate speed as the single input circle drive gearbox. The heavy duty dual input circle drive gearbox will significantly enhance uptime for the customer and is recommended for applications that frequently use the circle rotate function while under heavy load.

Heavy Duty Dual Input Gearbox with Slip Clutch	2840	\$4,250.00
--	------	------------

Heavy duty dual input gearbox is an industry exclusive and provides significant improvements in circle drive component durability. The heavy duty dual input circle drive gearbox provides comparable circle torque and circle rotate speed as the single input circle drive gearbox. The heavy duty dual input circle drive gearbox will significantly enhance uptime for the customer and is recommended for applications

that frequently use the circle rotate function while under heavy load.

Slip clutch protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive gearbox assembly and allows the circle frame to rotate, avoiding damage to the machine, when the end of the moldboard comes in contact with an immovable object.

▼ LIGHTING PACKAGE

For raised front lights order code 9270 Tall Front Light Bar. All lighting packages include LED turn signals on front frame, LED rear turn signals mounted on rear grille, front and rear LED marker lights, LED brake lights and LED hazard warning lights.

Description	Code	Price
Transporting Lights (4 Halogen Transport Lights)	7110	In Base Price
Includes 2-high and 2-low beam halogen headlights.		
Grading Lights (10 Halogen Lights)	7130	\$1,077.00
Includes light code 7110 Transporting Lights plus (6) additional work lights (2 - bottom cab, 2 - mid-frame, 2 - reversing lights on rear grill).		
Deluxe Grading Lights (18 Halogen Lights)	7160	\$1,702.00
Includes light code 7130 Grading Lights plus (8) additional work lights (4 - corner cab, 2 - front cab, and 2 - right-side cab roof).		
Premium Grading Lights (18 LED Lights)	7180	\$4,800.00
Same lighting locations as light code 7160 Deluxe Grading Lights, all Premium Grading Lights are LED.		

▼ OPERATOR STATION

Description	Code	Price
Low Cab w/ Fixed Lower Front and Side Windows	5020	In Base Price
Low Cab w/ Fixed Lower Front and Side Opening Windows	5025	\$911.00
Low Cab w/ Lower Front and Side Opening Windows	5030	\$1,222.00
Includes Roof Wiring Harness for Lighting, Beacon, Precleaner and Heated Mirrors		
Low Cab w/ Fixed Lower Front and Side Opening Windows, Laminated Glass	5035	\$3,034.00
The advantage of laminated glass is that it resists shattering and strongly resists penetration by impacting objects.		
Grade Pro Low Cab w/ Lower Front and Side Opening Windows	5060	In Configuration
Requires configuration code 1020 or code 1030 and seat code 6140. Requires (1) T244325 bracket to optionally move monitor to the RH door post.		
Grade Pro Low Cab w/ Fixed Lower Front and Side Opening Windows, Laminated Glass	5070	\$2,152.00

Requires configuration code 1020 or code 1030 and seat code 6140.
Requires (1) T244325 bracket to optionally move monitor to the RH door post.

The advantage of laminated glass is that it resists shattering and strongly resists penetration by impacting objects.

REAR CAMERA			
Description	Code	Price	
Rear Camera	8810	\$2,501.00	
Rear view camera with a dedicated monitor.			
No Rear Camera	8820	In Base Price	
AIR CONDITIONER SYSTEM			
Description	Code	Price	
Air Conditioner Refrigerant Charged	8510	In Base Price	
EXTERIOR MIRRORS			
Description	Code	Price	
Exterior Mounted Rearview Mirrors	8210	In Base Price	
Heated Exterior Mounted Rearview Mirrors	8220	\$560.00	
POWER CONVERTER			
Description	Code	Price	
24-to-12 Volt Converter (15 amps peak / 10 amps continuous)	8110	In Base Price	
24-to-12 Volt Converter (30 amps peak / 25 amps continuous)	8120	\$462.00	
Recommend code 8120 for additional 12 volt needs, such as business band or CB radios			
RADIO			
Description	Code	Price	
AM/FM Radio with Aux and Weather Band (WB)	8410	\$966.00	
Premium AM/FM Radio with Bluetooth, Aux, Weather Band (WB), and XM Ready	8415	\$1,489.00	
Requires engine code 1125 or 1140.			
No Radio	8420	In Base Price	
LOWER FRONT WINDOW WIPER & WASHER			
Description	Code	Price	
Lower Front Intermittent Wiper & Washer	8310	\$658.00	
Less Lower Front Window Wiper & Wiper	8320	In Base Price	

▼ CAB AIR PRECLEANER

Description	Code	Price
Powered Cab Air Precleaner	6010	\$909.00
Powered Cab Precleaner pre-filters outside air to significantly extend cab filter life.		
No Powered Cab Air Precleaner	6030	In Base Price

▼ SEAT

Description	Code	Price
Standard Fabric Air Suspension Seat with Armrests and Headrest	6120	In Base Price
For use with cab codes 5020, 5025, 5030 & 5035		
Premium Heated, Leather/Fabric, High-Wide Back, Air Suspension Seat with Armrests	6130	\$729.00
For use with cab codes 5020, 5025, 5030 & 5035. This seat does not include a headrest. If a headrest is desired, please order AT361342 from service parts.		
Grade Pro Premium Heated, Leather/Fabric, High-Wide Back Air Suspension Seat	6140	In Configuration
For use with cab codes 5060 & 5070. This seat does not include a headrest. If a headrest is desired, please order AT361342 from service parts.		

▼ ALTERNATOR

Description	Code	Price
130 amp Alternator	1235	\$405.00
Requires engine code 1140.		
200 amp Alternator	1240	\$938.00
Requires engine code 1140.		

▼ MOLDBOARDS W/DURA-MAX CUTTING EDGES & END BITS

Description	Code	Price
12 Ft. x 24 In. x 7/8 In. (3.66M x 610mm x 22mm) w/ 6 In. x 5/8 In. (152 x 16mm) Cutting Edge & 5/8 in. (16mm) Hardware	2010	In Base Price
12 Ft. x 24 In. x 7/8 In. (3.66M x 610mm x 22mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2020	\$393.00
12 Ft. x 27 In. x 1 In. (3.66M x 686mm x 25mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2030	\$1,001.00
	2040	\$1,194.00

13 Ft. x 27 In. x 1 In. (3.96M x 686mm x 25mm) with 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware

14 Ft. x 24 In. x 7/8 In. (4.27M x 610mm x 22mm) w/ 6 In. x 5/8 In. (152 x 16mm) Cutting Edge & 5/8 in. (16mm) Hardware	2050	\$1,331.00
---	------	------------

14 Ft. x 24 In. x 7/8 In. (4.27M x 610mm x 22mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2060	\$1,541.00
---	------	------------

14 Ft. x 27 In. x 1 In. (4.27M x 686mm x 25mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 5/8 in. (16mm) Hardware	2070	\$1,963.00
---	------	------------

Requires engine code 1120, 1125 or 1140.

14 Ft. x 27 In. x 1 In. (4.27M x 686mm x 25mm) w/ 8 In. x 3/4 In. (203 x 19mm) Cutting Edge & 3/4 in. (19mm) Hardware	2080	\$2,007.00
---	------	------------

Requires engine code 1120, 1125 or 1140.

▼ BLADE IMPACT ABSORPTION SYSTEM

Description	Code	Price
Blade Impact Absorption System	1910	\$3,555.00

Protects Moldboard and draft frame from impacts with Stationary objects

No Blade Impact Absorption System	1920	In Base Price
-----------------------------------	------	---------------

▼ TRANSMISSION

Description	Code	Price
Autoshift Transmission	5510	\$1,842.00

Manual Shift Transmission (no Autoshift)	5520	In Base Price
--	------	---------------

▼ HYDRAULIC CONTROLS - RIGHT SIDE

Description	Code	Price
<u>STANDARD HYDRAULIC CONTROLS</u>		

Industry standard manual hydraulic controls. Includes valves, control levers, and plumbing.

Base Hydraulics - 4 Function Controls	6510	In Base Price
---------------------------------------	------	---------------

Requires configuration code 1010.
Base Functions: Rear Steer, Circle Side shift, Wheel Lean & RH Blade Lift w/ Float.

Base Hydraulics w/ 1 Auxiliary Function Control	6520	\$1,634.00
---	------	------------

Requires configuration code 1010.
Base functions plus 1 function w/float control - front plumbing and hoses for Scarifier or auxiliary application.
For use with front scarifier.

Mid Mount Scarifier Base Hydraulics w/ 1 Auxiliary Function Control	6525	\$1,853.00
---	------	------------

Requires Mid Mount Scarifier code 6730 and configuration code 1010.
Midmount scarifier base hydraulics with 1 auxiliary function control with float control for mid mount scarifier.
For use with mid mount scarifier.

Base Hydraulics w/ 2 Auxiliary Function Controls	6530	\$3,084.00
--	------	------------

Requires configuration code 1010.
Base functions plus 2 functions w/float control - front plumbing and hoses for Scarifier and/or auxiliary application.
For use with front scarifier.

Base Hydraulics w/ 3 Auxiliary Function Controls	6540	\$4,532.00
--	------	------------

Requires code 1010.
Base Functions plus 3 functions-(2) with and (1) w/o float control, front plumbing and hoses for Scarifier and/or auxiliary application.
For use with front scarifier.

GRADE PRO CONTROLS

1020 - Finger-tip armrest mounted controls, consistent with the industry standard pattern. Includes armrest mounted lever steering plus the traditional steering wheel. All Auxiliary codes include front and rear plumbing for each function except code 6595. 1030 - Dual Joystick armrest mounted controls. Includes armrest mounted lever steering plus the traditional steering wheel. All Auxiliary codes include front and rear plumbing for each function except code 6595.

Grade Pro Base Controls	6550	In Configuration
-------------------------	------	------------------

Requires code 1020 OR 1030 Includes the following Base Hydraulic Functions: Rear Steer Circle Side shift Wheel Lean Right and Left hand Blade Lift w/ Float Circle Rotate Blade Side Shift Blade Tilt Speed-sensitive Lever Steer (also includes traditional steering wheel)

Grade Pro Controls for Mid Mount Scarifier w/1 Auxiliary Function Control	6526	\$1,853.00
---	------	------------

Requires codes 1020 OR 1030 AND Mid Mount Scarifier code 6730. Includes base functions plus mid-mount scarifier/auxiliary hoses that run to front of machine Fingertip controls include right hand lever control

Grade Pro Controls for Rear Ripper or 1 Rear Auxiliary Function	6555	\$1,636.00
---	------	------------

Requires code 1020 OR 1030 Includes Base functions plus 1 rear auxiliary function w/float control - Rear plumbing and hoses for Ripper or auxiliary application. Fingertip controls include left hand lever control

Grade Pro Controls for Front Scarifier or 1 Front Auxiliary Function	6560	\$1,636.00
--	------	------------

Requires code 1020 OR 1030 Include Base functions plus 1 front auxiliary function w/float control - front plumbing and hoses for Scarifier and/or auxiliary application. Fingertip controls include right hand lever control

Grade Pro Controls w/1 Rear Auxiliary Function Control	6570	\$1,636.00
--	------	------------

Requires code 1020 OR 1030 Includes Base functions plus 1 rear auxiliary function w/float control - Rear plumbing and hoses for auxiliary application. Fingertip controls include right hand lever control

Grade Pro Controls w/1 Front Auxiliary Function and 2 Rear Auxiliary Functions	6580	\$4,902.00
--	------	------------

Requires code 1020 OR 1030 Includes Base functions plus 3 auxiliary - 1 front and 2 rear auxiliary functions w/ float control and rear plumbing for Scarifier / Ripper and/or front, mid or rear auxiliary applications. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.

Grade Pro Controls w/1 Front Auxiliary Function AND 1 Rear Auxiliary Function	6585	\$3,306.00
---	------	------------

Requires code 1020 OR 1030 Includes Base functions plus 2 auxiliary - 1 front and 1 rear auxiliary functions w/ float control and plumbing for Scarifier / Ripper applications. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.

Grade Pro Controls w/1 Front Auxiliary Function and 3 Rear Auxiliary Functions	6590	\$6,538.00
--	------	------------

Requires code 1020 OR 1030 Includes Base functions plus 4 auxiliary - 1 front and 3 rear auxiliary functions w/ float control and rear plumbing for Scarifier / Ripper and/or front, mid or rear auxiliary applications. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.

Grade Pro Controls w/3 Front Auxiliary Function AND 3 Rear Auxiliary Functions	6595	\$9,805.00
--	------	------------

Requires code 1020 OR 1030 Includes Base functions plus 6 auxiliary - 3 front and 3 rear with float control on 4 functions, and front and rear plumbing for 2 functions each. Fingertip controls include left AND right hand lever control 4 independent proportional rollers are reconfigurable for auxiliary functions.

▼ HYDRAULIC CONTROLS - LEFT SIDE

Description	Code	Price
Base Hydraulics- 4 Function Controls	6610	In Base Price

Requires code 1010.
Base Functions: LH Blade Lift w/ Float, Blade Side shift, Circle Rotate, Blade Tilt.

Base Hydraulics w/ 1 Auxiliary Function Control	6620	\$1,438.00
---	------	------------

Requires code 1010.
Base Functions plus 1 function w/float control and lines for Ripper or auxiliary application.
For Use with Rear Ripper/Scarifier Combination.

Base Hydraulics w/2 Auxiliary Function Control	6630	\$2,901.00
--	------	------------

Requires code 1010.
Base functions plus 2 functions w/float control and lines for Ripper and/or auxiliary application.
For Use with Rear Ripper/Scarifier Combination.

Base Hydraulics w/ 3 Auxiliary Function Control	6640	\$4,349.00
---	------	------------

Requires code 1010.
Base Functions plus 3 functions-(2) with and (1) w/o Float Control, and lines for Ripper and/or auxiliary application.
For Use with Rear Ripper/Scarifier Combination.

Grade Pro Controls - Left Side

6650 In Configuration

Requires code 1020 or code 1030.
Accompanies GRADE PRO CONTROLS - RIGHT SIDE order code selection.

▼ HYDRAULIC OIL

Description	Code	Price
Hydrau	5815	In Base Price

Broad ambient operating temperatures.
Operating range:
-25°C to 50°C
-13°F to 122°F

Hydrau XR	5830	\$718.00
-----------	------	----------

Optional factory fill.
Broad ambient operating temperatures.
Operating range:
-40°C to 40°C
-40°F to 104°F
Intended for colder climates, provides all-season capability.
Required for Russia.

▼ QUICK SERVICE GROUP

Description	Code	Price
Quick Service Group	1310	\$660.00

No Quick Service Group	1320	In Base Price
------------------------	------	---------------

▼ FUEL FILTRATION

Description	Code	Price
Standard Fuel & Water Filtration	1410	In Base Price

Severe Duty Fuel & Water Filtration System	1420	\$519.00
--	------	----------

For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.

▼ HYDRAULIC PUMP DISCONNECT

Description	Code	Price
Hydraulic Pump Disconnect	1610	\$185.00

Required with engine code 1140.
Required for Canada and Russia.

▼ TRANSMISSION SOLENOID GUARD

Description	Code	Price
Transmission Solenoid Valve Guard	5710	\$209.00

Required with engine code 1140.
Required for Canada and Russia.
Recommended for snow plowing applications

▼ FRONT ATTACHMENTS

Description	Code	Price
Less Front Attachment	6750	In Base Price
Front Push Block	6710	\$4,117.00
2,950 lbs.		
Front Scarifier	6720	\$8,878.00
Includes Front Hydraulics, plumbing and hoses Scarifier with 2 pitch positions and 9 shank pockets Five 1 x 3 inch Scarifier Shanks w/teeth If additional shanks are desired order (1) each of T6Y5230 Tooth, T114792 Shank and T104223 Retainer for each set. Can not be used with 6550 Hydraulics.		
Mid-Mount Scarifier with Integrated Front Push Plate	6730	\$15,826.00
Requires hydraulic code 6525 or 6526 Mid-Mount Scarifier with Push Block Can not be used with Front Scarifier. Not for use with Front Fenders Code 7810. Recommend Rear Counterweight for better machine balance.		
Balderson Style Front Lift Group	6740	\$7,528.00
Requires hydraulic code 6520, 6530, 6540, 6560, 6580, 6585, 6590, or 6595. (2) AT367896 Mating Hooks from Parts are available to convert old front attachments to the Bladerson-style lift group.		
Front-Mounted Dozer Blade, 97 in. x 37.6 in. (2464 mm x 955 mm)	6770	\$9,700.00
Requires hydraulic controls on the right side with a minimum 1 front auxillary function. Requires 14.0 24 or 14.0 R24 tires		
Front-Mounted Dozer Blade, 105 in. x 37.6 in. (2667 mm x 955 mm)	6780	\$9,882.00
Requires hydraulic controls on the right side with a minimum 1 front auxillary function. Requires 14.0 24, 14.0 R24, 17.5 25, or 17.5 R 25 tires.		

▼ REAR ATTACHMENTS

Description	Code	Price
No Rear Attachment	6850	In Base Price
Rear Mounted Ripper/Scarifier Combination with Rear Hitch and Pin	6810	\$17,468.00
Includes Rear mounted Ripper/Scarifier with rear hitch and pin. NeverGrease Pin Joints. Three 2 x 5 in. Ripper Shanks w/teeth. Does not include Scarifier Shanks w/teeth (offered in code 9430: (9) Extra Scarifier Shanks w/Teeth For Rear Ripper/Scarifier) Can not be used with codes 6550, 6560 or 6610. Recommend Front Push Block (or other front equipment) for proper weight distribution and performance.		
Rear Counterweight with Rear Hitch and Pin	6820	\$2,604.00

1600 lbs.(725.7 kg.) Rear Counterweight.
Recommend for use with Front / Mid Scarifier.

Rear Hitch and Pin	6830	\$502.00
--------------------	------	----------

Not for use with Rear Ripper/Scarifier.

SIX TIRES AND RIMS

Each selection includes a set of 6 tire/rim assemblies. NOTE: If a No Brand Preference code is selected a 9000 code in the Special Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order. All Tires are tubeless unless stated differently and include rims. All wheels on 6WD models are 3 piece rims. LOAD RATING SHALL BE MATCHED FOR EQUIPMENT WEIGHT (unless otherwise noted): 14.0-24 tire, maximum per tire load 6800 lbs. 14.0R24 tire, maximum per tire load 7282 lbs. 17.5-25 tire, maximum per tire load 6400 lbs. 17.5R25 tire, maximum per tire load 8048 lbs. Radial Tires: Recommended for puncture resistance, fuel economy and increased traction.

Description	Code	Price
<u>14.0-24 12 PR G2 BIAS TIRES WITH 1 PIECE RIMS:</u>		
Firestone SGG	4312	\$15,294.00
Titan	4313	\$7,929.00
<u>14.0-24 12 PR G2 BIAS TIRES WITH 3 PIECE RIMS:</u>		
No Brand Preference	4914	\$9,515.00
Firestone SGG	4317	\$17,251.00
Titan	4318	\$10,618.00
<u>14.0R24 G2/L2 SINGLE STAR RADIAL TIRES WITH 1 PIECE RIMS:</u>		
No Brand Preference	4917	\$19,511.00
Michelin XGLA2	4411	\$21,817.00
Bridgestone VUT	4412	\$20,614.00
<u>14.0R24 G2/L2 SINGLE STAR RADIAL SNOW TIRES WITH 1 PIECE RIMS:</u>		
No Brand Preference	4915	\$24,764.00
Michelin SnoPlus	4421	\$26,516.00
Bridgestone Snow Wedge	4422	\$25,867.00
<u>14.0R24 G2/L2 SINGLE STAR RADIAL TIRES WITH 3 PIECE RIMS:</u>		
No Brand Preference	4918	\$21,772.00
Michelin XGLA2	4416	\$24,080.00
Bridgestone VUT	4417	\$22,875.00
<u>14.0R24 G2/L2 SINGLE STAR RADIAL SNOW TIRES WITH 3 PIECE RIMS:</u>		

No Brand Preference	4916	\$27,021.00
Michelin SnoPlus	4426	\$28,774.00
Bridgestone Snow Wedge	4427	\$28,125.00
<u>17.5-25 12 PR G2/L2 BIAS TIRES WITH 1 PIECE RIMS:</u>		
Firestone SGG	4512	\$17,621.00
<u>17.5-25 12 PR G2/L2 BIAS TIRES WITH 3 PIECE RIMS:</u>		
Firestone SGG	4517	\$20,431.00
<u>17.5R25 L2 SINGLE STAR RADIAL TIRES WITH 1 PIECE RIMS:</u>		
No Brand Preference	4923	\$14,740.00
Michelin XTLA	4611	\$25,324.00
Bridgestone VUT	4612	\$23,706.00
Titan TGL2	4613	\$15,843.00
<u>17.5R25 L2 SINGLE STAR RADIAL TIRES WITH 3 PIECE RIMS:</u>		
No Brand Preference	4924	\$17,013.00
Michelin XTLA	4616	\$28,135.00
Bridgestone VUT	4617	\$26,517.00
Titan TGL2	4618	\$18,116.00
<u>17.5R25 G3/L3 SINGLE STAR RADIAL TIRES WITH 1 PIECE RIMS:</u>		
Michelin XHA	4621	\$28,388.00
<u>17.5R25 G3/L3 SINGLE STAR RADIAL TIRES WITH 3 PIECE RIMS:</u>		
Michelin XHA	4626	\$31,636.00
<u>17.5R25 G2/L2 SINGLE STAR RADIAL TIRES WITH 1 PIECE RIMS:</u>		
No Brand Preference	4919	\$26,932.00
Michelin SnoPlus	4631	\$29,927.00
Bridgestone Snow Wedge	4632	\$28,035.00
<u>17.5R25 G2/L2 SINGLE STAR RADIAL TIRES WITH 3 PIECE RIMS:</u>		

No Brand Preference	4920	\$30,180.00
Michelin SnoPlus	4636	\$33,176.00
Bridgestone Snow Wedge	4637	\$31,282.00

Less Tires & Wheels

Less Tires & Wheels	4000	In Base Price
Not available for Russia.		

▼ FRONT FENDERS

Description	Code	Price
Front Fenders	7810	\$2,126.00
No Front Fenders	7820	In Base Price

▼ SOUND ABSORPTION PACKAGE

Description	Code	Price
No Sound Absorption Package	8730	In Base Price
Requires engine code 1140.		

▼ LANGUAGE DECALS

Description	Code	Price
English Labels and Decals	2605	No Charge
Spanish Labels and Decals	2610	No Charge
French Labels and Decals	2615	No Charge

Optional - Select as desired

▼ SPECIAL EQUIPMENT - ORDER AS DESIRED

Description	Code	Price
<u>NO BRAND PREFERRED TIRES</u>		
14.0-24 12 PR NO BRAND PREFERRED G2 WITH 3PC RIM	9714	No Charge
14.0R24 G2/L2 1 STAR SNOW NO BRAND PREFERRED WITH 3PC RIM	9716	No Charge
14.0R24 G2/L2 1 STAR NO BRAND PREFERRED WITH 1PC RIM	9717	No Charge
14.0R24 G2/L2 1 STAR NO BRAND PREFERRED WITH 3PC RIM	9718	No Charge
17.5R25 G2/L2 1 STAR SNOW NO BRAND PREFERRED WITH 1PC RIM	9719	No Charge
17.5R25 G2/L2 1 STAR SNOW NO BRAND PREFERRED WITH 3PC RIM	9720	No Charge
17.5R25 L2 1 STAR NO BRAND PREFERRED WITH 1PC RIM	9723	No Charge

17.5R25 L2 1 STAR NO BRAND PREFERRED WITH 3PC RIM	9724	No Charge
<u>SPARE TIRE AND RIM</u>		
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine. Available US and Canada only.		
Spare Tire and Rim - 14.0R24 Michelin XGLA2 Single Star Radial Tire With 3 Piece Rim	9416	\$3,227.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine.		
Spare Tire and Rim - 14.0R24 Michelin SnoPlus Single Star Radial Snow Tire With 3 Piece Rim	9426	\$3,867.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine.		
Spare Tire and Rim - 17.5R25 Michelin XTLA Single Star Radial Tire With 3 Piece Rim	9616	\$3,837.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine.		
Spare Tire and Rim - 17.5R25 Michelin SnoPlus Single Star Radial Snow Tire With 3 Piece Rim	9636	\$4,470.00
Fits both tandem and 6WD machines, front and rear. Not ideal for 6WD performance if used as a front tire due to rim offset but will work as a temporary. Tire is NOT attached to the grader. Limit 1 per machine.		
<u>COLD START</u>		
Engine Block Heater	9360	\$342.00
Recommended for use on machines that will be operating above 8,000 feet (2440 meters) in altitude, and/or colder than 0 degrees F (-18 degrees C). Includes all weather receptacle conveniently located at ground level Requires: Code 1610 Hydraulic Pump Disconnect		
Ether Starting Aid	9370	\$469.00
Requires 9.0L engine, codes 1120, 1125, or 1140 Cannot be used with code 9340, Engine Air Intake Manifold Pre-Heater Ether can not included.		
Cold Weather Control Valve Covers	9620	\$203.00
Plastic covers that mount below the cab, shielding the control valve from snow and slowing down hydraulic heat loss in winter. Requires code 1010 standard hydraulics.		
<u>ELECTRICAL</u>		
Level 1 Electronic Corrosion Prevention Package	9200	\$1,353.00

Corrosion Preventive Treatment for critical electronic connections.
Requires code 5710 Transmission Solenoid Valve Guard.

Tall (26in.(660mm) higher than Standard Frame Lights) Front Snow Plow Light Bar	9270	\$349.00
---	------	----------

Not for use with code 6730 Mid Mount Scarifier.

Right Side Engine Compartment Work Light	9273	\$231.00
--	------	----------

OPERATOR STATION EQUIPMENT

Beacon with Flip Down Cab Beacon Bracket (RH)	9298	\$668.00
---	------	----------

Includes beacon and bracket.
Order codes 9298 and 9299 for dual beacons.

Beacon with Flip Down Cab Beacon Bracket (LH)	9299	\$668.00
---	------	----------

Includes beacon and bracket.
Order codes 9298 and 9299 for dual beacons.

Flip Down Cab Beacon Bracket (RH)	9290	\$155.00
-----------------------------------	------	----------

Order codes 9290 and 9295 for dual beacon brackets.

Flip Down Cab Beacon Bracket (LH)	9295	\$155.00
-----------------------------------	------	----------

Order codes 9290 and 9295 for dual beacon brackets.

Front Window Movable Sun Visor	9120	\$148.00
--------------------------------	------	----------

Rear Retractable Sun Shade	9130	\$222.00
----------------------------	------	----------

Decelerator	9210	\$298.00
-------------	------	----------

5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher	9220	\$128.00
---	------	----------

MOLDBOARD AND CIRCLE ADDITIONAL EQUIPMENT

Reversible Overlay End Bits	9450	\$501.00
-----------------------------	------	----------

Not available for Russia.

Left Hand Moldboard Extension, 2 foot in length	9460	\$2,179.00
---	------	------------

Requires moldboard code 2060 (moldboard 24 inches tall).
Requires moldboard code 2070, 2080, or 2081 (moldboard 27 inches tall).
Not available with 9465 (right hand moldboard extension).
Not available for Russia.

Right Hand Moldboard Extension, 2 foot in length	9465	\$2,179.00
--	------	------------

Requires moldboard code 2060 (moldboard 24 inches tall).
Requires moldboard code 2070, 2080, or 2081 (moldboard 27 inches tall).
Not available with 9460 (right hand moldboard extension).
Not available for Russia.

SCARIFIER AND RIPPER ATTACHMENTS

(9) Extra Scarifier Shanks w/Teeth For Rear Ripper/Scarifier	9430	\$1,426.00
--	------	------------

Requires Code 6810 Ripper/Scarifier.

(2) Extra Ripper Shanks w/Teeth For Rear Ripper/Scarifier	9440	\$1,203.00
Requires Code 6810 Ripper/Scarifier.		
<u>OVERALL VEHICLE</u>		
Slow Moving Vehicle (SMV) Sign	9280	\$85.00
Secondary Steering	9630	\$4,251.00
License Plate Bracket and Light	9275	\$158.00
Finish Paint Less Decals	9330	No Charge
For use when custom paint is required Decals packaged with machine. Some decals installed.		
Rear Wheel Fenders	9005	\$3,470.00
18.75 in.(476mm) Rear Wheel Fenders Fenders are not for use with 550 tires. Fenders can only be used with chains that are designed for 3" of radial clearance and 1.75" of sidewall clearance. Use of Tire chains permitted in accordance with SAE J683, and requires removal of front mud flap on rear fenders.		
Heavy Duty Air Cleaner - 9.0L 14 in	9380	\$987.00
Engine code 1140 only 15% larger capacity		
Adjusting Rotary Ejector Precleaner	9395	\$546.00
Ability to raise engine pre-cleaner to improve air filter performance. Requires code 9380		
Non-Export Rust Preventive Coating	9909	\$239.00

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechno.com and clicking on Library, or by clicking on this Hyperlink ([Installation Bulletin Search](#)), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits. All attachments are sold as a quantity of one.

Description	Code	Price
<u>Cold Start:</u>		
Diesel Fuel-Fired Engine Coolant Heater Kit For 6.8L T2 & T3 Engines	AT400906	\$5,793.00
Diesel Fuel-Fired Engine Coolant Heater Kit For 6.8L T2 & T3 Engines INSTALLED	AT380621	\$3,069.00
Parts kit only.		
Diesel Fuel-Fired Engine Coolant Heater Kit For 9.0L FT4 Engines	AT411847	\$4,366.00

Includes igniter, timer and coolant circulation pump.
Recommended for temperatures below -13°F (-25°C).
Average installation, 6 hours.

Diesel Fuel-Fired Engine Coolant Heater Kit For 9.0L iT4 Engines	AT373047	\$3,433.00
--	----------	------------

Includes igniter, timer and coolant circulation pump.
Recommended for temperatures below -13°F (-25°C).
Average installation, 6 hours.

Frame Attachment:

Front Wheel Fenders	AT345815	\$1,742.00
---------------------	----------	------------

18.75 in.(476mm) Front Wheel Fenders
Not for use with 550 Tires.
Use of Tire chains permitted in accordance with SAE J683.

S/N 678817 and before.

Front Wheel Fenders - 4WD	BYT10416	\$2,126.00
---------------------------	----------	------------

18.75 in.(476mm) Front Wheel Fenders
Not for use with 550 Tires.
Use of Tire chains permitted in accordance with SAE J683.

S/N 678818 and after.

Grade Pro Moldboard Impact Absorption System	AT439814	\$3,537.00
--	----------	------------

For only Grade Pro G-Series Graders.

Moldboard Impact Absorption System	AT439812	\$4,033.00
------------------------------------	----------	------------

Rear Wheel Fenders	AT400762	\$5,183.00
--------------------	----------	------------

18.75 in.(476mm) Rear Wheel Fenders
Fenders are not for use with 550 tires.

Fenders are not recommended for use with tires chains and are designed for a maximum of 3" of radial clearance and 1.75" of sidewall clearance.
Use of Tire chains is permitted in accordance with SAE J683.

Front Attachments:

Balderson Lift Hook	AT367896	View Price
---------------------	----------	------------

For customers ordering Balderson front lift group, it will require 2 mating hooks to adapt their old front attachments over to the Balderson style lift group.

Balderson Style Front Lift Group	AT439817	\$7,528.00
----------------------------------	----------	------------

Dozer Blade, 105 in. (2667 mm)	AT439952	\$9,834.00
--------------------------------	----------	------------

Dozer Blade, 97 in. (2464 mm)	AT439951	\$9,655.00
-------------------------------	----------	------------

Front Push Block	AT363681	\$4,469.00
------------------	----------	------------

2,950 lbs.

Front Scarifier	AT439815	\$8,835.00
-----------------	----------	------------

Includes scarifier with 2 pitch positions and 9 shank pockets,
Five 1 x 3 in. scarifier shanks,
cylinder and hoses
Requires 5th Function Hydraulics.
Average installation, 2 hours.

Mid-Mount Scarifier with Front Push Block	AT439818	\$16,466.00
---	----------	-------------

Requires code 6525 Hydraulics.
Mid-Mount Scarifier with Push Block cannot be used with Front Scarifier.
Not for use with Front Fenders.
Recommend Rear Counterweight for better machine balance.

Grade Control:

IGC Mast Mounts(2)	AT359016	\$629.00
--------------------	----------	----------

HYDRAULICS

5 Function valve section and linkage Left Kit	AT458173	\$931.00
---	----------	----------

Includes detented float.
Installation instructions T213708.

5 Function valve section and linkage Right Kit	AT458171	\$1,146.00
--	----------	------------

Includes detented float.
Installation instructions T213708.

6 Function valve section and linkage Left Kit	AT458175	\$896.00
---	----------	----------

6 Function valve section and linkage Right Kit	AT458334	\$1,151.00
--	----------	------------

Includes detented float.
Installation instructions T213708.

7 Function valve section and linkage Left Kit	AT458177	\$806.00
---	----------	----------

7 Function valve section and linkage Right Kit	AT458176	\$806.00
--	----------	----------

Grade Pro EH Controls Hydraulics Auxiliary Section	AT458174	\$1,627.00
--	----------	------------

For only Grade Pro G-Series Graders.
Requires mini joystick and or dual control levers.

One Hand Blade Lift Kit	AT302544	\$147.00
-------------------------	----------	----------

To convert two-hand blade lift controls to one-hand controls on the right side,
when the machine is already equipped with a RH 5th function valve.
Installation instructions T212017

One Hand Blade Lift with Control Valve Kit	AT458178	\$742.00
--	----------	----------

To convert two-hand blade lift controls to one-hand controls on the right side,
when the machine is NOT already equipped with a RH 5th function valve.
Installation instructions T213709.

Scarifier Plumbing Kit	AT318528	\$562.00
------------------------	----------	----------

Installation Instructions T213769

Moldboard and Circle:

	BYT10147	\$6,493.00
--	----------	------------

Dual Input Circle Drive Gearbox (with Slip Clutch)

Protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive assembly and utilizes a wet clutch system. Cannot be used with code 2220 inserts.

For use with G-series (code 1010 Standard Hydraulic Controls)

Dual Input Circle Drive Gearbox (with Slip Clutch) for Grade Pro Controls	BYT10145	\$6,493.00
---	----------	------------

Protects circle, circle drive gearbox and draft frame from damage when end of moldboard comes in contact with stationary objects. Slip clutch is integral to the circle drive assembly and utilizes a wet clutch system. Cannot be used with code 2220 inserts.

For use with G-series (code 1020 OR 1030 "Grade Pro" Electro Hydraulic Controls).

Dual Input Circle Drive Gearbox (without Slip Clutch)	BYT10146	\$3,974.00
---	----------	------------

For use with G-series (code 1010 Standard Hydraulic Controls).

Dual Input Circle Drive Gearbox (without Slip Clutch) for Grade Pro Controls	BYT10144	\$3,974.00
--	----------	------------

For use with G-series (code 1020 OR 1030 "Grade Pro" Electro Hydraulic Controls).

Moldboard Extension, 24 X 24 X 7/8 In. Left Hand	AT307730	\$2,483.00
--	----------	------------

7/8 in. (22mm) thick.
Includes 5/8 in. (17mm) Hardware.
Cutting Edge is not included.

Moldboard Extension, 24 x 24 x 7/8 In. Right Hand	AT307731	\$2,483.00
---	----------	------------

7/8 in. (22mm) thick.
Requires 5/8 in. (17mm) Hardware.
Cutting Edge is not included.

Moldboard Extension, 27 X 24 X 1 In. Left Hand	AT307732	\$2,483.00
--	----------	------------

1 in. (25mm) Thick
Includes 5/8 in. (17mm) Hardware.
Cutting Edge is not included.

Moldboard Extension, 27 X 24 X 1 In. Right Hand	AT307733	\$2,483.00
---	----------	------------

1 in. (25mm) Thick
Includes 5/8 in. (17mm) Hardware.
Cutting Edge is not included.

Moldboard Extension, 27 X 24 X 1 In. Right Hand	AT341307	\$2,483.00
---	----------	------------

1 in. (25mm) Thick
Includes 3/4 in. (19mm) Hardware.
Cutting Edge is not included.

Moldboard Extension, 27X 24 X 1 In. Left Hand	AT341306	\$2,483.00
---	----------	------------

1 in. (25mm) Thick
Includes 3/4 in. (19mm) Hardware.
Cutting Edge is not included.

Operator Environment:

AM/FM/WB Radio with CD Player	AT300765	\$1,081.00
-------------------------------	----------	------------

Fire Extinguisher Bracket Kit	AT418228	\$128.00
-------------------------------	----------	----------

GP Armrest Extension Field Kit	BYT10087	\$93.00
--------------------------------	----------	---------

Extends GP armrests 4 inches forward. Does not affect width.

MP3/iPod/Sat Radio/Cell Phone holder w/ 2 Power Ports and Cargo Net	AT349372	\$154.00
---	----------	----------

kit includes a cargo net, bracket/holder, wire harness, 2 power ports, plastic holder, and instructions.

Premium AM/FM Radio with Bluetooth, Aux, Weather Band (WB), and XM Ready	AT411106	\$1,489.00
--	----------	------------

Rear Camera Kit (FT4)	AT430924	\$2,501.00
-----------------------	----------	------------

S/N 678817 and before.

Rear Camera Kit (T3)	AT439193	\$2,501.00
----------------------	----------	------------

S/N 678817 and before.

Secondary Monitor Mounting Field Kit	AT445939	\$105.00
--------------------------------------	----------	----------

This bracket is required to move the monitor to the RH door post when a customer adds (IGC) Integrated Grade Control.

S/N 678817 and before.

Secondary Monitor Mounting Field Kit	BYT10340	\$105.00
--------------------------------------	----------	----------

This bracket is required to move the monitor to the RH door post when a customer adds (IGC) Integrated Grade Control.

S/N 678818 and after.

Slope Meter Mounting Bracket	AT431224	\$49.00
------------------------------	----------	---------

Overall Vehicle:

Beacon Bracket Kit	AT318620	\$263.00
--------------------	----------	----------

For Right or Left cab side.

Beacon Strobe kit	AT408630	\$231.00
-------------------	----------	----------

LH Beacon Bracket	AT410369	\$136.00
-------------------	----------	----------

For use with FT4 only.

S/N 678817 and before.

	BYT10024	\$158.00
--	----------	----------

License Plate Bracket and Light

For use with FT4 only.

RH Beacon Bracket	AT410368	\$136.00
-------------------	----------	----------

For use with FT4 only.

S/N 678817 and before.

Secondary Steering - FT4	AT437699	\$2,244.00
--------------------------	----------	------------

Average installation, 12.0 hours.

S/N 678817 and before.

Secondary Steering - FT4	AT457672	\$2,244.00
--------------------------	----------	------------

Average installation, 12.0 hours.

S/N 678818 and after.

Secondary Steering - S2, T3, iT4	AT367585	\$2,244.00
----------------------------------	----------	------------

Average installation, 12.0 hours.

S/N 678817 and before.

Secondary Steering - S2, T3, iT4	AT438864	\$2,244.00
----------------------------------	----------	------------

Average installation, 12.0 hours.

S/N 678818 and after.

Single LED work light with high beam lens	AT399788	\$415.00
---	----------	----------

Replacement for both 12V & 24V work and drive lamps.

Single LED work light with symmetric lens	AT399789	\$415.00
---	----------	----------

Replacement for both 12V & 24V work and drive lamps.

Slow Moving Vehicle Emblem and Mounting Bracket For T3 & IT4 Machines	AT370909	\$99.00
---	----------	---------

Powertrain:

Autoshift Transmission Field Kit	AT431337	View Price
----------------------------------	----------	------------

Severe Duty Fuel Filter	AT371007	\$446.00
-------------------------	----------	----------

For T2/T3 Tandem Drive Machines (670, 770, 870).

Severe Duty Fuel Filter	AT458582	\$439.00
-------------------------	----------	----------

For T2/T3 6WD Machines (672,772,872) and ALL 9.0L FT4 Machines and ALL IT4 Machines.

Tandem Axle Grease Bank kit	AT381371	\$111.00
-----------------------------	----------	----------

Kit provides fittings, mount and lines to both tandem drives.
For Graders produced before February 2010.

Rear Attachments:

Rear Counterweight with Rear Hitch and Pin	AT367788	\$3,926.00
1600 lbs.(725.7 kg.) Rear Counterweight. Recommend for use with Front / Mid Scarifier.		
Rear Hitch and Pin	AT339398	\$605.00
Rear Mounted Ripper/Scarifier Combination	AT439816	\$11,495.00
Includes rear mounted ripper/scarifier with rear hitch and pin, three 2 x 5 inch ripper shanks, cylinders and hoses for rear ripper/scarifier. When not equipped with front mounted equipment, requires ripper hydraulics. Cannot be used with rear hitch. Requires 5th section valve code 6620 or order AT458173 Average installation, 8 hours.		
Rear Scarifier Shanks (9)	AT415551	\$1,179.00
Includes nine (9) each of shanks, retainers, and holders.		



12007 Research Boulevard · Austin, Texas 78759-2439
PH: 800-695-2919 · FAX: 800-211-5454 · www.buyboard.com

The Contract shall govern the Vendor's and the Cooperative member's rights and obligations with respect to any Purchase Order issued during the Contract term and afterwards, with respect to any Purchase Order or purchase bound by the Cooperative member for specified goods or services **before** the Contract award period ended.

Vendor has no right to or vested interest in a Contract renewal. The Cooperative will evaluate the Contract award prior to the expiration of the then current Contract term (initial or renewal), and reserves the right to not renew the Contract based on factors that may include, but are not limited to, the annual amount of business, Vendor's performance, and the continued provision of best value to Cooperative members. With respect to annual amount of business, Vendor must generate the minimum amount specified in the General Information document associated with this Proposal Invitation through the Contract, during both the initial and the first renewal term, or may not be offered a second renewal term. A renewal must be agreed to by the Cooperative and Vendor.

In the event the Contract term will expire before the Cooperative awards a successor contract for the categories of awarded products or services, the Contract may be extended beyond the expiration date on a month to month basis upon the agreement of the Cooperative and Vendor, provided that the awarded pricing does not increase during such extension.

2. Prevailing Wages, Bonding and Insurance Requirements

Vendor must comply with any applicable prevailing wage rate requirements under the federal Davis-Bacon or state or local law, including Chapter 2258 of the Texas Government Code.

Vendor must provide any applicable performance and payment bonds as required by law, including Chapter 2253 of the Texas Government Code, or as requested by a Cooperative member. Vendor must maintain appropriate and sufficient insurance, including without limitation such workers' compensation insurance as may be required by state or local law or policy, necessary to protect Vendor and the Cooperative and its members from all claims for bodily injury, death, or property damage that might arise from the performance by Vendor or its employees or agents of any service under the Contract; however, the existence of such insurance does not relieve Vendor of full responsibility and liability for damages, injury, death, or loss as described or as otherwise provided by law.

3. Conformity to Item Specifications and Contract Award

Vendor warrants that the products or services Vendor provides under the Contract conform to the item specifications and other requirements of this Proposal Invitation (except to the extent and as specifically noted as deviations in Vendor's Proposal), and are free from all defects in material, workmanship and title. If Vendor deviates from an item specification, including delivering a product other than the specific brand and model of the product awarded, the ordering Cooperative member may reject the product when delivered and terminate the purchase order, at no cost or penalty to the member. Vendor further warrants that all products provided under the Contract meet applicable OSHA standards and regulations, and that any electrical items bear the appropriate listing from US, FMRC, NEMA, or UL Laboratories.

If awarded products are chemicals or other products that customarily require Material Safety Data Sheets (MSDS), Vendor must include the MSDS with the first shipment of the product to a Cooperative member during the Contract term. Vendor must provide additional MSDSs to Cooperative members upon request, promptly and at no additional cost.

4. Awarded Pricing

Except as provided in this section E.4 or otherwise in this Proposal Invitation, Vendor shall hold its awarded pricing firm during the Contract term.



12007 Research Boulevard · Austin, Texas 78759-2439
PH: 800-695-2919 · FAX: 800-211-5454 · www.buyboard.com

Vendor may submit manufacturer price increases that occur during the Contract term to the Cooperative, with such supporting manufacturer documentation as the Cooperative may require. The Cooperative will determine whether Vendor may pass any or all of an increase on to Cooperative members and notify Vendor of its determination in writing. The Cooperative reserves the right to accept or reject any or all of the requested price recalculation as it deems to be in the best interest of and to provide best value to Cooperative members.

In the event Vendor decreases the price of awarded products or services for any or all of its other customers in similar market circumstances below the Contract price, Vendor must offer such decreased pricing to Cooperative members.

During the Contract term, Cooperative members may negotiate with Vendor, through the BuyBoard request for quotes (RFQ) function or otherwise, to obtain lower prices for awarded products or services based on volume or other factors.

Unless specified otherwise in this Proposal Invitation, the service fee due pursuant to section E.12 (Service Fee) of these Terms and Conditions is included in the awarded pricing.

5. Packaging, Transportation, and Delivery

Unless otherwise provided for in this Proposal Invitation, all products must be packaged in containers that are new, appropriately designed for the product, and sturdy enough to protect the product during loading, transit, unloading, and storage, and be suitably packed to secure the lowest transportation costs. Products for which palletizing is appropriate must be delivered on standard 48" 4-way pallets in good, serviceable condition.

Vendor is responsible for paying all freight, delivery, handling and other charges incurred in transporting and delivering products to a Cooperative member, and for the risk of loss until the product is delivered to and accepted by the Cooperative member. Freight, delivery, handling and other charges incurred in transporting and delivering products to a Cooperative member are to be prepaid by Vendor. Vendor may collect the actual amount of such charges after delivery and acceptance, provided that the charges (a) were disclosed to the Cooperative member, if requested, and in all instances in which the charges exceed ten percent (10%) of the total cost of the order, prior to shipment; (b) are itemized and shown separately on the member's invoice; and (c) are supported by appropriate documentation submitted with the invoice.

Except for items that have hidden defects or that do not meet specifications, title and risk of loss to products pass to a Cooperative member upon the member's actual receipt and acceptance of the product at the point and time of delivery.

Unless otherwise noted in the proposal (as a deviation) or the purchase order, Vendor must deliver or provide awarded products or services within ten (10) business days after receipt of a Cooperative member's purchase order. Vendor must immediately notify the Cooperative member's primary contact of any anticipated or actual delay and document the notice in writing, and the member may extend the delivery time or cancel the order if the delay is unacceptable. If the Cooperative member has not received notice of the delay as required by this section, the member may, at its discretion, return to Vendor any items received after the due date, at Vendor's expense and without liability or penalty to the member.