


SIN
KA064241



S/N
PMM N4069A





SWITCH U = UP D = DOWN DIP SWITCH PROGRAMMING MODEL TACTLD1

| DIP SWITCH SETTING | | | | | LEFT & RIGHT | SPLIT | FLASH |
|--------------------|---|---|---|---|--------------------------|--------------------------|-------------|
| 1 | 2 | 3 | 4 | 5 | SEQUENCE TRIPLE FLASH | SEQUENCE TRIPLE FLASH | MODU FLASH |
| X | X | D | D | D | SEQUENCE ON/SEQUENCE OFF | SEQUENCE ON/SEQUENCE OFF | MODU FLASH |
| X | X | U | D | D | SEQUENCE ON DOUBL SWEEP | SEQUENCE ON DOUBL SWEEP | MODU FLASH |
| X | X | D | U | D | DOUBLE SWEEP | DOUBLE SWEEP | MODU FLASH |
| X | X | U | U | D | DOUBLE SWEEP | DOUBLE SWEEP | MODU FLASH |
| X | X | D | D | U | SEQUENCE TRIPLE FLASH | SEQUENCE TRIPLE FLASH | ACTION SCAN |
| X | X | U | D | U | SEQUENCE ON/SEQUENCE OFF | SEQUENCE ON/SEQUENCE OFF | ACTION SCAN |
| X | X | D | U | U | SEQUENCE ON DOUBL SWEEP | SEQUENCE ON DOUBL SWEEP | ACTION SCAN |
| X | X | U | U | U | DOUBLE SWEEP | DOUBLE SWEEP | ACTION SCAN |

DOWN DOWN = 8 LAMPS
 DOWN UP = 7 LAMPS
 UP DOWN = 6 LAMPS
 UP UP = 5 LAMPS





MADE IN THE U.S.A.

U.S. PATENT #
 5,157,382 D320,363
 OTHER PATENTS PENDING

P/N
 S/N

- 01-0285854-11B
 - PNJ 12726



10-034791E-00



STINGER CHARGER
MODEL NO. 75100
FOR SAFETY READ MANUAL
INPUT: 12-15VDC .2A
OUTPUT: REGULATED .18A
USE ONLY WITH
STREAMLIGHT
CHARGE CORDS. 
STREAMLIGHT®
30 EAGLEVILLE ROAD
EAGLEVILLE PA 19403





M. ANZALDUA
SENIOR DEPUTY





