



**PART 6. RESPONSIBILITIES AND OBLIGATIONS**

This Authorization does not waive the parties' responsibilities and obligations provided under the Agreement.

**PART 7. ACKNOWLEDGEMENT AND CONFIRMATION**

Acknowledgement and confirmation by Hidalgo County Precinct No. 4 Commissioner Ellie Torres as to content and detail of this Work Authorization No. #3.

HIDALGO COUNTY  
COMMISSIONER PRECINCT NO. 4:

BY: \_\_\_\_\_

**PART 8. ACCEPTANCE AND APPROVAL**

This Work Authorization is hereby accepted, approved by Hidalgo County Commissioners' Court on \_\_\_\_\_, 2019 as indicated below and effective as of the \_\_\_\_\_ day of \_\_\_\_\_, 2019.

THE ENGINEER:  
L&G CONSULTING ENGINEERS, INC.

THE OWNER:  
HIDALGO COUNTY

\_\_\_\_\_  
By: Jacinto Garza, P.E.

\_\_\_\_\_  
Hon. Richard Cortez, County Judge

ATTEST:

\_\_\_\_\_  
Arturo Guajardo Jr., County Clerk

**LIST OF ATTACHMENTS**

- ATTACHMENT "A" - Service to be provided by the Owner
- ATTACHMENT "B" - Services to be provided by the Engineer
- ATTACHMENT "C" - Work Schedule (OMITTED)
- ATTACHMENT "D" - Cost Proposal

**EXHIBIT A**  
**Scope of Services to be provided by the Owner**

The following provides an outline of the services to be provided by the **Owner** in the development of the **Project**.

**General:**

The **Owner** will provide to the **Engineer** the following:

- 1) Provide the authorization to proceed with services through coordination with the project consulting and design **Engineer**.
- 2) Payment for work performed by the **Engineer** and accepted by the **Owner** in accordance with Article/Part/Section 4 of the Agreement.
- 3) Assistance to the **Engineer**, as necessary, to obtain the required data and information from other local, regional, State and Federal agencies the **Engineer** cannot easily obtain.
- 4) Provide any available relevant data the **Owner** may have on file concerning the projects.
- 5) Provide timely review and decisions in response to the **Engineer's** request for information and/or required submittals and deliverables..
- 6) Attend and participate in progress meetings as required and as coordinated and conducted by **Engineer**.
- 7) Provide the authorization to proceed with services on project by project basis through consulting design and construction **Engineer**.

## **EXHIBIT B**

### **Scope of Services to be provided by the Engineer**

#### **GENERAL SCOPE OF WORK**

The work to be performed by the **Engineer** under this Work Authorization shall consist of; Geotechnical Drilling and Miscellaneous Field Services, Geotechnical Laboratory Testing Services and Geotechnical Engineering Services for the HC Sheriff's Office Bus Barn project hereinafter denoted as the **Project**.

The **Engineer** shall provide all services required (as noted under this Work Authorization) for usage by the **Owner** in the preparation of plans, specification and estimate, and related documents for the **Project**. The **Engineer** shall maintain a direct line of communication and coordinate with the **Owner** throughout the project.

The **Engineer** shall furnish all equipment, materials, supplies, and incidentals as needed to perform the services required, except as otherwise specified to be provided by the **Owner**.

Specific activities to be performed by the **Engineer** include the following:

#### **I. Geotechnical Drilling Services and Miscellaneous Field Services**

The **Engineer** will coordinate with the **Owner** for verification of project vicinity map indicating general boring site locations.

The **Engineer** will provide drilling/excavation and sampling of subsurface materials as follows in accordance with this Work Authorization and in conformance with ASTM guidelines:

- Structural Boring – Two (2) Borings will be drilled at approximate locations of the building structures on the project (Borings will be advanced to a depth of approximately 35 feet below the existing top of natural ground) (Boring Designation B-01 through B-02)

The **Engineer** will stake the boring locations and provide utility clearances prior to performing the field exploration portion of the project. The **Owner** will be responsible to provide any necessary permits or authorization to access areas (right of entry) where borings are to be drilled. All borings will be located in the field by a representative of the **Engineer**. All boring locations will be documented with GPS coordinates. Field survey and tie-down locations of all borings will be the responsibility of the **Owner**.

The borings will be advanced to the specified depth(s) and in-situ soil testing will be performed in general accordance with ASTM and/or TxDOT Standard Test Procedures and Geotechnical Manual (ASTM D1586 – Standard Penetration Testing (SPT) and/or Tex-132-E – Texas Cone Penetration (TCP)). In addition, where applicable, thin-walled Shelby tube samples may be collected (ASTM D1587 – Thin Walled Tube Sampling). The soils will be sampled as needed to verify subsurface materials and strata changes. Final drilling depths and elevations will be based on topographic conditions at the time of drilling operations.

Engineer: L&G Consulting Engineers, Inc. (Lab Division)

Owner: Hidalgo County Pct. 4

**EXHIBIT B**

Page 1 of 3

All samples will be removed from the sample apparatus during drilling operations. The **Engineer** will conduct various field tests on the recovered samples, visually classify the samples, and record the appropriate data on a field boring log. The samples will be appropriately packaged to minimize loss of natural moisture content and to reduce the possibility of damage during transportation to the soil testing laboratory facility.

Drilling services will include an initial water strike depth and a 24-hour water level reading at each boring location. Following completion of drilling and sampling, all boreholes will be backfilled with soil cuttings from the completed borings. If there is insufficient soil cuttings available, alternate fill will be used to backfill the completed boreholes.

This proposal does not include activities and corresponding costs that may be associated with the following:

- Providing an ATV mounted drill rig, dozer or special equipment to clear areas of vegetation and debris or re-grading the site to gain access to the boring locations;
- Re-grading the site or portions of the site after drilling activities are completed;
- Site safety meetings that may be required;
- Encountering hazardous or contaminated soils or substances during our field activities.

The **Engineer** will notify the **Owner** should these services become necessary to complete field exploration activities, and if approved by the **Owner**, additional negotiated fee and scope will be incorporated through Supplemental Work Authorization.

## **II. Geotechnical Laboratory Testing Services**

Geotechnical Laboratory Testing will be performed by the **Engineer** on the samples recovered during the field study to evaluate their physical and engineering properties. Laboratory testing will be performed in general accordance with ASTM and/or TxDOT Standard Test Procedures. Testing shall include the following test procedures:

- (1) Atterberg Limits (ASTM D4318 or Tex-104-E, 105-E, 106-E)
- (2) Gradation (-200) (ASTM D1140 or Tex-111-E)
- (3) Lab. Determination of Moisture in Soils (ASTM D2216 or Tex-103-E)
- (4) Sulfate Content of Soil (ASTM C1580 or Tex-145-E)

## **III. Geotechnical Engineering Services**


The **Engineer** will utilize information gathered from the field and laboratory testing to provide the **Owner** with Geotechnical Engineering results and analyses for the **Project**. The findings and conclusions derived from the results and analyses will be presented in an engineering report and provided to the **Owner** (electronic .pdf medium only). The report will include a boring location plan, boring logs with laboratory classification of recovered soil samples at the boring locations and subsurface water conditions encountered. The report will provide analyses and/or engineering recommendations as follows:

Engineer: L&G Consulting Engineers, Inc. (Lab Division)  
Owner: Hidalgo County Pct. 4

1	Structural Evaluation of Borings / Calc. Shear Strength Models / Soil Profiles
2	Deep Foundation Analysis & Recs (All Found Capacity Curves and Skin Friction Charts)
3	Construction Recommendations based on Geotechnical Investigation/Analyses

The report will provide general comments and applicable recommendations regarding construction methods, sequences, and potential difficulties that may arise during overall construction as it relates to the soil aspects of this project. This information may serve to guide both geometric modeling and foundation selection and design as well as provide assistance in the preparation of specifications for the project.

**EXHIBIT "D"**  
**Cost Proposal**



**Geotechnical Engineering, Report & Summary**

L&G Consulting Engineers, Inc. (Division: L&G ENGINEERING LAB)

WA #3 - HC Sheriff's Bus Barn Project Client: Hidalgo County Pct. 4		MANHOURS					Total
		Senior Project Manager	Senior Engineer (Geotechnical)	Project Engineer	Engineering Tech / GIS	Admin/Clerical	
<b>TASK</b>							
1	Structural Evaluation of Borings / Calc. Shear Strength Models / Soil Profiles			2			2
2	Deep Found Analysis & Recs (All Found Capacity Curves and Skin Friction Charts)			4			4
3	Construction Recommendations based on Geotechnical Investigation/Analyses		2	2			4
4	Geotechnical Report (Including Soil Survey/Geog./All Analyses)		2	8	2	2	14
5	Meetings/Coordination	2	2				4
	<b>Subtotal</b>	<b>2</b>	<b>6</b>	<b>16</b>	<b>2</b>	<b>2</b>	<b>28</b>
<b>Labor Hours</b>		<b>2</b>	<b>6</b>	<b>16</b>	<b>2</b>	<b>2</b>	<b>28</b>
<b>Contract Rate (Contract Rates)</b>		<b>\$ 215.34</b>	<b>\$ 180.42</b>	<b>\$ 139.68</b>	<b>\$ 78.57</b>	<b>\$ 58.20</b>	
<b>Total Labor Costs</b>		<b>\$ 430.68</b>	<b>\$ 1,082.52</b>	<b>\$ 2,234.88</b>	<b>\$ 157.14</b>	<b>\$ 116.40</b>	<b>\$ 4,021.62</b>

LINE ITEM EXPENSES

Printing Reproduction (None - Electronic Copies Only)

\$ -

\*L&G Consulting Engineers, Inc. (Sub-Total for Geo. Field & Lab Services)

\$ 6,865.02

\* - (Please see page 2, for detailed estimates of testing)

**Total Expenses**

\$ 6,865.02

**L&G Total Cost**

**\$ 10,886.64**

