



DATE: September 23, 2019

QUOTE #:242687-02

Rodolfo Solis
956.371.2295

Buyboard Quote

(contract #515-16)

HIDALGO COUNTY PCT 3
PO BOX 607
MISSION, TEXAS 78573

New Caterpillar Model: AP600F Paving and Compaction with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: HLK0 SERIAL NUMBER: FACTORY ORDER YEAR: 2020 HOURS: 0

DATE: September 23, 2019 QUOTE #:Quote 242687-02

MACHINE SPECIFICATIONS

STOCK NUMBER: HLK SERIAL NUMBER: FACTORY ORDER YEAR: 2020 HOURS: 0

DESCRIPTION	REF.#	PRICE
AP600F WHL ASPHALT PAVER, HRC	424-9178	\$307,840.00
LANE 3 ORDER	0P-9003	\$0.00
PUSH ROLLER, OSCILLATING	488-9800	\$4,860.00
MAINFRAME, NO POWER EXTENSION	423-7851	\$0.00
AUGER 18" EXTENSION PER SIDE	438-6252	\$2,425.00
ADAPTER, VIBE SCREED	433-6621	\$0.00
DRIVE, ALL WHEEL	433-7563	\$29,810.00
TANK, WASHDOWN	435-0914	\$2,510.00
ENGINE, TIER 4F EPA/STG IV EU	424-9229	\$0.00
DRIVE TIRE, SAND RIB	424-9220	(\$179.00)
LIGHTS, WORKING	424-0927	\$760.00
SENSOR, FEEDER, SONIC	416-1467	\$3,890.00
VENTILATION SYSTEM, NO CANOPY	433-7574	\$8,350.00
CYLINDER KIT, STANDARD	433-7564	\$0.00
INSTRUCTIONS, NORTH AMERICAN	424-9180	\$0.00
PANEL, POWER SUPPLY	416-2013	\$6,620.00
LIGHT, HAZARD	198-8284	\$740.00
UMBRELLA, CAT	187-6649	\$179.00
CONTROL, BASE CAT G&S SYSTEM	416-2003	\$8,280.00
SENSOR, SLOPE	362-8687	\$2,820.00
SENSOR, GRADE, SONIC	416-2006	\$8,890.00

GUIDE, STEERING	273-9969	\$650.00
INDICATOR, TOW POINT	435-1067	\$645.00
KIT, UPTIME	458-4087	\$840.00
HOSE, REEL WITH WAND	463-6563	\$1,880.00
CYLINDER KIT, STANDARD	437-0067	\$0.00
FILM GP US	449-8858	\$0.00
UMBRELLA, SCREED OPERATOR	467-4275	\$624.00
PRODUCT LINK, CELLULAR PL641	462-0803	\$0.00
COVER, NO DECEL PEDAL	416-1454	\$0.00
SEAT, VINYL SUSPENSION	416-1446	\$0.00
KIT, ANGLED DEFLECTOR	493-3538	\$282.00
HEATER, ENGINE COOLANT, 120V	477-9916	\$0.00
COMMISSIONING, NOT NEEDED	0P-2587	\$0.00
PACK, DOMESTIC TRUCK	0P-0210	\$0.00
APRON, STR HYD FOLD	503-4770	\$6,620.00
FLASHING, STR HYD FOLD	505-5877	\$0.00
ENDGATE, MANUAL	437-0070	\$0.00
PAVING ATTACHMENTS - HGA046122	428-4845	\$80,630.00
CYLINDER KIT, STANDARD - HGA046122	437-0067	\$0.00
ENDGATE, ADJUSTABLE CRANK - HGA046122	538-9613	\$0.00
EXT, POWER FOR MANUAL ENDGATE - HGA046122	450-6610	\$3,230.00
BEAM, SONIC AVG SKI	449-8857	\$21,888
HITCH, HYDRAULIC TRUCK	448-5079	\$16,840
EXTENSION, MAINFRAME, POWER	433-7577	\$7,040

INCLUDES 1 YEAR / 1,500 HOUR PREMIER FULL MACHINE WARRANTY

TOTAL MACHINE LIST PRICE

\$515,692.00

MINIMUM DISCOUNT REQUIRED BY BUY BOARD 8% OFF MACHINE LIST

SALE PRICE	\$394,774.00
TOTAL PRICE	\$394,774.00
<hr/>	
SUB TOTAL	\$394,774.00
TOTAL PURCHASE PRICE	\$394,774.00

WARRANTY

Standard Warranty: 12 Month / 1,500 Hours Total Machine

OPTIONAL EXTENDED WARRANTY (above & beyond standard warranty)

60 MONTHS / 3,500 HOURS POWERTRAIN	\$5,500
60 MONTHS / 3,500 HOURS POWERTRAIN & HYDRAULICS	\$7,000
72 MONTHS / 4,500 HOURS POWERTRAIN	\$9,300
72 MONTHS / 4,500 HOURS POWERTRAIN & HYDRAULICS	\$11,000

NOTES

LEAD TIME: 15-20 WEEKS
Equipped with 1 year Vision Link subscription

STANDARD EQUIPMENT

POWERTRAIN

CAT turbocharged diesel engine
Air cleaner, dry-type dual element with integral precleaner
Air-to-air after cooler (ATAAC)
Belt, automatic tensioner
Demand fans (2)
Fuel filter / water separator
Fuel priming pump, electric
Propel system - direct hydrostatic,

dual path drive, electronic control
Dual braking systems (service&parking)
Dual propel pump and motor system
2-speed planetary, 1-speed motor
Propel modes, Pave/Travel/Maneuver
Speed control system
Wheels, front (4), solid rubber on bogie axles

ELECTRICAL

Alarm, back-up
Alternator, 100-amp
Batteries, two maintenance free, 1000 CCA each
CAT ET diagnostic connector
Integrated 70 KW generator
Horn, forward warning

Machine security system wire-ready
Product Link Ready
Remote jump start receptacle
Starting and charging system, 24-volt
Plug and play aftermarket grade and slope ready machine wiring

OPERATOR ENVIRONMENT

Electronic monitoring and warning system with advanced element diagnostics
Automatic engine speed control
Dual, swing-out operator stations
-Control console, tilting
-Propel console, tilting
-Cup holder
-Ground speed indicator
-Propel lever with speed control dial

-Steering wheel, spring return
12 V aux power port
Hopper wing control, independent
Hour meter
Instrumentation, dual LCD touchscreens
Lockable vandalism guards
Platform handrails / guardrails
Power assist steering
Thottle control, high/low idle, ECO-mode and variable, electronic

APPLICATION SPECIFIC COMPONENTS

Adjustable height augers, hydraulic
Cast Ni-Hard steel, split segment, 406 mm (16 in) diameter
Electronic auger/feeder control system
-Gateless feeder system
-Manual override
-Reversible
-Variable speed

Heavy-duty feeder flight bars, forged steel, bushed roller chain
High-hardness, abrasion resistant drag pans, replaceable
Hopper, 250 cu ft (7.1 cu m) capacity with black Tivar flashing
Outboard feeder drives
Remote mounted bearing lube points

FLUIDS

Extended Life Coolant with protection

to -29F (-34C)

OTHER STANDARD EQUIPMENT

Doors, service access, hinged, locking
Filters, hydraulic, grouped
Fuel tank with sediment drain, 291 L (77 gal)
Grouped lube points
Pressure test ports, hydraulic quick-connect
Screed counter balance
Screed lock pins
Sight gauges:

-engine coolant
-pump drive
-material feed planetaries
Slow moving vehicle sign (for ADSD-N)
S.O.S. sampling ports
Sound-suppression insulation kit
Steering guide (1)
Tow point indicator scales, lower
Vandalism protection caplocks



DATE: January 1, 2019

Buyboard 2019
buyboard

One (1) New Caterpillar Inc Model: AP600F Paving and Compaction with all standard equipment in addition to the additional specifications listed below:

Buy Board contract 515-16	
LIST PRICE	\$463,600

WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine
Minimum discount 8% off list buyboard

MACHINE SPECIFICATIONS

DESCRIPTION	REF.#
AP600F WHL ASPHALT PAVER, HRC	424-9178
LANE 3 ORDER	0P-9003
MAINFRAME, NO POWER EXTENSION	423-7851
AUGER 18" EXTENSION PER SIDE	438-6252
ADAPTER, VIBE SCREED	433-6621
ENGINE, TIER 4F EPA/STG IV EU	424-9229
DRIVE TIRE, SAND RIB	424-9220
LIGHTS, WORKING	424-0927
SENSOR, FEEDER, SONIC	416-1467
VENTILATION SYSTEM, NO CANOPY	433-7574
CYLINDER KIT, STANDARD	433-7564
INSTRUCTIONS, NORTH AMERICAN	424-9180
PANEL, POWER SUPPLY	416-2013
LIGHT, HAZARD	198-8284
UMBRELLA, CAT	187-6649
CONTROL, BASE CAT G&S SYSTEM	416-2003
SENSOR, SLOPE	362-8687
SENSOR, GRADE, SONIC	416-2006
GUIDE, STEERING	273-9969
INDICATOR, TOW POINT	435-1067
KIT, UPTIME	458-4087

DESCRIPTION	REF.#
HOSE, REEL WITH WAND	463-6563
UMBRELLA, SCREED OPERATOR	467-4275
PRODUCT LINK, CELLULAR PL641	462-0803
SEAT, VINYL SUSPENSION	416-1446
COMMISSIONING, NOT NEEDED	0P-2587
HITCH, HYD PREP, TRACTOR	433-7570
BOGIE SYSTEM, STANDARD	435-0907
PEDALS, DECELERATOR	416-1453
HEATER, ENGINE COOLANT, 120V	477-9916
PACK, DOMESTIC TRUCK	0P-0210
PUSH ROLLER, OSCILLATING	488-9800
KIT, ANGLED DEFLECTOR	493-3538
APRON, STR HYD FOLD	503-4770
FLASHING, STR HYD FOLD	505-5877
TANK, WASHDOWN	435-0914
PAVING ATTACHMENTS – SE50V	

STANDARD EQUIPMENT

POWERTRAIN

CAT turbocharged diesel engine	dual path drive, electronic control
Air cleaner, dry-type dual element with integral precleaner	Dual braking systems (service&parking)
Air-to-air after cooler (ATAAC)	Dual propel pump and motor system
Belt, automatic tensioner	2-speed planetary, 1-speed motor
Demand fans (2)	Propel modes, Pave/Travel/Maneuver
Fuel filter / water separator	Speed control system
Fuel priming pump, electric	Wheels, front (4), solid rubber on bogie axles
Propel system - direct hydrostatic,	

ELECTRICAL

Alarm, back-up	Machine security system wire-ready
Alternator, 100-amp	Product Link Ready
Batteries, two maintenance free, 1000 CCA each	Remote jump start receptacle
CAT ET diagnostic connector	Starting and charging system, 24-volt
Integrated 70 KW generator	Plug and play aftermarket grade and slope ready machine wiring
Horn, forward warning	

OPERATOR ENVIRONMENT

Electronic monitoring and warning system with advanced element diagnostics	-Steering wheel, spring return
Automatic engine speed control	12 V aux power port
Dual, swing-out operator stations	Hopper wing control, independent
-Control console, tilting	Hour meter
-Propel console, tilting	Instrumentation, dual LCD touchscreens
-Cup holder	Lockable vandalism guards
-Ground speed indicator	Platform handrails / guardrails
-Propel lever with speed control dial	Power assist steering
	Throttle control, high/low idle, ECO-mode and variable, electronic

APPLICATION SPECIFIC COMPONENTS

Adjustable height augers, hydraulic	Heavy-duty feeder flight bars, forged steel, bushed roller chain
Cast Ni-Hard steel, split segment, 406 mm (16 in) diameter	High-hardness, abrasion resistant drag pans, replaceable
Electronic auger/feeder control system	Hopper, 250 cu ft (7.1 cu m) capacity with black Tivar flashing
-Gateless feeder system	Outboard feeder drives
-Manual override	Remote mounted bearing lube points
-Reversible	
-Variable speed	

FLUIDS

Extended Life Coolant with protection	to -29F (-34C)
---------------------------------------	----------------

OTHER STANDARD EQUIPMENT

Doors, service access, hinged, locking

Filters, hydraulic, grouped

Fuel tank with sediment drain,
291 L (77 gal)

Grouped lube points

Pressure test ports, hydraulic
quick-connect

Screed counter balance

Screed lock pins

Sight gauges:

-engine coolant

-pump drive

-material feed planetaries

Slow moving vehicle sign (for ADSD-N)

S.O.S. sampling ports

Sound-suppression insulation kit

Steering guide (1)

Tow point indicator scales, lower

Vandalism protection caplocks