

DAVIS TRAILER & TRUCK EQUIPMENT, INC.

P.O. Box 4129 • 7609 Colonel Glenn • Little Rock, Arkansas 72214-4129
 (501) 562-6295 • In Ark. 1-800-482-9484 • Out of Ark. 1-800-233-1335

QUOTATION NUMBER 14107

QUOTE DATED: 09/10/19
 EXPIRES ON: 10/31/19

KYRISH TRUCK CENTERS
ATTN: MR. WES GONZALEZ
1380 ACKERMAN ROAD
SAN ANTONIO, TX 78216

RE: HIDALGO COUNTY, TEXAS

F.O.B.: SAN ANTONIO, TX

PHONE: 210-661-8371

CELL: 210-857-3479

EMAIL: wgonzalez@kyrishtrucks.com

FAX: 210-661-8321

ENTERED BY	SALESPERSON	CONTACT	SHIP VIA	ESTIMATED DELIVERY	INVOICE TERMS
KL	CHET MERCER	MR. WES GONZALEZ	DELIVERED	35 DAYS ARO 15 DAYS ARC	CHECK AT DELIVERY
<u>QTY</u>	<u>DESCRIPTION</u>				<u>UNIT PRICE</u>
1	DAVIS FMT 12-14				15,600.00

DAVIS 14' 12-14 CUBIC YARD DUMP BODY
 1/2 CAB PROTECTOR
 AIR OPERATED TAILGATE (NINE PANEL)
 DAVIS TOWER CONTROLS (FULL AIR)
 HEAVY DUTY ASPHALT APRON (3" PIPE LIP)
 ALL L.E.D. LIGHTS
 FORMED AND BOXED 6" STEEL SIDE EXTENSIONS
 "HOT" SHIFT PTO FOR ALLISON AUTOMATIC TRANSMISSION
 VERTICAL BRACES BETWEEN HORIZONTAL BRACES ON SIDES
 OVAL STOP, TURN AND TAIL LIGHTS IN REAR CORNER POSTS

INSIDE DIMENSIONS:
 SIDES - 42"
 ENDS - 48"
 WIDTH - 87"
 LENGTH - 14'

EQUIPPED WITH:

DAVIS FMT 63-120: THREE STAGE FRONT MOUNT TELESCOPIC
 HOIST WITH 38 TONS LIFT CAPACITY (NTEA CLASS 110)

ADDITIONAL EQUIPMENT:

U.S. TARP 11528: HEAVY DUTY ARM TYPE TARP SYSTEM WITH GROUND
 LEVEL CRANK, CHAIN GUARD, WIND DEFLECTOR AND MESH TARP

OPTION:

DELIVERY TO HIDALGO COUNTY

ADD:

\$700.00

THE ABOVE EQUIPMENT MEETS OR EXCEEDS THE SPECIFICATIONS PROVIDED

STANDARD PAINT COLORS:

RED, WHITE, BLACK, DARK GREEN, GRAY, MEDIUM OR DARK BLUE

THE PRICE INCLUDES COMPLETE INSTALLATION, DIRECT MOUNT HYDRAULIC
 PUMP, "HOT" SHIFT PTO FOR ALLISON AUTOMATIC TRANSMISSION,
 MUDFLAPS, D.O.T. LIGHTING FOR THE BODY, OSHA SAFETY BODY PROP,
 BACK UP ALARM AND ONE COLOR STANDARD PAINT. THE PRICE IS FIRM FOR
 180 DAYS PROVIDED A PURCHASE ORDER IS ISSUED BY 10/31/2019.

ACCEPTED. The above prices, specifications and conditions are satisfactory and
 are hereby accepted. You are authorized to do the work as specified. Payment
 will be made as outlined above. Please refer to Quotation Number when placing
 your order.

FOR RESALE

QUOTE TOTAL: \$ 15,600.00

Date of Acceptance: _____

Firm: _____


By: _____

Chet D. Mercer

Prepared For:
 Hidalgo, County Of
 Yolanda Velasquez
 2812 S Business Highway 281
 Edinburg, TX 78539-6243
 (956)318 - 2626
 Reference ID: N/A

Presented By:
 SANTEX TRUCK CENTERS, LTD.
 Pat Lewis
 1380 ACKERMAN RD.
 SAN ANTONIO TX 78219 -
 (210)661-8371

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2020 HV607 SBA (HV607)

AXLE CONFIG:	6X4
APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 54000. Calc. GVWR: 54000 Calc. Start / Grade Ability: 21.51% / 2.68% @ 55 MPH Calc. Geared Speed: 73.9 MPH
DIMENSION:	Wheelbase: 185.00, CA: 117.90, Axle to Frame: 55.00
ENGINE, DIESEL:	{Cummins L9 370} EPA 2017, 370HP @ 2000 RPM, 1250 lb-ft Torque @ 1400 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Dana Spicer E-1462W} Wide Track, I-Beam Type, 14,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-4DER} Single Reduction, 40,000-lb Capacity, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends Gear Ratio: 5.29
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-400-54} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings
FRAME REINFORCEMENT:	Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL
PAINT:	Cab schematic 100WL Location 1: 2303, Red (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
HV60700	Base Chassis, Model HV607 SBA with 185.00 Wheelbase, 117.90 CA, and 55.00 Axle to Frame.	\$86,329.00
1570	TOW HOOK, FRONT (2) Frame Mounted	\$84.00
1AND	AXLE CONFIGURATION {Navistar} 6x4	\$0.00
	<u>Notes</u> : Pricing may change if axle configuration is changed.	
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL	\$118.00
1GBP	FRAME REINFORCEMENT Full Outer C-Channel, Heat Treated Alloy Steel (120,000 PSI Yield), 10.813" x 3.892" x 0.312" (274.6mm x 98.8mm x 7.9mm), 480.0" (12192mm) OAL	\$1,650.00
1LMX	BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty	\$79.00
1WGX	WHEELBASE RANGE 169" (430cm) Through and Including 219" (555cm)	\$611.00
2AGC	AXLE, FRONT NON-DRIVING {Dana Spicer E-1462W} Wide Track, I-Beam Type, 14,000-lb Capacity	\$1,401.00
3ADD	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers	\$311.00
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications	\$0.00
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic (with Air Cam Brakes) : SLACK ADJUSTERS, REAR Automatic (with Air Cam Brakes) : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6	
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers	\$265.00
4732	DRAIN VALVE {Berg} with Pull Chain, for Air Tank	\$0.00
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)	\$0.00
4EBS	AIR DRYER {Bendix AD-9} with Heater	\$450.00
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake	\$0.00
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	\$0.00
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake	\$0.00
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	\$0.00
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	\$50.00
4VKJ	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail	\$50.00
5708	STEERING COLUMN Tilting	\$125.00
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
5PSA	STEERING GEAR {Sheppard M100} Power	\$0.00
6DGT	DRIVELINE SYSTEM {Dana Spicer} SPL170 Main Driveline with SPL170 Interaxle Shaft, for 6x4	\$612.00
7BEU	AFTERTREATMENT COVER Aluminum	\$278.00
✓7BKP	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab	\$1,161.00
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment	\$0.00
	<u>Includes</u>	
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel	
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever	
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light	
	: STARTER SWITCH Electric, Key Operated	
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector	
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature	
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever	
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	
	: WIRING, CHASSIS Color Coded and Continuously Numbered	
8518	CIGAR LIGHTER Includes Ash Cup	\$18.00
8541	HORN, ELECTRIC (2) Disc Style	\$29.00
8GXD	ALTERNATOR {Leece-Neve AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Sense	\$0.00
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	\$209.00
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	\$103.00
8RML	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3.5MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music	\$483.00
8RMZ	SPEAKERS (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	\$138.00
8RPB	RADIO, AUXILIARY CONTROLS Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect	\$103.00
8VUL	BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab	\$177.00
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade	\$0.00
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection	\$0.00
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm	\$0.00
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	\$0.00
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
8XHN	HORN, AIR Black, Single Trumpet, with Lanyard Pull Cord	\$94.00
8XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) & USB Port, Located in the Instrument Panel	\$38.00
8XHX	SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel	\$28.00
9585	FENDER EXTENSIONS Rubber	\$104.00
9AAB	LOGOS EXTERIOR Model Badges	\$0.00
9AAE	LOGOS EXTERIOR, ENGINE Badges	\$0.00
9HBM	GRILLE Stationary, Chrome	\$0.00
9WBC	FRONT END Tilting, Fiberglass, with Three Piece Construction, for WorkStar/HV	\$0.00
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	\$0.00
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WL"	
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	\$0.00
11001	CLUTCH Omit Item (Clutch & Control)	\$0.00
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	\$0.00
12849	BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines	\$98.00
	<u>Includes</u> : BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door	
12EHY	ENGINE, DIESEL {Cummins L9 370} EPA 2017, 370HP @ 2000 RPM, 1250 lb-ft Torque @ 1400 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max)	\$12,726.00
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed	\$0.00
	<u>Includes</u> : FAN Nylon	
12UWZ	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core with Internal Water to Oil Transmission Cooler and 1167 In Charge Air Cooler	\$0.00
	<u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber	
12VBC	AIR CLEANER Single Element	\$0.00
12VGZ	FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2019	\$0.00
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	\$0.00
12VYP	ENGINE CONTROL, REMOTE MOUNTED No Provision Furnished for Remote Mounted Engine Control	\$0.00
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply with California Clean Air Idle Regulations	\$0.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
✓13AVR	TRANSMISSION, AUTOMATIC (Allison 3000 RDS) 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway	\$10,133.00
13WET	TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter	\$50.00
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints	\$203.00
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction	\$0.00
13WYU	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming	\$0.00
13XAL	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission	\$0.00
14GVR	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DER} Single Reduction, 40,000-lb Capacity, w/.433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends . Gear Ratio: 5.29	\$9,399.00
14ULX	SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-54} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	\$4,249.00
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles with Bar-Pin Beam Attachment Type Suspensions	\$0.00
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} with Primer Pump, Includes Water-in-Fuel Sensor	\$0.00
15LPP	LOCATION FUEL/WATER SEPARATOR Mounted Inside Left Rail, 24" Back of Cab	\$86.00
15SGG	FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab	\$253.00
15WDG	DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab	\$0.00
16030	CAB Conventional, Day Cab	\$0.00
16BAM	AIR CONDITIONER with Integral Heater and Defroster	\$923.00
16GDG	GAUGE CLUSTER Premium Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display	\$488.00
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission	\$48.00
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} with Black Bezel, Mounted in Instrument Panel	\$30.00
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	\$0.00
16HLX	GAUGE, VOLTMETER Auxiliary Gauge, Located in Center Panel. Standard Cluster Also Includes Digital Voltage Readout	\$0.00
16JNT	SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, with 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust	\$116.00
16SED	GRAB HANDLE, EXTERIOR (2) Black, Aluminum, for Cab Entry Mounted Left and Right Side at B-Pillar	\$87.00
16SMN	SEAT, PASSENGER {National} Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl	\$368.00

<u>Code</u>	<u>Description</u>	<u>List</u> (US DOLLAR)
16SNR	MIRRORS (2) C-Loop, Power Adjust, Heated, LED Clearance Lights, Bright Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width <u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"	\$442.00
16VKB	CAB INTERIOR TRIM Classic, for Day Cab <u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap	\$0.00
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	\$367.00
16WSK	CAB REAR SUSPENSION Air Bag Type	\$0.00
16XJP	INSTRUMENT PANEL Wing Panel	\$333.00
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights	\$253.00
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab	\$0.00
27DUL	WHEELS, FRONT {Accuride 29300} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	\$204.00
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	\$254.00
60AKG	BDY INTG, PTO ACCOMMODATION for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions	\$148.00
7372138132	(8) TIRE, REAR 11R22.5 Load Range G ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position	\$80.00
7792545438	(2) TIRE, FRONT 315/80R22.5 Load Range L HSC 3 (CONTINENTAL), 481 rev/mile, 68 MPH, All-Position	\$724.00
	Total of Product Features	\$137,160.00
	Services Section:	
40128	WARRANTY Standard for HV507, HV50B, HV607 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2025A	\$0.00
	Total of Service Features	\$0.00
	Total List Price Including Options:	\$137,160.00
1	Davis Dump Body	\$15,600.00
	Total Body Allied:	\$15,600.00

INTERNATIONAL®

Vehicle Specifications
2020 HV607 SBA (HV607)

September 24, 2019

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Net Sales Price:		\$221,500.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.