

Canon

req# 418498

State of Texas DIR-CPO-4437 Contract

CPA Vendor #	122305682200	Vendor: Reflect this Number on all Correspondence and Invoices.
Payee ID#:	1223056822	
Vendor Name:	Canon Financial Services/ ordered from Canon USA Inc.	
Address:	14904 COLLECTIONS CENTER DR	
City, State, Zip	Chicago, IL 60693-0149	
Quote No.	C815-0722020-DQM8401	
Date:	July 22, 2020	
Contract No.	DIR-CPO-4437	

Customer Name/Invoice Address:	Address for Delivery:
Hidalgo County Tax Assessor/Collector	Hidalgo County Tax Assessor/Collector
2804 S. Hwy 281	300 E. Hackberry, Ste# E
P.O. Drawer 178	McAllen, TX 78501
Edinburg, Texas 78539 - 0178	

Agency Point of Contact:	Alex Bazan	Phone:	956-292-7000 Ext 4742
		E-Mail:	Alex.Bazan@hidalgocountytax.org
Agency Accounts Payable Contact:	Alex Bazan	Phone:	956-292-7000 Ext 4742
		E-Mail:	Alex.Bazan@hidalgocountytax.org
Securing Dealer	COPY GRAPHICS, INC	Address/ Phone Number	221 N. 10th St McAllen, Tx 78501 / 956-631-0205
Installing Dealer	COPY GRAPHICS, INC	Address/ Phone Number	221 N. 10th St McAllen, Tx 78501 / 956-631-0205

****STATE SALES TAX EXEMPTION CERTIFICATE REQUIRED FOR EVERY ORDER.****

Item codes	Description	Quantity	Unit Price	Total
4056C002AA	ImageRUNNER ADVANCE DX-4725i	36	\$89.66	\$3,227.76
3813C001AA	DADF-BA1 Auto doc Feeder	36	\$13.70	\$493.20
2299C001AA	Cabinet Type Q	36	\$4.16	\$149.76
4378C005AA	super G3 fax Board BF1	36	\$14.38	\$517.68
Service Plan	to include 3000 copies per month. Overages billed at \$.0009 per copy. Service plan includes parts, labor, toners, drums and staples.	36	\$27.00	\$972.00
				\$0.00
	36 MONTH DIR-CPO-4437 STATE OF TEXAS CONTRACT LEASE PER MONTH:			\$0.00
	\$148.90			\$0.00
ALL ITEMS ABOVE MUST BE INCLUDED ON YOUR P.O.				\$0.00
	PO MADE TO: CANON FINANCIAL SERVICES 14904 COLLECTIONS CENTER DRIVE CHICAGO, IL 60693			\$0.00
	**Months encumbered to be determined by entity; if applicable			\$0.00
				\$0.00
Monthly Unit Total			\$148.90	
Total - Page 1				\$5,360.40



Texas DIR Contract #DIR-CPO-4437

Item #	Item Description	MSRP	% off MSRP	Texas DIR Purchase Price	Fair Market Value Operating Lease Program*			
					24 Month	36 Month	48 Month	60 Month
4056C002AA	imageRUNNER ADVANCE DX 4725i	\$8,000	64.00%	\$2,901.60	\$ 131.44	\$ 89.66	\$ 74.86	\$ 62.96
4053C002AA	imageRUNNER ADVANCE DX 4751i	\$15,000	68.00%	\$4,836.00	\$ 219.07	\$ 149.43	\$ 124.77	\$ 104.94
imageRUNNER ADVANCE DX 4725i/4751i Optional Accessories								
4063C001AA	Single Pass DADF-C1	\$2,000	45.00%	\$1,108.25	\$ 50.20	\$ 34.24	\$ 28.59	\$ 24.05
3813C001AA	DADF-BA1	\$800	45.00%	\$443.30	\$ 20.08	\$ 13.70	\$ 11.44	\$ 9.62
3818C002AA	Platen Cover-Y2	\$105	45.00%	\$58.18	\$ 2.64	\$ 1.80	\$ 1.50	\$ 1.26
1420C002AA	High Capacity Cassette Feeding Unit-B1	\$1,900	45.00%	\$1,052.84	\$ 47.69	\$ 32.53	\$ 27.16	\$ 22.85
1419C002AA	Cassette Feeding Unit-AN1	\$1,523	45.00%	\$843.93	\$ 38.23	\$ 26.08	\$ 21.77	\$ 18.31
2299C001AA	Cabinet Type-Q	\$243	45.00%	\$134.65	\$ 6.10	\$ 4.16	\$ 3.47	\$ 2.92
0607C002AA	Paper Deck Unit-F1	\$2,205	45.00%	\$1,221.85	\$ 55.35	\$ 37.76	\$ 31.52	\$ 26.51
3665B001AB	Envelope Feeder Attachment-D1	\$210	45.00%	\$116.37	\$ 5.27	\$ 3.60	\$ 3.00	\$ 2.53
1422C001AA	Inner 2Way Tray-L1	\$105	45.00%	\$58.18	\$ 2.64	\$ 1.80	\$ 1.50	\$ 1.26
1423C002AA	Inner Finisher-J1	\$1,260	45.00%	\$698.20	\$ 31.63	\$ 21.57	\$ 18.01	\$ 15.15
1424C002AA	Inner 2/3 Hole Puncher-C1	\$704	45.00%	\$390.10	\$ 17.67	\$ 12.05	\$ 10.06	\$ 8.47
0613C002AA	Staple Finisher-Y1	\$2,555	45.00%	\$1,415.79	\$ 64.14	\$ 43.75	\$ 36.53	\$ 30.72
0614C002AA	Booklet Finisher-Y1	\$3,920	45.00%	\$2,172.17	\$ 98.40	\$ 67.12	\$ 56.04	\$ 47.14
1426C001AA	Buffer Pass Unit-N1	\$280	45.00%	\$155.16	\$ 7.03	\$ 4.79	\$ 4.00	\$ 3.37
0126C001AA	2/3 Hole Puncher Unit-A1	\$893	45.00%	\$494.83	\$ 22.42	\$ 15.29	\$ 12.77	\$ 10.74
0165C001AA	Utility Tray-B1	\$63	45.00%	\$34.91	\$ 1.58	\$ 1.08	\$ 0.90	\$ 0.76
1266V426	USB Keyboard (Cherry)	\$110	25.00%	\$83.12	\$ 3.77	\$ 2.57	\$ 2.14	\$ 1.80
4784B001AA	Copy Card Reader-F1	\$315	25.00%	\$238.02	\$ 10.78	\$ 7.35	\$ 6.14	\$ 5.17
3684B008AA	Copy Card Reader Attachment-B6	\$84	45.00%	\$46.55	\$ 2.11	\$ 1.44	\$ 1.20	\$ 1.01
4781B001AA	Canon Card Set-A1 (1-30)	\$158	45.00%	\$87.55	\$ 3.97	\$ 2.71	\$ 2.26	\$ 1.90
4781B002AA	Canon Card Set-A2 (31-100)	\$347	45.00%	\$192.28	\$ 8.71	\$ 5.94	\$ 4.96	\$ 4.17
4781B003AA	Canon Card Set-A3 (101-200)	\$462	45.00%	\$256.01	\$ 11.60	\$ 7.91	\$ 6.60	\$ 5.56
4781B004AA	Canon Card Set-A4 (201-300)	\$462	45.00%	\$256.01	\$ 11.60	\$ 7.91	\$ 6.60	\$ 5.56
4781B005AA	Canon Card Set-A5 (301-500)	\$935	45.00%	\$518.11	\$ 23.47	\$ 16.01	\$ 13.37	\$ 11.24
4781B006AA	Canon Card Set-A6 (501-1000)	\$2,352	45.00%	\$1,303.30	\$ 59.04	\$ 40.27	\$ 33.63	\$ 28.28
7518A004AA	Braille Label Kit-F1	\$35	25.00%	\$26.45	\$ 1.20	\$ 0.82	\$ 0.68	\$ 0.57
1095B001AA	ADF Access Handle-A1	\$146	25.00%	\$110.32	\$ 5.00	\$ 3.41	\$ 2.85	\$ 2.39
3726B001AA	Copy Control Interface Kit-A1	\$53	45.00%	\$29.37	\$ 1.33	\$ 0.91	\$ 0.76	\$ 0.64
1348V957	Convenience Stapler-A1 (White)	\$360	45.00%	\$199.49	\$ 9.04	\$ 6.16	\$ 5.15	\$ 4.33
2212V477	Universal Keyboard Stand-A1	\$250	25.00%	\$188.91	\$ 8.56	\$ 5.84	\$ 4.87	\$ 4.10
2212V478	Card Reader Assembly for Universal Keyboard Stand	\$60	25.00%	\$45.34	\$ 2.05	\$ 1.40	\$ 1.17	\$ 0.98
4067C001AA	Attachment Kit for Reader-A1	\$20	45.00%	\$11.08	\$ 0.50	\$ 0.34	\$ 0.29	\$ 0.24
4821B003AA	PCL International Font Set-A1	\$473	45.00%	\$262.10	\$ 11.87	\$ 8.10	\$ 6.76	\$ 5.69
3999B004AA	Barcode Printing Kit-D1e	\$840	45.00%	\$465.47	\$ 21.09	\$ 14.38	\$ 12.01	\$ 10.10
4378C005AA	Super G3 FAX Board-BF1	\$840	45.00%	\$465.47	\$ 21.09	\$ 14.38	\$ 12.01	\$ 10.10
4379C005AA	Super G3 2nd Line Fax Board-BF1	\$525	45.00%	\$290.92	\$ 13.18	\$ 8.99	\$ 7.51	\$ 6.31
0168C004AA	Super G3 3rd/4th Line Fax Board-AS2	\$1,050	45.00%	\$581.83	\$ 26.36	\$ 17.98	\$ 15.01	\$ 12.63
0170C004AA	IP FAX Expansion Kit-B1	\$350	45.00%	\$193.94	\$ 8.79	\$ 5.99	\$ 5.00	\$ 4.21
3679B005AA	Remote Fax Kit-A1e	\$420	45.00%	\$232.73	\$ 10.54	\$ 7.19	\$ 6.00	\$ 5.05
0180C001AA	HDD Mirroring Kit-J1	\$525	45.00%	\$290.92	\$ 13.18	\$ 8.99	\$ 7.51	\$ 6.31
4164BV44AC	HDD Data Erase Scheduler V3.1.2	\$350	45.00%	\$193.94	\$ 8.79	\$ 5.99	\$ 5.00	\$ 4.21
0177C001BA	2.5inch/250GB HDD-N1	\$368	45.00%	\$203.92	\$ 9.24	\$ 6.30	\$ 5.26	\$ 4.43
0178C001AA	2.5inch/1TB HDD-P1	\$1,365	45.00%	\$756.38	\$ 34.26	\$ 23.37	\$ 19.51	\$ 16.41
4036C001AA	Numeric Keypad-A1	\$180	45.00%	\$99.74	\$ 4.52	\$ 3.08	\$ 2.57	\$ 2.16
4040C001AA	IC Card Reader Box for Numeric Keypad-A1	\$160	45.00%	\$88.66	\$ 4.02	\$ 2.74	\$ 2.29	\$ 1.92
0171C001AA	Voice Guidance Kit-G1	\$840	25.00%	\$634.73	\$ 28.75	\$ 19.61	\$ 16.38	\$ 13.77
0172C002AA	Voice Operation Kit-D1	\$1,890	25.00%	\$1,428.13	\$ 64.69	\$ 44.13	\$ 36.85	\$ 30.99
4041C001AA	Connection Kit-A2 for Bluetooth LE	\$200	45.00%	\$110.83	\$ 5.02	\$ 3.42	\$ 2.86	\$ 2.40
4029C001AA	NFC KIT-E1	\$200	25.00%	\$151.13	\$ 6.85	\$ 4.67	\$ 3.90	\$ 3.28
4140B764AA	imageRUNNER ADVANCE Desktop V4.3 1L with 3 yrs Software Maintenance	\$340	15.00%	\$291.17	\$ 13.19	\$ 9.00	\$ 7.51	\$ 6.32
4140B765AA	imageRUNNER ADVANCE Desktop V4.3 5L with 3 yrs Software Maintenance	\$1,400	15.00%	\$1,198.93	\$ 54.31	\$ 37.05	\$ 30.93	\$ 26.02
4140B766AA	imageRUNNER ADVANCE Desktop V4.3 20L with 3 yrs Software Maintenance	\$4,000	15.00%	\$3,425.50	\$ 155.18	\$ 105.85	\$ 88.38	\$ 74.33
4140B775AA	imageRUNNER ADVANCE Desktop V4 1L 1 year Software Maintenance Extension	\$60	15.00%	\$51.38	\$ 2.33	\$ 1.59	\$ 1.33	\$ 1.12
4140B776AA	imageRUNNER ADVANCE Desktop V4 5L 1 year Software Maintenance Extension	\$200	15.00%	\$171.28	\$ 7.76	\$ 5.29	\$ 4.42	\$ 3.72
4140B777AA	imageRUNNER ADVANCE Desktop V4 10L 1 year Software Maintenance Extension	\$350	15.00%	\$299.73	\$ 13.58	\$ 9.26	\$ 7.73	\$ 6.50
4140B778AA	imageRUNNER ADVANCE Desktop V4 20L 1 year Software Maintenance Extension	\$500	15.00%	\$428.19	\$ 19.40	\$ 13.23	\$ 11.05	\$ 9.29
4140B779AA	imageRUNNER ADVANCE Desktop V4 50L 1 year Software Maintenance Extension	\$1,200	15.00%	\$1,027.65	\$ 46.55	\$ 31.75	\$ 26.51	\$ 22.30
4224C009AA	Authorized Send V7.0 (1 License) e-LAN	\$1,100	15.00%	\$942.01	\$ 42.67	\$ 29.11	\$ 24.30	\$ 20.44
4224C010AA	Authorized Send V7.0 (10 License) e-LAN	\$10,500	15.00%	\$8,991.94	\$ 407.33	\$ 277.85	\$ 231.99	\$ 195.13
4224C011AA	Authorized Send V7.0 (100 License) e-LAN	\$105,000	15.00%	\$89,919.38	\$ 4,073.35	\$ 2,778.51	\$ 2,319.92	\$ 1,951.25
4224C014AA	Authorized Send To Fax v7.0 (1 License) e-LAN	\$90	15.00%	\$333.99	\$ 15.13	\$ 10.32	\$ 8.62	\$ 7.25
4224C015AA	Authorized Send v7 Add-on Option (1 License) e-LAN	\$390	15.00%	\$796.43	\$ 36.08	\$ 24.61	\$ 20.55	\$ 17.28
4224C016AA	Authorized Send v7 Worldox add-on Option (1 License) e-LAN	\$220	15.00%	\$188.40	\$ 8.53	\$ 5.82	\$ 4.86	\$ 4.09
4224C017AA	Authorized Send v7 Bar Code Recognition add-on Option (1 License) e-LAN	\$220	15.00%	\$188.40	\$ 8.53	\$ 5.82	\$ 4.86	\$ 4.09
4224C018AA	Authorized Send v7 Fax Server add-on Option (1 License) e-LAN	\$220	15.00%	\$188.40	\$ 8.53	\$ 5.82	\$ 4.86	\$ 4.09
3575B504AA	MiCard PLUS	\$210	15.00%	\$179.84	\$ 8.15	\$ 5.56	\$ 4.64	\$ 3.90
4164BT59AA	AA-PRINT MFP V1.5 G3	\$720	15.00%	\$616.59	\$ 27.93	\$ 19.05	\$ 15.91	\$ 13.38
4848B117AA	MEAP Web Connection Kit V5.6	\$0	0.00%	\$0.00	N/A	N/A	N/A	N/A
4164BM80AB	Direct Print and Scan for Mobile V2.3.2 1L	\$100	15.00%	\$85.64	\$ 3.88	\$ 2.65	\$ 2.21	\$ 1.86
4223C001AA	Object Generator (for AS400 printing) License with 3 year Maintenance	\$6,000	15.00%	\$5,138.25	\$ 232.76	\$ 158.77	\$ 132.57	\$ 111.50
4223C002AA	Object Generator Additional 1 year Maintenance	\$1,000	15.00%	\$856.38	\$ 38.79	\$ 26.46	\$ 22.09	\$ 18.58
5007B004AA	Hard Disk Drive Replacement Service	\$538	34.94%	\$352.65	N/A	N/A	N/A	N/A



Texas DIR Contract #DIR-CPO-4437

Item #	Item Description	MSRP	% off MSRP	Texas DIR Purchase Price	Fair Market Value Operating Lease Program*			
					24 Month	36 Month	48 Month	60 Month
6101AU76AA	ESP NEXT GEN PCS POWER FILTER (120V/15A) XG-PCS-15D (for imageRUNNER 4225/4235/4245/4251 & all Accessories that get power from the main unit)	\$221	36.20%	\$142.06	\$ 6.44	\$ 4.39	\$ 3.67	\$ 3.08
imageRUNNER ADVANCE DX 4725i/4751i Supplies								
1008B001AA	Staple-P1	\$68	10.00%	\$61.66	N/A	N/A	N/A	N/A
0148C001AA	Staple Cartridge-Y1 (for Booklet Finisher-Y1)	\$41	10.00%	\$37.18	N/A	N/A	N/A	N/A
0473C003AA	GPR-57 Toner Black	\$107	10.00%	\$96.67	N/A	N/A	N/A	N/A
imageRUNNER ADVANCE DX 4725i/4751i Maintenance Options (Toner Inclusive)								
	imageRUNNER ADVANCE DX 4725i B&W Click Charge			\$0.0090				
	imageRUNNER ADVANCE DX 4751i B&W Click Charge			\$0.0080				

imageRUNNER ADVANCE DX 4700 Series

Print up to 51 ppm (BW)

Scan up to 270 (300 dpi) (BW/color, duplex)

Print up to 11" × 17"

6,350-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology; better **control** sensitive information and print-related costs; and help ensure that technology investments proactively **evolve** with changing needs.

Black-and-white
Mid-volume
Multifunction



WORKFLOW EFFICIENCY

- 10.1" intuitive touchscreen with smartphone-like usability.
- A unique, customized experience tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive.¹
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Hot Folders allow users to drag and drop a file into a hot folder, and automatically print with predefined settings such as number of copies and finishing requirements.



SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM* systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at startup. McAfee Embedded Control² utilizes a whitelist to protect against malware and tampering of firmware and applications.
- Security policy settings can be controlled with a dedicated password, configured from a central location, and exported to other supported devices.
- Control access to the device and specific features, using a host of flexible authentication methods—PIN code, user name/password, or card access.³



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for crisp text and consistent images in rich black-and-white tones.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE DX models have received many awards and recognition from leading industry analysts, often referencing strong reliability.

* Security Information and Event Management



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics and parts life management for proactive maintenance and rapid fixes.
- Easy and intuitive to monitor device status and consumable levels, turn off devices remotely, observe meter readings, manage settings, and implement security policies.
- Common firmware and regular updates with Unified Firmware Platform (UFP) for continuous improvements and consistency across a fleet.



COST MANAGEMENT


- Track and assess print, copy, scan, and fax usage and allocate costs to departments or projects.
- Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.
- Standard cloud-based solution provides a centralized dashboard with up-to-the-minute insights into printer activity.
- Upgrade to uniFLOW server or cloud-based solutions for full accounting and reporting for compatible Canon and third-party devices, pull printing, job routing, and powerful scan workflows.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Encourage environmentally-conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and rated EPEAT® Gold.†

CONFIGURATION OPTIONS



Not Shown

- Inner 2/3 Hole Puncher-C1 (for Inner Finisher-J1)
- 2/3 Hole Puncher Unit-A1 (for External Finishers)
- Platen Cover Type-W

SPECIFICATIONS

Main Unit

Type
Monochrome Laser Multifunctional

Core Functions
Standard: Print, Copy, Scan, Send, Store
Optional: Fax

Processor
1.75 GHz Dual Core Processor

Control Panel
10.1" TFT LCD WSVGA Color Touch-panel

Memory
3.0 GB RAM

Hard Disk Drive
Standard: 250 GB
Maximum: 1 TB

Print Resolution
1200 dpi x 1200 dpi

Interface Connection

Network
Standard: 1000Base-T/100Base-TX/10Base-T,
Wireless LAN (IEEE 802.11 b/g/n)
Optional: NFC, Bluetooth Low Energy

Others
Standard: USB 2.0 x1 (Host), USB 3.0 x1 (Host),
USB 2.0 x1 (Device)
Optional: Copy Control Interface

Paper Capacity (LTR, 20 lb. Bond)
Standard: 1,200 Sheets
Maximum: 6,350 Sheets

Paper Sources (LTR, 20 lb. Bond)
Standard: Two 550-sheet Paper Cassettes,
100-sheet Stack Bypass
Optional: Two 550-sheet Paper Cassettes (Cassette
Feeding Unit-ANI), 2,450-sheet Paper Deck
(High Capacity Cassette Feeding Unit-B1),
2,700-sheet Paper Deck (Paper Deck
Unit-F1)

Paper Output Capacity (LTR, 20 lb. Bond)
Standard: 250 Sheets
3,350 Sheets (with Buffer Pass-N1 + Staple)
Maximum: Finisher-Y1 or Booklet Finisher-Y1)

Finishing Capabilities
Standard: Collate, Group
With Finishers: Collate, Group, Offset, Staple, Saddle Stitch,
Hole Punch, Eco Staple, Staple On Demand

Supported Media Types
Upper/Lower Cassette: Thin, Plain, Recycled, Color, Heavy,
Pre-punched
Multi-purpose Tray: Thin, Plain, Recycled, Color, Heavy,
Pre-punched, Bond, Transparency,
Label, Envelope

Supported Media Sizes
Upper Cassette: Legal, Letter, Letter-R, Executive,
Statement-R, Custom Size
(5-1/2" x 7-1/8" to 11-3/4" x 15-3/8")
Lower Cassette: 11" x 17", Legal, Letter, Letter-R, Executive,
Statement-R, Custom Size
(5-1/2" x 7-1/8" to 11-3/4" x 17"), Envelope⁵:
[No.10 (COM10), Monarch, DL, ISO-C5]
Multi-purpose Tray: 11" x 17", Legal, Letter, Letter-R, Executive,
Statement-R, Envelope [No.10 (COM10),
Monarch, DL, ISO-C5], Custom Size/Free
Size (3-7/8" x 5-7/8" to 11-3/4" x 17")

Supported Media Weights
Upper/Lower Cassette: 16 lb. Bond to 80 lb. Cover (60 to 220 g/m²)
Multi-purpose Tray: 14 lb. Bond to 80 lb. Cover (52 to 220 g/m²)
Duplexing: 16 lb. Bond to 28 lb. Bond (60 to 105 g/m²)

Print/Copy Speed
475i: Up to 51 ppm (Letter), Up to 37 ppm
(Letter-R), Up to 25 ppm (Legal),
Up to 25 ppm (11" x 17")
4745i: Up to 45 ppm (Letter), Up to 32 ppm
(Letter-R), Up to 25 ppm (Legal),
Up to 22 ppm (11" x 17")
4735i: Up to 35 ppm (Letter), Up to 32 ppm
(Letter-R), Up to 25 ppm (Legal),
Up to 22 ppm (11" x 17")
4725i: Up to 25 ppm (Letter), Up to 17 ppm
(Letter-R), Up to 13 ppm (Legal),
Up to 15 ppm (11" x 17")

Warm-up Time
From Power On: Approx. 24 Seconds⁶
From Sleep Mode: Approx. 10 Seconds⁷
Quick Startup Mode: Approx. 4 Seconds⁸

Dimensions (W x D x H)
475i/4745i: 24" x 28-1/2" x 36-3/4"
(608 mm x 722 mm x 932 mm)⁹
4735i/4725i: With Platen Cover-Y2: 24" x 28-1/8" x 32-3/8"
(608 mm x 713 mm x 822 mm)
With Single Pass DADF-C1: 24" x 28-1/2" x
36-3/4" (608 mm x 722 mm x 932 mm)
With DADF-BA1: 24" x 28-3/8" x 36-1/2"
(608 mm x 719 mm x 926 mm)

Installation Space (W x D)
Basic: 44" x 45-5/8" (1,116 x 1,160 mm) (with Platen
Cover-Y2 + Multi-purpose Tray open/extension
tray extended + Paper Cassette open)
44" x 46" (1,116 x 1,169 mm) (with Single
Pass DADF-C1 + Multi-purpose Tray open/
extension tray extended + Paper Cassette
open)
44" x 45-7/8" (1,116 x 1,166 mm) (with DADF-
BA1 + Multi-purpose tray open/extension
tray extended + Paper Cassette open)
71-3/8" x 46" (1,811 x 1,169 mm) (with Single
Pass DADF-C1 + Paper Deck Unit-F1 + Booklet
Finisher-Y1 with extension tray extended and
Saddle unit drawn)
71-3/8" x 45-7/8" (1,811 x 1,166 mm) (with
DADF-BA1 + Paper Deck Unit F1 + Booklet
Finisher-Y1 with extension tray extended and
Saddle unit drawn)

Fully Configured:

Weight¹⁰
475i/4745i: Approx. 193.8 lb. (87.9 kg)
With Platen Cover: Approx. 165.3 lb. (75 kg)
With Single Pass DADF-1: Approx. 193.8 lb.
(87.9 kg)
4735i/4725i: With DADF-BA1: Approx. 179.5 lb

Print Specifications

Standard Page Description Languages
UFR II, PCL[®]6, Adobe[®]PS[®]3

Supported File Types for Direct Print
PDF, TIFF, JPEG, EPS, XPS

Printing from Mobile Devices and Cloud-based Services
A range of standard and optional software and MEAP-based solutions (including AirPrint, Mopria, Google Cloud Print, Canon PRINT Business, and uniFLOW Online) are available to provide printing from mobile devices or internet-connected devices and cloud-based services depending on your requirements. Please contact your sales representative for further information.

Fonts
PCL Fonts: 93 Roman, 10 Bitmap fonts, 2 OCR fonts,
Andalé Mono WT J/K/S/T (Japanese,
Korean, Simplified and Traditional Chinese),¹¹
Barcode Fonts¹²
PS Fonts: 136 Roman

Operating System¹³
UFR II/PS: Windows[®] 7/8.1/10/Server 2008/Server
2008 R2/Server 2012/Server 2012 R2/
Server 2016/Server 2019, Mac OS X (10.10
or later)
PCL: Windows[®] 7/8.1/10/Server 2008/Server
2008 R2/Server 2012/Server 2012 R2/
Server 2016/Server 2019
PPD: Windows[®] 7/8.1/10, Mac OS X (10.9 or later)

Copy Specifications

First-Copy-Out Time (Letter)
475i: As fast as 3.7 seconds
4745i: As fast as 3.8 seconds
4735i: As fast as 3.8 seconds
4725i: As fast as 5.2 seconds

Copy Resolution (dpi)
600 x 600

Multiple Copies
Up to 9,999 Copies

Copy Exposure
Automatic or Manual (9 Levels)

Magnification
25%-400% (1% Increments)

Preset Reduction/Enlargement
25%, 50%, 64%, 73%, 78%, 100%(1:1), 121%, 129%,
200%, 400%

Scan Specifications

Type
475i/4745i: Standard Single Pass Duplexing Automatic
Document Feeder
4735i/4725i: Optional Single Pass Duplexing Automatic
Document Feeder, Duplexing Automatic
Document Feeder, or Platen Cover

Document Feeder Paper Capacity

Single Pass DADF: Up to 200 Sheets
DADF: Up to 100 Sheets

Document Feeder Supported Media Sizes
11" x 17", Legal, Letter, Letter-R, Statement, Statement-R

Document Feeder Supported Media Weights
Single Pass DADF-C1
Single-sided Scanning: 13.3 lb. Bond to 80 lb. Cover
(50 to 220 g/m²)
Double-sided Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220 g/m²)
DADF-BA1
Single-sided Scanning: 13.3 lb. Bond to 34 lb. Bond (50 to 128 g/m²)
17 lb. Bond to 34 lb. Bond (64 to 128 g/m²) (CL)
Double-sided Scanning: 13.3 lb. Bond to 34 lb. Bond (50 to 128 g/m²)
17 lb. Bond to 34 lb. Bond (64 to 128 g/m²) (CL)

Platen Acceptable Originals
Sheet, Book, 3-Dimensional Objects

Platen Supported Media Size
UP to 11-3/4" x 17" (297 mm x 431.8 mm)

Pull Scan
Color Network ScanGear2 for both Twain and WIA
Supported OS: Windows[®] 7/8.1/10/Server 2008/Server 2008
R2/Server 2012/Server 2012 R2/Server 2016

Scan Resolution (dpi)
Push: Up to 600 x 600
Pull: Up to 600 x 600

Scan to Mobile Devices and Cloud-based Services
A range of solutions is available to provide scanning to mobile devices and cloud-based services depending on your requirements.

Scan Speed (Letter)
Single Pass DADF-C1
Single-sided Scanning
BW/Color: 135/135 (300 x 300 dpi, send)
80/80 (600 x 600 dpi, copy)
Double-sided Scanning
BW/Color: 270/270 (300 x 300 dpi, send)
60/90 (600 x 600 dpi, copy)
DADF-BA1
Single-sided Scanning
BW/Color: 70/70 (300 x 300 dpi, send)
51/51 (600 x 600 dpi, copy)
Double-sided Scanning
BW/Color: 35/35 (300 x 300 dpi, send)
25.5/25.5 (600 x 600 dpi, copy)

Send Specifications

Destination

Standard: E-mail/Internet FAX (SMTP), SMB 3.0, FTP, WebDAV, Mail Box
Optional: Super G3 Fax, IP Fax

Address Book

LDAP (2,000)/Local (1,600)/Speed dial (200)

Send Resolution (dpi)

Push: Up to 600 x 600
Pull: Up to 600 x 600

Communication Protocol

File: FTP (TCP/IP), SMB 3.0 (TCP/IP), WebDAV
Email: SMTP, POP3

File Format

TIFF, JPEG, PDF (Compact, Searchable, Apply Policy, Optimize for Web, PDF/A-1b, Trace & Smooth, Encrypted, Device Signature, User Signature), XPS (Compact, Searchable, Device Signature, User Signature), Office Open XML (PowerPoint, Word)

Fax Specifications (Optional)

Maximum Number of Connection Lines

4

Modem Speed

Super G3: 33.6 Kbps
G3: 14.4 Kbps

Compression Method

MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement-R to 11" x 17"

Fax Memory

Up to 30,000 Pages (2,000 Jobs)

Speed Dials

Max. 200

Group Dials/Destinations

Max. 199 Dials

Sequential Broadcast

Max. 256 Addresses

Memory Backup

Yes

Store Specifications

Mail Box (Number Supported)

100 User In-boxes, 1 Memory RX In-box, 50 Confidential Fax In-boxes, 30,000 Maximum Pages Stored (2,000 Jobs Stored)

Advanced Box

Communication Protocol: SMB or WebDAV Supported
Client PC: Windows (Windows 8.1/10)
Concurrent Connections (Max.)
SMB: 64
WebDAV: 3 (Active Sessions)

Advanced Box Available Disk Space

Approx. 16 GB (Standard HDD)
Approx. 480 GB (With Optional 1 TB HDD)

Memory Media

Standard: USB

Security Specifications

Authentication

Standard: Universal Login Manager, uniFLOW Online Express,⁴ User Authentication, Department ID Authentication, Access Management System, Device and Function Level Log-in
Optional: uniFLOW

Data

Standard: Trusted Platform Module (TPM), Hard Disk Password Lock, Hard Disk Drive Erase, Mail Box Password Protection, Hard Disk Drive Encryption (FIPS140-2 Validated), Verify System at Startup, McAfee Embedded Control²
Optional: Hard Disk Drive Mirroring, IEEE 2600.2 Common Criteria Certification, Data Loss Prevention (Requires uniFLOW)

Network

Standard: Encrypted Secure Print, IP/Mac Address Filtering, IPsec, TLS Encrypted Communication (v1.0/1.1/1.2/1.3), SNMP v3.0, IEEE 802.1X, IPv6, SMTP Authentication, POP Authentication before SMTP, S/MIME, SIEM Integration

Document

Standard: Secure Watermark, Secure Print, Forced Hold Printing, Adobe LiveCycle[®] Rights Management ES2.5 Integration, Encrypted PDF, Encrypted Secure Print, Device Signature, User Signature

Environmental Specifications

Operating Environment

Temperature: 50 to 86°F
Humidity: 20 to 80% RH (Relative Humidity)

Power Requirements

110-127V, 60Hz, 10.4A

Power Consumption

Maximum: Approx. 1,500 W
Standby: Approx. 39 W¹⁵
Sleep Mode: Approx. 0.9 W¹⁶
Typical Electricity Consumption (TEC) Rating¹⁷
475i: 0.71 kWh
4745i: 0.62 kWh
4735i: 0.51 kWh
4725i: 0.34 kWh

Standards

ENERGY STAR[®] Certified
Rated EPEAT[®] Gold⁴

Consumables

Toner

GPR-57 Toner BK

Toner Yield (Estimated @ 6% Coverage)

Black: 42,100 Images

¹ Subscription to a third-party cloud service required. Subject to third-party cloud service provider's terms and conditions.

² Requires Unified Firmware Platform v3.9 or greater.

³ Requires additional option.

⁴ For current EPEAT rating (Gold/Silver/Bronze), please visit www.epeat.net.

⁵ Envelope Feeder Attachment-D1 is required.

⁶ Time from device power-on, until copy ready (not print reservation).

⁷ Time from exiting Sleep mode to when printing is operational.

⁸ Time from device power on to when the copy icon appears and is enabled to operate on the touch panel display.

⁹ Time from device power-on to when key orientations can be performed on the touch panel display.

¹⁰ Includes toner.

¹¹ Requires the optional PCL International Font Set-A1.

¹² Requires the optional Barcode Printer Kit-D1.

¹³ Other operating systems and environments including AS/400, UNIX, Linux and Citrix may be supported. Some of these solutions are chargeable. SAP Device Types are available via the SAP Market Place. For more information, contact your sales representative.

¹⁴ No charge for this solution; however activation is required.

¹⁵ Reference Value (measured one unit).

¹⁶ 0.9 W sleep mode not available in all circumstances due to certain settings.

¹⁷ Based on ENERGY STAR Product Specification for Imaging Equipment Version 3.0.

USA.CANON.COM/SIMPLYADVANCED



AirPrint and the AirPrint logo are trademarks of Apple Inc. Canon, imageRUNNER, imageWARE, imagePASS, and the GENUINE logo are registered trademarks or trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. McAfee and the McAfee logo are trademarks of McAfee LLC in the US and/or other countries. All other referenced product names and marks are trademarks of their respective owners. All printer output images are simulated. All features presented in this brochure may not apply to all Series and/or products and may be optional; please check with your Canon Authorized Dealer for details. Products shown with optional accessories. Canon U.S.A. does not provide legal counsel or regulatory compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21 or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.
©2020 Canon U.S.A., Inc. All rights reserved.



To learn about Canon's many awards, visit usa.canon.com/awards.

CERTIFICATE OF INTERESTED PARTIES

FORM 1295

1 of 1

Complete Nos. 1 - 4 and 6 if there are interested parties.
Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

**OFFICE USE ONLY
CERTIFICATION OF FILING**

Certificate Number:
2020-651681

Date Filed:
07/31/2020

Date Acknowledged:

1 Name of business entity filing form, and the city, state and country of the business entity's place of business.
Canon Financial Services Inc
Mount Laurel, NJ United States

2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.
County of Hidalgo, Texas

3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.
Requisition # 418498
Leased Copier Equipment

4	Name of Interested Party	City, State, Country (place of business)	Nature of interest (check applicable)	
			Controlling	Intermediary

5 Check only if there is NO Interested Party.


6 UNSWORN DECLARATION

My name is Joseph Violetti, and my date of birth is _____.

My address is 158 Gaither Drive, Mount Laurel, NJ, 08054, USA.
(street) (city) (state) (zip code) (country)

I declare under penalty of perjury that the foregoing is true and correct.

Executed in Burlington County, State of NJ, on the 31st day of July, 2020.
(month) (year)



Signature of authorized agent of contracting business entity
(Declarant)