

February 17, 2021

Proposal Prepared For
Hidalgo County PCT 1
 Attn: Mario Cano
DIR CPO 4428
KYOCERA ECOSYS M6235CIDN
 Digital Color Copier | Network Print | Scan System |

37 Pages Per Minute	250-Sheets Standard Tray
100K Max Monthly Volume	7.5 Seconds First Page Out
37Seconds Warm-Up Time	Mobile Printing
1GB Memory	7" Color Touch Screen
Surge Protector	Stand

DIR LEASE INVESTMENT

KYOCERA ECOSYS M6235cidn	36 months \$ 53.18
Equipment	Purchase Price
Ecosys M6235cidn	\$ 1,427.80
Copier Stand	\$ 187.88
Surge Protector	\$ 108.81
DIR Purchase Price	\$ 1,724.49

SERVICE AGREEMENT

This service agreement covers FULL maintenance and replacement of any necessary parts and consumable supplies including Drum, Developer & Toner. The service agreement will exclude paper & staples only.

Black/White Copies
\$28.80 per Month

The service agreement will cover up to 2,000 copies per month for the full term of the lease. Overages will bill monthly at \$.0144 per black copy.

SERVICE AGREEMENT METER PLAN COLOR .075 PER COPY

This service agreement will cover up to the full term of the lease and will cover FULL maintenance and replacement of any necessary parts and consumable supplies including Drum, Developer & Toner. The service agreement will exclude paper & staples only.

- Free Installation.
- No Property Taxes
- No Documentation Fee
- No Insurance Needed
- No Freight Cost at end of term

Thank You,

Daniel Montaña
 Vice President



[Handwritten Signature]

Authorized Signature for approval of proposal as stated above

Date

www.digitalrgv.com




› PRINT › COPY › SCAN

ECOSYS M6235cidn

COLOR MULTIFUNCTIONAL
PRINTER



**ECONOMICAL.
ECOLOGICAL.
ECOSYS
TECHNOLOGY.**



At speeds up to 37 ppm, the **ECOSYS M6235cidn**, Color A4 (up to 8.5" x 14") MFP combines impressive performance with advanced features to take document workflow to the next level. Designed for ease-of-use with a 7" color touch screen interface (TSI), it packs business driving features such as a 100 Sheet Dual Scan Document Processor, exceptional business color, HyPAS Business Application capabilities, On-The-Go secure mobile Print/Scan and more in a small footprint. Its low TCO allows workgroups of all sizes to affordably drive their productivity.

- › Crisp Color Business Output up to 37 Pages per Minute
- › True 1200 x 1200 dpi Print Output*
- › Customizable 7" Color Touch Screen Interface (TSI)

- › Standard 350 Sheets Capacity; Upgradable to 1,850 Sheets
- › KYOCERA Mobile Print™, Apple AirPrint®**, Google Cloud Print™ and Mopria® Print Services Compatible
- › KFS Ready - KYOCERA Fleet Services, a Secure Cloud-Based Monitoring System, Optimizes Device Uptime and Reduces Cost
- › KNM Ready - KYOCERA Net Manager, an Administrative Interface to Manage User Print Policies (How and Where Users Print) and Print Devices

*At Reduced Speed **Optional IB-36 Required



KYOCERA
Document Solutions

ECOSYS M6235cidn

ECOSYS TECHNOLOGY

Kyocera ECOSYS MFPs provide advanced office solutions that enable businesses to achieve fast return-on-investment, with minimal impact on the environment. Specifically, ECOSYS M6235cidn utilizes imaging technology that is comprised of our patented long-life drum and separate toner cartridges. This eliminates drum replacement when toner is depleted, reducing both cost-per-print and landfill waste. As such, Kyocera's ECOSYS MFPs support our customers' sustainability initiatives—while driving down operating costs.

BASIC SPECIFICATIONS

Configuration:

Color Multifunctional Printer - Print / Copy / Scan

Pages per Minute:

Black/Color - Letter: 37 ppm; Legal: 30 ppm; A4: 35 ppm

Duplex Print Speed: Letter 18 ppm; Legal 15 ppm; A4 17 ppm

Display: 7" Color Touch Screen Control Panel (TSP)

Warm Up Time: 25 Seconds or Less (Power On)

First Page Out Time:

Copy: 7.5 Seconds or Less Black, 8.5 Seconds or Less Color

Print: 6 Seconds or Less Black, 7.5 Seconds or Less Color

Resolution: 1200 x 1200 dpi¹; 9600 dpi x 600 dpi, 600 x 600 dpi

Memory: Std/Max: 1 GB / 3 GB

Duplex: Standard Stackless, Supports Statement to Legal

(5.5" x 8.5" – 8.5" x 14"), 16 lb Bond - 90 lb Index (60 – 163gsm)

Dimensions / Weight: 18.9" W x 22.7" D x 24.4" H / 80.3 lb

Maximum Monthly Duty Cycle: 100,000 Pages per Month

POWER CONSUMPTION

Electrical Requirements: 120V, 60Hz, 10.3A; 220-240V, 50Hz, 5.6A

Typical Electricity Consumption (TEC):

120V: 1,710 Wh/week; 220-240V: 1,630 Wh/week

Maximum (Including Options): 120V: 1,293 W; 220-240V: 1,369 W

Copy / Printing: 120V: 551/523 W; 220-240V: 547/532 W

Ready Mode: 120V: 74 W; 220-240V: 84 W

Sleep Mode: 120V: 0.6 W; 220-240V: 0.6 W

Power Off: 120V: 0.1 W; 220-240V: 0.2 W

PRINTER SPECIFICATIONS

Standard Controller: ARM Cortex-A9 Dual Core 1.2GHz

PDLs / Emulations: PRESCRIBE, PCL6 (PCL-XL/PCL-5c), KPDL3

(AES, PDF Direct Print Support), XPS, OpenXPS (TIFF/JPEG Direct Print Support)

Fonts: Outline: 93 Fonts (PCL 6/KPDL3), 8 Fonts (Windows/Vista);

Bitmap: 1 Font, 79 Outline Fonts

Barcodes: 1 Dimensional: 45 Type; 2 Dimensional: PDF417 1 Type

Windows: Windows 7/8/8.1/10/Server 2008/Server 2008

R2/Server 2012/Server 2012 R2/Server 2016

Mac OS: Requires Mac OS X v10.5 or Later

Interfaces: 10/100/1000BaseTX, 2 High-Speed USB 2.0 Ports,

1 Expansion Slot; Optional: Wireless IB-36 LAN (Approx. 98 ft

Range, AirPrint & Wi-Fi Direct), IB-51 (Approx. 328 ft Range);


IB-50 Dual LAN NIC

Mobile Printing: KYOCERA Mobile Print, KYOCERA Mobile Print


for Students, KYOCERA MyPanel, KYOCERA Print Service Plugin,


Apple AirPrint^{2,3} & Wi-Fi Direct⁴, Google Cloud Print⁵, Mopria⁶

HARNESS THE POWER OF YOUR ECOSYS MFPs WITH CUSTOMIZED BUSINESS APPLICATIONS

 **KYOCERA MOBILE PRINT:** Simply and conveniently print files, web pages, and images using your smartphone or tablet.

 **PINPOINT SCAN 3:** Scan from your MFP to your PC with added speed, functions and versatility.

 **SHAREPOINT CONNECTOR:** Enhance collaboration utilizing your Kyocera MFPs and your existing Microsoft SharePoint Server.

 **TEACHING ASSISTANT:** Streamline printing, grading, and analyzing multiple-choice bubble tests and reduce paper output by saving student reports to USB drives or email.

Network Print and Supported Protocols: TCP/IP, IPv4, IPv6, NetBEUI, FTP, LPR, Port9100, Apple Bonjour, IPP, WSD Scan/Print, DHCP, DNS, PNP-X, USB, LDAP, SNMP, SMTP, PDF Direct Print, PnP-X (WSD-Discovery for WSD Print Service)

Drivers: KX Driver, KX(XPS) Driver, PCL Mini Driver, KPDL Mini Driver, Network FAX Driver, TWAIN Driver, WIA Driver, MAC Driver, Linux Driver

Utilities: KYOCERA Net Direct Print, File Management Utility, KYOCERA Print Center, KYOCERA Net Admin, KYOCERA Net Viewer, ID Register, Quick Setup, Maintenance Menu, Command Center RX; KYOCERA Fleet Services (KFS) & KYOCERA Net Manager (KNM) Ready

Additional Print Features: HyPAS Capable¹, EcoPrint, Private Print, Proof and Hold, Quick Copy and Job Storage¹, N-Up Printing, Print Priority Setting, Job End Notification, Job Name Setting

SECURITY SPECIFICATIONS

Standard: Local & Network Authentication, IPsec, HTTPS, SNMPv3, IPPS, POP over SSL, FTP over SSL, SMTP over SSL, LDAP over SSL; Optional: HDD Overwrite & Data Encryption with Data Security Kit (E)

SCAN SPECIFICATIONS

Scan Type: Color and Black & White Scanner

Scan Resolution:

600 dpi x 600 dpi, 400 dpi x 400 dpi, 300 dpi x 300 dpi,

200 dpi x 400 dpi, 200 dpi x 200 dpi, 200 dpi x 100 dpi

Scanning Functions: PC (SMB), E-mail (SMTP), USB, FTP, WSD,

TWAIN/WIA; Continuous Scan, Mixed Originals, Skip Blank Page

File Formats: TIFF (Compressed MMR/JPEG), PDF (Compressed

MMR/JPEG), XPS, JPEG, PDF/A-1, PDF/A-2, PDF (High

Compression), Encrypted PDF, Open XPS; Optional: Searchable

PDF and OOXML / OOXML (OCR) with Scan Extension Kit (A)

Scan Speeds:

Simplex BW/Color: @300 dpi - 60ipm/40ipm;

@600 dpi - 40ipm/20ipm

Duplex (DSDP) BW/Color: @300 dpi: 62ipm/46ipm; @600 dpi

46ipm/32ipm

Original Size: Min/Max: Glass/DP: Statement to Legal

(5.5" x 8.5" – 8.5" x 14"); Banner: DP Up to 36"

COPY SPECIFICATIONS

Image Mode:

Text, Photo, Text & Photo, Map, Light Text/Fine line Mode

Copy Quantity: 1-999 / Auto Reset to 1

Job Management: 200 Address Book Records, 100 Department

Codes, 100 One-Touch Keys, 20 Program Keys, 2 Shortcut Keys

Magnification / Zoom: Auto Zoom, Full Size, 7 Reduction,

5 Enlargement Preset Ratios, 25 - 400% in 1% Step Increments

Additional Features: Auto Color Select (ACS), Auto Zoom,

Auto Duplex, Continuous Scan, Skip Blank Page, ID Card Copy,

Quiet Mode

DOCUMENT PROCESSOR

Type / Capacity:

Dual Scan Document Processor (DSDP) / 100 Sheets

Acceptable Originals:

Statement to Legal (5.5" x 8.5" – 8.5" x 14")

Acceptable Weights:

Simplex / Duplex : 13 - 32 lb Bond (50 – 120gsm)

PAPER SUPPLY

Standard Paper Sources:

Single 250 Sheet Drawer, 100 Sheet Multipurpose Tray

Standard / Maximum Paper Sources:

2 / 5 including Multipurpose Tray

Standard / Maximum Paper Capacity: 350 Sheets / 1,850 Sheets

Paper Size: Standard and MPT: Statement to Legal

(5.5" x 8.5" – 8.5" x 14"), Custom

Paper Weight:

Standard / Optional Drawers: 16 lb Bond – 90 lb Index

(60 – 163gsm); MPT: 16 lb Bond – 120 lb Index (60 – 220gsm)

Standard Output Tray Capacity: 250 Sheets

Input Materials:

Plain Paper, Letter Head, Bond Paper, Recycled Paper;

MPT: Cardstock, Labels, Transparency, OHP, Vellum, Envelope

PAPER HANDLING OPTIONS

PF-5100: Paper Feed Cassette (500 Sheet x 3)

Paper Size: Statement to Legal (5.5" x 8.5" – 8.5" x 14"), Custom

Input Materials:

Plain Paper, Letter Head, Bond Paper, Recycled Paper, Envelope

Dimensions / Weight: 15.4" W x 20.3" D x 4.6" H / 9.1 lbs

ADDITIONAL OPTIONS

M5-5100 B: Manual Stapler

Print Management: ThinPrint (UG-33)

Security: Card Authentication Kit (B); Data Security Kit (E)

SD Card: 16 / 32 GB

HDD: HD-6: 32 GB SSD / HD-7: 128 GB SSD

Wireless LAN: IB-36, IB-51 (IEEE 802.11b/g/n)

Additional NIC: IB-50 Gigabit NIC

Optional Memory: 2 GB DIMM Memory (DDR3)

Other: Scan Extension Kit (A), USB Keyboard (Customer Supplied)

¹ At Reduced Speed

² Requires Optional IB-36

³ Requires Optional SD Card, HD-6 or HD-7

Specifications and design are subject to change without notice.

For the latest on connectivity visit usa.kyoceradocumentsolutions.com.

ECOSYS, HyPAS, Command Center RX, KYOCERA Mobile Print, KYOCERA Mobile Print for Students, KX Driver, MyPanel, Net Admin, Net Viewer, PinPoint Scan, PRESCRIBE, and Teaching Assistant are trademarks of the KYOCERA Companies.

Mac OS and AirPrint are trademarks of Apple, Inc. Google Cloud Print is a trademark of Google, Inc. Mopria is a trademark of Mopria Alliance, Inc. SharePoint and Windows are trademarks of Microsoft, Inc. All other trademarks are the property of their respective owners.

KYOCERA Document Solutions America, Inc.
Headquarters: 225 Sand Road, Fairfield, NJ 07004-0008, USA
©2018 KYOCERA Document Solutions America, Inc.
IC# 855D400660
V062018

