

APPENDIX “A”
Specifications/Requirements
Hidalgo County
“Purchase of Uniforms and Accessories”
BID No. 2021-149-09-29-TDL

GENERAL REQUIREMENTS, TERMS AND CONDITIONS

PURPOSE

Hidalgo County is seeking to contract with a qualified vendor(s) to furnish *“Purchase of Uniforms and Accessories”* on an “As Needed Basis” including, but not limited to, the following:

1) **PREPARATION of BID**

All costs and expenses associated with the preparation and submission of bids shall be the responsibility of the bidder and no reimbursement for such charges or expenses shall be passed onto Hidalgo County.

2) **EMERGENCY PURCHASE**

Hidalgo County has the authority to utilize State Contracts whenever it is in the County’s best interest to do so.

3) **QUANTITIES**

Quantities are estimates only and are not a commitment to buy. Approximate usage does not constitute an order, but only implies the probable quantity that will be used. Commodities will be ordered on an **As-Needed Basis**. Bidder is responsible for accurate final counts.

4) **CONTRACT TERM**

The initial contract term will be for two (2) years with the County’s option to extend for an additional two (2) one (1) year term under the same rates, terms, and conditions. Hidalgo County reserves the right to continue this bid for an additional sixty (60) day grace period, under the same rates, terms and conditions at the end of the contract term for unforeseen delays in award of new bid for the next contract term.

5) **INSURANCE (requirements)**

- a. The bidder must at all times during the term of this contract, maintain insurance coverage with not less than the type and requirements shown. **(Refer to Exhibit “C”)**
- b. Such insurance is to be provided at the sole cost of the bidder.
- c. Bidder shall furnish Hidalgo County with Certificate of Insurance naming Hidalgo County as additional insured.

6) **MULTIPLE VENDOR AWARD (special requirements)**

Hidalgo County reserves the right to award this contract to more than one vendor at the County’s discretion.

7) **GARMENT FITTING**

The successful vendor shall be required to measure each deputy in order to provide proper uniform fit for odd sizes and/or custom fit.

8) **PRICING**

All bid prices for items shall take into consideration shipping and handling costs, embroidery, patches on uniforms and any other items mentioned on specifications as part of the fixed unit price.

9) **SHIPPING/PACKAGING**

All Individual orders must be packaged individually and must be folded and wrapped in plastic. The departments name must be indicated on the outside of the package including the packing slip with the following information:

- Name of address of vendor
- Name and address of requesting department
- Hidalgo County Purchase Order Number
- Description of product(s) or material shipped
- Quantity of items

10) **BRAND NAMES**

Specifications may reference name brands and model numbers. It is not the intent of Hidalgo County to restrict these bids in such cases, but to establish a desired quality level of merchandise or to meet a pre-established standard due to like existing items. Bidder may offer items of equal stature and the burden of proof of such stature rests with Bidder. Hidalgo County shall act as sole judge in determining equality and acceptability of products offered.

11) **FABRIC AND COLOR COMPATIBILITY**

Due to existing stock, uniforms in use and color compatibility concern, the brand names and colors indicated in the specification are acceptable. Bid proposing any other names and colors will be required to provide a specifications sheet on the material proposing to be equal with the following information addressed.

- Weave
- Weight
- Fiber Content
- Ply of Yarn
- Breaking Strength
- Construction
- Fiber length
- Dye Procedure
- Kaumograph

Uniforms/clothing proposed must match colors and patches/embroidery of uniforms/clothing currently being used by user department.

12) **AGE and MANUFACTURE**

All tangible goods being bid must be new and unused. All items not specifically mentioned that are required for a complete unit shall be furnished.

13) **DELIVERY & DISTRIBUTION SCHEDULE**

Vendor will ensure that **all deliveries will be delivered in full within thirty (30) to forty-five (45) days** from purchase order. Delivery date is important to the County and may be required to be part bid. Hidalgo County considers delivery time to be that period elapsing from the time the individual order is placed until that order is received by the County at the specified delivery location. The delivery date indicates a guaranteed delivery to Hidalgo County, Tx. **Failure of the bidder to meet guaranteed delivery dates or service performance and could affect future County orders.**

14) **SAMPLES**

A sample of the uniform/clothing being proposed **MUST** be submitted (only if submitting equal to or better) at no charge to the County with the bids for review and inspection by Hidalgo County. Arrangements will be made with the vendor to return all uniform/clothing at no charge to the County. **IF SAMPLES ARE NOT SUBMITTED, THE BID WILL BE DISQUALIFIED AND REJECTED.** It is the sole responsibility of the vendor to ensure delivery of samples to the address provided **before** bid opening date and time.

15) **WARRANTIES**

The successful vendor shall warrant that all materials utilized in the performance of this contract shall conform to the proposed specifications and/or all warranties as stated in the Uniform Commercial Code and be free from all defects in material, workmanship and title.

16) **BID AWARD**

Award of contract shall be made to the most responsible, responsive bidder, whose offer is determined to be the best value, taking into consideration the relative importance of price. Hidalgo County reserves the right to be the sole judge as to whether items bid will serve the purpose intended. Hidalgo County reserves the right to accept or reject in part or in whole any bid submitted, and to waive any technicalities or informalities for the best interest of the County. Hidalgo County reserves the right to award based upon individual line items, sections or total bid.

17) Hidalgo County reserves the right to seek purchases from state contracts whenever it is in the best interest to do so.

18) The contract for this project will be utilized by any Hidalgo County Law Enforcement Agencies

19) The awarded vendor will have a representative made available to measure any and/or all participating county departments.

20) ADDITIONAL INFORMATION

Request from interested bidders for additional information or interpretation of the information included in the specifications and all questions should be directed in writing via email to: tanya.delira@co.hidalgo.tx.us.

21) QUESTIONS & ANSWERS DEADLINE:

The deadline for receipt of all questions is no later than **Monday, September 20, 2021, by 5:00 p.m.** All questions and their responses will be sent to all bidders via email by no later than **Wednesday, September 22, 2021, by 5:00 p.m.**

22) UNIFORM/ACCESSORIES ITEMS REQUIRED or equivalent:

Below is the description of uniforms/accessories to be included in bid response. Current Brands and Styles in use are currently what user dept. use.

- A.) Hidalgo County Constable Precinct No. 1 (Items-1-10)
- B.) Hidalgo County Constable Precinct No. 2 (Items-1-16)
- C.) Hidalgo County Constable Precinct No. 3 (Items-1-15)
- D.) Hidalgo County Constable Precinct No. 4 (Items-1-18)
- E.) Hidalgo County Sheriff's Office (Items-1-23)

A.) Hidalgo County Constable Precinct No. 1

1) SHIRTS-ArmorSkins - Blauer 8370-45 equal or better

- Designed to look like a uniform shirt when worn over an ArmorSkin® Base Shirt, ArmorSkin® helps to maintain a professional appearance and your tactical advantage in the field
- Polyester ArmorSkin matches: [LS Polyester ArmorSkin Base Shirt](#), [SS Polyester ArmorSkin Base Shirt](#), and [Polyester ArmorSkin Winter Base Shirt](#)
- Universal armor fit and easy adjustment at shoulders and sides allows your existing ballistic armor and carrier to be fitted and worn exactly as it would under a uniform shirt and according to the manufacturer's instructions
- Mesh lining and side panels are lightweight and provide more breathability and quick-dry comfort
- Side openings with stretch nylon mesh and heavy duty one-way YKK zippers offer advanced mobility, quick donning and doffing, and more coverage
- Durable 8.5 oz 100% Polyester fabric matches Blauer 100% Polyester shirting and pant fabric
- Customization: Red Merrowed Bordered Epaulets - Red of Shoulder patch

2) SHIRTS- Short Sleeve Base Shirts Blauer 8372-45 equal or better

- Durable uniform shirting fabric combined with breathable, moisture-wicking mesh fabric creates the ultimate performance uniform shirt that is both professional and comfortable
- Designed to look like a Class A or B uniform shirt when worn under ArmorSkin®
- SS Polyester Base Shirt matches Polyester Armorskin
- Lightweight, moisture-wicking stretch mesh covers torso area for quick-dry comfort, body temperature regulation and advanced mobility
- Durable 8.5 oz 100% Polyester fabric matches Blauer 100% Polyester shirting and pant fabric
- Convertible sport collar
- 3-button center front placket
- Double pen pocket on left chest

3) SHIRTS- Long Sleeve Base Blauer 8371-45 equal or better

- Durable uniform shirting fabric combined with breathable, moisture-wicking mesh fabric creates the ultimate performance uniform shirt that is both professional and comfortable
- Designed to look like a Class A or B uniform shirt when worn under ArmorSkin®
- LS Polyester Base Shirt matches [Polyester ArmorSkin](#)
- Lightweight, moisture-wicking stretch mesh covers torso area for quick-dry comfort, body temperature regulation and advanced mobility
- Durable 8.5 oz 100% Polyester fabric matches Blauer 100% Polyester shirting and pant fabric
- Banded dress collar
- 3-button center front placket
- 2-button adjustable cuffs
- Double pen pocket on left chest

4) SHIRTS-5.11 TACTICAL-(Taclite Pro SS 71175, 71175T)-equal or better

FABRIC TYPE	Main Body: 65% polyester 35% cotton 4.4 oz Taclite with Teflon® finish Lining: 100% Polyester Mesh
FEATURES & BENEFITS:	Teflon® finish for stain resistance; Large horizontal back vent lined with mesh that has good wicking properties; Locker loop at inside back neck; Collar features hidden button-down tabs; Two bellowed chest pockets and pencil pocket openings on each flap; Double pencil pocket on wearer's left sleeve; 5.11 patented hidden document pocket; Comes with an epaulette and badge holder kit for easy conversion; UPF Rating: 25
STITCHING & FINISHING:	Seams are durable with 10-12 stitches per inch on all operations Triple needle stitching on the armholes, front yoke, back cape, document pocket, pocket bags, both sides of center front placket and collar edge

	Double needle topstitching on pocket flaps, sleeve hems and clean finished shirt tail 2 Vertical bar tacks on each of the pocket flaps spaced 1 1/2 apart for the pen pocket opening " Bartacks at top corners of pocket flaps and chest pockets, top and bottoms of document pocket openings and at center back of cape
CLOSURES:	Buttons – 4 hole Melamine buttons that won't melt, burn, or crack <u>20 Ligne Buttons:</u> 1 at center front neck band, 6 buttons on front placket, 1 spare button and 2 buttons provided for optional epaulettes <u>14Ligne Buttons:</u> 2 buttons at hidden button-down tab, under collar 1 spare Hook and loop closure on document pockets and chest pockets
LABELS:	Parts # label, woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the inside of the shirt
STOCK SIZES:	S-3XL Regular; L-5XL Ta
COLORS:	019 Black, 162 TDU Khaki, 724 Dark Navy , 010 White, 190 TDU Green, 018 Charcoal in
CUSTOMIZATIONS	Shirts to include sewn-on Epaulets and Sewn-on Badge Tab plied by 511

5) SHIRTS-5.11 Tactical -Performance Polo-71049 (equal or better)

FABRIC TYPE	100% Smart Weave Polyester, Jersey Knit
FEATURES & BENEFITS	The performance polo is made with specialty engineered fabric that doesn't snag when it comes in contact with Velcro or other abrasive surfaces. There is a 3 button placket; Mic-clip pockets are conveniently located on each shoulder; a mic-clip loop is placed at the sternum level and a dual pen pocket on the left sleeve; The flat knit collar features an anti-rolling technology that keeps the collar from rolling or turning up; The body features saddle-shoulder construction and gusseted underarm sleeve for greater range of motion and also the bottom hem features a split side vent.
STITCHING & FINISHING	Stitches per inch are 10-12 on all operations Double needle coverstitch centered over the seams of the armholes and side gussets; Neckline has ¼" single needle topstitching; Front Placket is 1¼" wide with edge stitching on both sides; Sleeve hem has 1" turned up with ¼" double needle coverstitch; Hem has 1" turned up with ¼" double needle coverstitch; Individually packaged in poly bag like a dress shirt with plastic clips, cardboard collar band, and antimicrobial, moisture-wicking
CLOSURES:	Buttons – 4 hole Melamine buttons that won't melt, burn, or crack, 20 Ligne Buttons: 3 center front placket
LABELS:	5.11 Main Label is a heat transfer inside the back half-moon. Fabric content /country of origin, size, and care instructions are all on the transfer label.
SIZES:	XS-3XL
COLORS:	Dark Navy, Black, Silver Tan, Charcoal, TDU Green, LE Green, White, Traffic Yellow and Range Red
CUSTOMIZATIONS	Shirts to include direct embroidery of badge design on left chest and name and/or Rank text direct embroidery on the right chest

6) PANTS- BLAUER 8650-04 (equal or better)

	<ul style="list-style-type: none"> • 12 oz. linear twill weave polyester fabric with 10% stretch • Stretch waistband construction with 2 bead silicone shirt grip and double hooks • Silicone crease retention process • Front quarter pocket styling • 2 hip pockets • Strong and comfortable cotton blend pocketing • Heavy-duty nylon fly zipper with auto-lock slider • Split-seam tailored construction • Thigh let-outs accommodate athletic builds • Extra-strength tandem-needle seat seam • Customization: With Piggy-Back Striping 1" Silver tan on 1 1/4" Red - From top of waistband down
--	---

7) PANTS-TACTICAL PRO (5.11 Tactical- 74273) equal or better

FABRIC & FINISHING	<ul style="list-style-type: none"> • Main body: 65% Polyester, 35% Cotton , 6.14 oz, tear resistant Ripstop; with HR Teflon water resistant • Pocketing : 65% Polyester 35% Cotton, 3.2 oz T/C, tightly woven poplin
SIZE	28 to 54 waist size with varying lengths
COLOR	Department to determine color
DESIGN FEATURES & BENEFITS	Self-adjusting side elastic action waist with 7 wide belt loops and a key ring. Snap closure on outside and button on inside fly. Tool strap on right back. Front pleats and crotch gusset for maximum range of movement. Deep front pockets, Cordura lined knife pocket on right front and Cordura lined cell pocket on left; Pleated cargo pockets on both sides; two large, open back pockets. The pant has double seat and double knees of self-fabric with knee pad openings inside.
DESIGN DETAILS POCKETS:	<ul style="list-style-type: none"> • Front and Back Pocket openings are reinforced with Cordura binding on knife clip area. Pocket openings are firmly bar tacked. Front pocket bags are made of durable Poly/cotton blend. Pocket bags are extra deep and finished clean inside the pant with stitched edge for heavy duty. • Knife Pocket has extra firm welt for knife clip, and is sized to accommodate C.U.B. knife or hide a magazine. • Cell Pocket is gusseted on both sides and accommodates blackberry, the flap has Velcro closure for safety. • Back Pockets are made of self-fabric; they are extra-large with easy access open tops and Velcro closure. • Cargo Pockets have expandable inverted box pleat in the center and flap with two-Velcro closures.
SEAMS & STITCHING	<ul style="list-style-type: none"> • Seams are durable with 10 stitches per inch and extra heavy 5-thread construction. • Top Stitching's are non-raveling lock stitching's. Belt loops are double top stitched, and bar tacked on all corners. Back pocket openings and tool strap is cross bar tacked. Side seams, fly outline, front rise and seat seam are double stitched. Crotch gusset is top stitched, crotch points and fly are bar tacked. Front pocket openings, pocket flaps, knee patches, and double seat are double top stitched. Cargo pockets are set with double stitching. Pocket and pocket flap setting stress points are bar tacked
LABELS	The woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the pant.
CLOSURES	Closures are high quality, proven performance brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is PRYM snap with extra firm grip. Inside button is cross stitched.

8) JACKETS

FABRIC	Outershell: Travis Mills #7450 100% Nylon Supplex (equal or better) Removable Lining: 104x86 Thread Count, 70 Denier Nylon Taffeta or equal Color: Navy Thinsulate by 3M quilted 200-gram body with 100-gram sleeve or equal. 100 % Nylon taffeta, thread counts 104x86 or equal
DESIGN	The jacket shall be a full cut, waist length model with two-way zipper front, Thinsulate zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction shall be used throughout the body and sleeves being fully lined
BODY DETAIL	The front shall be plain with patch pockets, flaps and badge tab. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a one piece back designed with the Articulated Gusset for full freedom of movement. There is to be a separate 2- ½" shirred waistband with 2 ½" heavy duty elastic. The entire waistband is to be shirred with the exception of an area 5 ¾" on either side of the front opening. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and elasticized snap closure. The shoulders shall have pads. A self-goods reinforcement strip, approximately 3", shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side.
INSIDE DETAIL	On the left side of the coat, there shall be a gun pocket installed on the permanent lining to accept a small frame handgun. The gun pocket shall have a minimum opening of 4 ½" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closure. Bartacks shall reinforce the opening. There shall be two cut-in pockets on the left and right sides measuring approximately 5 ¼" wide and 6" deep. There shall be a strap and snap on the lining of each sleeve end for attaching the zip in liner. The bottom of the coat on the inside shall have a 4" piece of outer shell material between the waistband and the inner taffeta lining to guard against wear from the inside.
SLEEVES	The sleeves shall be one piece set in with a single needle machine. The bottom of the sleeve shall have Velcro and elastic for adjustable fit. The cuff itself should measure 1 7/8" in width. .
POCKETS	There shall be two patch pockets with 1½" box pleats, finishing approximately 6½" wide and 7 3/8" deep. Flaps shall be scalloped and self-lined, measuring 6¼ wide and 3 3/8" long at center and 3" long at each end. They shall close with Velcro on the side points and with a centered buttonhole. The pockets shall be lined with pocketing material with an opening of approximately 5½" on the side. The left patch pocket is to have a 1½" pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked. Flaps are too interlined
COLLAR	The standup collar shall be made using self-material and shall be interlined with Pellon. There shall be an option of a detachable hood and fur collar using Orlon pile. This collar and hood are to be attached to the permanent collar with buttons.
EPAULETS	The epaulets shall be made of self-goods. They shall be sewn into the sleeve head seam, "X" stitched and tacked to the jacket at the neck.
SIZES	Jackets must be available small through XXL and larger
BADGE TAB	The badge tab shall be made of the outer fabric lined with pocketing fabric, and shall measure 2" tall by 1" wide. The first eyelets is ½ "down from the top finished edge and the second is ½" up from the bottom finished edge. The eyelets are spaced 1" apart from center to center. The badge tab shall be centered 2 ½" above the left flap pocket.
ZIPPER	There shall be an YKK #5, two-way molded nylon zipper in the front and an 11" nylon zipper on each side vent.
BUTTONS & SNAPS	The pocket flaps and epaulets shall be secured with 24 ligne metal buttons. The front fly and size zipper tabs shall be secured by high impact, non-reflective, non-glare, scratch resistant snaps.
THREAD	All sewing is to be done with polyester core thread or 100% spun polyester thread.
SIZE TAG & CARE INSTRUCTIONS	Each jacket shall have a sewn-in woven size label. There shall also be a printed label with care instructions. Each coat shall be marked with lot number, size fiber content and WPL number.
WARRANTY	Garments shall have a one year warranty against workmanship against workmanship or fabric defects.
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with 4 1/2" emblem 80% embroidery with plastic backing. Emblem are to be included in the price of the jacket

9) RAINCOATS

DESCRIPTION	Law Pro RW217 or Equal With Reflective 4" CONSTABLE on Both Sides
-------------	---

10) PATCHES

SHOULDER PATCHES	4 1/2" 85% Embroidery - Twill Midnight Navy Background
------------------	--

B.) Hidalgo County Constable Precinct No. 2

1) SHIRTS- BLAUER Polyester Super Shirt *short sleeve* (8675) equal or better

- 8 oz. washable 100% fade resistant polyester with 10% stretch and wicking finish
- Abrasion resistant, stretch nylon mesh side panels provide advanced breathability and a custom tapered fit
- Special function pleated patch pockets with hook-and-loop flaps, pencil slots, and secure vertical compartment behind the pocket for glasses or documents
- Adaptive visibility provided by deployable reflective trim on pocket panels, inside cuffs and underside of rear collar provide 360 degree nighttime visibility
- Port opening on sides for microphone ear piece connection to radio
- Zippered front with mock buttons
- Center-positioned microphone/camera tab for ease of use
- Extra-long shirt tails stay tucked in
- Convertible sport collar for comfort and contemporary appearance
- Traditional 5-crease military style (stitched)
- 2-button adjustable cuffs
- Reinforced epaulets
- Badge with internal support strap
- Color: to be determine by dept.
- Size: SIZE: SM-5XL
- Customization: Merrowed Bordered Epaulets-Red of Shoulder Patch (9) Nine Metal Removable Gold or Silver Texas Buttons With Washer & Toggle

2) SHIRTS- BLAUER- Polyester Super Shirt *long sleeve* (8670) equal or better

- 8 oz. washable 100% fade resistant polyester with 10% stretch and wicking finish
- Abrasion resistant, stretch nylon mesh side panels provide advanced breathability and a custom tapered fit
- Special function pleated patch pockets with hook-and-loop flaps, pencil slots, and secure vertical compartment behind the pocket for glasses or documents
- Adaptive visibility provided by deployable reflective trim on pocket panels, inside cuffs and underside of rear collar provide 360 degree nighttime visibility
- Port opening on sides for microphone ear piece connection to radio
- Zippered front with mock buttons
- Center-positioned microphone/camera tab for ease of use
- Extra-long shirt tails stay tucked in
- Convertible sport collar for comfort and contemporary appearance
- Traditional 5-crease military style (stitched)
- 2-button adjustable cuffs
- Reinforced epaulets
- Badge with internal support strap
- Color: to be determine by dept.
- SIZE: SM-5XL
- Customization: Merrowed Bordered Epaulets-Red of Shoulder Patch (9) Nine Metal Removable Gold or Silver Texas Buttons With Washer & Toggle

3) SHIRTS- BLAUER- Polyester ArmorSkin short *sleeve* (8372) equal or better

- Durable uniform shirting fabric combined with breathable, moisture-wicking mesh fabric creates the ultimate performance uniform shirt that is both professional and comfortable.
- Designed to look like a Class A or B uniform shirt when worn under ArmorSkin®
- SS Polyester Base Shirt matches [Polyester Armorskin](#)
- Lightweight, moisture-wicking stretch mesh covers torso area for quick-dry comfort, body temperature regulation and advanced mobility
- Durable 8.5 oz 100% Polyester fabric matches Blauer 100% Polyester shirting and pant fabric
- Convertible sport collar
- 3-button center front placket
- Double pen pocket on left chest
- Color: to be determine by dept.
- Size: SM-5XL

4) SHIRTS- BLAUER- Polyester ArmorSkin *long sleeve* (8371) equal or better

- Durable uniform shirting fabric combined with breathable, moisture-wicking mesh fabric creates the ultimate performance uniform shirt that is both professional and comfortable.
- Designed to look like a Class A or B uniform shirt when worn under ArmorSkin®
- SS Polyester Base Shirt matches [Polyester Armorskin](#)
- Lightweight, moisture-wicking stretch mesh covers torso area for quick-dry comfort, body temperature regulation and advanced mobility
- Durable 8.5 oz 100% Polyester fabric matches Blauer 100% Polyester shirting and pant fabric
- Banded dress collar
- 3-button center front placket
- Double pen pocket on left chest
- Color: to be determine by dept.
- Size: SM-5XL

5) SHIRTS BASE-ArmorSkins - Blauer 8370-45

- Designed to look like a uniform shirt when worn over an ArmorSkin® Base Shirt, ArmorSkin® helps to maintain a professional appearance and your tactical advantage in the field
- Polyester ArmorSkin matches: [LS Polyester ArmorSkin Base Shirt](#), [SS Polyester ArmorSkin Base Shirt](#), and [Polyester ArmorSkin Winter Base Shirt](#)
- Universal armor fit and easy adjustment at shoulders and sides allows your existing ballistic armor and carrier to be fitted and worn exactly as it would under a uniform shirt and according to the manufacturer's instructions
- Mesh lining and side panels are lightweight and provide more breathability and quick-dry comfort
- Side openings with stretch nylon mesh and heavy duty one-way YKK zippers offer advanced mobility, quick donning and doffing, and more coverage
- Durable 8.5 oz 100% Polyester fabric matches Blauer 100% Polyester shirting and pant fabric
- Customization: Red Merrowed Bordered Epaulets - Red of Shoulder patch AND with (9) Nine Metal Removable Gold or Silver Texas Buttons With Washer & Toggle

6) SHIRTS- 5.11 Tactical -Performance Polo -71049 (equal or better)

FABRIC TYPE	100% Smart Weave Polyester, Jersey Knit
FEATURES & BENEFITS	The performance polo is made with specialty engineered fabric that doesn't snag when it comes in contact with Velcro or other abrasive surfaces. There is a 3 button placket; Mic-clip pockets are conveniently located on each shoulder; a mic-clip loop is placed at the sternum level and a dual pen pocket on the left sleeve; The flat knit collar features an anti-rolling technology that keeps the collar from rolling or turning up; The body features saddle-shoulder construction and gusseted underarm sleeve for greater range of motion and also the bottom hem features a split side vent.
STITCHING & FINISHING	Stitches per inch are 10-12 on all operations; Double needle coverstitch centered over the seams of the armholes and side gussets; Neckline has ¼" single needle topstitching; Front Placket is 1¼" wide with edge stitching on both sides; Sleeve hem has 1" turned up with ¼" double needle coverstitch; Hem has 1" turned up with ¼" double needle coverstitch; Individually packaged in poly bag like a dress shirt with plastic clips, cardboard collar band, and antimicrobial, moisture-wicking
CLOSURES:	Buttons - 4 hole Melamine buttons that won't melt, burn, or crack, 20 Ligne Buttons: 3 center front placket
LABELS:	5.11 Main Label is a heat transfer inside the back half-moon. Fabric content / country of origin, size, and care instructions are all on the transfer label.
SIZES:	XS-4XL

COLORS:	TO BE DETERMINE BY DEPT
CUSTOMIZATION	Shirts to include Direct Embroidery of Badge Design on Left Chest and Name and/or Rank Text Direct Embroidery on the Right Chest

7) PANTS-HORACE SMALL SENTRY (HS 2147/HS 2479) equal or better

BELT LOOPS:	¾" Lined
BLEND:	100% Polyester / VISA® Finish with Solarban® technology
CARE:	Home Wash or Dry Clean
CLOSURE:	<ul style="list-style-type: none"> • Brass Ratcheting Zipper and Crush-Proof Hook & Eye Closure • French-Fly Tab on Men's Styles
FINISH:	Moisture Management, Soft Hand and Permanent Soil Release
POCKET:	<ul style="list-style-type: none"> • Quarter-Top Front Pockets • Double-Welt, Topstitched Hip Pockets with Triangle Bartacks and Button-Tab Left-Pocket Closure
CUSTOMIZATIONS:	<ul style="list-style-type: none"> • Piggy-Back Striping – ½" Brown on ¾" Red - From top of waist down
WAISTBAND:	<ul style="list-style-type: none"> • Men's Style: Comfort Cool-Flex® • Women's Style: Function Fit® with Comfort Cool-Flex®

8) PANTS –5.11 TACTICAL-TACTLITE PRO (74273) equal or better

FABRIC & FINISHING	<ul style="list-style-type: none"> • Main body: 65% Polyester, 35% Cotton, 6.14 oz, tear resistant Ripstop; with HR Teflon water-resistant • Pocketing: 65% Polyester 35% Cotton, 3.2 oz T/C, tightly woven poplin
SIZE	28 to 54 Waist Sizes with varying lengths
COLOR	Department to determine color
DESIGN FEATURES & BENEFITS	Self-adjusting side elastic action waist with 7 wide belt loops and a key ring. Snap closure on outside and button on inside fly. Tool strap on right back. Front pleats and crotch gusset for maximum range of movement. Deep front pockets, Cordura lined knife pocket on right front and Cordura lined cell pocket on left; Pleated cargo pockets on both sides; two large, open back pockets. The pant has a double seat and double knees of self-fabric with knee pad openings inside.
DESIGN DETAILS POCKETS:	<ul style="list-style-type: none"> • Front and Back Pocket openings are reinforced with Cordura binding on knife clip area. Pocket openings are firmly bar tacked. Front pocket bags are made of durable Poly/cotton blend. Pocket bags are extra deep and finished clean inside the pant with stitched edge for heavy duty. • Knife Pocket has extra firm welt for knife clip and is sized to accommodate C.U.B. knife or hide a magazine. • Cell Pocket is gusseted on both sides and accommodates blackberry, the flap has Velcro closure for safety. • Back Pockets are made of self-fabric; they are extra-large with easy access open tops and Velcro closure. • Cargo Pockets have expandable inverted box pleat in the center and flap with two-Velcro closures.
SEAMS & STITCHING	<ul style="list-style-type: none"> • Seams are durable with 10 stitches per inch and extra heavy 5-thread construction. • Top Stitching's are non-raveling lock stitching. Belt loops are double top stitched, and bar tacked on all corners. Back pocket openings and tool strap are cross bar tacked. Side seams, fly outline, front rise and seat seam are double stitched. Crotch gusset is top stitched, crotch points and fly are bartacked. Front pocket openings, pocket flaps, knee patches, and double seat are double top stitched. Cargo pockets are set with double stitching. Pocket and pocket flap setting stress points are bar tacked
LABELS	The woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the pant.
CLOSURES	Closures are high quality, proven performance brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is PRYM snap with extra firm grip. Inside button is cross stitched.

9) PANTS –WOMEN'S 5.11 TACTICAL(TACTLITE PRO 64360) equal or better

FABRIC & FINISHING	<ul style="list-style-type: none"> • Main body: 65% Polyester, 35% Cotton, 6.14 oz, tear resistant Ripstop; with HR Teflon water-resistant • Pocketing: 65% Polyester 35% Cotton, 3.2 oz T/C, tightly woven poplin
SIZE	2 to 20 Regular & Long
COLOR	Department to determine color
DESIGN FEATURES & BENEFITS	Self-adjusting side elastic action waist with 7 wide belt loops and a key ring. Snap closure on outside and button on inside fly. Tool strap on right back. Front pleats and crotch gusset for maximum range of movement. Deep front pockets, Cordura lined knife pocket on right front and Cordura lined cell pocket on left; Pleated cargo pockets on both sides; two large, open back pockets. The pant has a double seat and double knees of self-fabric with knee pad openings inside.
DESIGN DETAILS POCKETS:	<ul style="list-style-type: none"> • Front and Back Pocket openings are reinforced with Cordura binding on knife clip area. Pocket openings are firmly bar tacked. Front pocket bags are made of durable Poly/cotton blend. Pocket bags are extra deep and finished clean inside the pant with stitched edge for heavy duty. • Knife Pocket has extra firm welt for knife clip and is sized to accommodate C.U.B. knife or hide a magazine. • Cell Pocket is gusseted on both sides and accommodates blackberry, the flap has Velcro closure for safety. • Back Pockets are made of self-fabric; they are extra-large with easy access open tops and Velcro closure. • Cargo Pockets have expandable inverted box pleat in the center and flap with two-Velcro closures.
SEAMS & STITCHING	<ul style="list-style-type: none"> • Seams are durable with 10 stitches per inch and extra heavy 5-thread construction. • Top Stitching are non-raveling lock stitching. Belt loops are double top stitched, and bar tacked on all corners. Back pocket openings and tool strap are cross bar tacked. Side seams, fly outline, front rise and seat seam are double stitched. Crotch gusset is top stitched, crotch points and fly are bartacked. Front pocket openings, pocket flaps, knee patches, and double seat are double top stitched. Cargo pockets are set with double stitching. Pocket and pocket flap setting stress points are bar tacked
LABELS	The woven logo label, care label, size label, country of origin label and fiber content label are permanently attached to the pant.
CLOSURES	Closures are high quality, proven performance brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is PRYM snap with extra firm grip. Inside button is cross stitched.

10) PANTS –5.11 RIPSTOP TDU PANT (74003) equal or better

<ul style="list-style-type: none"> • 7.5 oz. polyester/ cotton ripstop fabric • Self- adjusting tunnel waistband • Double- reinforced seat

- Bartacking at major seams and stress points
- Triple- stitching
- Cargo pockets with internal AR magazine compartments
- Secure seat pockets
- TacTec System - compatible
- Blousing straps
- Teflon® finish
- YKK zippers
- Prym snaps
- Short = 29½ " - Regular = 32½ " - Long = 35½ "
- COLOR: BROWN

11) JACKETS

FABRIC	Outershell: Travis Mills #7450 100% Nylon Supplex (equal or better) Removable Lining: 104x86 Thread Count, 70 Denier Nylon Taffeta or equal Color: BROWN Thinsulate by 3M quilted 200-gram body with 100-gram sleeve or equal. 100 % Nylon taffeta, thread counts 104x86 or equal
DESIGN	The jacket shall be a full cut, waist length model with two-way zipper front, Thinsulate zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction shall be used throughout the body and sleeves being fully lined
BODY DETAIL	The front shall be plain with patch pockets, flaps and badge tab. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a one piece back designed with the Articulated Gusset for full freedom of movement. There is to be a separate 2½" shirred waistband with 2½" heavy duty elastic. The entire waistband is to be shirred with the exception of an area 5¼" on either side of the front opening. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and elasticized snap closure. The shoulders shall have pads. A self-goods reinforcement strip, approximately 3", shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side.
INSIDE DETAIL	On the left side of the coat, there shall be a gun pocket installed on the permanent lining to accept a small frame handgun. The gun pocket shall have a minimum opening of 4½" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closure. Bartacks shall reinforce the opening. There shall be two cut-in pockets on the left and right sides measuring approximately 5¼" wide and 6" deep. There shall be a strap and snap on the lining of each sleeve end for attaching the zip in liner. The bottom of the coat on the inside shall have a 4" piece of outer shell material between the waistband and the inner taffeta lining to guard against wear from the inside.
SLEEVES	The sleeves shall be one piece set in with a single needle machine. The bottom of the sleeve shall have Velcro and elastic for adjustable fit. The cuff itself should measure 1-7/8" in width.
POCKETS	There shall be two patch pockets with 1½" box pleats, finishing approximately 6½" wide and 7-3/8" deep. Flaps shall be scalloped and self-lined, measuring 6 ¾ wide and 3-3/8" long at center and 3" long at each end. They shall close with Velcro on the side points and with a centered buttonhole. The pockets shall be lined with pocketing material with an opening of approximately 5½" on the side. The left patch pocket is to have a 1½" pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked. Flaps are too interlined
COLLAR	The standup collar shall be made using self-material and shall be interlined with Pellon. There shall be an option of a detachable hood and for collar using Orlon pile. This collar and hood are to be attached to the permanent collar with buttons.
EPAULETS	The epaulets shall be made of self-goods. They shall be sewn into the sleeve head seam, "X" stitched and tacked to the jacket at the neck.
SIZES	Jackets must be available small through XXL and larger
BADGE TAB	The badge tab shall be made of the outer fabric lined with pocketing fabric, and shall measure 2" tall by 1" wide. The first eyelets is ½ "down from the top finished edge and the second is ½" up from the bottom finished edge. The eyelets are spaced 1" apart from center to center. The badge tab shall be centered 2 ½" above the left flap pocket.
ZIPPER	There shall be an YKK #5, two-way molded nylon zipper in the front and an 11" nylon zipper on each side vent.
BUTTONS & SNAPS	The pocket flaps and epaulets shall be secured with 24 ligne metal buttons. The front fly and size zipper tabs shall be secured by high impact, non-reflective, non-glare, scratch resistant snaps.
THREAD	All sewing is to be done with polyester core thread or 100% spun polyester thread.
SIZE TAG & CARE INSTRUCTIONS	Each jacket shall have a sewn-in woven size label. There shall also be a printed label with care instructions. Each coat shall be marked with lot number, size fiber content and WPL number.
WARRANTY	Garments shall have a one year warranty against workmanship against workmanship or fabric defects.
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with 4½" emblem 80% embroidery with plastic backing. Emblem are to be included in the price of the jacket

12) RAINCOATS

DESCRIPTION	Spiewak S309V or Equal With Reflective 4" CONSTABLE on Both Sides
SIZES:	SMALL TO 3XLARGE

13) SAFETY VEST-HI-VIS Breakaway-BLAUER 339

Traffic vest must meet ANSI (American National Standards Institute) / ISEA (International Safety Equipment Association) 107 compliance class 2 or better

COLOR	Fluorescent Yellow
SHELL FABRIC	3.7 oz. per square yard, 100% Polyester heavy denier tricot mesh. (Color: see specified garment color).
TRIM:	a) Binding: 100% nylon plain weave taffeta (Color: black), 100% polyester plain weave taffeta (Color: fluorescent yellow) b) Hook and loop: woven nylon base (Color: fluorescent yellow). c) Eyelets: aluminum, black enamel finish. d) Ribbon: 2.5-inches grosgrain. (Color: black) e) Reflective trim: 2.0 inch wide, 3M Scotchlite silver reflective fabric.
DESIGN & CONSTRUCTION:	Full Cut Vest, High contrast Scotchlite striping, Pen/penlight openings, Microphone tabs on each shoulder, Fully Adjustable waist, "Break Away" shoulder and side access.
STANDARD SIZE RANGE:	Unisex sizing: Regular: SM - M, L-XL, 2XL-6XL
MEASUREMENTS:	Regular Length Size: L-XL, Center Front: 21.625, Center Back: 28.5, Across Chest: 18.5, Across Back: 19.5

CUSTOMIZATIONS	Black CONSTABLE on both sides
----------------	-------------------------------

14) PATCHES

SHOULDER PATCHES	4½" 100% Embroidered Background
------------------	---------------------------------

15) FELT COWBOY HAT'S (equal or better)

Description	Felt cowboy hat: Lariat felt
Style:	Roper
Color	Chocolate Brown
Quality	4X to 10 X
Brim	4" brim

16) BOOTS- Cowboy Boots or better

STYLE:	Double H Black Trooper Work Boot 4620
MATERIAL:	Black Full Grain Leather
COLOR:	Black
SHAFT:	12"
TOE:	Pain 915 Toe
LINING	Leather
HEEL HEIGHT	1 5/8"
OUTSOLE	Vibram Mini Lug Outsole

C.) Hidalgo County Constable Precinct No. 3

1) SHIRTS- *short sleeve* HORACE SMALL (Zipper Front HS1245) equal or better

FABRIC	Solid: A VISA fabric from Milliken & Company for fabrics, Style #7430, 100% polyester, texturized woven. Weight 7.25 oz. per yard. Single warp, two ply filling.
COLOR:	to be determine by dept.
CREASING	There are two sewn in permanent military creases in front and three in back.
FRONT	The left front has a self-fabric center pleat 1 3/8" wide extending from collar band to bottom of shirt. It has two rows of stitching 7/8" apart. The center pleat is interlined with 100% polyester, 250 denier. Right front has a 3-1/8" revere facing extending from neckline to bottom of shirt. There are seven front buttons.
COLLAR	Convertible collar measures 2-7/8" long at points and is topstitched 3/16" from the edge. The interlinings are 100% polyester, 250 denier. Permanent collar stays of proper length are fused or sewn inside collar so that no stitches are made through the bottom leaf.
YOKE	Two piece yoke of self-goods. The back of the yoke is topstitched 1/16".
SLEEVES	Sleeves are one piece, have a 7/8" hem and finish 10-3/8" long from the shoulder seam on a size Large. Sleeve setting and closing are sewn with an overedge and safety stitch. The sleeve is bartacked at the hem.
POCKETS	Two breast pockets finishing 5 3/8" wide and 5¼" long with mitered corners. Both pockets have a 1½" box-pleat stitched top and bottom to prevent spreading. Left pocket has a sewn through pencil stall 1 3/8" wide. Woven hook fastener ½" wide and 1" long is placed on each pocket to secure woven loop fastener placed on each flap.
FLAPS	Flaps are scalloped, finishing 5½" in width, 2¼" in length at the center and 2½" at each side. Flaps are placed with a ¼" space between the pocket and flap and have one centered buttonhole with button. The left flap has a pencil opening 1 3/8" wide. Woven loop fastener ½" wide and 1" long is placed on edges of each flap to secure woven hook fastener placed on pockets. Flaps have crease interlining.
BADGE TAB	Inside sling type of self-goods approximately 1-1/8" wide extends from joining seam to pocket of left front. To have two small, uncut Buttonholes 1¼" apart with the lower buttonhole 1¼" above the flap.
EPAULETS	Sewn into sleeve head seam and measure approximately 1-7/8" tapering to 1½" with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to shoulders with a row of x-stitching 2½" from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.
SHIRT LABELING	Each garment is identified by permanent size, style number, cut number, fiber content, manufacturing RN number, care instructions and country of origin labeling.
BUTTONS	20-ligne melamine buttons dyed to match the fabric color.
PACKING	Shirts are polybagged individually.
ZIPPER CLOSURE	Zipper closure models have a 14" nylon separating zipper.

2) SHIRTS -*long sleeve* HORACE SMALL (zipper front HS1145) equal or better

FABRIC	Solid: A VISA fabric from Milliken and Company for fabrics, Style #7430, 100% polyester, texturized woven. Weight 7.25 oz. per yard. single warp, two ply filling.
COLOR:	brown
CREASING	There are two sewn in permanent military creases in front and three in back.
FRONT	The left front has a self-fabric center pleat 1-3/8" wide extending from collar band to bottom of shirt. The center pleat has two rows of stitching 7/8" apart and is interlined with 100% polyester, 250 denier. A self-lined button stand 7/8" wide is on the right side and extends from collar band to bottom of shirt. There are six front buttons and one collar button.
COLLAR	The collar is banded. The back of the stand measures 1½". The points are 3" in length and top stitched 3/16" from the edge. The interlinings are 100% polyester, 250 denier. Collar band has crease interlining. Permanent collar stays of proper length are fused or sewn inside collar so that no stitches are made through the bottom leaf. The stand fastens with one button.
YOKE	Two piece yoke of self-goods. The back of the yoke is topstitched 1/16".
SLEEVES	Each sleeve has a one piece pointed placket 1¼" wide both top and bottom, with one button and buttonhole centered in the vent opening. Sleeve setting and closing are sewn with an overedge and safety stitch. Cuffs close with two buttons and buttonholes, are 2¼" wide and have ¼" topstitching on the edge. Cuffs are interlined.
POCKETS	Two breast pockets finishing 5 3/8" wide and 5¼" long with mitered corners. Both pockets have a 1½" box-pleat stitched top and bottom to prevent spreading. Left pocket has a sewn through pencil stall 1 3/8" wide. Woven hook fastener ½" wide and 1" long is placed on each pocket to secure woven loop fastener placed on each flap.
FLAPS	Flaps are scalloped, finishing 5½" in width, 2¼" in length at the center and 2½" at each side. Flaps are placed with a ¼" space between the pocket and flap and have one centered buttonhole with button. The left flap has a pencil opening 1-3/8" wide.

	Woven loop fastener ½" wide and 1" long is placed on edges of each flap to secure woven hook fastener placed on pockets. Flaps have crease interlining
BADGE TAB	Inside sling type of self-goods approximately 1-1/8" wide extends from joining seam to pocket of left front. To have two small, uncut buttonholes 1¼" apart with the lower buttonhole 1¼" above the flap.
EPAULETS	Sewn into sleeve head seam and measure approximately 1 7/8" tapering to 1½" with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to shoulders with a row of x-stitching 2½" from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining.
SHIRT LABELING	Each garment is identified by permanent size, style number, cut number, fiber content, manufacturing RN number, care instructions and country of origin labeling
BUTTONS	20-ligne melamine buttons dyed to match the fabric color.
PACKING	Shirts are polybagged individually.
ZIPPER CLOSURE	Zipper closure models have a 14" nylon separating zipper.
WARRANTY	One year against workmanship or fabric defects.

3) TROUSERS-POLYESTER TWILL (Style -X13506NS) equal or better

FABRIC	Milliken 707428, Color: taupe/pick-tan 7496, 100% polyester, Weight: 15.75 oz./linear yard, Weave: 2x2 Right Hand Twill, Construction: 92 warp x 62 filling, Tensile Strength: 293x201 lbs., Finish: Visa® System III
POCKETING & LINING	All pocketing must be in black, 70% polyester/30% cotton, weave plain, 82 warp x 50 filling, 119 x 98 lbs. The weight must be 3.5 oz./square yard
CREASING	The front and rear creases in the trouser legs incorporate a permanent modified silicone crease produced by the Lintrak® System.
DESIGN	The trousers shall be made from a manufactured from a men's up-to-date uniform trouser pattern. The trouser styling shall incorporate a plain front with two quarter top pockets. Trouser is straight leg bottoms. Topstitched back pockets with triangle bartacks, left pocket has tab to button, zipper fly front with French fly. Inside belly band. Crotch lining. 1½ inch waistband with dropped belt loops.
STRIPE	The trouser must have a stripe from waistband. The stripe shall be brown measuring ½" wide on ¾ red striping on pant leg from waistband down
POCKETS	The front pockets are quarter top style, with a minimum 6 ½ " opening and a 6" depth, measured from the bottom of the opening. The front pocket bags are double tipped and shall be stitched, turned, and re-stitched. The inside front pocket facing shall be a separate piece of self-material finishing no less than 1 ½ " wide. The back pockets have 5 ½ " openings and are 6" deep. They shall be made with a Reese PW automatic machine and topstitched on the outside with an exposed top and bottom welt inside facing. The left pocket shall have a tab to button. The front pockets shall have straight bartacks at the ends of the openings. The back pockets shall have triangle bartacks at the ends of the openings.
WAISTBAND	The trousers are made with a continuous closed 1½ " wide waistband. The full length of the waistband is stabilized with fusible nonwoven interlining. The waistband shall close with a crush proof hook and eye, which are reinforced with canvas stays. There shall be a bartack behind the eye. The 3-strand Snugtex® waistband curtain finishes 2¼" wide ¾" Ultra BanRol® waistband stiffener is used in the full length of the waistband. The waistband curtain shall be set on with a rocap machine and be closed by stitching below the waistband through the outer fabric and the waistband curtain
BELT LOOPS	There shall be seven (7) belt loops on sizes 38 and smaller, and 8 belt loops on sizes 40 and larger. Each loop is to be ¾" wide, of double thickness, have canvas interlining and be stitched with a ¼" gauge twin needle. All loops shall be tacked to the outside of the waistband, folded over the tacking, with the bottom of the loop folded under and tacked to the trousers. The side loops shall be placed ¾" behind the side seams. The loops shall accommodate a 2" wide belt.
ZIPPER & FLY	The trousers shall close with a YKK brass memory lock zipper which has a brass bottom stop at the base of the zipper chain and a brass ratcheting cam lock slider. Both flies have fusible nonwoven interlining. The right fly has a French fly extension and is lined with pocketing fabric, which extends from the top of the waistband to the inseam. A matching button is stitched to the left waistband curtain to fasten the French fly. A straight bartack shall be stitched at the bottom of the fly from the outside of the garment, through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bartack located below the bottom zipper stop on the inside of the trousers. The zipper and fly topstitching extend to the top of the waistband
INSIDE TRIM	Each front has a 4" wide belly band, made of pocketing fabric. It is sewn to the pocket bag and caught in the fly facing topstitching and the waist seam to provide a smooth front appearance. The crotch lining is made of folded pocketing fabric to provide a double layer and is serge to each front. The right fly lining extension is stitched to the front seat seam allowances and extends to the inseam.
STITCHING	The entire trouser is to be stitched with matching polyester core or 100% polyester spun thread. The thread shall be colorfast and match the fabric. All visible stitching must be 10-11 stitches per inch. All exposed inside seams are to be serge. The seat seam must be stitched with a tandem needle machine. There is a minimum 2¼" seat outlet for alterations.
PRESSING & FINISHING	All loose threads shall be removed. Trousers must be pressed on Hothead presses and properly shaped, with the inseams, outseams, and seat seam pressed open. There must be a Texpak clip attached to the waistband of the finished trousers
SIZES	The trousers shall be unhemmed and available in a regular rise length in waist sizes 28 through 60. Odd waist sizes must be available.
TAG & CARE INSTRUCTIONS	Trousers shall be labeled with the following information: manufacturer, style number, size, fiber content, care instructions, RN number and country of origin.

4) TROUSERS-HORACE SMALL TRADITIONAL STYLE (HS 2144) equal or better

FABRIC	100% polyester. Two ply warp and filling, 10.5 11 oz. per linear yard, 2X1 gabardine weave. SolarBan Technology Fabric.
COLOR	Silver Tan
DESIGN	Shall be made on a uniform pattern, having a plain front with quarter top pockets and two back pockets.
POCKETS	The front pocket opening will be a minimum 6½" and be 6" deep from the bottom of the opening. They shall be stitched, turned, and restitched. The inside front pocket facing shall be a separate piece of self-material finishing no less than 1¼" wide. The back pockets will have a minimum opening of 5½" and be 6" deep. Sizes 29 and smaller will have a 5" opening. They shall be made with a Reese PW automatic machine and finished on the outside with an exposed top and bottom cord. The left pocket shall have a tab to button. The front pockets shall each have a straight bar tack and each back pocket shall be bar tacked with a triangular bar tacking machine.

POCKETING	All pocketing shall be black, 75% polyester/25% cotton with a minimum thread count of 90 x 56. The weight shall be 3.0 yds./lb. The inner waistband shall be composed of a one-piece elastic web. This web shall contain a blend of 42% Nylon / 20% Polyester / 14% Neoprene Rubber (3 strands) / 6% Lycra / 18% Cotton. The elastic web shall be constructed so that the cotton content of the band is in the upper 1-1/8" portion where the pressure of the belt would require the wicking properties of cotton close to the body to maintain comfort. The remainder of the band will be woven with an open mesh construction to promote breathability in the hip area. Additionally, the web will have 35% stretch and be 3" wide. The web will be sewn at the top and at the bottom waistband seams which will reduce its stretch in the upper area to allow for a comfortable fit at the waist when bending or sitting. The upper portion of the web shall have a stiffness of .09 oz. of torque (as specified in FED-STD-191, Method 5202) to prevent waistband rollover. The lower part of the web will be left free to stretch over the hips and give support to the back and abdomen. This lower high-stretch area will have pressure applied to it by the hips, preventing the trouser from slipping down while being worn. Three rows of exposed rubber woven into the center off the web will insure that the shirt remains tucked in for neat appearance.
WAISTBAND	The waistband shall be 2" wide and shall close with a crush-proof hook and eye, the eye being bar tacked for stability. Stretch Ban-Rol III waistband stiffener, 3/4" in width, shall be sewn into the top of the waistband to prevent rollover. The trousers are to be made with a continuous closed waistband. The waistband shall be set on and shall be stitched below the lower edge through the outer fabric and the waistband curtain.
INSIDE TRIM	The right fly and crotch linings shall be the same fabric and color as the waistband curtain. The right fly lining shall be sewn to the left fly below the zipper. The crotch lining shall be serged to each front. A separate French fly made of the outer fabric shall be sewn to the inside right fly.
BELT LOOPS	There shall be a minimum of five (5) belt loops on waist sizes 30 and down, seven (7) belt loops on waist sizes 31-48, and a minimum of nine (9) on sizes 50 and larger. Each loop is to be 3/4" wide, of double thickness, and stitched on the face side with a two needle machine. Except for the center back loop which shall be tacked on, all loops shall be sewn into the bottom of the waistband and into the rocap. They shall accommodate a 1-5/8" belt.
ZIPPER	The trousers shall be closed with a YKK brass zipper which has a brass bottom stop at the base of the zipper chain and a brass ratcheting cam lock slider. The inside left fly will be reinforced with Pellon under the zipper stitching. A straight bar tack shall be sewn through from the outside of the garment to the inside at the bottom of the fly. It shall be sewn through the zipper tape, the right and left fly and the right fly lining. The right and left fly shall be joined by an additional bar tack located below the bottom zipper stop on the inside of the trouser.
SEAMING	The entire trouser is to be seamed with polyester core thread. The seat seam shall be stitched with a tandem needle seat seaming machine. All exposed inside seams of the trouser are to be serged.
LABELING	Trousers shall be labeled with the following information: style number, size, fiber content, care instructions, WPL number and country of origin.
FINISHING & PRESSING	All loose threads shall be removed. Trousers must be pressed completely and properly with the side seam, inseam, and seat seam pressed open.

5) SHIRTS-POLO-short sleeve (5.11 Tactical #71048) equal or better

DESCRIPTION	<ul style="list-style-type: none"> • 100 % Treated 6.4 oz. Interlocked cotton fabric to prevent fading, wrinkling and shrinking • Moisture wicking finish • Tough melamine buttons • No roll Collar with flexible collar strays • Mic-loop pockets located at each shoulder and placed at the bottom of the placket at the sternum level • Reinforced dual pen pockets • Polo shirts with name & title embroidered on right breast and badge embroidered on left breast
COLOR	to be determine by dept.
SIZE	SM-XXL and Larger
EMBLEM	Hidalgo County CONSTABLE badge embroidered on left side of chest. Name (bottom) & title (top) to be on right side. Bidders are encouraged to attend the pre-bid conference for viewing of samples.

6) SHIRTS-PROFESSIONAL POLO-short sleeve (5.11 Tactical #41060) equal or better

DESCRIPTION	100% Treated cotton to prevent fading, wrinkling,& shrinking, tough melamine buttons, No Roll Collar with flexible collar stays, Reinforced dual pen pockets on left sleeves, Accepts embroidery and silk screening well
SIZES	Small through 3XL
COLOR:	to be determine by dept.
EMBLEM	Hidalgo County CONSTABLE badge embroidered on left side of chest. Name (bottom) & title (top) to be on right side. Bidders are encouraged to attend the pre-bid conference for viewing of samples.

7) SHIRTS- HORACE SMALL long sleeve (zipper front with metal button HS 1150) equal or better

FABRIC	A VISA fabric from Milliken and Company for fabrics, Style #7430-2093 Dark Navy, 100% polyester, texturized woven. Weight 7.25 oz. per yard. single warp, two ply filling. SolarBan Technology Fabric.
COLOR	to be determine by dept.
METAL BUTTON FEATURE	Shirts are made to accept metal buttons on the epaulets, fronts, pocket flaps and cuffs. The right front on these shirts is to have an approximate 2" turn back.
CREASING	There are two sewn in permanent military creases in front and three in back.
FRONT	Left front has a self-fabric center pleat 1 3/8" wide extending from collar band to bottom of shirt. The center pleat has two rows of stitching 7/8" apart and is interlined with 100% polyester, 250 denier. The right front has a 2" turn back facing that extends from collar band to bottom of shirt. Eyelets and stay tacks are sewn on the right front with buttons sewn centered over each eyelet for metal button feature. There are six front buttons and one collar button.
COLLAR	The collar is banded. The back of the stand measures 1 1/2". The points are 2 7/8" in length and top stitched 3/16" from the edge. The interlinings are 100% polyester, 250 denier. Collar band has crease interlining. Permanent collar stays of proper length are fused or sewn inside collar so that no stitches are made through the bottom leaf. The stand fastens with one button.
YOKE	The back of the yoke is topstitched 1/16".
SLEEVES	Each sleeve has a one piece pointed placket 1/4" wide both top and bottom, with one button and buttonhole centered in the vent opening. Sleeves setting and closing are sewn with an overage and safety stitch. Cuffs close with two buttons and buttonholes, are 2 3/4" wide and have 1/4" topstitching on the edge. A coverstrip is sewn inside the cuff for the metal button feature. Cuffs are interlined.
POCKETS	Two breast pockets finishing 5-3/8" wide and 5 3/4" long with mitered corners. Both pockets have a 1 1/2" box-pleat stitched top and bottom to prevent spreading. Left pocket has a sewn through pencil stall 1-3/8" wide. Woven hook fastener 1/2" wide and 1" long is

	placed on each pocket to secure woven loop fastener placed on each flap.
FLAPS	Flaps are scalloped, finishing 5½" in width, 2¾" in length at the center and 2½" at each side. Flaps are placed with a ¼" space between the pocket and flap and have one centered buttonhole with button. The left flap has a pencil opening 1-3/8" wide. Woven loop fastener ½" wide and 1" long is placed on edges of each flap to secure woven hook fastener placed on pockets. Flaps have crease interlining.
BADGE TAB	Inside sling type of self-goods approximately 1-1/8" wide to extend from joining seam to pocket of left front. To have two small, uncut buttonholes 1¼" apart with the lower buttonhole 1¼" above the flap.
EPAULETS	Sewn into sleeve head seam and measure approximately 1-7/8" tapering to 1½" with end pointed. Epaulets are set approximately 1" from the collar seam. They are box-stitched to shoulders with a row of x-stitching 2½" from sleeve head and diagonally sewn from each end of the seam to the sleeve. Epaulets have crease interlining. Epaulet points are tacked to shoulder for metal button feature.
SHIRT LABELING	Each garment will be identified by permanent size, style number, cut number, fiber content, manufacturing RN number, care instructions and country of origin labeling.
BUTTONS	20-ligne melamine buttons dyed to match the fabric color.
PACKING	Shirts are polybagged individually.
ZIPPER CLOSURE	Shirts shall have a 14" nylon separating zipper.

8) PANTS-TACTICAL (5.11 Tactical 74003) equal or better

FABRIC	100 % Cotton Tactical Canvas, 8.5 oz , 73x40/10x10, Pant weight
POCKETING	80% Polyester 20% Cotton T/C, tightly woven poplin
SIZE	Pants must be available in Regular, Short, Long and X-Large Long, from stock
COLOR	Brown (108)
FEATURES & BENEFITS	Self-adjusting action waist with elastic sides; 7 belt loops and a DORing; Deep front pockets; cargo pockets with flaps; phone pocket on right front, Large open-top back pockets, and a tool strap on right back. The pants have double knees of self-fabric, removable 6mm Neoprene knee pad inserts; and a double seat of self-fabric. Bottom hems have openings for draw cords.
POCKETS	<ul style="list-style-type: none"> • Front pocket openings have self-fabric facings and extra reinforcements on knife clippings area. Pocket openings are firmly bar tacked on both ends. Pocket bags are made of durable Poly/Cotton blend and they are extra deep. Pocket bags are finished clean inside the pant and double stitched for heavy duty. • Cargo pockets have large flaps and Velcro closure. • Knife pocket is lined with extra durable Cordura Nylon. The pocket has gussets on sides and a large flap with Velcro closure; it accommodates a phone. • Back Pockets are formed of self-fabric. They are extra-large with large open top. The top has Velcro closure. Opening has extra reinforcement on the side seam side; both ends are firmly cross-bar tacked.
SEAMS & STITCHING	<ul style="list-style-type: none"> • Seams are durable with 10 stitches per inch and extra heavy 5-thread construction. • Top stitching are non-raveling lock stitching. Side seams, seat seam and front rise have two-needle top stitching. Crotch point is bar tacked. Fly outline, had pocket openings, all pocket flaps, knee patches and seat patch have double needle top stitching. Cargo pockets are attached with double needle top stitching. Belt loops are bar tacked on all corners. Cargo pocket openings are bar tacked and flaps are cross bar tacked. Back pocket openings are cross bar tacked. All Velcro pieces are attached with box stitching
LABELS	The woven logo label, care label, size label, country of origin label and fiber content are permanently attached to the pants.
CLOSURES	Closures are high quality, proven brand name products. Fly zipper is metallic YKK zipper with auto lock slider. Waist snap is metallic PRYM snaps with extra strong grip. Inside fly button is cross tacked.

9) SHIRT- short sleeve-TACTICAL (Propper F5311-50)equal or better

DESCRIPTION	Made of 4-ounce 65% polyester/ 35% cotton ripstop This is an all-season weight, 65% polyester/35% cotton fabric manufactured in a ripstop weave. The fabric is coated with DuPont Teflon to repel stains and liquids Hidden zipper (mock button) front for ease of use Battle Rip® fabric is lightweight and durable DuPont® Teflon® fabric protector repels stains and liquids Gusseted underarms for better range of motion Two zippered chest pockets Hidden collar stays provide a clean, professional look
SIZES	Small through 3XL
COLOR:	to be determine by dept.

10) PATROL JACKETS

FABRIC	Outershell: Travis Mills #7450,100% Nylon Supplex or equal Removable Lining: 104x86 Thread Count, 70 Denier Nylon Taffeta or equal Color: Brown Thinsulate by 3M quilted 200-gram body with 100-gram sleeve or equal. 100% Nylon taffeta, thread counts 104x86 or equal
DESIGN	The jacket shall be a full cut, waist length model with two-way zipper front, Thinsulate zip-in/zip-out liner, shirred waistband, and zippered side vents. Coat construction shall be used throughout the body and sleeves being fully lined
BODY DETAIL	The front shall be plain with patch pockets, flaps and badge tab. The inside facings shall be made of outer fabric and are to be sewn on top of the nylon lining which extends to the front edge of the jacket. There shall be a one piece back designed with the Articulated Gusset for full freedom of movement. There is to be a separate 2½" shirred waistband with 2½" heavy duty elastic. The entire waistband is to be shirred with the exception of an area 5¾" on either side of the front opening. There shall be side zipper entry on both side seams, approximately 11" in length and secured by a nylon zipper and elasticized snap closure. The shoulders shall have pads. A self-goods reinforcement strip, approximately 3", shall be sewn on the inside of the jacket joined at the top of the waistband and extending from side to side.
INSIDE DETAIL	On the left side of the coat, there shall be a gun pocket installed on the Removable lining to accept a small frame handgun. The gun pocket shall have a minimum opening of 4½" and be a minimum of 6" deep. The gun pocket shall be furnished with a strap and snap closure. Bartacks shall reinforce the opening. There shall be two cut-in pockets on the left and right sides measuring approximately 5¼" wide and 6" deep. There shall be a strap and snap on the lining of each sleeve end for attaching the zip in liner. The bottom of the coat on the inside shall have a 4" piece of outer shell material between the waistband and the inner taffeta lining to guard against wear from the inside.
SLEEVES	The sleeves shall be one piece set in with a single needle machine. The bottom of the sleeve shall have Velcro and elastic for

	adjustable fit. The cuff itself should measure 1-7/8" in width. DEPARTMENT's PATCH MUST BE SEWN ON BOTH SLEEVES.
POCKETS	There shall be two patch pockets with 1½" box pleats, finishing approximately 6½" wide and 7 3/8" deep. Flaps shall be scalloped and self-lined, measuring 6¾ wide and 3-3/8" long at center and 3" long at each end. They shall close with Velcro on the side points and with a centered buttonhole. The pockets shall be lined with pocketing material with an opening of approximately 5½" on the side. The left patch pocket is to have a 1½" pencil opening at the top of the flap. Both the pockets and the flaps are to be bartacked. Flaps are too interlined
COLLAR	The standup collar shall be made using self-material and shall be interlined with Pellon. There shall be an option of a detachable hood and fur collar using Orlon pile. This collar and hood are to be attached to the permanent collar with buttons.
EPAULETS	The epaulets shall be made of self-goods. They shall be sewn into the sleeve head seam, "X" stitched and tacked to the jacket at the neck.
SIZES	Jackets must be available small through XXL and larger
BADGE TAB	The badge tab shall be made of the outer fabric lined with pocketing fabric, and shall measure 2" tall by 1" wide. The first eyelets is ½" down from the top finished edge and the second is ½" up from the bottom finished edge. The eyelets are spaced 1" apart from center to center. The badge tab shall be centered 2½" above the left flap pocket.
ZIPPER	There shall be an YKK #5, two-way molded nylon zipper in the front and an 11" nylon zipper on each side vent.
BUTTONS & SNAPS	The pocket flaps and epaulets shall be secured with 24 ligne metal buttons. The front fly and size zipper tabs shall be secured by high impact, non-reflective, non-glare, scratch resistant snaps.
THREAD	All sewing is to be done with polyester core thread or 100% spun polyester thread.
SIZE TAG & CARE INSTRUCTIONS	Each jacket shall have a sewn-in woven size label. There shall also be a printed label with care instructions. Each coat shall be marked with lot number, size fiber content and WPL number.
WARRANTY	Garments shall have a one year warranty against workmanship against workmanship or fabric defects.
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders. Emblem are to be included in the price of the jacket

11) JACKET- Gerber outerwear thriller SX 5-in-1 jacket with warrior softshell 71DX3/LSL or equal

- Meets ANSI 107 Class III certification
- 50% nylon, 50% polyester
- Zip out liner can be worn alone
- Includes the Warrior Softshell liner that can be zipped in or worn separately
- Reverses to a duty jacket
- Drop-in 3 panel hood with storm closure
- Hand warmer pockets, box pleat pockets with scalloped flaps, triple bellowed inset cargo pockets
- Small -4XL

12) RAINCOAT

DESCRIPTION	48" Vinyl Raincoat with sealed seams, pass through pockets, non-corrosive snap-front closure; detachable, snap on hood, ventilated back and underarms, and screen printed on the back in Black with Constable in capital letter 4"
SIZE	small to 4XL

13) CAPS

Fabric	Hot weather combat cap, constructed from 65% poly / 35% cotton w/ embroidered department emblem (emblems may vary) adjustable
Color	Brown
Size	Small to XXL)

14) CAPS-MISC.

Description	Mesh baseball cap 65% polyester / 35% cotton 100% mesh back w/ embroidered department emblem (emblems may vary) adjustable
-------------	--

15) FELT COWBOY HATS (equal or better)

Description	Felt cowboy hat: Stetson felt
Style:	Roper
Color	Silver Belly
Quality:	quality 4X to 10 X
Brim:	4" brim

D.) Hidalgo County Constable Precinct No. 4

CLASS A UNIFORM

1) SHIRTS- LONG SLEEVE (Elbeco TexTrop2 Zipper Long Sleeve #SH878) equal or better

STYLE	It is the intention of this department to secure a tailored shirt equal in quality of workmanship and style to the shirt now on display as a sample. Shirts will be cut on a form-fitting line, and the shape of the pockets and general style will conform to this sample. Shirts to have permanent sewn-in military stitches.
TAILORING	It is imperative that this garment be constructed according to the principles set forth in the specifications. All stitches must be of the proper tension and size so as to avoid puckering after the shirt has been laundered and to give best durable press performance. All sewing shall be with Dacron core thread to match shirt fabric. The collar and cuffs are to be single stitched ¼" from edge. The pockets and flaps shall be single stitched on the edge.
FABRIC	To insure permanent moisture control, superior breathability, soil resistance, easy care, wrinkle resistance, color matching, and color retention, the fabric is to be 9.5 to 10 ounce per linear yard, tropical weave with mechanical stretch, 100% texturized polyester. Fabric is enhanced with Industrial Laundry Friendly NANO-DRY technology by Burlington. Style #618.
COLOR	Silver tan or optional
CREASING	Pockets and pocket flaps to be die creased to give uniform shape and size.
CUSTOMIZATION	Emblems, epaulets, name tab, zipper front, metal buttons on epaulets and pocket flaps
FRONT	The front shall have a center facing 1½" wide extending from the collar stand to bottom of shirt and be made of the same material

	as shirt fabric with two rows of stitching 7/8" apart. The center front shall contain six vertical buttonholes placed 3/4" from edge and 3 1/2" apart. The button stand, 7/8" wide, shall be self-lined and placed on right side extending from collar stand to bottom of shirt. Buttons shall be securely attached to the button stand and shall correspond to the buttonholes on the center facing.
COLLAR	The shape and style of both leaf and stand shall conform to the TT89 Collar. The points, medium spread, are to be approximately 3" in length. The back of the stand is to measure 1 1/2". The leaf shall be made of three pieces; two pieces of self-cloth and one whole lining, which is to be fused to the top collar. The collar stays shall be of good quality Stalar vinyl, 2 3/4 " in length and 3/8" wide and be attached to the bottom collar. The stand shall fasten with one button. There shall be one horizontal buttonhole. Innerstand and inner yoke to be made of matching 65% Dacron Polyester/35% Cotton, 4.2 ounce per square yard, 106 x 58.
SLEEVES	To be straight and whole. The cuffs are to be 2-7/8" in width and to fasten with two buttons. There is to be a single stitch 7/16" from top of cuff. The sleeve opening shall measure 4-7/8" from top of cuff. The top facing for this opening is to be 1 1/4" wide and the bottom facing to finish about 1/2" wide. Button is to be placed on sleeve opening with corresponding buttonhole. The sleeves must be secured to the body of the shirt by means of a merrow stitch with a safety stitch so as to properly strengthen the stitch. The same stitch must be used on the side closing seams as well.
ZIPPER	A 14" nylon zipper shall be sewn to the fronts and shall be positioned 1 1/2" below the first front button and shall replace the 2nd, 3rd, 4th, and 5th front buttons, which are to be sewn on the top center. The neck button, 1st front button are to be functional.
BACK	There is to be yoke composed of an outer piece of the same material as the basic shirt, and an inner piece of poplin.
POCKETS	To have two breast pockets with mitred corners to finish 5-5/8" wide and 6" long. The left breast pocket to have a pencil compartment about 1 1/4" wide. Both pockets to have 1 1/4" box stitching top and bottom to prevent spreading.
FLAPS	To have two scalloped flaps to finish 5 3/4" in length, 2 3/4" in width at center, and 2 1/2" in width at sides. Flaps to be secured to front of shirt with two rows of stitching approximately 1/4" above top of pocket. The left flap to have a pencil opening about 1 1/2 " in width. Flaps to be interlined. There will be a matching button and a buttonhole sewn on the flap.
FLAPS CLOSURE	The side points of the flaps are to be secured to the pockets by means of velcro fasteners sewn onto the flaps and pockets.
BADGE TAB:	To be reinforced on inside of the shirt by means of a strip of material 1 1/2" wide stitched and folded so that no raw edges show. The reinforcement strip is to extend from the flap setting stitch to the joining seam at the front of the yoke. To have two small (horizontal) buttonholes, 1 1/4" apart with the bottom buttonhole 1 1/2" above top of left flap
SHOULDER STRAPS:	The shoulder straps shall be pointed at the end toward the neck of the shirt. The other end shall be sewn in sleeve head seam. The pointed ends shall be fastened with one matching button. The straps shall measure 2" at sleeve and taper to 1-3/8". Straps to be set about 1/2" from the collar. Shoulder straps shall be box stitched to shoulders with row of cross stitching 2" from sleeve head seam
PERMANENT CREASES:	Shirt to have permanent military creases. Creases to be stitched in shirt only, not through pockets and flaps. One crease in each front extending from hem to joining seam. Three vertical creases in back; middle crease on center back line; side back creases spaced equally from center crease.
INTERLINING:	Flaps to be EZ crease. Top center to be lined with QST interlining. Bands and cuffs to be 3.75 weight durapress
LABELS:	TexTrop woven label to be sewn in yoke, with size label sewn next to it. Care and content label to be sewn in bottom hem.
BUTTON:	All buttons shall be made from high impact melamine and must match fabric.
PRESSING & PACKING:	Shirts shall be carefully pressed by hand in first class manner and individually packed in polyethylene bags. Shirts to be shipped in strong boxes so as not to be damaged in shipment. Shirts to be bulk packed.

2) TROUSERS (flying cross -Fechheimer #38205) equal or better

FABRIC	100% Polyester, 11-11 1/2 oz. per linear yard, weave-serge
SYLE	Trouser shall be manufactured from an up-to-date men's uniform trouser pattern. The trouser styling shall be T-1: plain front, two (2) quarter top front pockets, and two (2) hip pockets professionally finished with no visible topstitching. Work wear industrial style construction is unacceptable and shall be cause for rejection
COLOR	OD Green or optional
LINING MATERIAL	The pocketing and fly lining material shall be 70% Polyester/30% Cotton, 2.9 oz. per square yard (60" width) with a minimum 78X48 count. Pocketing must have a durable press finish and the color of the pocketing must be black.
WAISTBAND	<p>The waistband shall be constructed using the "closed method" and shall measure a minimum of 1-7/8" wide when finished. The waistband curtain shall finish a minimum 2-1/8" wide and is to be made of the same fabric and color as the pocketing material and shall be attached to the top of the trouser with a zigzag stitch. The waistband curtain must contain Tru-Grip, a 1/2" surface area composed of thin 55 gauge rubber for maximum comfort and performance. The Tru-Grip acts to help keep shirts tucked in securely. (Substitution of a silicone strip or strips in place of Tru-Grip shall not be acceptable and shall be cause for rejection.)</p> <p>The waistband curtain is composed of a wet laid non-woven canvas weighing 3.3 oz. per square yard. The canvas is covered in the same color and material as the pocketing. The 1/2" rubberized surface area is positioned 1/4" up from the bottom of the curtain.</p> <p>The specifications for the rubberized Tru-Grip curtain are as follows:</p> <p>Width: 1-1/8-inch Warp: 300 Denier Texturized Polyester Filling: 300 Denier Texturized Polyester Rubber: 55 Gauge Count: 32-36 yarns per inch Contents: 59% Polyester/41% Rubber</p> <p>The waistband must contain 3/4-inch Ban-Rol to prevent roll over at the trouser front. The waistband closure shall be accomplished with a single crush proof hook and eye centered on the waistband for wearer comfort. The hook and eye shall be reinforced with 7/8-inch non-woven stay tape that is anchored with topstitching through and through to the top of the waistband (bartacks in place of topstitching shall be cause for rejection). In addition to the stitching of the waistband when it is set onto the trouser, the waistband must also be topstitched below the waistband seam through the waistband curtain for added strength. The back center seam of the trouser is to be finished to allow for alterations (with ample basic fabric and waistband curtain material to allow trouser size to be increased at least one size). The outlet in the seat is to be in proportion to waist outlet so seat may also be let out. Seat seam must be sewn with a tandem needle machine (double-needle stitch) for maximum strength.</p>
BELT LOOPS	There shall be a minimum of seven belt loops 3/4" in width of double thickness. Each loop must have a non-woven interlining for added durability. All loops (except back center) must be sewn into the top and bottom of the waistband ("dropped" belt loops that are tacked to the outside of the trouser all around waist shall be cause for rejection). The top of the belt loops (except back center) shall be sewn into the waistband curtain seam with a Rocap machine using a zigzag stitch. The bottom of the center back loop shall be tacked to the trouser and the top of the loop tacked to the outside of the waistband to allow for easier waist alteration.
POCKETS	The two (2) front pockets will be quarter top style with a minimum opening of 6" and a minimum depth of 4 1/2" measured from the bottom of the opening. Front pockets to have firm straight bartack at bottom of pocket openings. Pockets shall be constructed using the stitch, turn, and topstitch method. Front pocket facings to be made of the basic trouser fabric and shall be a minimum of 1". Front pocket barrier shall also be made of the basic trouser fabric and to measure a minimum of 2" (measured to the inside

	edge of pocket lining). The two (2) hip pockets shall have a minimum 5-3/8" wide (bartack to bartack) opening and a minimum depth of 5/4" measured from the bottom of the pocket opening. Hip pockets shall be constructed using the double welt method on an automatic welt machine. The welts shall be finished in such a manner that there is no topstitching (topstitched hip pockets shall be cause for rejection). The corners of the hip pocket openings shall have straight firm bartacks for reinforcement (use of triangular bartacks shall be cause for rejection). Hip pocket facing to be made of basic trouser fabric and shall be a minimum of 3/4" and the barrier shall also be made of the basic trouser fabric and to be a minimum of 1 1/2". The left hip pocket shall have a centered tab made of basic trouser fabric inserted into the top welt with bartacks at the top and bottom of the tab to form an opening for a button. A button shall be located below the bottom welt corresponding in location with the tab, which shall be interlined with non-woven for added durability. There shall be a dart centered above each hip pocket to waistband. Dart shall be approximately 2 3/4" long tapered from 3/8" at waistband and shall be installed with automatic equipment for a clean non-puckered finish.
FLY:	Trouser shall have a brass metal zipper with memory lock brass slider secured by metal stopper at base. There shall be a French Fly tab closure on the inside of the right fly. The tab shall be double ply made of the basic trouser fabric (tabs made of pocketing material or a "grown on" French Fly will be cause for rejection). The right fly shall be lined with the same fabric and color as the pocketing. The fly lining shall be sewn to the left fly continuing below the zipper into the crotch area in a neat and durable manner. A button shall be located on the left fly corresponding with the French Fly tab to provide a clean and comfortable closure. Topstitching of fly to be installed with automatic "J" stitch equipment eliminating puckering and providing a clean finish. There shall be a firm straight bartack at the bottom of the fly going through the zipper tape for maximum strength. Bartack shall line up with starting point of "J" stitch.
SEAT	Seat must be sewn with a Tandem Needle Machine (double-needle stitch) for maximum durability.
STRIPPING	Trouser shall be stripped with 1/2 x 3/4 inch Piggy Back Stripping in Tan Gold color
STITCHING, PRESSING & FINISHING	Trouser must be stitched with matching thread. Trouser must be neatly pressed on Hothead Presses and properly shaped. Outseams and inseams are edge serged on automatic equipment for uniformity of quality and shall be pressed open for a smooth pucker-free finish with repeated cleaning and pressing. Trouser must be cleaned and finished to eliminate loose threads.
STOCK SIZES	Trouser must be available from stock in the following sizes: SHORT RISE: 28-40 (EVEN ONLY) REGULAR RISE: 28-56 (EVEN ONLY OVER 38) LONG RISE: 32-42 (EVEN ONLY)
LABELS:	Trouser must have a permanent label providing care instructions and small woven label indicating waist size. A removable paper ticket showing the size, fabric content, cut number, and WPL and RN number must be on the outside of the waistband. Ticket to be matchbook style installed with plastic staples for easy removal without damaging trouser material and showing size when trousers are stacked.

CLASS B UNIFORMS

3) SHIRTS-SHORT SLEEVE (ELBECO TEXTROP2 #SH885) -equal or better

FABRIC	5-5.5 oz., 100% Polyester tropical weave
COLOR	Silver tan or optional.
DESIGN & CONSTRUCTION	Nano moisture-wicking technology, New dual flex underarm mesh vents provided body heat ventilation and increased range of motion, chest pockets with dual access top and side utility compartments with hook and loop closure for easy access and quick storage, Dual comm wire openings in the side seams to keep wires out of the way and invisible, false-button front placket with hidden zipper
CUSTOMIZATION	Emblems, epaulets, name tab, zipper front, metal buttons on epaulets and pocket flaps
SIZE	Men's: Regular Length: S-4XL & Women's: Regular Length: XS-3XL
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with 4 1/2" emblem 80% embroidery with plastic backing. Emblems are to be included in the price of the shirt

CLASS-C UNIFORMS

4) POLO SHIRTS – LONG SLEEVE (Blauer Performance Pro Polo Shirt #8144) equal or better

FABRIC	• Shell: 100% Polyester, Mesh: 100% Polyester
FEATURES & BENEFITS	Performance polyester and mesh for quick drying and moisture release. Lightweight, moisture-wicking performance mesh and polyester construction. Anti-odor technology built in. Loose athletic cut for full range of motion. Rib knit cuffs for custom fit and comfort. No-fade fabric resists wrinkles, snagging and pilling. No-curl collar. Pen pocket on sleeve, center mic tab.
COLOR	Silver tan or optional
CUSTOMIZATION:	Reflective "CONSTABLE" heat transferred on back
SIZE	XS - 6XL, Length: Regular or Tall
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with 4 1/2" emblem 80% embroidery with plastic backing. Emblems are to be included in the price of the shirt.

5) BDU SHIRTS - LONG SLEEVE (Blauer Tenx BDU Shirt #8731 and #8731W) equal or better

FABRIC	Body: 65% Polyester, 35% Cotton Ripstop; Side Mesh: 92% Nylon, 8 Lycra
FEATURES & BENEFITS	Water resistant, durable water resistant finish repels liquids. Extreme breathability, engineered for maximum body vapor release. Moisture management, absorbs and wicks moisture away from skin for quick drying. Odor protection, prevents growth of odor causing bacteria. UV protection, UPF 30 sun protection blocks damaging UV rays. Soil release, prevents absorption for easy stain removal. Engineered stretch, garment is engineered for maximum stretch and mobility. Athletic fit, modern tailored for designed for mobility and function. Supercharged 65/35 Poly/Cotton Ripstop is specially engineered to prevent fading, picking, pilling and tears. Pleated patch pockets with hidden Napoleon pocket. Center mic tab, convertible sport collar, stitched down low profile epaulets. Zippered front with upper and lower snaps, bi-swing shoulders with stretch mesh for greater mobility. Adjustable hook and loop cuff closure, stretch mesh side, underarm and shoulder panels provide ventilation, flexibility and comfort.
COLOR	Silver Tan or optional
EMBLEMS/PATCHES	Emblems are to be sewn on both shoulders with 4 1/2" emblem 80% embroidery with plastic backing. Emblems are to be included in the price of the shirt.
SIZE:	XS - 8XL; Length: Short, Regular, Tall or X Tall

6) TACTICAL SHIRTS - LONG SLEEVE (5.11 Tactical Fast-Tac Long Sleeve Shirt #SH1868) equal or better

FABRIC	100% Polyester Fast Tac 4.7oz ripstop construction
FEATURES & BENEFITS	Water resistant finish. Front patch pockets with pen guides, pen pocket on the left sleeve. Button down collar points. Double and triple needle stitching, includes badge tab and epaulette kit. Engineered to be highly durable while remaining lightweight and comfortable, the fast-tac long sleeve shirt is the newest innovation from 5.11. With a Fast Tac shirt on your back, you'll stay cool, calm and ready to handle just about anything.
SIZE	XS - 5XL; Length: Regular or Long
COLOR	To be determined by department.
EMBLEMS/PATCHES	Emblems/patches are to be sewn on both shoulders with 4½" emblem 80% embroidery with plastic backing. Emblems/patches are to be included in the price of the shirt.

7) BDU PANTS (Blauer TenX BDU #TR1066 and #TR1253) equal or better

FABRIC	65% Polyester, 35% Cotton Ripstop (6.5 oz/yd)
FEATURES & BENEFITS	Water resistant, durable water resistant finish repels liquids. Extreme breathability, engineered for maximum body vapor release. Moisture management, absorbs and wicks moisture away from skin for quick drying. Odor protection, prevents growth of odor causing bacteria. UV protection, UPF 30 sun protection blocks damaging UV rays. Soil release, prevents absorption for easy stain removal. Athletic fit, modern tailored for designed for mobility and function. TunnelFlex waistband with silicone shirt grip self-adjusts for maximum comfort and agility. Supercharged 65/35 Poly/Cotton Ripstop is specially engineered to prevent fading, picking, pilling and tears. Back hip pockets with angled flap and hook and loop closure. Quick access L-Pockets with reinforced knife slot. Low profile pleated cargo pockets with interior mag pouches and cell phone pocket. Reinforced knees accommodate knee pads. Diamond gusset crotch and articulated knee for maximum mobility and comfort. Bungee included for optional blousing.
SIZE	Waist: 28-60; Length: Customized hemming
COLOR	OD Green or optional
CUSTOMIZATION	Some pants may need to be cut to shorts.

8) TIES

DESCRIPTION	Clip-on tie, with buttonhole you can slide small end of tie through the loop and button to shirt size 3" wide with permanent knot, made of polyester
SIZE	Regular: 17½ long, 19½ or longer
COLOR	OD Green or optional

9) COWBOY HATS (Felt - Stetson Lariat) equal or better

STYLE	Stetson - Lariat
MATERIAL	Felt
COLOR	Silver Belly or optional
CROWN HEIGHT	4⅝" or less
SWEAT BAND	Smooth Leather (black or brown)
QUALITY	5X or better
TYPE	Regular, Wide Oval, Long Oval or Extra Long Oval
BRIM	4" to 4¼"
HAT BAND	Matching felt
STOCK SIZES	6½" to 7⅞"
MADE	USA

10) COWBOY HATS (Straw - Stetson) equal or better

STYLE	Stetson 67 Body
MATERIAL	Hudson Straw Hat
COLOR	61 Silver Belly or optional
CROWN HEIGHT	4⅝"
SWEAT BAND	Smooth Leather (brown)
QUALITY	10X
TYPE	Round and Regular Oval
BRIM	4¼"
CROWN EYELET	All around vent
HAT BAND	Standard Brown or Black Leather (two-toned braided)
STOCK SIZES	6¾" thru 7¾" (Regular, Wide Oval, Long Oval or Extra Long Oval for all sizes in hats)
MADE	USA
PACKAGING	Hats are to be shipped in multi-pack boxes of sufficient strength to withstand transportation by common carrier and to assure safe arrival to the delivery point. All boxes shall be marked with hat size on the exterior.

11) CAPS

MATERIAL	100% Polyester, OTTO Cap
COLOR	Olive Green or optional
SIZE	Small - XXL
CUSTOMIZATION	Embroidered with department emblem/logo or 2" patch sewn, such service is to be included in the price of the cap.

12) JACKETS - PATROL (Blauer Softshell Fleece Jacket #4660) equal or better

SHELL FABRIC	88% Nylon, 12% Spandex. Water resistant DWR coating, wind resistant.
LINING FABRIC	50% Polyester, 44% Nylon, 6% Spandex fleece. Heat factor level II, advanced cold weather protection. Advanced breathability.
FEATURES	Lightweight fleece-lined design provides superior warmth and wind resistance to most fleeces. Water resistance finish repels rain and snow. Zips in as a liner for Blauer System Outerwear Shell Jackets. Drop shoulder design for unrestricted movement, fleece-lined hand warmer pockets with zippers, zippered side openings with snap closures, delrin zipper front extends to top of collar for excellent wind protection, elasticized cuffs and waistband, optional color matched epaulets, microphone tabs and badge tabs.
COLOR	OD Green or optional
EMBLEMS/PATCHES	Emblems/patches are to be sewn on both shoulders with 4½" emblem. Emblems/patches are to be included in the price of the jacket.

SIZE	Sizing: XS - 6XL; Length: Short, Regular or Tall
13) JACKETS - WINDBREAKER (Augusta Sportswear Nylon Jacket #3100) equal or better	
SHELL FABRIC	100% Nylon Taffeta
LINING FABRIC	100% Polyester Brushed Tricot
FEATURES	Water-resistant and machine-washable are among the features as well as snap front, raglan sleeves, reinforced slash front pockets, elastic cuffs and an open bottom.
COLOR	Olive Drab Green, Dark Green or optional
CUSTOMIZATION	Screen printed with "CONSTABLE" on each sleeve. Embroidered with department emblem/logo, employee name and title.
SIZE	Small - 3XL

14) RAINCOATS (Neese 48" Hi Vis PVC Raincoat #NI-1870C) equal or better	
SHELL FABRIC	35mm PVC on Polyester
FEATURES	Heat sealed seams, low temperature flexibility. Jacket features side entry pockets, storm flap, nonconductive snaps on front and sleeves, ventilated back, detachable hood.
COLOR	Lime Green with screen print black lettering on back or optional
CUSTOMIZATION	3" Reflective lettering in "CONSTABLE"
SIZE	Medium - 4X Large

15) PATCHES- UNIFORMS (Regular)	
Shoulder Patch	4½", 100% Custom Embroidered Background

16) PATCHES - UNIFORMS (Pink)	
Shoulder Patch	4½", 100% Custom Embroidered Background

17) PATCHES - UNIFORMS (K9)	
SHOULDER PATCH	4½", 100% Custom Embroidered Background with K9 Lettering

18) PATCHES - CAPS	
PATCH	2", 100% Custom Embroidered Background

E.) Hidalgo County-SHERIFF'S OFFICE

1) RAINCOATS: (Neese -equal of better)	
<ul style="list-style-type: none"> • Yellow/Gold With Screen Print Black Lettering On Back • With Detachable Hood • 3 inch Lettering in either "SHERIFF'S OFFICE" per request • Sizes: Small to 6X Large • Slash Through pickets 	

2) GLOVES: (Hatch) Frisk Master Fm 2000 Gloves With Spectra (Equal Or Better)	
<ul style="list-style-type: none"> • Premium Leather shell • 100% Spectra Knit Liner • Twice the cut resistance of Kevlar • Sizes: XS--2XL • Elastic around glove wrist to hold cuff secure on hand 	

3) COVERALLS: (TYVEK) Personal Protection Coveralls With Attached Hood, And Booties (Equal Or Better)	
<p>Color: White and Yellow Sizes: Small--3XL Protective barrier against particulates and liquid splashes Front zipper closure and elastic wrists</p> <p>A). POLYPROPYLENE DISPOSABLE COVERALLS, LONG SLEEVE TOPS, PANTS Polypropylene lightweight, spun bound 1.25 oz. material weight, Porous, breathable, economical and disposable</p> <ul style="list-style-type: none"> • <u>Coveralls</u> with collar and zipper, color and snap closures, color navy blue, sizes:XS-5XL • <u>Long Sleeve shirts</u> with collar and snap closures, color navy blue, sizes:XS-5XL • <u>Pants</u> with elastic waist, Color navy blue, Sizes XS-5XL 	

4) SCRUBS (SHERIFF DEPARTMENT)	
<ul style="list-style-type: none"> • Cargo type shirt and pant, male and female sizes x-small to 6 x-large, • <u>Pants</u> in regular length, and extra-long lengths, • <u>Top</u> with 3 pocket (1 breast, and 2 kangaroo pockets), • <u>Bottoms</u> with 5 pockets (2 front side pockets, 1 rear back pocket and 2 cargo thigh pockets), • <u>Bottoms</u> with elastic waist band and draw string, 65% polyester & 35% cotton • <u>Colors:</u> available colors 	

5) RAIN BOOTS

- Norcross Servus 18822-9 - 16" Black Economy Knee Boot (equivalent or better)
- Seamless molded construction
- 100% Waterproof
- Anti-Skid outside and heel
- Reinforced construction at critical stress points
- Foot Form contour Inside
- Electrical hazard, non-marking, slip resistant
- Men sizes: 6-13
- Women sizes: 6-11

6) PANT- BDU (BATTLE DRESS UNIFORMS) STYLE:

Tan, Dark Brown, Black and Grey (or color closest to the existing uniform) If the color varies distinctly from the existing uniform it will not be considered. This is done to keep the appearance of uniformity.

65 % Polyester 35 % cotton rip stop only

Pants must have:

- Adjustable waist tabs
- Two (2) front pockets
- Two (2) rear pockets
- Two (2) large button down bellows leg pockets
- Reinforced seat and knees
- All seams double stitched
- Drawstring ankle ties

Pants must come in both regular and tall or long . The sizes of BDU'S used are: XS-4XL

Note: Shrinkage allowance must be minimal on pant and contain washing care instructions. Material must be machine washable and able to be ironed.

7) SHIRT- BDU (Battle Dress Uniform) Style:

COLOR: to be determine by dept. If the color carries distinctly from existing uniform color in will not be considered. This is done to keep the appearance of uniformity.

65 % Polyester 35 % cotton rip-stop only

SHIRTS MUST HAVE:

SHIRT- OPTION 1

Two (2) Style Pockets
Reinforced Elbows
Adjustable Button Tab Cuffs
Button Down Front Double Stitched Seams
XS-6XL

SHIRT OPTION 2

Four (4) below style pockets
Reinforced elbows
Adjustable button tab cuffs
seams Button down front
Double stitched
XS-4XL

SHOULDER PATCH:

Vendor shall supply with patches already attached to both sleeves. The standard department patch should be sewn on each sleeve. The sleeve patch must be of the same design currently used and same color scheme. Tan BDU shirt have the oval gold/brown patch on both sides of the upper arm area. Black BDU Shirt have the oval silver/black patch on both sides of the upper arm area. Silver/grey BDU shirt have the oval silver/black patch on both sides of the upper arm area. Chocolate brown BDU shirt have the oval gold/brown patch on both sides of the upper arm area. Purchased shirts must come with the patches attached. This cost must not be an additional charge.

BADGE PATCH:

A circular design that uses the same badge design as on shoulder patch. Tan BDU shirts have the round gold/brown patch in front chest area. Black BDU shirts have the round silver/black patch in front chest area. Silver/Grey BDU shirts have the round silver/black patch in front chest area. Chocolate Brown BDU shirts have the round gold/brown patch in front chest area. The chest patch must be sewn onto the shirt. **SILK SCREEN IMAGES WILL NOT BE ACCEPTED.**

SHOULDER AND BADGE PATCHES WILL BE AVAILABLE AT THE PRE-BID CONFERENCE TO ILLUSTRATE AND CLARIFY BID SPECIFICATIONS CONCERNING PATCH DESCRIPTIONS ON BID.

Shirts must come in both regular and long cuts. BDUs sizes: XS-6XL.

Note: Shrinkage allowance must be minimal on pant and contain washing care instructions. Material must be machine washable and able to be ironed.

8) INVESTIGATOR RAID JACKETS/WINDBREAKER

Brown/Black Nylon coach's jacket with white light lining
Outer shell 100% nylon taffeta
Fully lined with polyester brushed tricot
Snap front
Drawstring bottom
Elastic Cuffs
Heat transfer
Sizes: SM- 6XL

Screen-printed with yellow and/or white ink /embroidering of badge or upon request reflective (**tackle twill**) material. Printing and jacket must match exactly what we currently have

SCREEN PRINT OPTION 1

Hidalgo County Sheriff's Office badge logo on **left breast** side or upon request embroidered and on the right breasts the embroidering of the department, agency or bureau. "POLICE" and/or "SHERIFF" across the **front** of (horizontal) jacket in 4" letters and below Hidalgo County Sheriff's Office in 1" letters. "POLICE" and/or "SHERIFF" on both **sleeves** (vertical) in 2" letters

Printing on **back** of jacket must be centered

BACK: SHERIFF'S.....4" letters
OFFICE.....1" letters
POLICE.....4" letters

SCREEN PRINT OPTION 2

Front and sleeves exactly the same as option 1

BACK: SHERIFF'S.....4" letters
NARCOTIC UNIT1" letters
POLICE.....4" letters

Must include following listed units and any other unit that is developed;

GANG UNIT..... 4" letters
LINEBACKER UNIT.....4" letters
PUBLIC INTEGRITY.....4" letters

9) SAFETY VESTS, BREAK-AWAY HIGH VISIBILITY

Traffic vest must meet ANSI (American National Standards Institute) / ISEA (International Safety Equipment Association) 107 compliance class 2 or better,

COLOR:

Fluorescent Yellow

SHELL FABRIC:

3.7 oz. per square yard, 100% Polyester heavy denier tricot mesh. (Color: see specified garment color).

TRIM:

- Binding: 100% nylon plain weave taffeta (Color: black), 100% polyester plain weave taffeta (Color: fluorescent yellow)
- Hook and loop: woven nylon base (Color: fluorescent yellow).
- Eyelets: aluminum, black enamel finish.
- Ribbon: 2.5-inches grosgrain. (Color: black)
- Reflective trim: 2.0 inch wide, 3M Scotchlite silver reflective fabric.

DESIGN AND CONSTRUCTION:

- Full Cut Vest.
- high contrast Scotchlite striping.
- Pen/penlight openings.
- Microphone tabs on each shoulder.
- Fully Adjustable waist.
- "Break Away" shoulder and side access.

CUSTOMIZATION:

- Sheriff lettering in Scotchlite on front and back vest.
- Badge tab.

STANDARD SIZE RANGE:

Unisex sizing:

- Regular: SM – M
- L-XL
- 2XL–6XL

MEASUREMENTS:

Regular Length Size: L – XL

- Center Front: 21.625
- Center Back: 28.5
- Across Chest: 18.5
- Across Back: 19.5

10) TACTICAL OUTERSHELL POINT BLANK R 20 D (equal or better)

Carrier is designed to be worn externally to other clothing and shall not only provide a means of wearing armor but also provide a load carrying capabilities. The exterior of the garment **shall provide removable identity both front and back**. Identity shall be three (3) inches high and read "POLICE/SHERIFF" lettering. The front of the carrier shall provide five pockets to carry equipment such as, but not limited to, mini flash lights, side arm magazines, handcuffs and communication equipment. Two web shoulder straps, one on each shoulder shall provide a location to attach communication equipment or badges. The interior shall provide a means of ballistic panels within the carrier. A cummerbund shall be adjustable and close at the front. Side closure shall be accomplished with a combination elastic and Velcro system.

Rear (Back) lettering panel combination of lettering must be 3 to 5" lettering in two rows.

OPTIONS

Yellow/White "Police" Identity
Yellow/White "Sheriff" Identity
Or any other combination wording

SIZES

SM- 6XL

Note: Vest must meet all requirements of NIJ Standard 0104.04.

MATERIAL

- Hook and pile fastener tapes shall conform to the requirements of the Velcro manufacture, style H88 and 11000 (equal or better).
- The outer shell material shall be 420 denier nylon with a water repellent urethane coating.
- The elastic for the side closures straps shall be approximately eight (8) inches wide and of good commercial quality.

COLOR

Color shall be navy, black, camouflage and or dark green.

11) TIES

Polyester 3” clip-on Tie

COLOR: Brown 5

SIZES:

3.0”x18” – Men’s Regular

3.0”x 20” – Men’s Long

For 22” Length 3.5” Clip-on Tie

- Pre-tied clip-on tie
- 100% Polyester – tropical weave
- Black metal clip
- Packed 6 ties per bag

12) EMBLEM/PATCH CUSTOMIZATION

EMBLEM/PATCH CUSTOMIZATION:

Upon any emblem/patch customization to include size, shape, color and application change, vendor must be able to provide different digital variations to all county wide agencies. Vendor will provide a digital sample for pre-approval. Vendor will provide pricing per emblem/patch on bulk ranging from 0 to 100, 101 to 200 and 201 to 300. A sample patch/emblem is provided before order is processed for color and customization verification. Pricing will also be considered with various applications of Velcro which will be sewn onto the patch/emblem upon request.

13) DRESS BUTTONS:

Dress buttons for uniform shirts: Waterbury button sizes 24 and 36 to include washer, fastener or clip, equal to and/or better:

- Premium Gold plated shirt button with washer, fastener or clip, front design STAR with the word TEXAS around star
- Nickel plated shirt button with washer, fastener or clip, front design STAR with the word TEXAS around star
- Premium Gold plated shirt button with washer, fastener or clip, front design Old English style letter S with a wreath around the border
- Nickel plated shirt button with washer, fastener or clip, front design Old English style letter S with a wreath around the border
- Purchase price in bulk from 0 to 100, 101 to 200 and 201 to 300 in any combination listed above.

NO BID FORM

(To Be Completed ONLY IF YOU DO NOT BID.)

In the event you desire not to submit a bid, we would appreciate your response regarding the reason(s). Your assistance in completing and returning this form in an envelope marked with the enclosed bid would be appreciated.

	YES	NO
Does your company provide this product or services?	<input type="checkbox"/>	<input type="checkbox"/>
Were the specifications clear?	<input type="checkbox"/>	<input type="checkbox"/>
Were the specifications too restrictive?	<input type="checkbox"/>	<input type="checkbox"/>
Does the County pay its bills on time?	<input type="checkbox"/>	<input type="checkbox"/>
Do you desire to remain on the bid list for this product or service?	<input type="checkbox"/>	<input type="checkbox"/>
Does your present workload permit additional work?	<input type="checkbox"/>	<input type="checkbox"/>
Comments/Other Suggestions:		

COMPANY NAME:	
PERSON COMPLETING FORM	Telephone:
MAILING ADDRESS:	Fax:
CITY, STATE, ZIP CODE	Date: