



CANON U.S.A., INC.

DUNS Unique Entity ID 041530692	SAM Unique Entity ID S11RNFCEZKU8	CAGE / NCAGE 8AYY3
Purpose of Registration All Awards	Registration Status Active	Expiration Date Jan 28, 2023
Physical Address 1 Canon Park Melville, New York 11747-3036 United States	Mailing Address 1 Canon Park Melville, New York 11747-3036 United States	

Business Information

Doing Business as (blank)	Division Name Itcg Business Dev Sales Division	Division Number (blank)
Congressional District New York 03	State / Country of Incorporation New York / United States	URL http://www.usa.canon.com

Registration Dates

Activation Date Feb 1, 2022	Submission Date Jan 28, 2022	Initial Registration Date Dec 21, 2018
--------------------------------	---------------------------------	---

Entity Dates

Entity Start Date Dec 29, 1965	Fiscal Year End Close Date Dec 31
-----------------------------------	--------------------------------------

Immediate Owner

CAGE SG166	Legal Business Name CANON INC.
---------------	-----------------------------------

Highest Level Owner

CAGE (blank)	Legal Business Name (blank)
-----------------	--------------------------------

Executive Compensation

Registrants in the System for Award Management (SAM) respond to the Executive Compensation questions in accordance with Section 6202 of P.L. 110-252, amending the Federal Funding Accountability and Transparency Act (P.L. 109-282). This information is not displayed in SAM. It is sent to USAspending.gov for display in association with an eligible award. Maintaining an active registration in SAM demonstrates the registrant responded to the questions.

Proceedings Questions

Registrants in the System for Award Management (SAM) respond to proceedings questions in accordance with FAR 52.209-7, FAR 52.209-9, or 2.C.F.R. 200 Appendix XII. Their responses are not displayed in SAM. They are sent to FAPIIS.gov for display as applicable. Maintaining an active registration in SAM demonstrates the registrant responded to the proceedings questions.

Exclusion Summary

Active Exclusions Records?
No

SAM Search Authorization

I authorize my entity's non-sensitive information to be displayed in SAM public search results:
Yes

Entity Types

Business Types		
Entity Structure Corporate Entity (Not Tax Exempt)	Entity Type Business or Organization	Organization Factors Foreign Owned Manufacturer of Goods
Profit Structure For Profit Organization		

Socio-Economic Types

Check the registrant's Reps & Certs, if present, under FAR 52.212-3 or FAR 52.219-1 to determine if the entity is an SBA-certified HUBZone small business concern. Additional small business information may be found in the SBA's Dynamic Small Business Search if the entity completed the SBA supplemental pages during registration.

Financial Information

Accepts Credit Card Payments Yes	Debt Subject To Offset No
EFT Indicator 0000	CAGE Code 8AYY3

Points of Contact

Electronic Business

☒ carolyn grant, ms.	4100 N. Fairfax Drive Suite 200 Arlington, Virginia 22203 United States
Rosaline Astefanous	1 Canon Park Melville, New York 11747 United States

Government Business

☒ Jennifer Winters, Ms.	1 Canon Park Melville, New York 11747 United States
----------------------------	---

Past Performance

☒ Jennifer Winters	1 Canon Park Melville, New York 11747 United States
Brian Mahar	1 Canon Park Melville, New York 11747 United States

Service Classifications

NAICS Codes

Primary	NAICS Codes	NAICS Title
Yes	333316	Photographic And Photocopying Equipment Manufacturing
	333314	Optical Instrument And Lens Manufacturing
	334118	Computer Terminal And Other Computer Peripheral Equipment Manufacturing
	334220	Radio And Television Broadcasting And Wireless Communications Equipment Manufacturing
	334310	Audio And Video Equipment Manufacturing
	423410	Photographic Equipment And Supplies Merchant Wholesalers
	423620	Household Appliances, Electric Housewares, And Consumer Electronics Merchant Wholesalers
	443142	Electronics Stores
	811212	Computer And Office Machine Repair And Maintenance

Product and Service Codes

PSC	PSC Name
5820	Radio And Television Communication Equipment, Except Airborne
5836	Video Recording And Reproducing Equipment
6710	Cameras, Motion Picture

6720	Cameras, Still Picture
6730	Photographic Projection Equipment
6760	Photographic Equipment And Accessories
J067	Maintenance, Repair, And Rebuilding Of Equipment- Photographic Equipment

Disaster Response

Yes, this entity appears in the disaster response registry.

States

Counties

Metropolitan Statistical Areas

Any



COPY GRAPHICS, INC
 221 N 10th Street
 McAllen, TX 78501
 956-631-0205 / 956-630-2628 fax
www.copyg.com

Date: **2/23/2022**
 Sales Rep: Henoc Macias
 P.O. Number:
 Expires: 4/25/2022
REF#DQM1596

PROPOSAL FOR:

Hidalgo Co Urban County Program
 1916 Tesoro St.
 Pharr, Texas 78577

Dalila Alvarado
 956-787-8127 ext 2253

CANON IR-DX 4751i Multi-Function System (Network Print and Scan)

Standard Specifications: ADVANCE SERIES UNIT

- 51 Copies or Prints Per Minute with 1200 X 1200 DPI True (Print) Resolution
- Single Pass Duplexing Automatic Document Feeder (200 sheet capacity feeder) scans up to 270 PPM
- Automatic Tray-less Duplexing (2 sided output)
- 2 X 550 Sheet User Adjustable Paper Cassettes & 100 Sheet Stack Bypass
- UFR II Printing, PCL6 and PS3 drivers for (Network Print Ready) plus standard USB
- Wireless LAN Support & Standard 10/100/1000 Base-T Interface, USB 2.0 and 3.0
- Network Scan Ready (Scan to folder or Scan to e-mail – in color)
- Memory – Standard 3 GB RAM Plus 250 GB HD Drive, HDD Encryption Kit for better security of documents.
- Intuitive Touch Color Screen User Interface, Remote Operator’s Kit (for remote use on device/fleet programming)
- Fast Warm-up 24 sec from power on and 10 sec or less from sleep mode
- Dept ID Management (Individual User Codes), Universal Login Manager (Authentication for more security)
- Various Digital Imaging Features and Enhanced Security Features
- Copy Ratio – Automatic from 25% to 400%
- Copy Job Reservation - pre-programmed jobs
- Mail Box Functionality (100 Users) Stores frequently used forms
- See Brochure for more details on capabilities, security features and accessories

ITEM NUMBER	MAKE / DESCRIPTION	AMOUNT
4053C002AA	CANON DX-4751I ADVANCE COPIER Black and White unit	\$115.44 Per mo.
1419C002CA	CASSETTE FEEDING UNIT-AN1	\$20.15 Per mo.
0613C002CA	Staple Finisher-Y1	\$33.80 Per mo.
1426C001AA	Buffer Pass Unit-N1	\$3.70 Per mo.
4378C005BA	Super G3 FAX Board-BF1	\$11.11 Per mo.
6101AU76AA	ESP Next Gen PCS Power Filter (120V/15A)	\$2.39 Per mo.
Service plan includes	10,000 copies/month with overages billed at the rate of \$.008 per copy. Plan includes parts, labor, toners, drums and staples.	Per Month \$ 80.00
		Monthly Total = \$266.59

P.O. Vendor is:
 Canon Financial Services
 14904 COLLECTIONS CENTER DR
 Chicago, IL 60693-0149

Lease Option: 60 month State of Texas Contract DIR-CPO-4437 for \$ 186.59 per month for equipment and 80.00 for service plan. For a total monthly payment of \$ 266.59

Service Plan: Plan includes 10,000 copies with overages billed at the rate of \$.008 per copy. Plan includes parts, labor, toners, staples and drums.

Service Plans do not include network related issues; we provide those services at an additional cost, please ask Sales Rep for additional network service plan options. Initial network install is at no charge.

Henoc Macias

Customer’s Signature of Acceptance

Henoc Macias, CG Sales Mgr.

Date ____/____/____

Date 02/_/23/_/2021_

Canon

State of Texas DIR-CPO-4437 Contract

CPA Vendor #	122305682200	Vendor: Reflect this Number on all Correspondence and Invoices.
Payee ID#:	1223056822	
Vendor Name:	Canon Financial Services/ ordered from Canon USA Inc.	
Address:	14904 COLLECTIONS CENTER DR	
City, State, Zip	Chicago, IL 60693-0149	
Quote No.	C815-02232022-DQM1595	
Date:	February 23, 2022	
Contract No.	DIR-CPO-4437	

Customer Name/Invoice Address:	Address for Delivery:
Hidalgo Co. Urban County Program	Hidalgo Co. Urban County Program
1916 Tesoro St.	1916 Tesoro St.
Pharr, TX 78577	Pharr, TX 78577

Agency Point of Contact:	Dalila Alvarado	Phone:	956-292-7000 ext 2015
		E-Mail:	dallia.alvarado@co.hidalgo.tx.us
Agency Accounts Payable Contact:	Ester Perez	Phone:	956-781-1881 x2027
		E-Mail:	ester.perez@wic.co.hidalgo.tx.us
Securing Dealer	COPY GRAPHICS, INC	Address/ Phone Number	221 N. 10th St McAllen, Tx 78501 / 956-631-0205
Installing Dealer	COPY GRAPHICS, INC	Address/ Phone Number	221 N. 10th St McAllen, Tx 78501 / 956-631-0205

****STATE SALES TAX EXEMPTION CERTIFICATE REQUIRED FOR EVERY ORDER.****

Item codes	Description	Quantity	Unit Price	Total
3826C002AA	IMAGERUNNER ADVANCE DX C5850I color Unit	60	\$134.67	\$8,080.20
4031C002BA	HIGH CAPACITY CASSETTE FEEDING UNIT-C1	60	\$25.13	\$1,507.80
3999C002BA	Staple Finisher-AB1	60	\$33.80	\$2,028.00
4003C002AA	Buffer Pass Unit-P1	60	\$3.70	\$222.00
6101AU76AA	ESP Next Gen PCS Power Filter (120V/15A)	60	\$2.39	\$143.40
Service Plan	12,000 B&W and 7000 Color copies/month with overages billed at the rate of \$.0079 per B&W and \$.0506 per Color Copies . Plan includes parts, labor, toners, drums and staples.	60	\$449.00	\$26,940.00
	36 MONTH DIR-CPO-4437 STATE OF TEXAS CONTRACT LEASE PER MONTH:			\$0.00
	\$648.69			\$0.00
ALL ITEMS ABOVE MUST BE INCLUDED ON YOUR P.O.				\$0.00
	PO MADE TO: CANON FINANCIAL SERVICES 14904 COLLECTIONS CENTER DRIVE CHICAGO, IL 60693			\$0.00
	**Months encumbered to be determined by entity; if applicable			\$0.00
				\$0.00
Monthly Unit Total			\$648.69	
Total - Page 1				\$38,921.40

Canon

State of Texas DIR-CPO-4437 Contract

CPA Vendor #	122305682200	Vendor: Reflect this Number on all Correspondence and Invoices.
Payee ID#:	1223056822	
Vendor Name:	Canon Financial Services/ ordered from Canon USA Inc.	
Address:	14904 COLLECTIONS CENTER DR	
City, State, Zip	Chicago, IL 60693-0149	
Quote No.	C815-02232022-DQM1596	
Date:	February 23, 2022	
Contract No.	DIR-CPO-4437	

Customer Name/Invoice Address:	Address for Delivery:
Hidalgo Co. Urban County Program	Hidalgo Co. Urban County Program
1916 Tesoro St.	1916 Tesoro St.
Pharr, TX 78577	Pharr, TX 78577

Agency Point of Contact:	Dallia Alvarado	Phone:	956-292-7000 ext 2015
		E-Mail:	dallia.alvarado@co.hidalgo.tx.us
Agency Accounts Payable Contact:	Ester Perez	Phone:	956-781-1881 x2027
		E-Mail:	ester.perez@wic.co.hidalgo.tx.us
Securing Dealer	COPY GRAPHICS, INC	Address/ Phone Number	221 N. 10th St McAllen, Tx 78501 / 956-631-0205
Installing Dealer	COPY GRAPHICS, INC	Address/ Phone Number	221 N. 10th St McAllen, Tx 78501 / 956-631-0205

****STATE SALES TAX EXEMPTION CERTIFICATE REQUIRED FOR EVERY ORDER.****

Item codes	Description	Quantity	Unit Price	Total
3826C002AA	CANON DX-4751I ADVANCE COPIER	60	\$115.44	\$6,926.40
1419C002CA	CASSETTE FEEDING UNIT-AN1	60	\$20.15	\$1,209.00
0613C002CA	Staple Finisher-Y1	60	\$33.80	\$2,028.00
1426C001AA	Buffer Pass Unit-N1	60	\$3.70	\$222.00
4378C005BA	Super G3 FAX Board-BF1	60	\$11.11	\$666.60
6101AU76AA	ESP Next Gen PCS Power Filter (120V/15A)	60	\$2.39	\$143.40
Service Plan	10,000 copies/month with overages billed at the rate of \$.008 per copy. Plan includes parts, labor, toners, drums and staples.	60	\$80.00	\$4,800.00
	36 MONTH DIR-CPO-4437 STATE OF TEXAS CONTRACT LEASE PER MONTH:			\$0.00
	\$266.59			\$0.00
ALL ITEMS ABOVE MUST BE INCLUDED ON YOUR P.O.				\$0.00
	PO MADE TO: CANON FINANCIAL SERVICES 14904 COLLECTIONS CENTER DRIVE CHICAGO, IL 60693			\$0.00
	**Months encumbered to be determined by entity; if applicable			\$0.00
				\$0.00
Monthly Unit Total			\$266.59	
Total - Page 1				\$15,995.40



COPY GRAPHICS, INC
 221 N 10th Street
 McAllen, TX 78501
 956-631-0205 / 956-630-2628 fax
www.copyg.com

Date: **2/23/2022**
 Sales Rep: Henoc Macias
 P.O. Number:
 Expires: 3/25/2022
REF#DQM1595

PROPOSAL FOR:

Hidalgo Co Urban County Program
 1916 Tesoro St.
 Pharr, Texas 78577

Dalila Alvarado
 956-787-8127 ext 2253

CANON Advance IR-DX C5850i Copy, Network Print & Scan (Color)

Standard Specifications: See Brochure for more information

- Color Digital Copier/Printer/Scanner
- 50Pages/Min Black and White & 50 Page/Min Color
- Standard 200-Sheet Single Pass Duplexing Automatic Feeder
- Dual 550-sheet Paper Cassettes + Bypass Feed 100-Sheet (up to 12"X18")
- Paper Weights (cassettes = 14lb Bond to 140 lb index) (Bypass = 14lb Bond to 110 lb cover)
- 1200 dpi X 1200 dpi Resolution Print
- 10/100/1000Base-TX Network Interface Connections & USB 2.0 Interface, Wireless LAN Support
- Standard UFR II PDL, PCL6, Adobe Post Script 3 Support Standard Network Scan to folder, Scan to E-mail, Scan to FTP
- Storage to Mailbox 100 Users (see brochure) 50 Confidential Fax inboxes
- Image Server Memory 250 GB HDD/ 4 GB RAM (Standard)
- Zoom Mode 25% - 400% (in 1% increments)
- Intuitive Color Touch Screen User Interface
- New Security specifications including HD Lock and Erase

ITEM NUMBER	MAKE / DESCRIPTION	AMOUNT
3826C002AA	IMAGERUNNER ADVANCE DX C5850I	\$134.67 Per Mo
4031C002BA	HIGH CAPACITY CASSETTE FEEDING UNIT-C1 (2400 shts)	\$25.13 Per Mo
3999C002BA	Staple Finisher-AB1	\$33.80 Per Mo
4003C002AA	Buffer Pass Unit-P1	\$ 3.70 per Mo
6101AU76AA	ESP Next Gen PCS Power Filter (120V/15A)	\$2.39 Per Mo
Service plan includes	12,000 B&W and 7000 Color copies/month with overages billed at the rate of \$.0079 per B&W and \$.0506 per Color Copies . Plan includes parts, labor, toners, drums and staples.	Per Month \$ 449.00
		Monthly Total = \$648.69

P.O. Vendor is:

Canon Financial Services
 14904 COLLECTIONS CENTER DR
 Chicago, IL 60693-0149

Lease Option: 60 month State of Texas Contract DIR-CPO-4437 for \$ 199.69 per month for equipment and 449.00 for service plan. For a total monthly payment of \$ 648.69

Service Plan: Plan includes 12,000 B&W and 7000 Color copies/month with overages billed at the rate of \$.0079 per B&W and \$.0506 per Color Copies. Plan includes parts, labor, toners, drums and staples. *Service Plans do not include network related issues; we provide those services at an additional cost, please ask Sales Rep for additional network service plan options. Initial network install is at no charge.*

Henoc Macias

Customer's Signature of Acceptance

Henoc Macias, CG Sales Mgr.

____/____/_____
Date

_____02___/___23___/___2022___
Date



Texas DIR Contract #DIR-CPO-4437

Category	Product Description	Item #	Item Description	MSRP	% off MSRP	Texas DIR Purchase Price	Fair Market Value Operating Lease Program*			
							24 Month	36 Month	48 Month	60 Month
Volume Band M1	Copier Black and White - Canon ImageRUNNER B&W A3 series - 25 PPM	4055C002AA	ImageRUNNER ADVANCE DX 4725i	\$8,800	64.00%	\$3,191.76	\$ 144.59	\$ 98.63	\$ 82.35	\$ 69.26
Volume Band M2	Copier Black and White - Canon ImageRUNNER B&W A3 series - 35 PPM	4055C002AA	ImageRUNNER ADVANCE DX 4735i	\$11,000	65.00%	\$3,878.88	\$ 175.71	\$ 119.86	\$ 100.07	\$ 84.17
Volume Band M2	Copier Black and White - Canon ImageRUNNER B&W A3 series - 45 PPM	4054C003AA	ImageRUNNER ADVANCE DX 4745i	\$14,850	68.00%	\$4,787.64	\$ 216.88	\$ 147.94	\$ 123.52	\$ 103.89
Volume Band M3	Copier Black and White - Canon ImageRUNNER B&W A3 series - 51 PPM	4053C002AA	ImageRUNNER ADVANCE DX 4751i	\$16,500	68.00%	\$5,319.60	\$ 240.98	\$ 164.38	\$ 137.25	\$ 115.44
ImageRUNNER ADVANCE DX 4725i/4735i/4745i/4751i Optional Accessories										
	Single Pass DADF-C1	4053C001AA		\$2,200	45.00%	\$1,219.08	\$ 55.22	\$ 37.67	\$ 31.45	\$ 26.45
	DADF-BA1	3813C001AA		\$880	45.00%	\$487.63	\$ 22.09	\$ 15.07	\$ 12.68	\$ 10.56
	Platen Cover-Y2	3813C002AA		\$116	45.00%	\$64.38	\$ 2.91	\$ 1.99	\$ 1.66	\$ 1.39
	High Capacity Cassette Feeding Unit-B1	1423C002AA		\$2,099	45.00%	\$1,156.12	\$ 52.46	\$ 35.79	\$ 29.68	\$ 25.13
	Cassette Feeding Unit-A1	1415C002CA		\$1,678	45.00%	\$928.71	\$ 42.07	\$ 28.70	\$ 23.96	\$ 20.15
	Cabinet Typo-C	2293C001AA		\$288	45.00%	\$148.51	\$ 6.73	\$ 4.59	\$ 3.83	\$ 3.22
	Paper Deck Unit-F1	0607C002AA		\$2,428	45.00%	\$1,344.31	\$ 60.90	\$ 41.54	\$ 34.68	\$ 29.17
	Envelope Feeder Attachment-D1	3665B007AB		\$231	45.00%	\$128.00	\$ 5.80	\$ 3.96	\$ 3.30	\$ 2.78
	Inner 2-Way Tray-L1	1422C001AA		\$116	45.00%	\$64.28	\$ 2.91	\$ 1.99	\$ 1.66	\$ 1.38
	Inner Finisher-J1	1422C002CA		\$1,386	45.00%	\$768.02	\$ 34.79	\$ 23.73	\$ 19.81	\$ 16.67
	Inner 2/3 Hole Puncher-C1	1424C002AA		\$775	45.00%	\$429.45	\$ 19.45	\$ 13.27	\$ 11.08	\$ 9.32
	Staple Finisher-Y1	0813C002CA		\$2,811	45.00%	\$1,557.65	\$ 70.56	\$ 48.13	\$ 40.19	\$ 33.80
	Booklet Finisher-Y1	0814C002CA		\$4,312	45.00%	\$2,388.39	\$ 108.24	\$ 73.83	\$ 61.65	\$ 51.85
	Buffer Pass Unit-N1	1426C001AA		\$308	45.00%	\$170.67	\$ 7.73	\$ 5.27	\$ 4.40	\$ 3.70
	2/3 Hole Puncher Unit-A1	0126C001AA		\$983	45.00%	\$544.70	\$ 24.68	\$ 16.83	\$ 14.05	\$ 11.82
	Utility Tray-B1	0165C001AA		\$70	45.00%	\$38.79	\$ 1.76	\$ 1.20	\$ 1.00	\$ 0.84
	1268V426	1268V426		\$110	25.00%	\$83.12	\$ 3.77	\$ 2.57	\$ 2.14	\$ 1.80
	USB Keyboard (Cherry)	4784B001AA		\$347	25.00%	\$262.20	\$ 11.88	\$ 8.10	\$ 6.76	\$ 5.69
	Copy Card Reader-F1	3684B009AA		\$93	45.00%	\$51.53	\$ 2.33	\$ 1.59	\$ 1.33	\$ 1.12
	Canon Card Set-A1 (1-30)	4781B001AA		\$174	45.00%	\$96.42	\$ 4.37	\$ 2.98	\$ 2.49	\$ 2.09
	Canon Card Set-A2 (31-100)	4781B002AA		\$382	45.00%	\$211.68	\$ 9.59	\$ 6.54	\$ 5.46	\$ 4.59
	Canon Card Set-A3 (101-200)	4781B003AA		\$509	45.00%	\$282.05	\$ 12.78	\$ 8.72	\$ 7.28	\$ 6.12
	Canon Card Set-A4 (201-300)	4781B004AA		\$509	45.00%	\$282.05	\$ 12.78	\$ 8.72	\$ 7.28	\$ 6.12
	Canon Card Set-A5 (301-500)	4781B005AA		\$1,029	45.00%	\$570.19	\$ 25.63	\$ 17.62	\$ 14.71	\$ 12.37
	Canon Card Set-A6 (501-1000)	4781B006AA		\$2,588	45.00%	\$1,434.08	\$ 64.96	\$ 44.31	\$ 37.00	\$ 31.12
	Braille Label Kit-F1	7618A003AA		\$39	25.00%	\$29.47	\$ 1.33	\$ 0.91	\$ 0.76	\$ 0.62
	ADF Access Handle-A1	1085B001AA		\$161	25.00%	\$121.66	\$ 5.51	\$ 3.76	\$ 3.14	\$ 2.64
	Copy Control Interface Kit-A1	3725B001AA		\$59	45.00%	\$32.89	\$ 1.46	\$ 1.01	\$ 0.84	\$ 0.71
	CONVENIENCE STARTER-C1	3669B64		\$398	45.00%	\$219.43	\$ 9.94	\$ 6.78	\$ 5.66	\$ 4.76
	Universal keyboard Stand-A2	3854V774		\$273	25.00%	\$207.80	\$ 9.41	\$ 6.42	\$ 5.36	\$ 4.51
	Card Reader Assembly for Universal Keyboard Stand	2212V478		\$66	25.00%	\$49.87	\$ 2.26	\$ 1.54	\$ 1.29	\$ 1.08
	Attachment Kit for Reader-A1	4067C001AA		\$22	45.00%	\$12.19	\$ 0.55	\$ 0.38	\$ 0.31	\$ 0.26
	ImageRUNNER ADVANCE DX Series Control Panel Protective Film (10 pack)	3827V590		\$979	45.00%	\$542.49	\$ 24.57	\$ 16.76	\$ 14.00	\$ 11.77
	ImageRUNNER ADVANCE DX Series Control Panel Protective Film (100 pack)	3827V591		\$521	45.00%	\$288.70	\$ 13.09	\$ 8.92	\$ 7.45	\$ 6.26
	PCL International Font Set-A1	4821B003AA		\$924	45.00%	\$512.01	\$ 23.19	\$ 15.82	\$ 13.21	\$ 11.11
	Barcode Printing Kit-D1e	3995B004AA		\$924	45.00%	\$512.01	\$ 23.19	\$ 15.82	\$ 13.21	\$ 11.11
	Super G3 FAX Board-BF1	4378C005BA		\$578	45.00%	\$320.28	\$ 14.51	\$ 9.90	\$ 8.26	\$ 6.95
	Super G3 2nd Line Fax Board-BF1	4378C004AA		\$1,155	45.00%	\$640.01	\$ 28.89	\$ 19.78	\$ 16.51	\$ 13.89
	Super G3 3rd/4th Line Fax Board-ASZ	0176C004AA		\$385	45.00%	\$213.34	\$ 9.66	\$ 6.59	\$ 5.50	\$ 4.63
	IP FAX Expansion Kit-B1	3679B005AA		\$462	45.00%	\$256.01	\$ 11.60	\$ 7.91	\$ 6.60	\$ 5.56
	Remote Fax Kit-A1e	0180C001AA		\$578	45.00%	\$320.28	\$ 14.51	\$ 9.90	\$ 8.26	\$ 6.95
	HDD Mirroring Kit-J1	4164B4V44C		\$350	45.00%	\$193.94	\$ 8.79	\$ 5.99	\$ 5.00	\$ 4.21
	HDD Data Erase Scheduler V3.1.3	0177C001BA		\$405	45.00%	\$224.42	\$ 10.17	\$ 6.93	\$ 5.79	\$ 4.87
	2.5inch/250GB HDD-N1	0178C001AA		\$1,502	45.00%	\$832.30	\$ 37.70	\$ 25.72	\$ 21.47	\$ 18.06
	2.5inch/1TB HDD-P1	4036C002AA		\$198	45.00%	\$109.72	\$ 4.97	\$ 3.39	\$ 2.83	\$ 2.38
	Numeric Keypad-A2	4040C001AA		\$824	45.00%	\$453.53	\$ 4.42	\$ 3.01	\$ 2.52	\$ 2.12
	IC Card Reader Box for Numeric Keypad-A1	0172C001AA		\$924	25.00%	\$698.20	\$ 31.63	\$ 21.63	\$ 18.01	\$ 15.15
	Voice Operation Kit-D1	0172C002AA		\$2,079	25.00%	\$1,570.94	\$ 71.16	\$ 48.54	\$ 40.53	\$ 34.09
	IP-ADV Security Kit-A1 for IEEE 802.11 Common Criteria Certification	4576C001AA		\$1,184	45.00%	\$656.08	\$ 29.72	\$ 20.27	\$ 16.93	\$ 14.24
	Generation Kit-A2 for Bluetooth LE	4041C001AA		\$220	25.00%	\$168.24	\$ 5.82	\$ 3.74	\$ 3.15	\$ 2.65
	NFC Kit-E1	4029C001AA		\$220	25.00%	\$168.24	\$ 5.82	\$ 3.74	\$ 3.15	\$ 2.65
	Authorized Send V7.2 (1 License) e-LAN	4224C062AA		\$1,100	15.00%	\$942.01	\$ 42.67	\$ 29.11	\$ 24.30	\$ 20.44
	Authorized Send V7.2 (10 License) e-LAN	4224C063AA		\$10,500	15.00%	\$8,919.98	\$ 407.33	\$ 277.65	\$ 231.99	\$ 195.13
	Authorized Send V7.2 (100 License) e-LAN	4224C064AA		\$105,000	15.00%	\$89,919.98	\$ 4,073.95	\$ 2,778.51	\$ 2,319.92	\$ 1,951.25
	Authorized Send To Fax V7.2 (1 License) e-LAN	4224C065AA		\$390	15.00%	\$333.99	\$ 15.13	\$ 10.32	\$ 8.62	\$ 7.25
	Authorized Send V7.2 Add-on Option (1 License) e-LAN	4224C015AA		\$520	15.00%	\$445.43	\$ 36.08	\$ 24.61	\$ 20.55	\$ 17.28
	Authorized Send V7.2 Worldox add-on Option (1 License) e-LAN	4224C016AA		\$220	15.00%	\$188.40	\$ 8.53	\$ 5.82	\$ 4.86	\$ 4.09
	Authorized Send V7.2 Bar Code Recognition add-on Option (1 License) e-LAN	4224C017AA		\$220	15.00%	\$188.40	\$ 8.53	\$ 5.82	\$ 4.86	\$ 4.09
	Authorized Send V7.2 Fax Server add-on Option (1 License) e-LAN	4224C018AA		\$220	15.00%	\$188.40	\$ 8.53	\$ 5.82	\$ 4.86	\$ 4.09
	MidCard PLUS	3575B504AA		\$210	15.00%	\$178.84	\$ 8.15	\$ 5.56	\$ 4.64	\$ 3.90
	AA-PRINT MFP V1.5 G3	4164B759AA		\$720	15.00%	\$616.59	\$ 27.93	\$ 19.05	\$ 15.91	\$ 13.38
	MEAP Web Connection Kit V5.7 SP1	4848B121AA		\$0	0.00%	\$0.00	N/A	N/A	N/A	N/A



Texas DIR Contract #DIR-CPO-4437

Category	Product Description	Item #	Item Description	MSRP	% off MSRP	Texas DIR Purchase Price	Fair Market Value Operating Lease Program*					
							24 Month	36 Month	48 Month	60 Month		
		4223C001AA	Object Generator (for AS400 printing), License with 3 year Maintenance	\$6,000	15.00%	\$5,136.25	\$ 232.76	\$ 158.77	\$ 132.57	\$ 111.50		
		4223C002AA	Object Generator Additional 1 year Maintenance	\$1,000	15.00%	\$856.38	\$ 38.79	\$ 26.46	\$ 22.09	\$ 18.58		
		6101AU76AA	ESP NEXT GEN PCS POWER FILTER (120V/15A) XG-PCS-15D (for ImageRUNNER 4225/4235/4245/4251 & all Accessories that get power from the main unit)	\$222.79	36.20%	\$143.21	\$ 6.49	\$ 4.43	\$ 3.68	\$ 3.11		
		1008B001AA	Staple-P1	\$75	10.00%	\$68.01	N/A	N/A	N/A	N/A		
		0148C001AA	Staple Cartridge-Y1 (for Booklet Finisher-Y1)	\$46	10.00%	\$41.71	N/A	N/A	N/A	N/A		
		0473C003AA	GPR-57 Toner Black	\$107	10.00%	\$96.67	N/A	N/A	N/A	N/A		
			ImageRUNNER ADVANCE DX 4725/4735/4745/4751 Maintenance Options (Toner Inclusive)									
			ImageRUNNER ADVANCE DX 4725 B&W Click Charge									
			ImageRUNNER ADVANCE DX 4735 B&W Click Charge									
			ImageRUNNER ADVANCE DX 4745 B&W Click Charge									
			ImageRUNNER ADVANCE DX 4751 B&W Click Charge									
						\$0.0080						
						\$0.0090						
						\$0.0080						
						\$0.0080						



Texas DIR Contract #DIR-CPO-4437

Category	Product Description	Item #	Item Description	MSRP	% off MSRP	Purchase Price	Fair Market Value Operating Lease Program*				
							24 Month	36 Month	48 Month	60 Month	
Volume Band C2	Copier Color - Canon Color ImageRUNNER A3 series - 35-40 PPM	3827C002AA	ImageRUNNER ADVANCE DX C5840I	\$18,700	70.00%	\$5,652.08	\$256.04	\$174.65	\$145.82	\$122.65	
Volume Band C2	Copier Color - Canon Color ImageRUNNER A3 series - 50 PPM	3828C002AA	ImageRUNNER ADVANCE DX C5850I	\$22,000	72.00%	\$6,206.20	\$281.14	\$191.77	\$160.12	\$134.67	
Volume Band C3	Copier Color - Canon Color ImageRUNNER A3 series - 60-70 PPM	3825C002AA	ImageRUNNER ADVANCE DX C5860I	\$25,300	72.00%	\$7,137.13	\$323.31	\$220.54	\$184.14	\$154.88	
Volume Band C3	Copier Color - Canon Color ImageRUNNER A3 series - 60-70 PPM	3824C002AA	ImageRUNNER ADVANCE DX C5870I	\$30,800	72.00%	\$8,688.68	\$393.60	\$268.48	\$224.17	\$188.54	
			ImageRUNNER ADVANCE DX C5840I/ DX C5850I/ DX C5860I/ DX C5870I Optional Accessories								
		4031C002BA	High Capacity Cassette Feeding Unit-C1	\$2,090	45.00%	\$1,158.12	\$2.46	\$5.79	\$29.88	\$25.13	
		4030C002BA	Cassette Feeding Unit-AQ1	\$1,676	45.00%	\$928.71	\$2.07	\$8.70	\$23.86	\$20.15	
		5358C001AA	Cabinet Type-V	\$330	45.00%	\$182.86	\$8.28	\$5.65	\$4.72	\$3.97	
		0607C002AA	Paper Deck Unit-F1	\$2,426	45.00%	\$1,344.31	\$60.90	\$41.54	\$34.68	\$29.17	
		4034C001AA	Inner 2way Tray-A1	\$116	45.00%	\$64.28	\$2.91	\$1.99	\$1.66	\$1.39	
		4002C002AA	Inner Finisher-L (not supported with C5870I)	\$1,386	45.00%	\$758.02	\$4.79	\$3.73	\$3.17	\$2.67	
		4002C002AA	Inner 2/3 Hole Puncher-D1 (not supported with C5870I)	\$1,811	45.00%	\$1,029.19	\$18.60	\$13.37	\$11.17	\$9.39	
		3939C002BA	Staple Finisher-AB1	\$2,811	45.00%	\$1,557.65	\$70.56	\$48.13	\$40.19	\$33.80	
		4001C002BA	Booklet Finisher-AB1	\$4,312	45.00%	\$2,388.39	\$108.24	\$73.83	\$61.65	\$51.85	
		4013C002AA	Buffer Pass Unit-P1	\$963	45.00%	\$544.70	\$24.68	\$16.83	\$14.05	\$11.82	
		0126C001AA	2/3 Hole Puncher Unit-A1	\$308	45.00%	\$170.67	\$7.73	\$5.27	\$4.40	\$3.70	
		8939C001AA	TAB ATTACHMENT-F1	\$88	45.00%	\$48.76	\$2.21	\$1.51	\$1.26	\$1.06	
		4032C001AA	Inner Tray (1st Copy Tray Kit-A1)	\$52	45.00%	\$28.81	\$1.31	\$0.89	\$0.74	\$0.63	
		4033C001AA	3rd Copy Tray Kit-A1	\$77	45.00%	\$42.67	\$1.93	\$1.32	\$1.10	\$0.93	
		0165C001AA	Utility Tray-B1	\$70	45.00%	\$38.79	\$1.76	\$1.20	\$1.00	\$0.84	
		4064C002AA	Printer Cover-M2	\$231	45.00%	\$128.00	\$8.80	\$5.96	\$3.30	\$2.78	
		3818C003AA	Platen Cover-Y3	\$116	45.00%	\$64.28	\$2.91	\$1.99	\$1.66	\$1.39	
		1289V428	USB Keyboard (Cherry)	\$110	25.00%	\$83.12	\$3.77	\$2.57	\$2.14	\$1.80	
		3984B009AA	Copy Card Reader Attachment-B7	\$93	45.00%	\$51.53	\$2.33	\$1.59	\$1.33	\$1.12	
		4784B001AA	Copy Card Reader-F1	\$347	25.00%	\$262.20	\$11.88	\$8.10	\$6.76	\$5.69	
		4781B001AA	Canon Card Set-A1 (1-30)	\$174	45.00%	\$96.42	\$4.37	\$2.98	\$2.49	\$2.09	
		4781B002AA	Canon Card Set-A2 (31-100)	\$382	45.00%	\$211.68	\$9.59	\$6.54	\$5.46	\$4.59	
		4781B003AA	Canon Card Set-A3 (101-200)	\$509	45.00%	\$282.05	\$12.78	\$8.72	\$7.28	\$6.12	
		4781B004AA	Canon Card Set-A4 (201-300)	\$509	45.00%	\$282.05	\$12.78	\$8.72	\$7.28	\$6.12	
		4781B005AA	Canon Card Set-A5 (301-500)	\$1,029	45.00%	\$570.19	\$25.83	\$17.62	\$14.71	\$12.37	
		4781B006AA	Canon Card Set-A6 (501-1000)	\$2,588	45.00%	\$1,434.08	\$64.96	\$44.31	\$37.00	\$31.12	
		7518A004AA	Braille Label Kit-F1	\$39	1.33	\$39.47	\$1.33	\$0.91	\$0.76	\$0.64	
		1095B001AA	ADF Access Handle-A1	\$161	25.00%	\$121.66	\$5.51	\$3.76	\$3.14	\$2.64	
		3726B001AA	Copy Control Interface Kit-A1	\$59	45.00%	\$32.69	\$1.48	\$1.01	\$0.84	\$0.71	
		3806V864	CONVENIENCE STAPLER-C1	\$268	45.00%	\$146.84	\$9.94	\$6.78	\$5.66	\$4.78	
		3954V774	Universal Keyboard Stand-A2	\$275	25.00%	\$207.80	\$2.28	\$1.54	\$1.29	\$1.08	
		2212V478	Card Reader Assembly for Universal Keyboard Stand	\$66	23.00%	\$50.87	\$2.74	\$1.87	\$1.56	\$1.31	
		3821V580	Attachment kit for Reader	\$109	45.00%	\$60.40	\$2.74	\$1.87	\$1.56	\$1.31	
		3821V581	ImageRUNNER ADVANCE DX Series Control Panel Protective Film (10 pack)	\$979	45.00%	\$542.49	\$24.57	\$16.76	\$14.00	\$11.77	
		4821B003AA	ImageRUNNER ADVANCE DX Series Control Panel Protective Film (100 pack)	\$921	45.00%	\$512.01	\$3.08	\$2.19	\$1.82	\$1.51	
		3989B004AA	PCL International Font Set-A1	\$924	45.00%	\$512.01	\$3.19	\$2.20	\$1.82	\$1.51	
		4037C002BA	Barcode Printing Kit-C16	\$578	45.00%	\$320.28	\$14.51	\$9.90	\$8.26	\$6.95	
		4038C001BA	Super G3 2nd Line Fax Board-AX1	\$462	45.00%	\$256.01	\$28.99	\$19.78	\$16.51	\$13.89	
		0707C004AA	Super G3 3rd/4th Line Fax Board-AX1	\$578	45.00%	\$320.28	\$14.51	\$9.90	\$8.26	\$6.95	
		4098C001BA	Remote Fax Kit-A16	\$405	45.00%	\$224.42	\$11.60	\$7.91	\$6.60	\$5.56	
		4873C001BA	Memory Mirroring Kit	\$198	45.00%	\$109.72	\$3.70	\$2.52	\$2.17	\$1.86	
		4036C002AA	250GB SSD-A1	\$178	45.00%	\$97.53	\$4.97	\$3.39	\$2.83	\$2.38	
		4040C001AA	Numeric Keypad-A2	\$924	45.00%	\$512.01	\$23.19	\$15.82	\$13.21	\$11.11	
		0171C001AA	IC Card Reader Box for Numeric Keypad-A1	\$924	25.00%	\$698.20	\$4.42	\$3.01	\$2.52	\$2.12	
		0172C002AA	Voice Guidance Kit-G1	\$2,079	25.00%	\$1,570.94	\$31.63	\$21.57	\$18.01	\$15.15	
		4041C002AA	Connection Kit-A3 for Bluetooth LE	\$220	45.00%	\$121.91	\$7.16	\$4.84	\$4.03	\$3.49	
		4029C002AA	NFC Kit-E2	\$220	45.00%	\$121.91	\$7.16	\$4.84	\$4.03	\$3.49	
		4100C001AA	imagePASS-R1	\$5,445	25.00%	\$4,114.38	\$220	\$152	\$125	\$103	
		0128B006AA	Hot Folders License	\$1,078	25.00%	\$814.56	\$186.38	\$127.13	\$105.15	\$89.28	
		2351B008AA	Adobe PDF Print Engine Kit (APPE)	\$4,730	15.00%	\$4,050.65	\$69.20	\$45.17	\$37.50	\$31.90	
		6586A047AA	Fleury Compose	\$2,665	15.00%	\$2,267.93	\$46.94	\$30.92	\$25.73	\$22.49	
		6586A048AA	Fleury Imposo and Compose	\$3,300	15.00%	\$2,826.04	\$104.55	\$71.32	\$59.54	\$50.08	
		8002A017AA	X-Rite i1 Pro 3 Spectrophotometer	\$1,430	15.00%	\$1,224.62	\$128.02	\$87.32	\$72.91	\$61.33	
		3077B130AA	Fleury Color Profiler Suite	\$2,300	15.00%	\$1,969.66	\$55.48	\$37.84	\$31.60	\$26.57	
		3077B131AA	Fleury Color Profiler Suite Annual Maintenance	\$400	15.00%	\$342.55	\$9.23	\$6.06	\$5.02	\$4.24	
		7152A042AA	Automation Package 1 year License	\$1,400	15.00%	\$1,198.93	\$15.52	\$10.58	\$8.84	\$7.43	
		7152A043AA	Automation Package 3 year License	\$3,000	15.00%	\$2,569.13	\$33.00	\$21.99	\$18.39	N/A	
		7152A044AA	Automation Package 5 year License	\$5,000	15.00%	\$4,281.88	\$55.00	\$36.99	\$30.84	\$25.92	
		7152A046AA	ColorRight Package 1 year License	\$1,600	15.00%	\$1,370.20	\$16.00	\$10.63	\$8.84	N/A	
		7152A047AA	ColorRight Package 3 year License	\$4,400	15.00%	\$3,768.05	\$44.00	\$29.33	\$24.28	N/A	
		7152A048AA	ColorRight Package 5 year License	\$5,800	15.00%	\$4,966.98	\$58.00	\$38.84	\$31.84	N/A	
		4224C062AA	Authorized Send V7.2 (1 License) e-LAN	\$1,100	15.00%	\$942.01	\$42.67	\$29.11	\$24.30	\$20.44	




Texas DIR Contract #DIR-CFO-4437

Category	Product Description	Item #	Item Description	MSRP	% off MSRP	Texas DIR Purchase Price	Fair Market Value Operating Lease Program*				
							24 Month	36 Month	48 Month	60 Month	
	Authorized Send V7.2 (10 License) e-LAN	4224C063AA		\$10,500	15.00%	\$8,951.84	\$ 407.33	\$ 277.85	\$ 231.99	\$ 195.13	
	Authorized Send V7.2 (100 License) e-LAN	4224C064AA		\$105,000	15.00%	\$89,918.38	\$ 4,073.35	\$ 2,778.51	\$ 2,319.92	\$ 1,951.25	
	Authorized Send To Fax V7.2 (1 License) e-LAN	4224C066AA		\$390	15.00%	\$333.99	\$ 15.13	\$ 10.32	\$ 8.62	\$ 7.25	
	Authorized Send V7.2 Add-on Option (1 License) e-LAN	4224C016AA		\$930	15.00%	\$796.43	\$ 36.09	\$ 24.61	\$ 20.55	\$ 17.28	
	Authorized Send V7.2 Workflow add-on Option (1 License) e-LAN	4224C017AA		\$220	15.00%	\$188.40	\$ 8.53	\$ 5.82	\$ 4.86	\$ 4.09	
	Authorized Send V7.2 Bar Code Recognition add-on Option (1 License) e-LAN	4224C018AA		\$220	15.00%	\$188.40	\$ 8.53	\$ 5.82	\$ 4.86	\$ 4.09	
	Authorized Send V7.2 Fax Server add-on Option (1 License) e-LAN	4224C019AA		\$220	15.00%	\$188.40	\$ 8.53	\$ 5.82	\$ 4.86	\$ 4.09	
	AA-PRINT MFP V1.5 G3	4164BT59AA		\$720	15.00%	\$616.59	\$ 27.93	\$ 19.05	\$ 15.91	\$ 13.38	
	MEAP Web Connection Kit V5.7 SP1	4848B121AA		\$0	0.00%	\$0.00	N/A	N/A	N/A	N/A	
	PaperCut Gen3+ MEAP License	4224C027AA		\$75	15.00%	\$64.23	\$ 2.91	\$ 1.98	\$ 1.66	\$ 1.39	
	ESP NEXT GEN PCS POWER FILTER (120V/15A) XG-PCS-15D (for ImageRUNNER ADVANCE C5535I/C5540I Main Unit & Accessories that get power from main unit) (for ImagePASS-CX400 ImageRUNNER ADVANCE C5255 Only)	6101A076AA		\$222.79	36.20%	\$143.21	\$ 6.49	\$ 4.43	\$ 3.69	\$ 3.11	
	ESP NEXT GEN PCS POWER FILTER (120V/20A) XG-PCS-20D (for ImageRUNNER ADVANCE C5550I/C5560I Main Unit & Accessories that get power from main unit)	6101A077AA		\$235.77	36.76%	\$150.22	\$ 6.80	\$ 4.64	\$ 3.88	\$ 3.26	
	ESP STEP-DOWN TRANSFORMER (208V/60 HZ) SDT208-120/16-20	6101AU83AA		\$949	30.53%	\$663.94	\$ 30.08	\$ 20.52	\$ 17.13	\$ 14.41	
	DIGITAL QC 208/15 NETWORK CONVERTIBLE POWER FILTER	6101AU84AA		\$305	26.56%	\$225.68	\$ 10.22	\$ 6.97	\$ 5.82	\$ 4.80	
	DIGITAL QC 208/20 Network Convertible Power Filter	6101AU85AA		\$305	26.56%	\$225.68	\$ 10.22	\$ 6.97	\$ 5.82	\$ 4.80	
	ImageRUNNER ADVANCE DX C5840I/IDX C5850I/IDX C5860I/IDX C5870I Supplies										
	Staple-P1	1008B001AA		\$75	10.00%	\$68.01	N/A	N/A	N/A	N/A	
	Staple Cartridge-Y1	0148C001AA		\$46	10.00%	\$41.71	N/A	N/A	N/A	N/A	
	GPR-61 TONER BK	3763C003AA		\$158	10.00%	\$143.57	N/A	N/A	N/A	N/A	
	GPR-61 TONER C	3763C003AA		\$333	10.00%	\$302.25	N/A	N/A	N/A	N/A	
	GPR-61 TONER M	3765C003AA		\$333	10.00%	\$302.25	N/A	N/A	N/A	N/A	
	GPR-61 TONER Y	3768C003AA		\$333	10.00%	\$302.25	N/A	N/A	N/A	N/A	
	ImageRUNNER ADVANCE DX C5840I/IDX C5850I/IDX C5860I/IDX C5870I Maintenance Options (Toner Inclusive)										
	Color ImageRUNNER ADVANCE DX C5840I B&W Click Charge					\$0.0079					
	Color ImageRUNNER ADVANCE DX C5840I Color Click Charge					\$0.0586					
	Color ImageRUNNER ADVANCE DX C5850I B&W Click Charge					\$0.0079					
	Color ImageRUNNER ADVANCE DX C5850I Color Click Charge					\$0.0506					
	Color ImageRUNNER ADVANCE DX C5860I B&W Click Charge					\$0.0079					
	Color ImageRUNNER ADVANCE DX C5860I Color Click Charge					\$0.0506					
	Color ImageRUNNER ADVANCE DX C5870I B&W Click Charge					\$0.0079					
	Color ImageRUNNER ADVANCE DX C5870I Color Click Charge					\$0.0506					



imageRUNNER ADVANCE DX 4751i



Product Description

The imageRUNNER ADVANCE DX 4751i model operates at speeds of up to 51 pages per minute (LTR) in B&W. Includes a 200-sheet Single Pass Duplex Automatic Document Feeder, PCL/PS/UFR II printing and Color Universal Send (Compact PDF, Searchable PDF/XPS, Office Open XML Word and PowerPoint, Smooth and Trace), Two 550-sheet Cassettes, 80-sheet Stack Bypass, 3GB of RAM, 250GB HDD, and USB 3.0/2.0 connectivity. Includes uniFLOW Online Express, Universal Login Manager (ULM), Wireless LAN, Remote Operator's Software Kit, McAfee Embedded Control and other Standard Security Features.

Space And Power Requirements

Dimensions (W x D x H) Standard (including Single Pass DADF):

iR-ADV DX 4751i/DX 4745i

Standard: 24" x 28-1/2" x 36-3/4" (608 x 722 x 932 mm)

iR-ADV DX 4735i/DX 4725i

With Platen Cover-Y2: 24" x 28-1/8" x 32-3/8" (608 x 713 x 822 mm)

With Single Pass DADF-C1: 24" x 28-1/2" x 36-3/4" (608 x 722 x 932 mm)

With DADF-BA1: 24" x 28-3/8" x 36-1/2" (608 x 719 x 926 mm)

Installation Space (W x D)

Basic:

44" x 45-5/8" (1,116 x 1,160 mm) (with Platen Cover-Y2 + Multi-purpose tray open/extension tray extended + Paper Cassette open)

44" x 46" (1,116 x 1,169 mm) (with Single Pass DADF-C1 + Multi-purpose tray open/extension tray extended + Paper Cassette open)

44" x 45-7/8" (1,116 x 1,166 mm) (with DADF-BA1 + Multi-purpose tray open/extension tray extended + Paper Cassette open)


Fully Configured:

71-3/8" x 46" (1,811 x 1,169 mm) (with Single Pass DADF-C1 + Paper Deck Unit-F1 + Booklet Finisher-Y1 with extension tray extended and Saddle unit drawn)

71-3/8" x 45-7/8" (1,811 x 1,166 mm) (with DADF-BA1 + Paper Deck Unit F1 + Booklet Finisher-Y1 with extension tray extended and Saddle unit drawn)

Power Requirements:

110-127V, 60Hz, 10.4A

Product name	Net component size			Additional Power Supply	Plug Image
	W	D	H		
	inch	inch	inch		
imageRUNNER ADVANCE DX 4751i	23.11	29.13	37.20		
Cassette Feeding Unit-AN1	22.24	25.59	9.76		
Inner 2Way Tray-L1	16.77	16.26	4.29		

Canon

Product name	Net component size			Additional Power Supply	Plug Image
	W	D	H		
	inch	inch	Inch		
uniFLOW Online Express	-	-	-	None	
Total	23.11	29.13	46.97		



imageRUNNER ADVANCE DX 4751i

Main Unit

imageRUNNER ADVANCE DX 4751i




The imageRUNNER ADVANCE DX 4751i model operates at speeds of up to 51 pages per minute (LTR) in B&W. Includes a 200-sheet Single Pass Duplex Automatic Document Feeder, PCL/PS/UFR II printing and Color Universal Send (Compact PDF, Searchable PDF/XPS, Office Open XML Word and PowerPoint, Smooth and Trace), Two 550-sheet Cassettes, 100-sheet Stack Bypass, 3GB of RAM, 250GB HDD, and USB 3.0/2.0 connectivity. Includes uniFLOW Online Express, Universal Login Manager (ULM), Wireless LAN, Remote Operator's Software Kit, McAfee Embedded Control and other Standard Security Features.

Canon

Hardware Accessories


Cassette Feeding Unit-AN1

Adds two additional front-loading, user-adjustable 550-sheet paper cassettes to the standard paper supply.



Inner 2Way Tray-L1

Adds a second internal output tray to give a combined capacity of 350 sheets.



Canon

Solutions


uniFLOW Online Express



Combining with ULM you can gain further control and highlight expenditures per users/department and pinpoint where costs can be scaled down from a central cloud based location.



imageRUNNER ADVANCE DX C5850i




Product Description

- Print/Copy Speed: up to 50 ppm (BW/Color, Letter)
- Scan Speed: up to 270 ipm (300 dpi) (BW/Color, Duplex)
- Print up to 12" x 18"
- Includes two 550-sheet paper cassettes
- Standard security feature set, including McAfee Embedded Control
- Includes uniFLOW Online Express for cloud-based accounting and cost control per user/department

Space And Power Requirements

- Total Dimensions (W x D x H): 24.41" x 28.43" x 46.77"
- Total Installation Space (W x D x H): 44.80" x 45.75" x 46.77"
- Main Unit Power Requirements: 120V/11.5A
- Main Unit Plug: NEMA 5-15P


Product name	Net component size			Additional Power Supply	Plug Image
	W	D	H		
	inch	inch	inch		
imageRUNNER ADVANCE DX C5850i	24.41	28.43	36.89		
High Capacity Cassette Feeding Unit-C1	24.41	25.98	9.88	None	
Inner Tray (1st Copy Tray Kit-A1)	8.86	14.69	3.66		
Inner 2way Tray-M1	-	-	-	None	
Total	24.41	28.43	46.77		



imageRUNNER ADVANCE DX C5850i

Main Unit

imageRUNNER ADVANCE DX C5850i



- Print/Copy Speed: up to 50 ppm (BW/Color, Letter)
- Scan Speed: up to 270 ipm (300 dpi) (BW/Color, Duplex)
- Print up to 12" x 18"
- Includes two 550-sheet paper cassettes
- Standard security feature set, including McAfee Embedded Control
- Includes uniFLOW Online Express for cloud-based accounting and cost control per user/department


Product name	imageRUNNER ADVANCE DX C5850i
Net component size W (inch)	24.41
Net component size D (inch)	28.43
Net component size H (inch)	36.89
Additional Power Supply	

Canon

Hardware Accessories


High Capacity Cassette Feeding Unit-C1

Provides an additional 2,450 sheets of LTR sized paper capacity up to 140lb. Index (256gsm) within the footprint of the main unit.




Inner Tray (1st Copy Tray Kit-A1)

Internal output tray with a capacity of up to 250 sheets.



Canon

Inner 2way Tray-M1



Adds a second internal output tray to give a combined capacity of up to 350 sheets.



imageRUNNER
ADVANCE DX
4751i/4745i
4735i/4725i

imageRUNNER ADVANCE DX 4700 Series

Print up to 51 ppm (BW)



Scan up to 270 ipm (300 dpi) (BW/color, duplex)

Print up to 11" x 17"

6,350-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology, better **control** sensitive information and print-related costs, and help ensure that technology investments proactively **evolve** with changing needs.

Black-and-white
Mid-volume
Multifunction




WORKFLOW EFFICIENCY

- 10.1" intuitive touchscreen with smartphone-like usability.
- A unique, customized experience tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive.¹
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Hot Folders allow users to drag and drop a file into a hot folder, and automatically print with predefined settings such as number of copies and finishing requirements.



SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM*,² systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at startup. McAfee Embedded Control³ utilizes a whitelist to protect against malware and tampering of firmware and applications.
- Security policy settings can be controlled with a dedicated password, configured from a central location, and exported to other supported devices.
- Control access to the device and specific features, using a host of flexible authentication methods—PIN code, user name/password, or card access.⁴



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for crisp text and consistent images in rich black-and-white tones.
- Designed to achieve maximum uptime with status notifications to help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE DX models have received many awards and recognition from leading industry analysts, often referencing strong reliability.

* Security Information and Event Management



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics and parts life management for proactive maintenance and rapid fixes.
- Easy and intuitive to monitor device status and consumable levels, turn off devices remotely, observe meter readings, manage settings, and implement security policies.
- Common firmware and regular updates with Unified Firmware Platform (UFP) for continuous improvements and consistency across a fleet.



COST MANAGEMENT


- Track and assess print, copy, scan, and fax usage and allocate costs to departments or projects.
- Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.
- Standard cloud-based solution provides a centralized dashboard with up-to-the-minute insights into printer activity.
- Upgrade to uniFLOW server or cloud-based solutions for full accounting and reporting for compatible Canon and third-party devices, pull printing, job routing, and powerful scan workflows.



SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Encourage environmentally-conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and rated EPEAT® Gold.⁵

CONFIGURATION OPTIONS



Not Shown

- Inner 2/3 Hole Puncher-C1 (for Inner Finisher-J1)
- 2/3 Hole Puncher Unit-A1 (for External Finishers)
- Platen Cover Type-W

* Staple-Free stapling, up to 5 pages of 17 lb. Bond.

SPECIFICATIONS

Main Unit

Type
Monochrome Laser Multifunctional

Core Functions
Standard: Print, Copy, Scan, Send, Store
Optional: Fax

Processor
1.75 GHz Dual Core Processor

Control Panel
10.1" TFT LCD WSVGA Color Touch-panel

Memory
3.0 GB RAM

Hard Disk Drive
Standard: 250 GB
Maximum: 1 TB

Print Resolution
1200 dpi x 1200 dpi

Interface Connection

Network
Standard: 1000Base-T/100Base-TX/10Base-T,
Wireless LAN (IEEE 802.11 b/g/n)
Optional: Bluetooth Low Energy

Others
Standard: USB 2.0 xl (Host), USB 3.0 xl (Host),
USB 2.0 xl (Device)
Optional: Copy Control Interface

Paper Capacity (LTR, 20 lb. Bond)

Standard: 1,200 Sheets
Maximum: 6,350 Sheets

Paper Sources (LTR, 20 lb. Bond)

Standard: Two 550-sheet Paper Cassettes,
100-sheet Stack Bypass

Optional: Two 550-sheet Paper Cassettes (Cassette
Feeding Unit-ANI), 2,450-sheet Paper Deck
(High Capacity Cassette Feeding Unit-B1),
2,700-sheet Paper Deck (Paper Deck
Unit-F1)

Paper Output Capacity (LTR, 20 lb. Bond)

Standard: 250 Sheets
3,350 Sheets (with Buffer Pass-N1 + Staple
Maximum: Finisher-Y1 or Booklet Finisher-Y1)

Finishing Capabilities

Standard: Collate, Group
With Finishers: Collate, Group, Offset, Staple, Saddle-Stitch,
Hoje Punch, Eco Staple, Staple On Demand

Supported Media Types

Upper/Lower Thin, Plain, Recycled, Color, Heavy,
Cassette: Pre-punched
Multi-purpose Thin, Plain, Recycled, Color, Heavy,
Tray: Pre-punched, Bond, Transparency,
Label, Envelope

Supported Media Sizes

Upper Cassette: Legal, Letter, Letter-R, Executive,
Statement-R, Custom Size
(5-1/2" x 7-1/8" to 11-3/4" x 15-3/8")

Lower Cassette: 11" x 17", Legal, Letter, Letter-R, Executive,
Statement-R, Custom Size
(5-1/2" x 7-1/8" to 11-3/4" x 17"), Envelope⁶:
[No.10 (COM10), Monarch, DL, ISO-C5]

Multi-purpose 11" x 17", Legal, Letter, Letter-R, Executive,
Tray: Statement-R, Envelope [No.10 (COM10),
Monarch, DL, ISO-C5], Custom Size/Free
Size (3-7/8" x 5-7/8" to 11-3/4" x 17")

Supported Media Weights

Upper/Lower Cassette: 16 lb. Bond to 80 lb. Cover (60 to 220 g/m²)
Multi-purpose Tray: 14 lb. Bond to 80 lb. Cover (52 to 220 g/m²)
Duplexing: 16 lb. Bond to 28 lb. Bond (60 to 105 g/m²)

Print/Copy Speed

4751i: Up to 51 ppm (Letter), Up to 37 ppm
(Letter-R), Up to 25 ppm (Legal),
Up to 25 ppm (11" x 17")

4745i: Up to 45 ppm (Letter), Up to 32 ppm
(Letter-R), Up to 25 ppm (Legal),
Up to 22 ppm (11" x 17")

4735i: Up to 35 ppm (Letter), Up to 32 ppm
(Letter-R), Up to 25 ppm (Legal),
Up to 22 ppm (11" x 17")

4725i: Up to 25 ppm (Letter), Up to 17 ppm
(Letter-R), Up to 13 ppm (Legal),
Up to 15 ppm (11" x 17")

Warm-up Time

From Power On: Approx. 24 Seconds⁷
From Sleep
Mode: Approx. 10 Seconds⁸

Quick Startup
Mode: Approx. 4 Seconds⁹

Dimensions (W x D x H)

4751i/4745i: 24" x 28-1/2" x 36-3/4"
(608 mm x 722 mm x 932 mm)
With Platen Cover-Y2: 24" x 28-1/8" x 32-3/8"
(608 mm x 713 mm x 822 mm)
With Single Pass DADF-Cl: 24" x 28-1/2" x
36-3/4" (608 mm x 722 mm x 932 mm)
With DADF-BA1: 24" x 28-3/8" x 36-1/2"
(608 mm x 719 mm x 926 mm)

Installation Space (W x D)

Basic: 44" x 45-5/8" (1,116 x 1,160 mm) (with Platen
Cover-Y2 + Multi-purpose Tray open/extension
tray extended + Paper Cassette open)
44" x 46" (1,116 x 1,169 mm) (with Single
Pass DADF-Cl + Multi-purpose Tray open/
extension tray extended + Paper Cassette
open)

44" x 45-7/8" (1,116 x 1,166 mm) (with DADF-
BA1 + Multi-purpose tray open/extension
tray extended + Paper Cassette open)

71-3/8" x 46" (1,811 x 1,169 mm) (with Single
Pass DADF-Cl + Paper Deck Unit-F1 + Booklet
Finisher-Y1 with extension tray extended and
Saddle unit drawn)

71-3/8" x 45-7/8" (1,811 x 1,166 mm) (with
DADF-BA1 + Paper Deck Unit F1 + Booklet
Finisher-Y1 with extension tray extended and
Saddle unit drawn)

Weight¹⁰

4751i/4745i: Approx. 193.8 lb. (87.9 kg)
With Platen Cover: Approx. 165.3 lb. (75 kg)
With Single Pass DADF-Cl: Approx. 193.8 lb.
(87.9 kg)

4735i/4725i: With DADF-BA1: Approx. 179.5 lb

Print Specifications

Standard Page Description Languages

UFR II, PCL[®] 6, Adobe[®] PS[®] 3

Supported File Types for Direct Print

PDF, TIFF, JPEG, EPS, XPS

Printing from Mobile Devices and Cloud-based Services

A range of standard and optional software and MEAP-based
solutions (including AirPrint, Mopria, Universal Print by
Microsoft[®], Canon PRINT Business, and uniFLOW Online)
are available to provide printing from mobile devices or
internet-connected devices and cloud-based services
depending on your requirements. Please contact your
sales representative for further information.

Fonts

PCL: 93 Roman, 10 Bitmap fonts, 2 OCR fonts,
Andalé Mono WT 1/k/S/T (Japanese,
Korean, Simplified and Traditional Chinese),¹¹
Barcode Fonts¹²

PS: 136 Roman

Operating System¹³

UFR II/PS: Windows[®] 7/8.1/10/Server 2008/Server
2008 R2/Server 2012/Server 2012 R2/
Server 2016/Server 2019, Mac OS X (10.10
or later)

PCL: Windows[®] 7/8.1/10/Server 2008/Server
2008 R2/Server 2012/Server 2012 R2/
Server 2016/Server 2019

PPD: Windows[®] 7/8.1/10, Mac OS X (10.9 or later)

Copy Specifications

First-Copy-Out Time (Letter)

4751i: As fast as 3.7 seconds
4745i: As fast as 3.8 seconds
4735i: As fast as 3.8 seconds
4725i: As fast as 5.2 seconds

Copy Resolution (dpi)

600 x 600

Multiple Copies

Up to 9,999 Copies

Copy Exposure

Automatic or Manual (9 Levels)

Magnification

25%-400% (1% increments)

Preset Reduction/Enlargement

25%, 50%, 64%, 73%, 78%, 100% (1:1), 121%, 129%,
200%, 400%

Scan Specifications

Type

4751i/4745i: Standard Single Pass Duplexing Automatic
Document Feeder

4735i/4725i: Optional Single Pass Duplexing Automatic
Document Feeder, Duplexing Automatic
Document Feeder, or Platen Cover

Document Feeder Paper Capacity

Single Pass DADF: Up to 200 Sheets
DADF: Up to 100 Sheets

Document Feeder Supported Media Sizes

11" x 17", Legal, Letter, Letter-R, Statement, Statement-R

Document Feeder Supported Media Weights

Single Pass DADF-Cl
Single-sided 13.3 lb. Bond to 80 lb. Cover
Scanning: (50 to 220 g/m²)
Double-sided
Scanning: 13.3 lb. Bond to 80 lb. Cover (50 to 220 g/m²)

DADF-BA1
Single-sided 13.3 lb. Bond to 34 lb. Bond (50 to 128 g/m²)
Scanning: (BW), 17 lb. Bond to 34 lb. Bond (64 to 128
g/m²) (CL)
Double-sided 13.3 lb. Bond to 34 lb. Bond (50 to 128 g/m²)
Scanning: (BW), 17 lb. Bond to 34 lb. Bond (64 to 128
g/m²) (CL)

Platen Acceptable Originals

Sheet, Book, 3-Dimensional Objects

Platen Supported Media Size

Up to 11-3/4" x 17" (297 mm x 431.8 mm)

Pull Scan

Color Network ScanGear2 for both Twain and WIA
Supported OS: Windows[®] 7/8.1/10/Server 2008/Server 2008
R2/Server 2012/Server 2012 R2/Server 2016

Scan Resolution (dpi)

Push: Up to 600 x 600
Pull: Up to 600 x 600

Scan to Mobile Devices and Cloud-based Services

A range of solutions is available to provide scanning to
mobile devices and cloud-based services depending on
your requirements.

Scan Speed (Letter)

Single Pass DADF-Cl
Single-sided Scanning
BW/Color: 135/135 (300 x 300 dpi, send)
80/80 (600 x 600 dpi, copy)

Double-sided Scanning
BW/Color: 270/270 (300 x 300 dpi, send)
60/90 (600 x 600 dpi, copy)

DADF-BA1

Single-sided Scanning
BW/Color: 70/70 (300 x 300 dpi, send)
51/51 (600 x 600 dpi, copy)

Double-sided Scanning
BW/Color: 35/35 (300 x 300 dpi, send)
25.5/25.5 (600 x 600 dpi, copy)

Send Specifications

Destination

Standard: E-mail/Internet FAX (SMTP), SMB 3.0, FTP, WebDAV, Mail Box
Optional: Super G3 Fax, IP Fax

Address Book

LDAP (2,000)/Local (1,600)/Speed dial (200)

Send Resolution (dpi)

Push: Up to 600 x 600
Pull: Up to 600 x 600

Communication Protocol

File: FTP (TCP/IP), SMB 3.0 (TCP/IP), WebDAV
Email: SMTP, POP3

File Format

TIFF, JPEG, PDF (Compact, Searchable, Apply Policy, Optimize for Web, PDF/A-1b, Trace & Smooth, Encrypted, Device Signature, User Signature), XPS (Compact, Searchable, Device Signature, User Signature), Office Open XML (PowerPoint, Word)

Fax Specifications (Optional)

Maximum Number of Connection Lines

4

Modem Speed

Super G3: 33.6 Kbps
G3: 14.4 Kbps

Compression Method

MH, MR, MMR, JBIG

Resolution (dpi)

400 x 400, 200 x 400, 200 x 200, 200 x 100

Sending/Recording Size

Statement-R to 11" x 17"

Fax Memory

Up to 30,000 Pages (2,000 Jobs)

Speed Dials

Max. 200

Group Dials/Destinations

Max. 199 Dials

Sequential Broadcast

Max. 256 Addresses

Memory Backup

Yes

Store Specifications

Mail Box (Number Supported)

100 User In-boxes, 1 Memory RX In-box, 50 Confidential Fax In-boxes, 30,000 Maximum Pages Stored (2,000 Jobs Stored)

Advanced Box

Communication Protocol: SMB or WebDAV
Supported
Client PC: Windows (Windows 8.1/10)
Concurrent Connections (Max.):
SMB: 64
WebDAV: 3 (Active Sessions)

Advanced Box Available Disk Space

Approx. 16 GB (Standard HDD)
Approx. 480 GB (With Optional 1 TB HDD)

Memory Media

Standard: USB

Security Specifications

Authentication

Standard: Universal Login Manager, uniFLOW Online Express,¹⁴ User Authentication, Department ID Authentication, Access Management System, Device and Function Level Log-in
Optional: uniFLOW

Data

Standard: Trusted Platform Module (TPM), Hard Disk Password Lock, Hard Disk Drive Erase, Mail Box Password Protection, Hard Disk Drive Encryption (FIPS140-2 Validated), Verify System at Startup, McAfee Embedded Control¹³
Optional: Hard Disk Drive Mirroring, IEEE 2600.2 Common Criteria Certification, Data Loss Prevention (Requires uniFLOW)

Network

Standard: Encrypted Secure Print, IP/Mac Address Filtering, IPsec, TLS Encrypted Communication (v1.0/1.1/1.2/1.3), SNMP V3.0, IEEE 802.1X, IPv6, SMTP Authentication, POP Authentication before SMTP, S/MIME, SIEM Integration

Document

Standard: Secure Watermark, Secure Print, Forced Hold Printing, Adobe LiveCycle* Rights Management ES2.5 Integration, Encrypted PDF, Encrypted Secure Print, Device Signature, User Signature

Environmental Specifications

Operating Environment

Temperature: 50 to 86°F
Humidity: 20 to 80% RH (Relative Humidity)

Power Requirements

110-127V, 60Hz, 10.4A

Power Consumption

Maximum: Approx. 1,500 W
Standby: Approx. 39 W¹⁵
Sleep Mode: Approx. 0.9 W¹⁶
Typical Electricity Consumption (TEC) Rating¹⁷
475li: 0.71 kWh
4745i: 0.62 kWh
4735i: 0.51 kWh
4725i: 0.34 kWh

Standards

ENERGY STAR* Certified
Rated EPEAT* Gold⁵

Consumables

Toner

GPR-57 Toner BK

Toner Yield (Estimated @ 6% Coverage)

Black: 42,100 Images

- ¹ Subscription to a third-party cloud service required. Subject to third-party cloud service providers' Terms and Conditions.
² Third-party SIEM system required. Subject to third-party SIEM system's Terms and Conditions. Canon cannot ensure compatibility with all third-party SIEM systems.
³ This feature is off by default and must be turned on by the user. Warm-up times are affected once turned on.
⁴ Requires additional option.
⁵ For current EPEAT rating (Gold/Silver/Bronze), please visit www.epeat.net.
⁶ Envelope Feeder Attachment-D1 is required.
⁷ Time from device power-on until copy ready (not print reservation).
⁸ Time from exiting Sleep mode to when printing is operational.
⁹ Time from device power on to when the copy icon appears and is enabled to operate on the touch panel display.
¹⁰ Includes toner.
¹¹ Requires the optional PCL International Font Set-A1.
¹² Requires the optional Barcode Printer Kit-D1.
¹³ Other operating systems and environments, including AS/400, UNIX, Linux, and Citrix may be supported. Some of these solutions are chargeable. SAP Device Types are available via the SAP Market Place. For more information, contact your sales representative.
¹⁴ No charge for this solution; however, activation is required.
¹⁵ Reference Value (measured one unit).
¹⁶ 0.9 W Sleep mode not available in all circumstances due to certain settings.
¹⁷ Based on ENERGY STAR Product Specification for Imaging Equipment Version 3.0.

USA.CANON.COM/SIMPLYADVANCED



AirPrint and the AirPrint logo are trademarks of Apple Inc. Canon, imageRUNNER, imagePASS, and the GENUINE logo are registered trademarks or trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its features will prevent security issues. Some security features may impact functionality/performance; you may want to test these settings in your environment. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. McAfee and the McAfee logo are trademarks of McAfee LLC in the US and/or other countries. All other referenced product names and marks are trademarks of their respective owners. All printer output images are simulated. All features presented in this brochure may not apply to all Series and/or products and may be optional; please check with your Canon Authorized Dealer for details. Products shown with optional accessories. Canon U.S.A. does not provide legal counsel or regulatory compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21 or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.
©2021 Canon U.S.A., Inc. All rights reserved.

1221R7-iRA4700DXSR5B-PDF-IH

Canon



To learn about Canon's many awards, visit
usa.canon.com/awards.



imageRUNNER
ADVANCE DX
C5870i/C5860i
C5850i/C5840i

imageRUNNER ADVANCE DX C5800 Series

Print up to 70 ppm (BW/color)

Scan up to 270 ipm (300 dpi) (BW/color, duplex)

Print up to 12" × 18"

6,350-sheet maximum paper capacity

Canon's comprehensive portfolio of imageRUNNER ADVANCE DX multifunction printers and integrated solutions can help **simplify** the end user experience and management of technology, better **control** sensitive information and print-related costs, and help ensure that technology investments proactively **evolve** with changing needs.

Color
Mid-volume
Multifunction



WORKFLOW EFFICIENCY

- 10.1" intuitive touchscreen with smartphone-like usability.
- A unique, customized experience tailored to individual preferences using My ADVANCE.
- Supports mobile solutions and integration with many popular cloud services like Google Drive!¹
- Scan and convert documents to searchable digital files in a variety of file formats.
- Integration with Canon and various third-party software with embedded application platform.
- Hot Folders allow users to drag and drop a file into a hot folder and automatically print with pre-defined settings such as number of copies and finishing requirements.



SECURITY

- Advanced standard security feature set to help safeguard sensitive information and assist in regulatory compliance.
- Integrates with existing, third-party SIEM² systems to help provide real-time, comprehensive insights into potential threats to the network and printers.
- Technology to verify that the device boot process, firmware, and applications initialize without alteration at startup. McAfee Embedded Control³ utilizes a whitelist to protect against malware and tampering of firmware and applications.
- Security policy settings can be controlled with a dedicated password, configured from a central location, and exported to other supported devices.
- Control access to the device and specific features, using a host of flexible authentication methods—PIN code, user name/password, or card access.⁴



QUALITY AND RELIABILITY

- Canon's signature reliability and engine technologies help keep productivity high and minimize the impact on support resources.
- Outstanding imaging technologies and toner allow for consistently striking images, thanks to Canon's V² color profile.
- Designed to achieve maximum uptime with status notifications that help keep supplies replenished and intuitive maintenance videos for consumables replacement.
- imageRUNNER ADVANCE models have received many awards and recognition from leading industry analysts, often referencing strong reliability.

⁴ Security Information and Event Management.



DEVICE AND FLEET MANAGEMENT

- Designed for quick, easy deployment.
- Remote diagnostics and parts life management for proactive maintenance and rapid fixes.
- Easy and intuitive to monitor device status and consumable levels, turn off devices remotely, observe meter readings, manage settings, and implement security policies.
- Common firmware and regular updates with Unified Firmware Platform (UFP) for continuous improvements and consistency across a fleet.



COST MANAGEMENT

- Track and assess print, copy, scan, and fax usage and allocate costs to departments or projects.
- Apply print policies and restrict usage by user to help reduce unnecessary printing and contribute to cost efficiency.
- Standard cloud-based solution provides a centralized dashboard with up-to-the-minute insights into printer activity.
- Upgrade to uniFLOW server or cloud-based solutions for full accounting and reporting for compatible Canon and third-party devices, pull printing, job routing, and powerful scan workflows.




SUSTAINABILITY

- A combination of fusing technologies and low-melting-point toner minimizes power requirements and helps achieve low energy consumption.
- Encourage environmentally conscious work practices by enabling multiple settings that can help save paper and energy.
- ENERGY STAR® certified and rated EPEAT® Gold⁵

CONFIGURATION OPTIONS

imageRUNNER ADVANCE DX C5800 Series



* Inner Finisher-LI not available on imageRUNNER ADVANCE DX C5870i.

** Staple-free stapling, up to ten pages of 17 lb. Bond.

• Required when Staple Finisher-ABI or Booklet Finisher-ABI is not installed.

Store Specifications

Mail Box (Number Supported)

100 User In-boxes, 1 Memory RX In-box, 50 Confidential Fax In-boxes, Maximum 10,000 Pages (2,000 jobs) Stored

Advanced Box

Communication Protocol: SMB or WebDAV

Supported

Client PC: Windows (Windows 8.1/10)

Concurrent Connections (Max.)

SMB: 64
WebDAV: 3

Advanced Box Available Disc Space

Approx. 16 GB (Standard HDD)

Approx. 480 GB (With Optional 1 TB HDD)

Security Specifications

Authentication and Access Control

User Authentication (Picture Login, Picture and PIN Login, Card Login, Username and Password Login, Function Level Login, Mobile Login), Department ID Authentication (Department ID and PIN Login, Function Level Login), uniFLOW Online Express⁷ (PIN Login, Picture Login, Picture and PIN Login, Card Login, Card and PIN Login, Username and Password Login, Department ID and PIN Login, Function Level Login), Access Management System (Access Control)

Document Security

Print Security (Secure Print, Encrypted Secure Print, Forced Hold Printing, uniFLOW Secure Print⁸), Receive Data Security (Confidential Fax Inbox Forwarding Received Documents Automatically), Scan Security (Encrypted PDF, Device Signature PDF/XPS, User Signature PDF/XPS, Adobe LiveCycle[®] Rights Management ES2.5 Integration), BOX Security (Mail Box Password Protected, Advanced Box Access Control), Send Data Security (Setting for requesting password input per transmission, Restricted E-mail/File send functions, Confirming FAX number, Allow/Restrict Fax Driver Transmissions, Allow/Restrict Sending from History, S/MIME Support), Document Tracking (Secure Watermark)

Network Security

TLS 1.3, IPsec, IEEE802.1X authentication, SNMP V3.0, Firewall Functionality (IP/MAC Address Filtering), Dual Network Support (Wired LAN/Wireless LAN, Wired LAN/Wired LAN), Disabling Unused Functions (Enabling/Disabling Protocols/Applications, Enabling/Disabling Remote UI, Enabling/Disabling USB Interface), G3 FAX separation from LAN, USB Port separation from LAN, Prohibit the execution of files stored in Advanced Box in the MFP, Scan and Send-Virus Concerns for E-mail Reception

Device Security

Protecting SSD Data (SSD Data Encryption (FIPS140-2 Validated), SSD Lock), Standard SSD Initialize, Trusted Platform Module (TPM), Job Log Conceal Function, Protecting MFD Software Integrity, Checking MFD Software Integrity (Verify System at Startup, Runtime Intrusion Detection)

Device Management and Auditing

Administrator Password, Digital Certificate and Key Management, Audit Log, Cooperating with External Security Audit System (Security Information and Event Management), Image Data Logging, Security Policy Setting

Environmental Specifications

Operating Environment

Temperature: 50 to 86°F

Humidity: 20 to 80% RH (Relative Humidity)

Power Requirements

C5870i/ C5860i/ C5850i: 110-127V, 60Hz, 12A
C5840i: 110-127V, 60Hz, 10A

Power Consumption

Maximum: Approx. 1,800 W
Standby: Approx. 56.1 W¹⁹
Sleep Mode: Approx. 0.8 W²⁰
Typical Electricity Consumption (TEC) Rating²¹
C5870i: 0.86 kWh
C5860i: 0.71 kWh
C5850i: 0.57 kWh
C5840i: 0.47 kWh

Standards

ENERGY STAR[®] Certified
Rated EPEAT[®] Gold

Consumables

Toner²²

GPR-61 Toner BK/C/M/Y
GPR-61L Toner C/M/Y

Toner Yield (Estimated @ 5% Coverage)

GPR-61 Toner
BK: 71,000 Pages
GPR-61 Toner C/M/Y: 60,000 Pages
GPR-61L Toner C/M/Y: 26,000 Pages

¹ Subscription to a third-party cloud service required. Subject to third-party cloud service providers' Terms and Conditions.

² Third-party SIEM system required. Subject to third-party SIEM system's Terms and Conditions. Canon cannot ensure compatibility with all third-party SIEM systems.

³ This feature is off by default and must be turned on by the user. Warm-up times are affected once turned on.

⁴ Requires additional option.

⁵ For current EPEAT rating (Gold/Silver/Bronze), please visit www.epeat.net.

⁶ Finishing capabilities vary depending on the options connected.

⁷ Envelope Feeder Attachment (standard) is required.

⁸ Time from device power-on, until copy ready (not print reservation).

⁹ Time from exiting Sleep mode to when printing is operational.

¹⁰ Time from device power-on to when the copy icon appears and is enabled to operate on the touch panel display.

¹¹ Includes main unit and either Cassette Feeding Unit-AQ1, High Capacity Cassette Feeding Unit-C1, or Cabinet Type-V.

¹² Includes main unit, consumables, and Cassette Feeding Unit-AQ1.

¹³ EPS can be printed directly only from the Remote User Interface.

¹⁴ Requires the optional PCL International Font Set-A1.

¹⁵ Requires the optional Barcode Printer Kit-D1.

¹⁶ Other operating systems and environments, including AS/400, UNIX, Linux, and Citrix may be supported. Some of these solutions are chargeable. SAP Device Types are available via the SAP Market Place. For more information, contact your sales representative.

¹⁷ No charge for this solution; however, activation is required.

¹⁸ Requires uniFLOW Online/uniFLOW.

¹⁹ Reference Value (measured one unit).

²⁰ 0.8 W Sleep mode not available in all circumstances due to certain settings.

²¹ Based on ENERGY STAR Product Specification for Imaging Equipment Version 3.0.

²² GPR-61L Toner also available for Color (C, M, Y). Yield (estimated @ 5% coverage) is 26,000 images.

USA.CANON.COM/SIMPLYADVANCED



As an ENERGY STAR[®] Partner, Canon U.S.A., Inc. has certified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Canon, imageRUNNER, imagePASS, and the GENUINE logo are registered trademarks or trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. Canon products offer certain security features, yet many variables can impact the security of your devices and data. Canon does not warrant that use of its features will prevent security issues. Nothing herein should be construed as legal or regulatory advice concerning applicable laws; customers must have their own qualified counsel determine the feasibility of a solution as it relates to regulatory and statutory compliance. McAfee and the McAfee logo are trademarks of McAfee LLC in the US and/or other countries. All other referenced product names and marks are trademarks of their respective owners. All features presented in this brochure may not apply to all Series and/or products and may be optional; please check with your Canon Authorized Dealer for details. Product shown with optional accessories. Canon U.S.A. does not provide legal counsel or regulatory compliance consultancy, including without limitation, Sarbanes-Oxley, HIPAA, GLBA, Check 21 or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. Specifications and availability subject to change without notice. Not responsible for typographical errors.
©2021 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.



Canon imageRUNNER ADVANCE DX C5870i
Outstanding 70-ppm A3 Color MFP
Canon imageRUNNER ADVANCE DX C5860i
Outstanding 60-ppm A3 Color MFP
Canon imageRUNNER ADVANCE DX C5840i
Outstanding 40-ppm A3 Color MFP

To learn about Canon's many awards, visit usa.canon.com/awards.