

320 P-tier Backhoe Loader
 HIDALGO COUNTY PCT 4



JOHN DEERE

DOGGETT HEAVY MACHINERY SERVICES
 CASEY J CAVAZOS
 CASEY.CAVAZOS@DOGGETT.COM
 (956)227-0877

Code	Description		
17C0T	320 P-tier Backhoe Loader	1	\$165,753.00
	17C0T (Gen-A)		
	Ex-Works Dubuque, Iowa, U.S.A.		
	As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.		
Option Codes			
0202	United States	1	No Added Cost
0351	Translated Text Labels	1	No Added Cost
	Vehicle labels translated to selected language with English labels. Includes labels for operator station, engine and backhoe controls options.		
0259	English	1	No Added Cost
	English language for operator's manual and electronic content. Includes operator's manual and 4G OM packet.		

1003	Cab	1	\$13,905.00
	<p>Isolation mounted modular design ROPS/FOPS level 2 (meets ISO 3449 & ISO 3471) molded roof. Tinted safety glass. Deluxe interior trim. Headliner. Molded floor mat. Less radio (cab includes power connector for radio and threaded bosses for mounting brackets - see radio kit installation instructions). Air conditioning 26,000 BTU. CFC free R134a refrigerant. Heater/defrosters/pressurizer, 40,000 BTU, 10 speed. Deluxe mechanical suspension, cloth, swivel seat with lumbar adjustment and arm rests, fully adjustable. Keyless start. 3 inch orange seat belt with retractor. Tilt steering wheel. Interior rearview mirror. Front 2-speed wiper with windshield washer and rear 1-speed wiper. (2) front driving/working halogen lights - 32,500 candlepower each (2) rear working halogen lights - 32,500 candlepower each (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof (4) turn signal/flashing/rear stop/tail lights - 2 front and rear (2) rear reflector</p> <p>See 'Order as Desired' codes for additional cab options not included in standard cab (i.e. air suspension seat, radio, sun visor).</p>		
183Q	JDLink™ Satellite	1	\$3,462.00
	<p>Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).</p> <p>JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.</p>		
3009	Autoshift Transmission - Mechanical Front Wheel Drive (MFW)	1	No Added Cost
	<p>5F/3R autoshift transmission. Autoshift can be turned on/off in the SSM. When autoshift is off, the transmission will operate as a powershift.</p>		

4006	John Deere 4.5L - FT4/Stage IV Net peak power of 113 Hp. For use only in areas where EPA final tier 4/EU stage IV is required. Turbocharged. Wet sleeve cylinder liners. 4 valves / cylinder. Electronically controlled HPCR fuel delivery system, B20 biodiesel compatible . Serpentine belt with automatic belt tensioner. Enclosed safety fan guard. Vertical spin-on engine oil filter. Spin-on fuel filter with water separator. Dual safety element dry-type air cleaner with evacuator valve. Underhood catalysts with vertical curved exhaust stack. Passive flow-through exhaust aftertreatment system with grid heater. Electronically controlled, variable-speed cooling fan.	1	No Added Cost
5245	Galaxy 19.5L-24 12PR Rear & 12.5/80-18 10PR Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).	1	No Added Cost
6152	Single Battery with Disconnect and Jump Post 175 minute reserve capacity (950 CCA) Recommended for use in ambient temperatures above 32 degrees F (0 degrees C).	1	No Added Cost
6751	Standard Dipperstick Standard stabilizer legs; stabilizer overall width, operating: 11 ft. 7 in. (3.53 m.)	1	No Added Cost
6575	750 lb. (340 kg.) Front Counterweight	1	\$1,048.00
7002	Auxiliary Hydraulics with One & Two Way Flow (Hammer & T Includes factory installed plumbing to bulkhead (mid-point of dipperstick) for one and two way flow valves (selective flow and proportional). Includes hydraulic quick disconnect fittings KV11305 and AT312681 for one-way flow circuit rated for full auxiliary circuit flow capacity. Quick disconnects require connection without pressure and are identical to the couplings provided with the front loader 3rd function hydraulic option.	1	\$5,185.00
7028	Pilot Controls, Two Lever, with Pattern Selection Proportional auxiliary control and extendable dipperstick control integrated into pilot control levers.	1	\$2,724.00
7038	Loader Coupler, Two-Function Hydraulics, Single Lever Includes auto ride control, option 8165. Single lever loader control with electric clutch disconnect and momentary MFWD. Will accept G, J, K and L-Series loader coupler buckets	1	\$7,170.00

7810	24 in. (610 mm.) Wide, Heavy-Duty, 8.8 cu. ft. (0.25 cu. m.) Bu Bucket includes TK Teeth.	1	\$2,507.00
7701	Less Coupler - Thumb Ready Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine.	1	No Added Cost
7860	92 in. (2.34 m.) Wide, 1.31 cu. yd. (1.0 cu. m.) Long-Lip Coupl Includes reversible bolt-on cutting edge and skid plates.	1	\$5,938.00
8182	Radio, Bosch Basic Package AM/FM/Weather Radio	1	\$917.00
8207	Seat, Cloth Air-Suspension For enclosed Cab.	1	\$528.00
8142	LED Light Package Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogen light package.	1	\$1,106.00
8226	Strobe Light with Magnetic Mount Light is shipped loose in the cab.	1	\$617.00
8296	Standard Stabilizer Legs Requires option code 6752. Stabilizer overall width, operating: 11 ft. 7 in. (3.53 m.)	1	No Added Cost
8025	Thumb - 37 in. 4 Tine Reference bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires two-way auxiliary hydraulics, code 7002 or 7004. It does include plumbing for two-way auxiliary valve.	1	\$7,043.00
Field Installed Attachments			
AT308139	Forks, Pallet (2) 60 in.(1.52m) with 60 in. (1.52m) Coupler Fo	1	\$5,628.00
Total			\$223,531.00

SOURCE WELL DISCOUNT 43% (011723-JDC)
60 MONTH 5000 HOUR POWERTRAIN AND
HYDRUALIC
EXTENDED WARRANTY
PDI AND FREIGHT

- \$96,118.33
+ \$2,854
+ \$19,733.33
\$ 150,000.00

TOTAL SALES PRICE

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.

320 P-tier Backhoe Loader

HIDALGO COUNTY PCT 4



JOHN DEERE

DOGGETT HEAVY MACHINERY SERVICES
CASEY J CAVAZOS
CASEY.CAVAZOS@DOGGETT.COM
(956)227-0877

Code	Description		
17C0T	320 P-tier Backhoe Loader	1	\$165,753.00
	17C0T (Gen-A)		
	Ex-Works Dubuque, Iowa, U.S.A.		
	As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.		
Option Codes			
0202	United States	1	No Added Cost
0351	Translated Text Labels	1	No Added Cost
	Vehicle labels translated to selected language with English labels. Includes labels for operator station, engine and backhoe controls options.		
0259	English	1	No Added Cost
	English language for operator's manual and electronic content. Includes operator's manual and 4G OM packet.		

1003	Cab	1	\$13,905.00
	<p>Isolation mounted modular design ROPS/FOPS level 2 (meets ISO 3449 & ISO 3471) molded roof. Tinted safety glass. Deluxe interior trim. Headliner. Molded floor mat. Less radio (cab includes power connector for radio and threaded bosses for mounting brackets - see radio kit installation instructions). Air conditioning 26,000 BTU. CFC free R134a refrigerant. Heater/defrosters/pressurizer, 40,000 BTU, 10 speed. Deluxe mechanical suspension, cloth, swivel seat with lumbar adjustment and arm rests, fully adjustable. Keyless start. 3 inch orange seat belt with retractor. Tilt steering wheel. Interior rearview mirror. Front 2-speed wiper with windshield washer and rear 1-speed wiper. (2) front driving/working halogen lights - 32,500 candlepower each (2) rear working halogen lights - 32,500 candlepower each (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof (4) turn signal/flashing/rear stop/tail lights - 2 front and rear (2) rear reflector</p> <p>See 'Order as Desired' codes for additional cab options not included in standard cab (i.e. air suspension seat, radio, sun visor).</p>		
183Q	JDLink™ Satellite	1	\$3,462.00
	<p>Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).</p> <p>JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.</p>		
3009	Autoshift Transmission - Mechanical Front Wheel Drive (MFW)	1	No Added Cost
	<p>5F/3R autoshift transmission. Autoshift can be turned on/off in the SSM. When autoshift is off, the transmission will operate as a powershift.</p>		

4006	John Deere 4.5L - FT4/Stage IV Net peak power of 113 Hp. For use only in areas where EPA final tier 4/EU stage IV is required. Turbocharged. Wet sleeve cylinder liners. 4 valves / cylinder. Electronically controlled HPCR fuel delivery system, B20 biodiesel compatible . Serpentine belt with automatic belt tensioner. Enclosed safety fan guard. Vertical spin-on engine oil filter. Spin-on fuel filter with water separator. Dual safety element dry-type air cleaner with evacuator valve. Underhood catalysts with vertical curved exhaust stack. Passive flow-through exhaust aftertreatment system with grid heater. Electronically controlled, variable-speed cooling fan.	1	No Added Cost
5245	Galaxy 19.5L-24 12PR Rear & 12.5/80-18 10PR Front Requires axle code 3009. Rear tire chains require wheel spacers (AT347522).	1	No Added Cost
6152	Single Battery with Disconnect and Jump Post 175 minute reserve capacity (950 CCA) Recommended for use in ambient temperatures above 32 degrees F (0 degrees C).	1	No Added Cost
6751	Standard Dipperstick Standard stabilizer legs; stabilizer overall width, operating: 11 ft. 7 in. (3.53 m.)	1	No Added Cost
6575	750 lb. (340 kg.) Front Counterweight	1	\$1,048.00
7002	Auxiliary Hydraulics with One & Two Way Flow (Hammer & T Includes factory installed plumbing to bulkhead (mid-point of dipperstick) for one and two way flow valves (selective flow and proportional). Includes hydraulic quick disconnect fittings KV11305 and AT312681 for one-way flow circuit rated for full auxiliary circuit flow capacity. Quick disconnects require connection without pressure and are identical to the couplings provided with the front loader 3rd function hydraulic option.	1	\$5,185.00
7028	Pilot Controls, Two Lever, with Pattern Selection Proportional auxiliary control and extendable dipperstick control integrated into pilot control levers.	1	\$2,724.00
7038	Loader Coupler, Two-Function Hydraulics, Single Lever Includes auto ride control, option 8165. Single lever loader control with electric clutch disconnect and momentary MFWD. Will accept G, J, K and L-Series loader coupler buckets	1	\$7,170.00

7810	24 in. (610 mm.) Wide, Heavy-Duty, 8.8 cu. ft. (0.25 cu. m.) Bu Bucket includes TK Teeth.	1	\$2,507.00
7701	Less Coupler - Thumb Ready Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 8025 - 37 inch tine.	1	No Added Cost
7860	92 in. (2.34 m.) Wide, 1.31 cu. yd. (1.0 cu. m.) Long-Lip Coupl Includes reversible bolt-on cutting edge and skid plates.	1	\$5,938.00
8182	Radio, Bosch Basic Package AM/FM/Weather Radio	1	\$917.00
8207	Seat, Cloth Air-Suspension For enclosed Cab.	1	\$528.00
8142	LED Light Package Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogen light package.	1	\$1,106.00
8226	Strobe Light with Magnetic Mount Light is shipped loose in the cab.	1	\$617.00
8296	Standard Stabilizer Legs Requires option code 6752. Stabilizer overall width, operating: 11 ft. 7 in. (3.53 m.)	1	No Added Cost
8025	Thumb - 37 in. 4 Tine Reference bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires two-way auxiliary hydraulics, code 7002 or 7004. It does include plumbing for two-way auxiliary valve.	1	\$7,043.00

Total

	\$217,903.00
SOURCEWELL DISCOUNT 43% (001723-JDC)	- \$ 93,698.29
60 MONTH 5000 HOUR EXTENDED WARRANTY POWERTRAIN AND HYDRUALIC	+ \$ 2,854.00
PDI AND FREIGHT	+\$ 18,000.00
TOTAL SALES PRICE	\$145,058.71