

---

## Sec. 106.04.02 Lakefront District.

### DIVISION 1. PURPOSE, GOALS AND INTENT

(a) *Purpose.*

The purpose of the Lakefront District is to implement the adopted recommendations of the comprehensive plan by establishing a pedestrian-oriented lakefront which will serve as the civic and cultural heart of the ~~town~~Town for generations.

(b) *Goals.* The goals of this Code are:

- (1) To build on the ~~town~~Town's targeted "lakeside community character," with built form and materials that are reminiscent of lakefront communities.
- (2) Make the sustainable through:
  - a. Providing for integrated mixed use;
  - b. Embodying LEED-ND (Leadership in Energy and Environmental Design Neighborhood Development) principles; and
  - c. Assuring pedestrian and bicycle friendliness;
- (3) To provide development and land use flexibility within the framework of a form-based development code;
- (4) To provide a mix of residential, retail and office uses in a pedestrian and bicycle-friendly environment; and
- (5) To encourage high quality development through providing a balance of development standards and expeditious administrative approvals for projects which meet the intent of this Code.

(c) *Intent.* The intent of this Code is:

- (1) To provide a comfortable and attractive environment for pedestrians, which include such things as buildings framing public space, interesting street walls, street trees, lighting and street furniture;
- (2) To construct buildings close to the sidewalk and street;
- (3) To construct continuous building frontage along block faces except where it is desirable to provide for pedestrian and auto pass-through to parking at mid block;
- (4) To provide shared parking that will benefit the entire ~~district~~District;
- (5) To encourage the use of public parks and plazas as a focus for mixed use developments;
- (6) To design and build flexible buildings that can accommodate a range of uses over time;
- (7) To design streets, access lanes and buildings that will provide a high level of connectivity between parcels and projects for pedestrians, bicycles and autos; and
- (8) To create a safe multi-modal mixed use environment.

(Ord. No. 1407, § 2, 8-15-2017)

### DIVISION 2. DEFINITIONS

The following definitions shall apply within the Lakefront Code.

*Access lane.* Any on-site drive or lane intended to accommodate autos or pedestrians.

---

*Art Installation.* A large-scale, mixed-media construction, often designed for a specific place, includes three-dimensional works designed to transform the perception of space, sculptures, murals, or other forms of creative visual art produced primarily or solely for its imaginative, aesthetic, or intellectual content reflective of the Lakefront District vision; may also contain reference to a business or its logo; is not used for sole purposes of advertising; is not used to promote political or religious views, or social causes.

*Charleston house.* This is a house that is built close to the front sidewalk but also has one building edge adjacent to a shared property line, thereby creating a useable side yard. (See table 1 Building Disposition) A double Charleston house is two single-family Charleston houses which share a common wall (and property line).

*Review committee.* A committee constituted by the ~~town~~Town to advise the ~~director~~Director on major development waivers. (See section 106.04.02, "Lakefront District - ~~division~~Division 9(b) review process")

*Building facade, primary.* Any facade that faces a public street or open space.

*District.* The entire area covered by the lakefront code.

*Entry, primary.* The main entry to a building on a block face. There must be at least one main building entry for each ground floor use, tenant or lobby on each block face which contains the use or tenant.

*Flats.* Urban apartments located in a pedestrian friendly mixed use development, and usually positioned above the ground floor.

*Landmark buildings.* Buildings which are located on axis with a terminating street or at the intersection of streets. Such buildings shall incorporate architectural features which address height and articulation that emphasize the importance of such a location.

*Live-work.* A fee-simple dwelling unit that contains, to a limited extent, a separate commercial component on the ground floor. It is in the form similar to a townhouse or store with residential quarters above or behind the commercial use.

*Loft.* A flexible residential space which may be partially used for an artist or design studio, and which is characterized by higher than normal ceilings, open floor plans and often, exposed duct work.

*Loft, mixed use.* A mixed use building that includes a majority of residential use such as lofts, apartments, condominiums and offices, but contains nonresidential use in a portion of the ground floor.

*Major thoroughfare.* This refers to the ultimate configuration of Eldorado Parkway.

*Parking, shared.* Parking which is shared by tenants, visitors and the general public. Hours of availability and use may be further defined in cooperation with the ~~town~~Town.

*Patio house.* This refers to a home which occupies the boundary of the lot while defining one or more private patios. (See Table 1 Building Disposition)

*Regulating plan.* A plan that governs the development of a multi-phased project area as defined in. (See section 106.04.02, "Lakefront District - ~~division~~Division 9(c) regulating plan")

*Retail use.* For the purposes of the Lakefront Code, retail use is defined as a business having as its primary function, the supply of merchandise or wares to the end consumer. Such sales constitute the "primary function of the business when sales equal at least 80 percent of the gross sales of the business.

*Stacked flat.* A condominium, apartment or loft which is part of a building of similar units. Flats located on the ground floor must still meet the requirements for direct front door access to a stoop and a public sidewalk.

*Stoop.* A structure that is located approximately at the level of the first floor of the structure and intended to provide access to a residential unit.

*Story.* That portion of a building, other than a basement, included between the surface of any floor and the surface of the floor next above it, or if there is no floor above it, then the space between the floor and the ceiling

---

above the floor of such story. This includes any mezzanine or loft which may comprise only a portion of a full floor plate. A standard story may range from 10 feet to 16 feet depending on the use.

*Streetscape.* The urban element that establishes the major part of the public realm. The streetscape is composed of thoroughfares (travel lanes for vehicles and bicycles, parking lanes for cars, and sidewalks or paths for pedestrians) as well as the visible private frontages (building facades and elevations, porches, yards, fences, awnings, etc.), and the amenities of the public frontages (street trees and plantings, benches, streetlights, etc.).

*Lakefront engineering and landscape standards.* Any approved ~~town~~Town standards which govern such items as street, streetscape, drainage, signage and other public improvements in the Lakefront District.

*Town ~~manager~~Manager.* The ~~town~~Town ~~manager~~Manager of the Town of Little Elm or his designee.

*Townhouse.* An attached dwelling unit located on a platted lot which shares at least one common wall with another such unit. Townhouses are grouped together in clusters of three to six units.

*Urban design officer (UDO).* The planning manager shall serve as the urban design officer for the Lakefront District.

*Waiver to design standards, major (major waiver).* A significant change to the standards of this Code, as identified in the ~~district~~District regulations and requiring ~~P~~planning and ~~Z~~oning ~~C~~ommission and ~~town~~ ~~council~~Town Council approval. (See section 106.04.02, "lakefront ~~district~~District ~~division~~Division 3(g) and 9(e) regarding waivers of design standards")

*Waiver to design standards, minor (minor waiver).* A minor change to the standards of this Code that is not contrary to the stated goals and intent of the ~~district~~District. (See section 106.04.02, "lakefront ~~district~~District ~~division~~Division 3(g) and 9(e) regarding waivers of design standards")

(Ord. No. 1407, § 2, 8-15-2017; Ord. No. 1651 , § 2, 12-7-2021)

### DIVISION 3. GENERAL DISTRICT STANDARDS

#### (a) *Building and land use.*

*Intent.* It is intended that allowed uses will encourage pedestrian-oriented mixed use projects that are well integrated with retail and residential activities.

- (1) Retail, personal service, residential and office uses shall be allowed throughout the ~~district~~District in accordance with the list of authorized uses set forth in appendix 1 Lakefront Land Use. Uses which are not specifically authorized require a major waiver.
- (2) Where "required retail at-grade construction" is designated on the conceptual framework plan, the ground floor adjacent to the street should be constructed to retail building standards for a depth of at least 50 feet, however a smaller depth may be allowed if the retail is serving as a "liner" use which is masking a parking garage, by minor waiver.
- (3) All changes to access drives require a minor waiver.

#### (b) *Block face.*

*Intent.* It is intended that building walls should be continuous along block faces to create a strong edge to the street and contribute to creating an attractive and active pedestrian environment, with allowance for some limited variation and opportunities for outside dining, pocket parks and special building entry features. Buildings should also be constructed close to the street to provide a sense of enclosure.

It is also intended that blocks be as short as practical to both support pedestrian access/walkability and to facilitate the process of renewal and regeneration of buildings and frontages over the long term.

- 
- (1) Continuous building frontage will be considered to be met if 80 percent or more of the primary building facade is located within 15 feet of the right-of-way or build-to line designated on an approved plan. This shall apply to each phase of development unless otherwise approved. However, administrative approval of a minor waiver will permit down to 70 percent, provided that the reduction results in an attractive outdoor dining area, building entry feature or other amenity which contributes to the streetscape. A greater reduction shall require approval of a major waiver.
  - (2) Facades shall generally be built parallel to the street frontage, except at street intersections, where a facade containing a primary building entrance may be curved or angled toward an intersection.
  - (3) Build-to lines.
    - a. Build-to lines shall be measured from the planned street right-of-way or public easement, as established on the approved regulating plan and the standards in this chapter. The entire area between the back-of-curb and the primary building facade shall be dedicated as public right-of-way or have a public access easement placed upon it.
    - b. Exterior steps, stoops, chimneys, and bay windows may encroach beyond the build-to line by two feet, but not into a public right-of-way. Balconies ten feet or more above the sidewalk may encroach up to six feet including a public right-of-way or access lane.
    - c. Awnings may encroach above the public sidewalk without limit, but may not extend into a vehicular roadway or accessway.
- (c) *Streets; intent.* It is the intent that public and private streets and accessways provide a framework that will facilitate the movement of pedestrians and autos in an attractive environment, and provide for incremental long term revitalization and redevelopment of parcels to meet changing market sector needs. All streets and blocks in the Lakefront Code shall conform to the provisions of this section.
1. *Street standards.* Standards for streets within the ~~district~~District shall be approved as part of a regulating plan and shall be in generally conformity with appendix 2 thoroughfare assemblies.
  2. *Street pattern.* The pattern of all streets in the project area shall be based upon a small scale grid system of interconnecting streets, and shall connect to adjoining nonsingle-family properties.
- (d) *Streetscape and landscape; intent.* It is the intent to both encourage and require streetscape and landscaping that reinforces the lakefront character of Little Elm as envisioned in the Comprehensive Plan. It is also the intent to create comfortable pedestrian environments and lower summer ambient temperature by shading sidewalks, parking areas and drive lanes.
1. *Streetscape standards.* Shade trees are required along all public street rights-of-way, either within the ROW or immediately adjacent at an average of 20 feet on center.

Where buildings are not adjacent to the sidewalk, a second row of trees shall be provided in place of a building wall unless adjacent to a plaza or pocket park or approved by minor waiver as a temporary condition.
  2. Site landscaping shall include drought tolerant grasses and shrubs as listed in the ~~town~~Town's list of approved plant materials.
  3. Residential ground floor frontages shall be required to landscape a minimum of five feet between the edge of sidewalk and the primary building facade, excluding access to sidewalks, stairs, stoops, porches and patios. This area may be landscaped with ground cover, low shrubs, ornamental trees and street trees. In addition, street tree wells may also be landscaped. Landscaping for tree wells is limited to ground cover and low shrubs.
- (e) *Transition from single-family zoning.* On any property in the Lakefront District which shares a lot line with a single-family zoned property:

---

(1) The setback shall be a minimum of 20 feet from the property line, and

~~(2) Maximum building height within 50 feet shall be 35 feet. Beyond 50 feet, the height shall increase at a rate of one foot for each foot the building is set back, to the maximum allowed number of stories.~~

- (f) *Waivers of design standards.* The following waivers are authorized within the Code, subject to the procedures in ~~division~~Division 9E and as otherwise specified in this Code.

*Minor waivers include:*

- Requirement to line a parking garage with buildings
- Requirement for continuous building frontage
- Establishment of build-to line
- Encroachment into the build-to line
- Residential landscape requirement
- Design of buildings without tri-partite architecture
- Required frequency of building entries along a street edge
- Window detailing
- Exterior building and roof materials
- Exterior building color
- Retail at-grade design standards
- Landscape standards
- Location of bicycle parking
- Minor revisions to thoroughfare assemblies

• Permitted Signs

*Major waivers include:*

- Required retail construction
- Building height
- Exceeding the maximum leasable retail area
- Residential at-grade design standards
- Parking requirements
- Parking garage design standards

(Ord. No. 1407, § 2, 8-15-2017; Ord. No. 1651, § 2, 12-7-2021)

#### DIVISION 4. BUILDINGS

- (a) *Intent.* The intent of this section is to create an attractive and active Lakefront Town style ~~district~~District; and the size, disposition, function and design of buildings play an important role in achieving that goal. This includes encouraging the appropriate use of:
- Landmark "lighthouse" elements
  - Cementitious fiberboard siding in the form of planks or board and batten

- 
- Metal or tile - (clay or cement) roofing material

It is also intended that commercial spaces are designed and constructed in a manner that allows flexibility to accommodate a range of uses over time in order to avoid the need to demolish and rebuild for successive uses. Buildings should directly contribute to the attractiveness, safety and function of the street and public areas. Buildings that accommodate retail at-grade should feature the retail activity over the building's architecture. Buildings should be constructed in a manner, and with materials, that are highly durable and will continue to endure and be attractive over a long time, especially adjacent to public and pedestrian areas.





It is intended by this section, to encourage a variety of building and design solutions in response to the standards and regulations outlined herein.


(b) *General building configuration.*

(1) *General building disposition.*

- a. Buildings shall be disposed in relation to the boundaries of their lots according to Table 1 Building Disposition.
- b. One principal building at the frontage and one outbuilding to the rear may be built on each lot. A back-building may be built between the principal building and the outbuilding on the side-frontage of corner lots as shown in Table 2 Building Location.
- c. Facades shall be built generally parallel or tangent to the principal frontage line. For lots having two frontages, the one along the more urban frontage of the two shall be the principal frontage unless otherwise determined by minor waiver.
- d. Single-Family outbuilding rear setbacks shall be a minimum of eight feet from the alley right-of-way to the garage door if there is one, or three feet to the building wall if not. Townhomes with rear patios and a detached garage may have a minimum setback of three feet. In the absence of a rear alley or lane, the rear setback shall be a minimum of three feet.
- e. Loading docks and service areas shall be permitted on frontages only when absolutely necessary, by minor waiver.

*Building disposition.* This table approximates the location of the structure relative to the boundaries of each individual lot, establishing suitable basic building types for each transect zone.

<p><b>ARTICLE IV, TABLE B</b></p> <p><b>LAKEFRONT BUILDING DISPOSITION</b></p>	
<p><b>A. Side yard:</b> Specific Types - Charleston House, Charleston Double House. A building that occupies one side of the Lot with the Setback to the other side. A shallow Frontage Setback defines a more urban condition. If the adjacent building is similar with a blank side wall, the yard can be quite private. This type permits systematic climatic orientation in response to the sun or the breeze. If a Side yard House abuts a neighboring Side yard House, the type is known as a twin or Charleston Double House. Energy costs, and sometimes noise, are reduced by sharing a party wall in this Disposition.</p>	
<p><b>B. Rear yard:</b> Specific Types - Townhouse, Live-Work unit, loft building, Stacked Flats, Mixed Use Block, Flex Building. A building that occupies the full Frontage, leaving the rear of the Lot as the sole yard. This is a very urban type as the continuous Façade steadily defines the public Thoroughfare. The rear Elevations may be articulated for functional purposes. In its Residential form, this type is the Rowhouse. For its Commercial form, the rear yard can accommodate substantial parking. Garages may be attached or detached.</p>	
<p><b>C. Courtyard:</b> Specific Types - Patio House. A building that occupies the boundaries of its Lot while internally defining one or more private patios. This is one of the most urban of types, as it is able to shield the private realm from all sides while strongly defining the public Thoroughfare. Because of its ability to accommodate incompatible activities, masking them from all sides, it is recommended for workshops, Lodging and schools. The high security provided by the continuous enclosure is useful for crime-prone areas.</p>	
<p><b>D. Urban:</b> Specific Types - Stacked Flats, mixed use lofts, office, and retail. A building which occupies the entire site. This is the most urban type, and is common in downtowns. It can accommodate a wide range of functions.</p>	



---

(c) *Building standards.*

(1) *Building form.*

- a. Buildings shall not exceed three stories, or 45 feet, in height; additional height along Eldorado Parkway may be allowed at specific locations by major waiver.
- b. All buildings shall be designed and constructed in tri-partite architecture so that they have a distinct base, middle and top.
- c. Buildings which are located on axis with a terminating street or access lane or at the intersection of streets and/or access lanes shall be considered a landmark building. Such buildings shall be designed with landmark features which take advantage of that location, such as an accentuated entry and a unique building articulation which is off-set from the front wall planes and goes above the main building eave or parapet line.

(2) *Architectural features.* Where clearly visible from a public street, open space or access lane:

- a. *Roofs.* For buildings with hip, gable or mansard roofs (unless otherwise allowed by minor waiver):
  1. Allowed materials include standing seam, clay or concrete tile (barrel or Roman shape)
  2. Skylights and roof vents shall not be visible.
- b. Windows, except for retail at-grade, shall be vertical in proportion and have at least a three-inch reveal. Vertically proportioned windows which are joined together by a mullion shall be considered as meeting this standard.
- c. Each building and separate lease space at-grade along the street edge shall have a functioning primary entry from the sidewalk. Such entries must be inset from the front building plane by at least three feet. Functioning entries must be located no greater than 60 feet apart. Corner entries may count as a primary entry for both intersecting street frontages.

(3) *Exterior facade materials.* The following shall apply to all exterior walls of buildings and parking structures which are clearly visible from a public street, walkway or open space:

- a. *Allowed exterior materials.* Allowed exterior surface materials are categorized into three groups:
  1. Group A. Brick and stone.
  2. Group B. Stucco, architectural concrete block with integrated color, factory primed cementitious fiberboard (in the form of lap siding or board and batten). Cementitious fiberboard is limited to 20 percent of any facade.
  3. Group C. Accent; Metal, EIFS, wood and tile.
- b. *Prohibited exterior materials.* Prohibited exterior surface materials include cinderblock and aggregate finished surfaces.
- c. *Primary facades.* The following shall apply to all exterior walls of buildings which are clearly visible from a public street, open space, or active storefront:

Primary facades, excluding windows, doors, and other openings, shall be constructed of at least 80 percent group A materials and up to 20 percent group B materials. However, accent materials from group C may be allowed in limited application for architectural features.
- d. *Secondary facades.* The following shall apply to all exterior walls of buildings (15,000 square feet or larger) which are not clearly visible from a public street, open space or active storefront:



- 
1. Walls, excluding windows, doors, and other openings, shall be constructed of a minimum of 20 percent group A materials and up to 80 percent group B materials. However, the color of the walls shall match the primary facades.
  2. Wrapping the primary facade treatment. Secondary facades which are adjacent to the primary facade shall contain the primary facade treatment for at least ten percent of its area. This may occur as a simple continuation of the primary facade treatment, or elements such as cornices, bases and vertical elements. In all cases, however, wall surface materials shall wrap the corner.
  3. Walls which are constructed on a property line as one of a series of in-line buildings where the wall will become part of a common wall shall be subject to minor waiver approval and may include a greater distance of "wrapping" and more lenient use of other materials such as cinder block.
- e. *Two materials.* At least two materials shall be used on all exterior facades.
  - f. Windows and glazing shall be limited to a minimum of 30 percent and maximum of 70 percent of each building elevation (see 6.b below for special requirements for retail at-grade).
  - g. A variation of up to 15 percent of the standard above, and the material type may be approved by administrative approval of a minor waiver, provided that it is demonstrated that:
    1. The requested material use will result in achieving the ~~town~~Town's architectural goals, and
    2. The change will result in an improved architectural design without degrading the quality of public areas or increasing the need for maintenance.
- (4) *Color.*
- a. The dominant color of all buildings (including any above-grade parking structures) shall be muted shades of color. ~~Black and stark white shall not be used except as an accent color.~~ There are no restrictions on accent colors which comprise less than one percent of the building face, except that florescent colors are prohibited.
  - b. Roof colors shall be a muted shade of cool gray, warm gray, brown or red.
- (5) *Residential at-grade.*
- a. All buildings which have residential unit floor plates within six feet of grade shall include a primary front door entrance into the unit which may be accessed from the sidewalk. Any change to this standard shall be considered a major waiver.
  - b. The entry shall be located a minimum of two feet above the sidewalk elevation and include a minimum 24 square foot stoop. If pre-empted by topographic conditions, the entry may be lowered in elevation, subject to approval of the ~~director~~Director. However, up to 50 percent of units may be ADA accessible from the sidewalk provided there is a maximum four-foot largely transparent metal fence separating the private area from the public sidewalk area. Any change to this standard shall be considered a major waiver.
  - c. Units must also include windows which provide residents a view of the street or public access easement and sidewalk area. Any change to this standard shall be considered a minor waiver if pre-empted by topographic conditions.
  - d. Lobbies to upper stories may be located at-grade level.
  - e. Balcony and patio railings and fences shall be largely transparent and constructed of glass, wrought iron or metal. Masonry columns may be used on patios provided that they are used as accents. Wood fences and railings and chain-link fencing are prohibited.

- 
- f. Townhouses shall meet the ~~town~~Town standards for that unit type.
- (6) *Nonresidential at-grade.*
- a. The ground floor entry must be located at the approximate elevation of the adjacent sidewalk.
- b. Retail uses adjacent to the sidewalk at-grade shall:
1. Be constructed to meet fire code separation from any other uses constructed above;
  2. Have a minimum clear height of 16 feet between finished floor and the bottom of the structure above. Mezzanines within the retail space shall be allowed per building code;
  3. Have an awning or canopy which extends at least six feet over the sidewalk for at least 75 percent of the frontage on any portion of the primary facade. Such awning or canopy shall maintain a minimum seven and one-half foot clearance over the sidewalk; and
  4. Have highly transparent glass windows for at least 60 percent, but no greater than 80 percent, of the ground floor facade.

(Ord. No. 1407, § 2, 8-15-2017; Ord. No. 1651, § 2, 12-7-2021)

#### DIVISION 5. PARKING AND ACCESSIBILITY

- (a) *Vehicle parking.*
- (1) *Intent.* The following is the intent of the town's parking policies and this Code:
- a. Support the creation of shared parking in order to enable visitors to park once at a convenient location and to access a variety of commercial enterprises in a pedestrian and bicycle-friendly environment.
  - b. Manage parking so that it is convenient and efficient, and supports an active and vibrant mixed use environment.
  - c. Ensure ease of access to parking.
  - d. Provide flexibility for changes in land uses which have different parking requirements within the ~~district~~District.
  - e. Provide flexibility for the redevelopment of small sites.
  - f. Avoid diffused, inefficient single-purpose reserved parking.
  - g. Avoid adverse parking impacts on residential neighborhoods.
  - h. Ensure that any parking structures do not dominate the public environment, by lining the edge of structures with residential or commercial uses where visible from public roads and open space.
- (2) *Parking requirements.* Off-street facilities shall be provided in accordance with this subsection.
- a. Off-street parking spaces for the applicable use classification shall meet the following minimum number of spaces in Table 3 Parking Calculations.
  - b. *Parking location.* All off-street surface parking shall be located at least 15 feet behind the front facade which faces on a street or public open space, and shall be accessed by alley or short driveway between buildings. Any change to this standard shall be considered a minor waiver.
  - c. *At-grade parking.* All at-grade parking lots fronting roadways shall be screened from view as outlined in ~~division~~Division 3(e) streetscape and landscape and ~~division~~Division 8 landscape of this Code. Landscaping of the internal surface parking area shall not be required unless it is planned to serve as long term parking. In which case, such long term surface parking areas shall

meet the requirements of ~~division~~Division 7(e) parking lot landscape. For the purpose of this section, long term parking shall be determined by the ~~director~~Director, and may include parking which has a likelihood of being in place for a period of seven years or more.

- d. *Parking calculations.* The shared parking factor for two functions, when divided into the sum of the two amounts as listed on the required parking table below, produces the effective parking needed for each site involved in sharing. Conversely, if the sharing factor is used as a multiplier, it indicates the amount of building allowed on each site given the parking available.

ARTICLE IV, TABLE C	
LAKEFRONT PARKING CALCULATIONS	
<i>Land Use</i>	<i>Minimum Parking Requirements</i>
Residential	1 space per bedroom, up to 2 spaces per dwelling
Lodging (hotel, inn)	1 space per bedroom
Office, Retail, Restaurant	1 space per every 400 square feet
Civic and Other uses	To be determined by minor waiver

ARTICLE IV, TABLE D				
LAKEFRONT SHARED PARKING FACTOR				
	Residential	Lodging	Office	Retail
Residential	1	1.1	1.4	1.2
Lodging (hotel, inn)	1.1	1	1.7	1.3
Office	1.4	1.7	1	1.2
Retail	1.2	1.3	1.2	1

\* Parking requirements are based on at least 90 percent non-reserved stalls; otherwise, the requirement shall be 1/300 square feet for office, retail or restaurant use.

Note 1. Open space and civic space do not require parking.

Note 2. Active recreation or sports facilities parking requirements shall be determined by minor waiver.

Note 3. On-street parking shall not count toward meeting residential parking requirements.

- e. *Parking garages—Where approved.*
1. Parking garages which are adjacent to a street shall be set back a minimum of 50 feet and lined with buildings containing any permitted use but parking.
  2. Off-street below grade parking is permitted to the lot lines, but must be designed to allow planting of landscape as defined in ~~division~~Division 7 landscape. No below grade parking beneath a building shall be visible from the sidewalk.
- f. *Shared parking.*
1. Uses may join in establishing shared parking areas if it can be demonstrated that the parking for two or more specific uses occurs at alternating time periods, or where shared

---

parking is massed and configured in a way that increases its efficient use. Required parking shall be determined by a parking analysis study approved by the ~~director~~Director.

2. Shared parking shall be clearly designated with signs and markings.

(b) *Bicycle parking.*

- (1) *Goals.* Bicycle parking is required in order to encourage the use of bicycles by providing safe and convenient places to park bicycles.
- (2) *Required bicycle parking.* Bicycle parking shall be provided based on at least one space for every ten automobile parking spaces required as part of the base parking requirement in subsection (a)(2) above.
- (3) *Bicycle parking standards.*

a. *Location.*

1. Required bicycle parking must be located within 50 feet of an entrance to the building. With approval of a minor waiver, bicycle parking may be located in the public right-of-way.
2. Bicycle parking may be provided within a building, but the location must be easily accessible to bicycles.
3. Any bicycle parking in the public right-of-way should be located within the band created by street trees and pedestrian street lights, however, it must be placed in a manner that avoids conflicts with pedestrian and vehicular paths.

b. *Signs.* If bicycle parking is not visible from the street, then a sign must be posted indicating the location of the bicycle parking facilities.

(4) *Standards for bicycle rack types and dimensions.*

a. *Rack type.* Bicycle rack types and standards shall be approved by the ~~town~~Town.

b. *Parking space dimensions.*

1. Bicycle parking spaces must be at least six feet long and two feet wide, and in covered situations, the overhead clearance must be at least seven feet.
2. An aisle for bicycle maneuvering must be provided and maintained beside or between each row of bicycle parking. This aisle must be at least five feet wide.
3. Each required bicycle parking space must be accessible without moving another bicycle.

(c) *Accessibility throughout the ~~district~~District area.* All parcels within a project area shall be platted and laid out in a manner that ensures connectivity for pedestrian and automobile movement both within the project and to adjacent nonsingle-family zoned properties.

#### DIVISION 6. LIGHTING AND MECHANICAL

(a) *Intent.* It is the intent of this section to provide a level and consistency of lighting that supports pedestrian activity and promotes safety, and to reduce the visual impact of mechanical equipment on the public realm.

(b) *Standards.*

- (1) Average lighting levels within project areas should be approximately:
  - a. Urban Residential three foot-candles (fc);
  - b. Urban Retail six fc;
  - c. Parking areas 1.5 fc;

- 
- d. Street intersections three fc;
  - e. Street centerline 1.7 fc.
  - (2) Lighting elements shall be incandescent, metal halide, halogen or LED in a white spectrum light. No HID or fluorescent lights (except fluorescent bulbs that screw into standard socket fixtures) may be used on the exterior of buildings.
  - (3) All lighting shall be focused downward or narrowly focused on its intended target such as signs, parking and pedestrian walkways. No lighting source from a commercial activity shall be visible by a residential unit.
  - (4) The entire ~~district~~District shall utilize the basic fixtures and furnishings in the public areas as are approved by the ~~town~~Town.
  - (5) Mechanical and electrical equipment, transformers, meters, garbage containers and loading areas shall meet ~~town~~Town standards.

(Ord. No. 1407, § 2, 8-15-2017)




#### DIVISION 7. LANDSCAPE

- (a) *Intent.* Landscaping within the Lakefront Code shall comply with the provisions in this section, the ~~town~~Town's list of approved plant materials and with the standards contained in ~~article~~Article VI, part two, landscaping of the ~~town~~Town's ~~zoning ordinance~~Zoning Ordinance. Where conflicts exist between this ~~district~~District and the ~~zoning ordinance~~Zoning Ordinance, the requirements in this ~~district~~District shall be applied.

It is the intent of this section to:

- (1) Support the Comprehensive Plan's goals for a Lakefront character;
- (2) Provide the ~~town~~Town with a unique and identifiable streetscape corridor;
- (3) Contribute to pedestrian safety and comfort;
- (4) Reduce the amount of solar heat gain in paved and hard surface areas.
- (b) *Street trees.*
  - (1) Street trees may be planted between the sidewalk and the curb. They may also be planted within three feet of a curb, sidewalk or other structure, provided that they are selected from the ~~town~~Town's urban tree list.
  - (2) All required street trees shall be:
    - a. At least ~~three~~four-inch caliper;
    - b. Single trunk;
    - c. Limbed-up to six feet.
- (c) *Plant material.* Front yards shall be landscaped except at building entries, seating areas and adjacent to commercial uses, where the front yard may be paved. Plant materials shall consist of shade trees, ornamental trees, shrubs, evergreen ground covers, vines, and seasonal color in conformity with the ~~town~~Town's list of approve plant materials and ~~article~~Article VI of the ~~town~~Town's ~~zoning ordinance~~Zoning Ordinance. ~~Applicants are encouraged to use palm trees or other hardy desert type plants to enhance the lakefront character.~~
- (d) *Paving material.*

- 
- (1) Paving material in front yards and on sidewalks shall be warm toned, natural materials such as brick, stone and concrete.
  - (2) Asphalt and gravel as paving materials are prohibited.
- (e) *Parking lot landscape.*
- (1) Surface parking lots shall be screened to a minimum height of 30 inches from all adjacent public streets and open space. The screen must extend along all edges of the parking lot and must be in conformity with screening standards set out in ~~article~~Article VI, ~~division~~Division 2, landscaping of the ~~town~~Town's ~~zoning ordinance~~Zoning Ordinance. It may be accomplished through the use of masonry walls, ornamental metal, evergreen plant materials, or a combination thereof. Planting beds for screen planting shall be a minimum of four feet in width.
  - (2) Interior parking lot landscape shall also be consistent with ~~article~~Article VI, ~~division~~Division 2, landscaping of the ~~town~~Town's ~~zoning ordinance~~Zoning Ordinance. However, parking lots shall not exceed eight spaces in a row without being interrupted by a landscaped island (nine-foot minimum). Islands shall be planted with a minimum of one shade tree for every eight vehicle spaces.
  - (3) No landscaping shall be required for the interior of structured parking facilities.
- (f) *Detention/retention ponds.* Detention/retention ponds shall be designed in a manner as to be an amenity to the development and shall not require fencing.
- (g) *Open space and landscaping for residential mixed use projects.*
- (1) In lieu of the ~~town~~Town's requirement for open space and trees for residential development, a green, square or plaza shall be provided and approved as part of the regulating or site plan. (See Table 4 Open Space)
- (h) *Other landscape requirements.*
- (1) ~~The landscape point system shall not apply to projects within the Lakefront District.~~
  - (2) The requirement for a ten-foot landscape buffer between parcels shall not apply except where adjacent to single-family zoned property.

ARTICLE IV, TABLE E LAKEFRONT OPEN SPACE	
<p><b>Green:</b> An Open Space, available for unstructured recreation. A Green may be spatially defined by streets, landscaping and/or building frontages. Its landscape shall consist of lawn and trees.</p>	
<p><b>Square:</b> An Open Space available for unstructured recreation and Civic purposes. A Square is spatially defined by building frontages or streets. Its landscape shall consist of paths, lawns and trees, formally disposed. Squares shall be located at the intersection of important Thoroughfares.</p>	
<p><b>Plaza:</b> An Open Space available for Civic purposes and Commercial activities. A Plaza shall be spatially defined by building frontages. Its landscape shall consist primarily of pavement but include shade in the form of trees or structure. Plazas should be located at the intersection of important streets.</p>	

#### DIVISION 8. SIGN STANDARDS

- (a) *Intent.* The intent of this section is to establish architectural controls, limit clutter and regulate commercial and locational signage. It is also intended to help enliven retail and restaurant mixed use areas. These standards should not be interpreted to prevent a for-sale sign, a political sign, or a noncommercial sign that is an exercise of noncommercial freedom of speech. Commercial and locational signage within the ~~district~~District are limited, regulated and controlled as provided in this Code, and all other signage shall be subject to the requirements of such ~~town~~Town ordinances, rules and regulations that are in effect from time to time.
- (b) *Signs, general standards.*
  - (1) *General standards.*
    - a. Signage may only be externally lit with full-spectrum source, unless otherwise approved.
    - b. One address number, no more than six inches vertically, shall be attached to the building in proximity to the principal entrance.
- (c) *Prohibited signs.*
  - (1) The following signs shall not be allowed:
    - a. Off-premise signs;

- 
- b. Internally lit sign boxes;
  - c. Flashing or running light signs;
  - d. Pole signs;
- (2) Signs shall not be mounted on roofs or project above roof line without approval of a minor waiver, and it is determined to make a positive contribution to the ~~district~~District as a whole.
- (d) *Permitted signs.*
- (1) *Wall signs.*
- a. One wall sign per occupancy, per street frontage.
  - b. Maximum size is 30 square feet if located 12 feet or higher above grade; ten square feet if less than 12 feet above grade.
  - c. Minimum ten-foot distance between wall signs (excluding building identification sign or directory sign).
  - d. In addition, one wall-mounted sign, not exceeding six square feet in area, is permitted on any side or rear entrance open to the public. Such wall signs may only be lighted during the operating hours of business.
- (2) *Projecting and hanging signs, including graphic or icon signs, mounted perpendicularly to the wall.*
- a. A maximum of one per occupancy per building face.
  - b. A maximum area of six square feet per face; and a maximum of three feet in width.
  - c. Distance from the ground to the lower edge of the sign shall be seven and one-half feet or greater.
  - d. Minimum 15-foot distance between signs.
  - e. The height of the top edge of the signboard shall not exceed the height of the wall from which the sign projects, if attached to a single story building; or the height of the sill or bottom of any second story window, if attached to a multi-story building unless approved by minor waiver.
- (3) *Window signs.*
- a. The sign shall not exceed 30 percent of the window area.
  - b. Neon signs are allowed behind windows in commercial areas, but shall count toward the allowed window sign area.
- (4) *Building identification signs.*
- a. One per building face.
  - b. Must be 12 feet or higher above sidewalk level.
  - c. Maximum size 25 square feet.
  - d. Twenty-four-inch maximum height for letters or logos.
  - e. Applied letters shall be constructed of painted cast metal, bronze, brass, or anodized aluminum. Applied plastic letters are not permitted.
- (5) *Awning signs (for ground floor uses only).*
- a. One per occupancy per building face.



- 
- b. Minimum eight feet above sidewalk level for pedestrian clearance.
  - c. Ten square feet maximum sign area.
  - d. If acting as an auxiliary business sign, it shall be located on the valance only, and the height of the lettering shall not exceed four inches.
  - e. If acting as the main business sign, it shall not be in addition to a wall-mounted sign.
- (6) *Monument signs.*
- a. Monument signs shall only be allowed adjacent to the Eldorado right-of-way.
  - b. Architecturally compatible monument signs shall not exceed six feet in height or eight feet in length.
  - c. Vertically oriented monument signs may also be allowed by minor waiver where it is deemed that such signs will enliven the area.
- (7) *Building directory signs.*
- a. One per entrance.
  - b. The sign shall be located next to the entrance.
  - c. The sign shall project out from the wall to which it is attached no more than six inches.
  - d. The sign shall not extend above the parapet, eave or building facade.
  - e. Maximum size shall be eight square feet.
- (8) *Restaurants and cafes.*
- a. In addition to other signage, restaurants and cafes shall be permitted the following, limited to one of each type of sign per business:
    - b. A wall-mounted display featuring the actual menu as used at the dining table, to be contained within a shallow wood or metal case, and clearly visible through a glass front. The display case shall be attached to the building wall, next to the main entrance, at a height of approximately five feet, shall not exceed a total area of three square feet, and may be lighted.
    - c. An A-frame sidewalk sign displaying the name of the eatery, offerings and hours of operation.
    - d. Restaurant and retail areas may have a neon or special designed exterior sign, if approved by the CRC.
- (9) Art Installations.
- a. In addition to other signage, a property may be permitted an art installation with approval of a minor waiver.
  - b. Must meet the definition, as well as make a positive contribution to the visual environment and the District as a whole. Must reflect the intent of the design guidelines as referenced within Appendix A.
  - c. Requires professionally designed, digital, scaled plans, with an installation and maintenance agreement.
  - a.—May only be approved by the review committee.

(Ord. No. 1407, § 2, 8-15-2017)

---

## DIVISION 9. LAKEFRONT PROCEDURES

- (a) *Intent.* It is the intent of this section to off-set the high level of detailed standards in this Code with an expeditious approval of projects which meet its general goals and intent, and:
- (1) To ensure adequate linkages and connections within and between project areas, and
  - (2) To ensure consistency and quality of design through use of professional review assistance.
- (b) *Review process.*
- (1) A review committee ("committee") shall be established to provide guidance of interpretation of the Lakefront Code and make recommendations on significant issues that may arise. It is not intended to meet and review every administrative or legislative application that comes forward within the ~~district~~District.
    - The committee shall be comprised of the following:
      - Director of development services ("~~director~~Director")
      - Director of economic development ("EDC rep")
      - Planning manager (serving as "urban design officer" or "UDO")
      - Town engineer ("engineer")
      - A representative of the ~~town council~~Town Council ("~~council liaison~~Council Liaison")
      - ~~A representative of the Planning and Zoning Commission ("P&Z Commission Liaison")~~
  - (2) The urban design officer (UDO) shall serve as a technical advisor to the ~~director~~Director and the committee. The UDO shall be the planning manager and a portion of the expense of the UDO's services will be borne by development fees paid to the ~~town~~Town for development of land within the Lakefront District.
  - (3) The ~~director~~Director shall coordinate with the UDO and committee, and have staff administrative jurisdiction over any processes authorized under the Lakefront Code. The ~~director~~Director of development services, the UDO and the committee shall be expeditious in their review and advance the permitting process by undertaking any action consistent with this code, state law, and the ~~town~~Town Charter to facilitate the permitting process.
- (c) *Regulating plan.*
- (1) Approval of a regulating plan is required prior to approval of a site plan for any portion of a multi-phased project site area.
  - (2) The regulating plan provides the framework for development and serves as a conceptual layout of a project area. It shall include such things as:
    - a. Street and access lanes within the project area and connections to adjacent nonsingle-family zoned properties;
    - b. The location of general land use sites and for identification of retail at-grade;
    - c. Public open space and plazas; and
    - d. Hike and bike corridors and trails.
  - (3) An application for a regulating plan shall be processed in accordance with the ~~town~~Town's procedures for determining whether an application is complete. Following a determination of completeness, and

- 
- unless the application is accompanied by a request for a major waiver, the ~~director~~Director, or his designee, shall approve, approve with conditions or deny the application for a regulating plan and shall notify the applicant of his decision. In his deliberations, the ~~director~~Director may consider a recommendation from the UDO.
- (4) Denial or conditional approval of a regulating plan by the ~~director~~Director may be initially appealed to the ~~planning and zoning commission~~Planning and Zoning Commission and, following the recommendation of the commission, to the ~~town council~~Town Council. The appeal shall be filed within 30 days of the date of the ~~director~~Director's action on the application for approval of a regulating plan.
  - (5) If the application includes a request for a major waiver, the ~~director~~Director shall request a recommendation from the UDO and if appropriate the CRC, and schedule the application for hearing before the ~~planning and zoning commission~~Planning and Zoning Commission with his recommendation on the application. The ~~planning and zoning commission~~Planning and Zoning Commission, following a public hearing, shall forward its recommendation to the ~~town council~~Town Council for hearing on the application and waiver request. The ~~town council~~Town Council, following a public hearing, shall approve, approve with conditions or deny the application for a regulating plan and the major waiver request. The notice and hearing procedures for approval of a specific use permit shall be used to process the regulating plan and major waiver application.
  - (6) The ~~director~~Director in making an initial decision on a regulating plan application, the ~~planning and zoning commission~~Planning and Zoning Commission in making recommendations to the ~~town council~~Town Council, or the ~~town council~~Town Council in deciding the application for regulating plan approval, shall determine whether the plan is consistent with the comprehensive plan and meets the goals and intent of the Lakefront Code.
- (d) *Site plan.*
- (1) Prior to obtaining a building permit, a site plan must be approved by the ~~director~~Director or ~~town council~~Town Council, demonstrating that the proposal meets the goals, intent and general standards contained in this Code.
  - (2) A site plan application must include the following information and documents that demonstrate compliance with the Lakefront Code:
    - a. Detailed site plan showing proposed streets, buildings, parking areas, and landscaped areas;
    - b. Proposed uses;
    - c. Building elevations and sections, along with a line of sight study referencing how the development will impact the views of the lake from off site;
    - d. Proposed parking calculations;
    - e. Any waivers being requested;
  - (3) An application for a site plan shall be processed in accordance with the ~~town~~Town's procedures for determining whether an application is complete. Following a determination of completeness, and unless the application is accompanied by a request for a major waiver, the ~~director~~Director, or his designee, shall approve, approve with conditions or deny the application for a site plan and shall notify the applicant of his decision. In his deliberations, the ~~director~~Director may consider a recommendation by the UDO.
  - (4) Denial or conditional approval of a site plan by the ~~director~~Director may be initially appealed to the ~~planning and zoning commission~~Planning and Zoning Commission and, following the recommendation of the commission, to the ~~town council~~Town Council. The appeal shall be filed within 30 days of the date of the manager's action on the application for approval of a site plan.

- 
- (5) If the application includes a request for a major waiver, the ~~director~~Director shall request a recommendation from the UDO and if appropriate the CRC, and schedule the application for hearing before the ~~planning and zoning commission~~Planning and Zoning Commission with his recommendation on the application. the ~~planning and zoning commission~~Planning and Zoning Commission, following a public hearing, shall forward its recommendation to the ~~town council~~Town Council for hearing on the application and waiver request. The ~~town council~~Town Council, following a public hearing, shall approve, approve with conditions or deny the application for a site plan and the major waiver request. The notice and hearing procedures for approval of a specific use permit shall be used to process the site plan and major waiver application.
- (6) The ~~director~~Director in making an initial decision on a site plan application, the ~~planning and zoning commission~~Planning and Zoning Commission in making recommendations to the ~~town council~~Town Council, or the ~~town council~~Town Council in deciding the application for site plan approval, shall determine whether the plan is consistent with the regulating plan for the property (if there is one), and meets the goals, intent and standards of the Lakefront Code.
- (e) *Waivers of design standards.*
- (1) For the purposes of this ~~district~~District, there shall be two types of waivers of design standards - minor and major. Requests for waivers shall not be subject to review or decision by the board of adjustment. A waiver request may only be made in conjunction with an application for a regulating plan, a site plan or subsequent to approval of a site plan.
- (2) Minor waivers are those changes to design standards in the Lakefront Code that are determined to meet the goals and intent of this Code as stated in ~~division~~Division 1 and throughout this Code. Minor waivers may be approved administratively by the ~~director~~Director or his designee. At the discretion of the Director, an application shall require a recommendation from the committee.
- (3) Major waivers are major changes to the design standards in the Lakefront Code or which may appear to be in conflict with the goals and intent of this Code. Major waivers may only be approved by the ~~town council~~Town Council, following a recommendation by the UDO and the ~~planning and zoning commission~~Planning and Zoning Commission, in conjunction with a decision on an application for approval of a regulating plan or site plan. In order to approve a major waiver, the ~~town council~~Town Council must find that the waiver:
- Meets the general intent of this ~~district~~District, and
  - Is consistent with the overall plan and vision for the ~~district~~District, and
  - Will result in an improved project which will be an attractive contribution to the Lakefront District.
- (4) The ~~town~~Town may impose conditions on granting any waiver in order to implement the regulating plan for the property or to mitigate negative impacts to neighboring properties or public streets or open space.
- (f) *Amendments to the regulating plan.*
- (1) Amendments to an approved regulating plan or site plan may be accomplished in the same manner as approval of the original approval, and may be accompanied by a request for major or minor waivers.
- (2) An amendment to an approved regulating plan or site plan must be made prior to the time for lapse of approval provided in subsection (g) below. In the event an amended plan is approved, the approving authority amending the plan shall specify the time for lapse of such approval, consistent with subsection (g).

- 
- (g) *Lapse of approval.* If a building permit has not been obtained within two years following approval of a regulating plan or site plan, such plan shall lapse unless the property owner requests an extension prior to the expiration of the two-year period. The request for extension shall be considered by the original approving authority in the same manner as for approval of the existing plan. The authority may grant an extension of the time for expiration of the plan for a period not to exceed two years from the date of expiration of the original application.

Every request for extension shall include a statement of the reasons why the expiration date should be extended. The approving authority may grant a request for extension upon demonstration that circumstances beyond the control of the applicant have resulted in the applicant's inability to perform the tasks necessary to prevent the plan from expiring before the lapse date.

- (h) *Graphics incorporated into Code.* Any and all graphics from the approved form based codes document not supported by textual technological limitations are hereby codified as supporting material by reference.

(Ord. No. 1407, § 2, 8-15-2017; Ord. No. 1651 , § 2, 12-7-2021)