



I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

BRYAN M. PETZEL

DATE: \_\_\_\_\_ LIC. NO. 53191

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED LANDSCAPE ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA.

DATE: \_\_\_\_\_ LIC. NO. \_\_\_\_\_

SHEET NOT VALID UNLESS THIS TEXT IS COLOR.

THIS DOCUMENT IS THE PROPERTY OF I & S GROUP, INC. AND MAY NOT BE USED, COPIED OR DUPLICATED WITHOUT PRIOR WRITTEN CONSENT.

PROJECT

**WICKERSHAM  
HEALTH CAMPUS**

**OFC RENOVATION  
AND ADDITION**

MANKATO MINNESOTA

| REVISION SCHEDULE |             |    |
|-------------------|-------------|----|
| DATE              | DESCRIPTION | BY |
|                   |             |    |
|                   |             |    |
|                   |             |    |
|                   |             |    |
|                   |             |    |

|                     |               |
|---------------------|---------------|
| PROJECT NO.         | 24-30313      |
| FILE NAME           | 30313-C3-SITE |
| DRAWN BY            | LHH           |
| DESIGNED BY         | LHH           |
| REVIEWED BY         | BMP           |
| ORIGINAL ISSUE DATE | -/-/-         |
| CLIENT PROJECT NO.  | -             |

TITLE

**SITE AND UTILITY  
PLAN**

SHEET

**C3-10**

| STORM DRAIN PIPE SCHEDULE |            |                 |          |                  |                |          |            |            |                  |
|---------------------------|------------|-----------------|----------|------------------|----------------|----------|------------|------------|------------------|
| PIPE NO.                  | DRAIN FROM | INLET ELEVATION | DRAIN TO | OUTLET ELEVATION | PIPE SIZE (IN) | MATERIAL | PIPE CLASS | PIPE GRADE | PIPE LENGTH (FT) |
| P-1                       | 45° BEND   | 1000.07         | EX-CB    | 999.97           | 8              | PVC      | SCH 40     | 2.00%      | 5                |
| P-2                       | 45° BEND   | 1000.22         | 45° BEND | 1000.07          | 8              | PVC      | SCH 40     | 2.00%      | 7                |
| P-3                       | 45° BEND   | 1000.93         | 45° BEND | 1000.22          | 8              | PVC      | SCH 40     | 2.00%      | 36               |
| P-4                       | BLDG       | 1001.06         | 45° BEND | 1000.93          | 8              | PVC      | SCH 40     | 2.00%      | 7                |

| SYMBOL | DESCRIPTION                            |
|--------|----------------------------------------|
|        | BITUMINOUS PAVEMENT                    |
|        | HEAVY DUTY CONCRETE PAVEMENT           |
|        | CONCRETE WALK                          |
|        | REVERSE PITCH CONCRETE CURB AND GUTTER |

COUNTY ROAD 26

