



1.	DIMENSIONS AT EXTERIOR WALLS ARE TO OUTSIDE FACE OF CONCRETE.
2.	DIMENSIONS AT INTERIOR WALLS ARE TO FACE OF WALL UNLESS OTHERWISE NOTED.
3.	DIMENSIONS AT JUNCTIONS ARE TO CENTRIFUGE OF WALLS.
4.	DIMENSIONS AT CMU ARE TO FACE OF CMU UNLESS OTHERWISE NOTED.
5.	DIMENSIONS AT CAST-IN-PLACE CONCRETE WALLS ARE TO FACE OF WALL UNLESS OTHERWISE NOTED.
6.	EXTEND ALL SHAPES TO UNDERSTOOP OF ROOF SHEATHING OR TO ROOF PENETRATIONS WHERE APPLICABLE.
7.	NO PENETRATIONS OR OPENINGS ALLOWED IN SHIRT WALLS UNLESS THEY EXPRESSLY SHOW THE SHIRT.
8.	ALL EXTERIOR FINISHES TO BE INDICATED BY LOCATION LETTERS: TYPE VA, VB, VCA, VCB, VDA, VDB FOR FINISHING WITH ACQUISITING RATING.
9.	ALL EXTERIOR CORNER WALLS AT WOOD STUDDING ARE TYPE VB UNLESS FINISHING WITH ACQUISITING RATING.
10.	ALL INTERIOR TYPE 1 AGGREGATE UNLESS OTHERWISE NOTED.
11.	PROMOTE WALL INDICATED AT INTERIOR WALLS AND ALL BATHROOM LOCATIONS (B) ON SHEET 4000.

A11	STEEL PIPE BOLLARD, PAINT YELLOW
A38	TRASH CHUTE VENTS
A39	TRASH CHUTE, 1% DEGREE OFFSET MAX.
A40	TRASH & RECYCLING CONTAINERS SHOWN FOR REFERENCE ONLY, INC
A41	2-WAY COMMUNICATION AT ELEVATOR LANDINGS, TYP., REFER TO AS SHEETS
A42	ELEVATOR OVERVIEW
A44	ELEVATOR SHADE CURTAIN
A47	ROOF DRAIN, REFER TO PLUMBING DESIGN BUILD
A48	OVERFLOW ROOF DRAIN, REFER TO PLUMBING DESIGN BUILD
A52	ROOFTOP WALKWAY PADS
A56	FLOOR DRAIN

Trellis
MANKATO SUPPORTIVE HOUSING
751 POPLAR STREET
MANKATO, MN 56001



1 LEVEL 3 PLAN - OVERALL
100' = 1" = 0'

GENERAL PLAN NOTES:

1. DIMENSIONS AT EXTERIOR WALLS ARE TO OUTSIDE FACE OF SHEATHING.
2. DIMENSIONS AT INTERIOR WALLS ARE TO FACE OF WALL UNLESS OTHERWISE NOTED.
3. DIMENSIONS AT UNIT DIVIDING ARE TO CENTERLINE OF WALLS.
4. DIMENSIONS AT CORNERS ARE TO FACE OF CORNER UNLESS OTHERWISE NOTED.
5. DIMENSIONS AT CAST-IN-PLACE CONCRETE WALLS ARE TO FACE OF WALL UNLESS OTHERWISE NOTED.
6. EXTEND ALL SHAFTS TO UNDERSIDE OF ROOF SHEATHING OR TOP OF ROOF PENETRATIONS WHERE APPLICABLE.
7. NO PENETRATIONS OR OPENINGS ALLOWED IN SHIRT WALLS UNLESS THEY EXPRESSLY SERVE THE SHAFT.
8. ALL RESIDENTIAL DIVIDING WALLS AT WOOD STUD LOCATIONS ARE TYPE **WB**, **WB-A**, **WB-B**, **WB-C**, **WB-D**, **WB-E**, **WB-F**, **WB-G**, **WB-H**, **WB-I**, **WB-J**, **WB-K**, **WB-L**, **WB-M**, **WB-N**, **WB-O**, **WB-P**, **WB-Q**, **WB-R**, **WB-S**, **WB-T**, **WB-U**, **WB-V**, **WB-W**, **WB-X**, **WB-Y**, **WB-Z** WITH ACoustic RATING, UNLESS OTHERWISE NOTED.
9. ALL RESIDENTIAL CORRIDOR WALLS AT WOOD STUD LOCATIONS ARE TYPE **WB** WITH THE SOUND, WITH ACoustic RATING, UNLESS OTHERWISE NOTED.
10. ALL UNITS ARE TYPE B ACCESSIBLE UNLESS OTHERWISE NOTED.
11. PROVIDE WALL BLOCKING AT HATCHER WALLS AND ALL BATHROOM LOCATIONS INDICATED ON SHEET A100B.

KEYNOTES:

- A11 STEEL PIPE RIGID, PAINT YELLOW
- A38 TRASH CHUTE VENTS
- A39 TRASH CHUTE, 15 DEGREE OFFSET MAX
- A40 TRASH & RECYCLING CONTAINERS SHOWN FOR REFERENCE ONLY, MC
- A41 SANITARY COMMUNICATION AT ELEVATOR LANDINGS, TYP., REFER TO AIR SHEETS
- A42 ELEVATOR OVERHUNG
- A44 ELEVATOR SMOKE CURTAIN
- A47 ROOF DRAIN, REFER TO PLUMBING DESIGN BUILD
- A48 OVERHUNG ROOF DRAIN, REFER TO PLUMBING DESIGN BUILD
- A50 ROOFTOP WALKWAY PADS
- A58 FLOOR DRAIN

1. DIMENSIONS AT EXTERIOR WALLS ARE TO OUTSIDE FACE OF SHEATHING
2. DIMENSIONS AT INTERIOR WALLS ARE TO FACE OF WALL, UNLESS OTHERWISE NOTED
3. DIMENSIONS AT UPRIGHT DOORS ARE TO CENTERLINE OF WALLS
4. DIMENSIONS AT CASES ARE TO FACE OF CASE, UNLESS OTHERWISE NOTED
5. DIMENSIONS AT CAST-IN-PLACE CONCRETE WALLS ARE TO FACE OF WALL, UNLESS OTHERWISE NOTED
6. DIMENSIONS AT SHIFTS TO BRIDGE TO ROOF SHEATHING OR TOP OF ROOF PENETRATIONS WHERE APPLICABLE
7. NO PENETRATIONS OR OPENINGS ALLOWED IN SHIFTS WALLS UNLESS THEY EXPRESSLY SHOW THE SHIFTS
8. FINISH, GENERAL FINISHES TO BE USED AT STUD LOCATIONS ARE TYPE **VB**, **VB**, **VA**, **VB**, **VA**, **VB**, **VA**, **VB** AND **VB** IN THE FINISHING WITH ACUSTIC PAINT
9. FINISHES, CORRIDOR WALLS AT ROOM STUD LOCATIONS ARE TYPE **VB** AND IN THE FINISHING WITH ACUSTIC PAINT
10. UNLESS NOTED TYPE **VB** IS THE FINISH UNLESS OTHERWISE NOTED
11. PROVIDE WALL, BLOCKING AT INTERIOR WALLS AND ALL BATH-ROOM LOCATIONS INDICATED ON SHEET A000

[illegible]

A120 $1\frac{1}{4}'' = 1-0''$

A120	1/4" = 1'-0"
------	--------------

A120	1/4" = 1'-4"
------	--------------




1. REFER TO ROOM FOR FURNITURE, ACCESSORIES, COVERS AND CLEANINGS REQUIRED.
2. INSTALL WINDOW AND/ OR BLOWING IN/OUT (REFER TO SHEET ROOM FOR DETAIL).
3. PROVIDE WALLS AND/ OR PARTIAL WALLS AS NOTED, UNLESS OTHERWISE NOTED.
4. FINISH FLOOR IN LOCATION SHOWN WITH 1/2" BROAD PLY CLOSE TO EXISTING STRUCTURE. FINISH FLOOR IN WALLS BETWEEN ROOMS TO REFER TO MECHANICAL FOR DETAIL.
5. FINISH FLOOR IN ROOMS TO BE REMOVED TO EXISTING FINISH. PROVIDE FLOORING AND BASE AT REFRIGERATOR AND RANGE LOCATIONS. NOTED REQUIRED VARIATION FOR TYPE OF FINISHES. REFER TO SLOPE ELEVATIONS NOTED ON RELEVANT CEILING PLANS.
6. PROVIDE NONCOMBUSTIBLE MATERIALS IN ROOMS FOR PLUMBING AND ELECTRICAL.
7. REFER TO ROOM FOR MOUNTING HEIGHTS. REFER TO SLOPE ELEVATIONS FOR FINISHES. FINISHES TO BE: WALLS: SHELVES: KITCHEN/STOVE, ETC.: NOTED REQUIRED VARIATION FOR TYPE OF FINISHES.
8. NOTE THAT CEILING ELEVATIONS ARE REFERRED APPROVED FINISH IN-CEILING UNITS. ELEVATIONS SHOWN REFER TO ACTUAL FINISH IN CEILING.
9. ACoustICAL INSULATION WALLS AT KITCHEN, LAUNDRY, BATH, AND HALLS. PROVIDE INSULATION TO MECHANICAL UNITS THAT IS ADEQUATE TO REDUCE HEAT MECHANICAL UNIT ELEVATIONS 1/2" OF STEADY STATE.
10. PROVIDE INSULATION WALLS AND/ OR CEILING OF UNITS. UNITS SHOWN ARE TO FACE OF WALLS UNLESS OTHERWISE NOTED.
11. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER IN KITCHEN AND LAUNDRY.
12. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER IN KITCHEN AND LAUNDRY.
13. ALL INTERIOR UNITS DOORS ON LOCK TO BE QUICK-OPEN W/ CLOSE.
14. FURNISHING IN CONTRACT, FOR REFERENCE ONLY.
15. CLOSET DOORWAYS TO HAVE A CLEAR OPENING OF 30" MINIMUM FROM DOOR STOP TO DOOR STOP.
16. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
17. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
18. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
19. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
20. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
21. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
22. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
23. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
24. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
25. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
26. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
27. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
28. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
29. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
30. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
31. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
32. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
33. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
34. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
35. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
36. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
37. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
38. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
39. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
40. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
41. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
42. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
43. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
44. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
45. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
46. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
47. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
48. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
49. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
50. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
51. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
52. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
53. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
54. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
55. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
56. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
57. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
58. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
59. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
60. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
61. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
62. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
63. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
64. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
65. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
66. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
67. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
68. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
69. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
70. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
71. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
72. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
73. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
74. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
75. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
76. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
77. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
78. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
79. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
80. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
81. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
82. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
83. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
84. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
85. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
86. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
87. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
88. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
89. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
90. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
91. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
92. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
93. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
94. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
95. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
96. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
97. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
98. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
99. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
100. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
101. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
102. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
103. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
104. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
105. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
106. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
107. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
108. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
109. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
110. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
111. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
112. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
113. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
114. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
115. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
116. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
117. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
118. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
119. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
120. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
121. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
122. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
123. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
124. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
125. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
126. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
127. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
128. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
129. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
130. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
131. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
132. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
133. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
134. PROVIDE FINISHED DOOR AT EXPOSED CANNISTER TO 1/2" MINIMUM.
135. PROVIDE FINISHED DOOR AT


1. PROVIDE GRAB BARS FOR ALL TYPE 1 UNITS.
2. PROVIDE TUB/SHOWER SEATS FOR ALL TYPE 1 UNITS.
3. PROVIDE TOILET TANK FLUSH CONTROL ON SIDE AWAY FROM WALL, TYPE 1.
4. AT ROLL-IN SINKS WITH FRONT APPROACH, INSULATE PIPES, OFFER TO RELOCATE SINK TRAP IN AREA BEYOND REACHED CLEARANCES.
5. AT ROLL-IN SINKS WITH FRONT APPROACH, CONTINUE FLOODING UNDER SINK.
6. PROVIDE LIGHT SWITCHES, OUTLETS, THERMOSTATS, AND OTHER ENVIRONMENTAL CONTROLS WITH ACCESSIBLE REACH RANGE (SEE GENERAL NOTES FOR ADDITIONAL DESCRIPTION OF REACH RANGE INFORMATION).
7. PROVIDE OUTLETS AND SWITCH FOR KITCHEN EXHAUST AND UNDER CABINET LIGHT WITHIN 24" MAX. REACH RANGE, ABOVE COUNTER.

101 WIRE SHELVES IN INTEGRAL, 12" DEEP. REFER TO A10
 202 TWO WIRE SHELVES, BOTTOM IN INTEGRAL, REFER TO A12
 302 TWO WIRE SHELVES IN INTEGRAL, ROOM, 12" DEEP. REFER TO A10
 402 FIVE WIRE SHELVES, 12" DEEP. REFER TO A10
 502 ONE 30" DEEP, ROUND, COORDINATE CABINET, COORD. W/CHD.
 602 ONE 30" DEEP, ROUND, COORDINATE CABINET, COORD. W/CHD.
 702 ONE 30" DEEP, HANGER AT 72" / 32" MIN. CLEAR PASSAGE
 802 PROVIDE BURNER FOR WALL MOUNTED TV, ALL FUEL
 902 PROVIDE 24" DEEP UPPER CABINET ABOVE REFRIGERATOR
 1002 PROVIDE 36" DEEP PANY IN THE ADJACENT
 1102 ONE 30" DEEP, ROUND, COORDINATE CABINET, COORD. W/CHD.
 1202 FULL BATH ADJACENT BRIDGE
 1302 ONE 30" DEEP, ROUND, COORDINATE CABINET, COORD. W/CHD.
 1402 COORDINATE CABINET, COORDINATE W/CHD.
 1502 PLUMB COUNTERTOP, 2 COUNCILS, ALTERNATE. REFER TO A10
 1602 4" HIGH GLOSSY SINK IN STAINLESS STEEL, GRABASE SLEED
 1702 ONE 30" DEEP, ROUND, COORDINATE CABINET, COORD. W/CHD.
 1802 HUBBARD BURNER AT 48". PROVIDE FUEL
 1902 ONE 30" DEEP, ROUND, COORDINATE CABINET, COORD. W/CHD.
 2002 PENDANT LIGHT 18" LONG, ABOVE BURNER, BOUND, TYP. REFER TO INTERIOR.
 2102 COORDINATE CABINET, COORDINATE W/CHD.
 2202 ONE 30" DEEP, ROUND, COORDINATE CABINET, COORD. W/CHD.
 2302 COORDINATE CABINET, COORDINATE W/CHD.
 2402 COORDINATE CABINET, COORDINATE W/CHD.
 2502 COORDINATE CABINET, COORDINATE W/CHD.
 2602 COORDINATE CABINET, COORDINATE W/CHD.
 2702 COORDINATE CABINET, COORDINATE W/CHD.
 2802 COORDINATE CABINET, COORDINATE W/CHD.
 2902 COORDINATE CABINET, COORDINATE W/CHD.
 3002 COORDINATE CABINET, COORDINATE W/CHD.
 3102 COORDINATE CABINET, COORDINATE W/CHD.
 3202 COORDINATE CABINET, COORDINATE W/CHD.
 3302 COORDINATE CABINET, COORDINATE W/CHD.
 3402 COORDINATE CABINET, COORDINATE W/CHD.
 3502 COORDINATE CABINET, COORDINATE W/CHD.
 3602 COORDINATE CABINET, COORDINATE W/CHD.
 3702 COORDINATE CABINET, COORDINATE W/CHD.
 3802 COORDINATE CABINET, COORDINATE W/CHD.
 3902 COORDINATE CABINET, COORDINATE W/CHD.
 4002 COORDINATE CABINET, COORDINATE W/CHD.
 4102 COORDINATE CABINET, COORDINATE W/CHD.
 4202 COORDINATE CABINET, COORDINATE W/CHD.
 4302 COORDINATE CABINET, COORDINATE W/CHD.
 4402 COORDINATE CABINET, COORDINATE W/CHD.
 4502 COORDINATE CABINET, COORDINATE W/CHD.
 4602 COORDINATE CABINET, COORDINATE W/CHD.
 4702 COORDINATE CABINET, COORDINATE W/CHD.
 4802 COORDINATE CABINET, COORDINATE W/CHD.
 4902 COORDINATE CABINET, COORDINATE W/CHD.
 5002 COORDINATE CABINET, COORDINATE W/CHD.
 5102 COORDINATE CABINET, COORDINATE W/CHD.
 5202 COORDINATE CABINET, COORDINATE W/CHD.
 5302 COORDINATE CABINET, COORDINATE W/CHD.
 5402 COORDINATE CABINET, COORDINATE W/CHD.
 5502 COORDINATE CABINET, COORDINATE W/CHD.
 5602 COORDINATE CABINET, COORDINATE W/CHD.
 5702 COORDINATE CABINET, COORDINATE W/CHD.
 5802 COORDINATE CABINET, COORDINATE W/CHD.
 5902 COORDINATE CABINET, COORDINATE W/CHD.
 6002 COORDINATE CABINET, COORDINATE W/CHD.
 6102 COORDINATE CABINET, COORDINATE W/CHD.
 6202 COORDINATE CABINET, COORDINATE W/CHD.
 6302 COORDINATE CABINET, COORDINATE W/CHD.
 6402 COORDINATE CABINET, COORDINATE W/CHD.
 6502 COORDINATE CABINET, COORDINATE W/CHD.
 6602 COORDINATE CABINET, COORDINATE W/CHD.
 6702 COORDINATE CABINET, COORDINATE W/CHD.
 6802 COORDINATE CABINET, COORDINATE W/CHD.
 6902 COORDINATE CABINET, COORDINATE W/CHD.
 7002 COORDINATE CABINET, COORDINATE W/CHD.
 7102 COORDINATE CABINET, COORDINATE W/CHD.
 7202 COORDINATE CABINET, COORDINATE W/CHD.
 7302 COORDINATE CABINET, COORDINATE W/CHD.
 7402 COORDINATE CABINET, COORDINATE W/CHD.
 7502 COORDINATE CABINET, COORDINATE W/CHD.
 7602 COORDINATE CABINET, COORDINATE W/CHD.
 7702 COORDINATE CABINET, COORDINATE W/CHD.
 7802 COORDINATE CABINET, COORDINATE W/CHD.
 7902 COORDINATE CABINET, COORDINATE W/CHD.
 8002 COORDINATE CABINET, COORDINATE W/CHD.
 8102 COORDINATE CABINET, COORDINATE W/CHD.
 8202 COORDINATE CABINET, COORDINATE W/CHD.
 8302 COORDINATE CABINET, COORDINATE W/CHD.
 8402 COORDINATE CABINET, COORDINATE W/CHD.
 8502 COORDINATE CABINET, COORDINATE W/CHD.
 8602 COORDINATE CABINET, COORDINATE W/CHD.
 8702 COORDINATE CABINET, COORDINATE W/CHD.
 8802 COORDINATE CABINET, COORDINATE W/CHD.
 8902 COORDINATE CABINET, COORDINATE W/CHD.
 9002 COORDINATE CABINET, COORDINATE W/CHD.
 9102 COORDINATE CABINET, COORDINATE W/CHD.
 9202 COORDINATE CABINET, COORDINATE W/CHD.
 9302 COORDINATE CABINET, COORDINATE W/CHD.
 9402 COORDINATE CABINET, COORDINATE W/CHD.
 9502 COORDINATE CABINET, COORDINATE W/CHD.
 9602 COORDINATE CABINET, COORDINATE W/CHD.
 9702 COORDINATE CABINET, COORDINATE W/CHD.
 9802 COORDINATE CABINET, COORDINATE W/CHD.
 9902 COORDINATE CABINET, COORDINATE W/CHD.
 1000 COORDINATE CABINET, COORDINATE W/CHD.


5/27/2025 11:23:27 AM C:\Users\jason\Documents\25-0056_A2_Ceiling_Culmose@urbanworks.com.rvt



3 ONE BEDROOM - C
10' x 10'



10 ONE BEDROOM - B
10' x 10'



7 ONE BEDROOM - A
10' x 10'

GENERAL UNIT NOTES:


1. REFER TO ROOF FOR TYPICAL "ACCRIBLUE" COLORED AND CLEARANCES REQUIRED.
2. INSTALL GRAB BAR AND SEAT CLOTHING IN ALL UNITS. REFER TO SHEET 100 FOR DETAILS.
3. WITHIN UNITS, ALL WALLS ARE 1/2" AT AND ABOVE UNLESS OTHERWISE NOTED.
4. HVAC RETURN LOCATED IN SIDE WALL OF KITCHEN. PACK CLOSET, TRANSFER DUCTS ARE LOCATED IN WALLS BETWEEN ROOMS. REFER TO MECHANICAL FOR DETAILS.
5. NO PENETRATIONS OR OPENINGS ALLOWED IN SHIRT WALLS.
6. PROVIDE FLOORING AND SINK AT REFRIGERATOR AND RANGE LOCATIONS. NOTE REQUIRED VARIATION FOR TYPE 'M' UNITS.
7. OVERLAP BOARD SOFFIT ELEVATIONS NOTED ON REFLECTED CEILING PLANS.
8. PROVIDE NON-COMBUSTIBLE MATERIALS IN RETURN PLenums (WALLS AND SOFFIT).
9. REFER TO ROOF FOR ALL MOUNTING HEIGHTS (LIGHT SWITCHES, OUTLETS, THERMOSTATS, ENVIRONMENTAL CONTROLS, CLOTHES ROOS, SHALVES, HORIZONTALS, ETC.). NOTE REQUIRED VARIATIONS FOR TYPE 'M' UNITS.
10. NOTE: THIS SHALVE ELEVATIONS MAY BE REVISED. APPROVED FROM (ALIGNED) ELEVATIONS SHOWN. REFER TO ACTUAL UNIT PLANS FOR LOCATIONS.
11. ACQUISITION, INSULATION IN WALLS IN BATHROOM, LAUNDRY, BEDROOMS, MECHANICAL ROOMS, AND IN ANY FUTURE WALL. THIS IS ADJACENT TO A DUCT WHEN MECHANICAL UNIT, ELEVATOR SHAFT, OR STAIR SHAFT.
12. DIMENSIONS AT PART WALLS ARE TO CENTERLINE. DIMENSIONS WITHIN UNITS ARE TO FACE OF WALLS UNLESS OTHERWISE NOTED.
13. PROVIDE FINISHED END AT EXPOSED CABINETS IN KITCHEN AND BATHROOM VARIETY.
14. ALL INTERIOR UNIT DOORS ON LEVEL 1 TO BE BUCCED OUT 1/2" FROM FLOORING.
15. FURNITURE NOT IN CONTRACT. FOR REFERENCE ONLY.
16. CLOSET DOORWAYS TO HAVE A CLEAR OPENING OF 30" MINIMUM FROM DOOR STOP TO DOOR STOP.
17. CLEARANCE BETWEEN BASE CABINETS, COUNTER TOPS, SPRINKLER OR WALLS WITHIN REACHES TO BE 40" MINIMUM.
18. UNIT PLAN SHEETS ARE FOR GENERAL LAYOUT REFERENCE. ACTUAL UNIT LAYOUT MAY HAVE A MINOR DISCREPANCY. REFER TO OVERALL BUILDING PLANS FOR ACTUAL UNIT DIMENSIONS.

TYPE 'A' UNIT NOTES:


1. PROVIDE GRAB BARS FOR ALL TYPE 'M' UNITS.
2. PROVIDE TOILET SEATERS FOR ALL TYPE 'M' UNITS.
3. PROVIDE TOILET TANK FLUSH CONTROL, ON SIDE AWAY FROM WALL TYPE.
4. AT ROLL-UNDER SINKS WITH FRONT APPROACH, INSULATE PIPES. OPEN TO RELOCATE SINK TRAP IN AREA BEYOND REQUIRED KNEE CLEARANCES.
5. AT ROLL-UNDER SINKS WITH FRONT APPROACH, CONTINUE FLOORING UNDER SINK.
6. PROVIDE LIGHT SWITCHES, OUTLETS, THERMOSTATS, AND OTHER ENVIRONMENTAL CONTROLS WITH ACCESSIBLE REACH RANGE (SEE GENERAL NOTES FOR ACTUAL DISCREPANCY OF REACH RANGE INFORMATION).
7. PROVIDE OUTLETS AND SWITCH FOR KITCHEN EXHAUST AND UNDER CABINET LIGHT WITHIN 24" MAX. REACH RANGE, ABOVE COUNTER.

KEYNOTES:

- U01 WIRE SHELF IN INTEGRAL ROOF, 12" DEEP. REFER TO A103.
- U02 TWO (2) WIRE SHELVES, BOTTOM W/ INTEGRAL ROOF, 12" DEEP. REFER TO A103.
- U03 TWO (2) WIRE SHELVES IN INTEGRAL ROOF, 12" DEEP. REFER TO A103.
- U04 TWO (2) WIRE SHELVES, 12" DEEP. REFER TO A103.
- U05 LINE OF SOFFIT ABOVE, COORDINATE W/ MECHANICAL, W/ MECH.
- U06 FRAME OPENING HEAD AT 20' 30" MIN. CLEAR PASSAGE.
- U07 PROVIDE FLOORING UNDER SINKS. REFER TO TYPE 'M' UNITS.
- U08 PROVIDE 30" DEEP UNDER CABINET ABOVE REFRIGERATOR.
- U09 PROVIDE W/ DEEP FRONT W/ THE 30" MIN. CLEAR PASSAGE. REFER TO A103.
- U10 FULL HEIGHT PANEL ADJACENT TO SINK.
- U11 PROVIDE VALANCE AND UNDER CABINET LIGHT ABOVE SINK. COORDINATE W/ ELECTRICAL.
- U12 PLUM COUNTERTOP, 2 CM QUARTZ ALTERNATE. REFER TO A111.
- U13 1/4" MIN. BACKLASH W/ STAINLESS STEEL GREASE SHIELD AT RANGE. CERAMIC TILE ALTERNATE. REFER TO A111.
- U14 1/4" MIN. BACKLASH W/ STAINLESS STEEL GREASE SHIELD AT RANGE. CERAMIC TILE ALTERNATE. REFER TO A111.
- U15 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U16 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U17 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U18 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U19 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U20 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U21 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U22 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U23 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U24 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U25 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U26 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U27 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U28 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U29 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U30 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U31 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U32 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U33 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U34 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U35 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U36 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U37 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U38 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U39 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U40 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U41 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U42 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U43 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U44 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U45 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U46 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U47 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U48 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U49 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U50 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U51 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U52 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U53 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U54 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U55 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U56 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U57 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U58 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U59 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U60 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U61 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U62 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U63 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U64 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U65 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U66 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U67 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U68 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U69 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U70 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U71 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U72 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U73 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U74 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U75 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U76 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U77 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U78 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U79 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U80 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U81 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U82 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U83 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U84 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U85 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U86 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U87 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U88 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U89 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U90 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U91 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U92 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U93 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U94 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U95 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U96 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U97 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U98 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U99 COORDINATE W/ ELECTRICAL. REFER TO A111.
- U100 COORDINATE W/ ELECTRICAL. REFER TO A111.



4 TWO BEDROOM - C
A182 1/4" = 1'-0"



3 TWO BEDROOM - B
A182 1/4" = 1'-0"

GENERAL UNIT NOTES:

1. REFER TO ROOF FOR TYPICAL "ACCRIBLUF" CODES AND CLEARANCES REQUIRED.
2. INSTALL GRAB BAR AND SEAT CLOTHING IN ALL UNITS. REFER TO SHEET 200 FOR DETAILS.
3. WITHIN UNITS, ALL WALLS ARE 1/2" AT AND ABOVE UNLESS OTHERWISE NOTED.
4. HVAC RETURN LOCATED IN SIDE WALL OF MAJOR PAK CLOSET. THINER DUCTS ARE LOCATED IN WALLS BETWEEN ROOMS. REFER TO MECHANICAL FOR DETAILS.
5. NO PENETRATIONS OR OPENINGS ALLOWED IN SHIRT WALLS.
6. PROVIDE FLOORING AND BASE AT REFRIGERATOR AND RANGE LOCATIONS. NOTE REQUIRED VARIATION FOR TYPE 'M' UNITS.
7. CROWN BOARD SOFFIT ELEVATIONS NOTED ON REFLECTED CEILING PLANS.
8. PROVIDE NON-COMBUSTIBLE MATERIALS IN RETURN PLenums (WALLS AND SOFFIT).
9. REFER TO ROOF FOR ALL MOUNTING HEIGHTS (LIGHT SWITCHES, OUTLETS, THERMOSTATS, ENVIRONMENTAL CONTROLS, CLOTHES ROOS, SHOWER HOOKS, ETC.). NOTE REQUIRED VARIATIONS FOR TYPE 'M' UNITS.
10. NOTE THAT ALL ELEVATIONS MAY BE INTENDED, UNMOUNTED FROM CEILING. SEE ELEVATIONS SHOWN. REFER TO ACTUAL UNIT PLANS FOR LOCATIONS.
11. ACQUISITION, INSULATION IN WALLS AT BATHROOM, LAUNDRY, BEDROOMS, MECHANICAL ROOMS, AND IN ANY FUTURE WALL THAT IS ADJACENT TO A DUCT WHEN MECHANICAL UNIT, ELEVATOR SHAFT, OR STAIR SHAFT.
12. DIMENSIONS AT PARTY WALLS ARE TO CENTERLINE. DIMENSIONS WITHIN UNITS ARE TO FACE OF WALLS UNLESS OTHERWISE NOTED.
13. PROVIDE FINISHED END AT EXPOSED CABINETS IN KITCHEN AND BATHROOM VANTY.
14. ALL DOOR/SHUTTER DOORS ON LEVEL 1 TO BE BLOCKED OUT W/2X FRAMING.
15. FURNITURE NOT IN CONTRACT. FOR REFERENCE ONLY.
16. CLOSET DOORWAYS TO HAVE A CLEAR OPENING OF 30" MINIMUM FROM DOOR STOP TO DOOR STOP.
17. CLEARANCE BETWEEN BASE CABINETS, COUNTER TOPS, SPRINKLER OR WALLS WITHIN REACH TO BE 40" MINIMUM.
18. UNIT PLAN SHEETS ARE FOR GENERAL LAYOUT REFERENCE. ACTUAL UNIT LAYOUT MAY HAVE A MINOR DIFFERENCE. REFER TO OVERALL BUILDING PLANS FOR ACTUAL UNIT DIMENSIONS.

TYPE 'A' UNIT NOTES:

1. PROVIDE GRAB BARS FOR ALL TYPE 'M' UNITS.
2. PROVIDE FLOOR COVERING SEATS FOR ALL TYPE 'M' UNITS.
3. PROVIDE TOILET TANK FLUSH CONTROL, ON SIDE AWAY FROM WALL TOP.
4. AT ROLL-UNDER SINKS WITH FRONT APPROACH, INSULATE HPSS; OPTION TO RELOCATE SINK TRAP IN AREA BEYOND REQUIRED KNEE CLEARANCES.
5. AT ROLL-UNDER SINKS WITH FRONT APPROACH, CONTINUE FLOORING UNDER SINK.
6. PROVIDE LIGHT SWITCHES, OUTLETS, THERMOSTATS, AND OTHER ENVIRONMENTAL CONTROLS WITHIN ACCESSIBLE REACH RANGE (SEE GENERAL NOTES FOR ACTUAL DIMENSIONS OF REACH RANGE INFORMATION).
7. PROVIDE OUTLETS AND SWITCH FOR KITCHEN EXHAUST AND UNDER CABINET LIGHT WITHIN 24" MAX. REACH RANGE, ABOVE COUNTER.

KEYNOTES:

- U01 WIRE SHELVES IN INTEGRAL ROD, 12" DEEP. REFER TO A183.
- U02 TWO (2) WIRE SHELVES, BOTTOM W/ INTEGRAL ROD, 12" DEEP. REFER TO A183.
- U03 TWO (2) WIRE SHELVES IN INTEGRAL RODS, 12" DEEP. REFER TO A183.
- U04 TWO (2) WIRE SHELVES, 12" DEEP. REFER TO A183.
- U05 LINE OF SOFFIT ABOVE, COORDINATE W/ MECHANICAL, METEOROLOGICAL UNIT W/ CUSTOM COLOR, COORD. W/ MECH.
- U06 FRAME OPENING HEADER AT 20' 30" MIN. CLEAR PASSAGE.
- U07 PROVIDE BLOODING FOR HANGING ADJUSTABLE REFRIGERATOR.
- U08 PROVIDE 30" DEEP UPPER CABINET ABOVE REFRIGERATOR.
- U09 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U10 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U11 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U12 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U13 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U14 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U15 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U16 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U17 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U18 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U19 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U20 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U21 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U22 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U23 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U24 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U25 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U26 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U27 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U28 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U29 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U30 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U31 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U32 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U33 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U34 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U35 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U36 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U37 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U38 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U39 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U40 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U41 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U42 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U43 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U44 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U45 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U46 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U47 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U48 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U49 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U50 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U51 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U52 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U53 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U54 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U55 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U56 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U57 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U58 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U59 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U60 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U61 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U62 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U63 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U64 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U65 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U66 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U67 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U68 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U69 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U70 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U71 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U72 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U73 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U74 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U75 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U76 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U77 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U78 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U79 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U80 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U81 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U82 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U83 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U84 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U85 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U86 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U87 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U88 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U89 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U90 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U91 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U92 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U93 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U94 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U95 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U96 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U97 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U98 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U99 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.
- U100 PROVIDE 30" DEEP LOWER CABINET ABOVE REFRIGERATOR.



A201	1/8" = 1'-0"
------	--------------

1. PROVIDE WALKING PADS FROM ROOF ACCESS POINT TO AND AROUND ALL MECHANICAL EQUIPMENT.
2. GUARD RAILING REQUIRED AT ALL LOCATIONS WHERE ROOF TOP EQUIPMENT IS WITHIN 10'-0" FROM EDGE OF ROOF.
3. ALL ROOF DRAINS TO DRAIN INTERNALLY THROUGH BUILDING TO STORM SEWER.
4. ALL OVER FLOW ROOF DRAINS TO DAYLIGHT IN LANDSCAPE AREA AT LEVEL 1.

A47	ROOF DRAIN; REFER TO PLUMBING DESIGN BUILD
A48	OVERFLOW ROOF DRAIN; REFER TO PLUMBING DESIGN BUILD
A52	ROOFTOP WALKWAY PADS

A201