

**ORDINANCE #17-06**

**CITY OF RAMSEY  
ANOKA COUNTY  
STATE OF MINNESOTA**

**AN AMENDMENT TO CHAPTER 117 WHICH IS KNOWN AS THE ZONING AND SUBDIVISIONS CHAPTER OF THE CITY CODE OF RAMSEY, MINNESOTA.**

**AN ORDINANCE AMENDING SECTION 117-90 "MAP" OF CHAPTER 117 OF THE CITY CODE OF RAMSEY, MINNESOTA.**

**SECTION 1. AMENDMENT**

The following legally described properties or portions thereof, are hereby rezoned from R-1 Residential (Rural Developing) to PUD (Planned Unit Development).

That part of Northwest Quarter of Northwest Quarter, Section 29, Township 32, Range 25 lying northeaster of northeasterly right of way line of Burlington Northern Rail Road and lying westerly and southerly of the north 60 feet of east 40 feet of said Quarter Quarter, except road subject to easement of record, Anoka County, Minnesota

-and-

The Northwest Quarter of Southwest Quarter of Section 20, township 32, Range 25 except east 40 feet of said Quarter Quarter lying southerly of southerly right of way line of Alpine Drive NW and except north 40 feet of south 100 feet of west 40 feet of east 80 feet of said Quarter Quarter, except road subject to easement of record, Anoka County, Minnesota

-and-

The Southwest Quarter of Southwest Quarter of Section 20, Township 32, Range 25 lying west of east 40 feet thereof, except road subject to easement of record, Anoka County, Minnesota

(the "Subject Property")

The following table outlines approved zoning bulk standards:

Traditional Single-Family/Small Lot Single-Family and Villa Lots

Standards	Requirement
Lot size	None
Minimum density (net)	3.0
Maximum density (net)	7.0

Lot width	None
Building setback from public street right-of-way	25 feet
Building setback from private street measured from back of curb	25 feet
Building setback from exterior development boundary line	25 feet (detached)
Minimum separation between buildings, including any appurtenances thereto (i.e., patios, decks)	10 feet (detached)*
Parking node setback from exterior development boundary line	30 feet
Parking node setback from structure	15 feet
Maximum lot coverage	35%
Maximum building height (measured from mean ground level to mean gable)	35 feet
Accessory structure setback (measured from the development boundary line)	30 feet
Maximum number of units per structure	81 (detached)
Open space required	40% general open space 10% of which must be identifiable community space

#### Townhome/Quad Units

Miscellaneous Standards	Twinhome or Quad
Lot size	7,000 square feet per dwelling unit
Minimum density (net)	3.0
Maximum density (net)	7.0
Lot width	50 feet
Front yard setback	30 feet
Side yard setback	10 feet
Side yard setback corner lot	30 feet
Side yard interior wall setback	0
Rear yard setback	30 feet
Maximum lot coverage for all principal and accessory buildings (excludes impervious or prepared surface)	35%
Maximum building height (measured from mean ground level to mean ground gable)	35 feet
Accessory structure setbacks:	
Front	30 feet or same as principal structure, which ever is greater
Rear	5 feet
Side	6 feet

Side corner	30 feet
Maximum number of units per structure	4

**SECTION 2. MAP**

The City is hereby instructed to cause this amendment to be shown on the "City of Ramsey Zoning Map", which map was adopted pursuant to Section 117-90 of the Ramsey City Code.

**SECTION 3. EFFECTIVE DATE**

This ordinance becomes effective 30 days after its passage and publication, subject to City Charter Section 5.04.

PASSED by the City Council of the City of Ramsey, Minnesota the \_\_\_\_\_ day of \_\_\_\_\_, 2017.

\_\_\_\_\_  
Mayor

ATTEST:

\_\_\_\_\_  
City Administrator

Introduction date:

Posting dates:

Adoption date:

Publication date:

Effective date: