


**LOT TABULATION**

Block	Lot	House Type	Garage Floor Elevation	Proposed Lowest Floor Elevation	Lowest opening Elevation	EOF	100 Year	Water Table	Controlling Elevation		Method
									LF	LO	
1	1	SOG	858.5	858.5	858.5	853.0	-	833.0	-	854.0	EOF
1	2	SOG	858.5	858.5	858.5	853.0	-	833.0	-	854.0	EOF
1	3	SOG	857.5	857.5	857.5	853.0	-	833.0	-	854.0	EOF
1	4	SOG	855.0	855.0	855.0	853.0	-	833.0	-	854.0	EOF
1	5	SOG	854.0	854.0	854.0	853.0	-	833.0	-	854.0	EOF
1	6	SOG	854.0	854.0	854.0	853.0	-	833.0	-	854.0	EOF
1	7	SOG	854.0	854.0	854.0	853.0	-	833.0	-	854.0	EOF
2	1	WO	858.5	851.0	851.0	-	847.4	833.0	849.4	-	100-YR
2	2	WO	857.5	850.0	850.0	-	847.4	833.0	849.4	-	100-YR
3	1	WO(2)	856.0	849.5	849.5	-	847.4	833.0	849.4	-	100-YR
3	2	WO(2)	856.0	849.5	849.5	-	847.4	833.0	849.4	-	100-YR
3	3	WO(2)	856.0	849.5	849.5	-	847.4	833.0	849.4	-	100-YR
3	4	WO(2)	856.0	849.5	849.5	-	847.4	833.0	849.4	-	100-YR
3	5	WO(2)	856.0	849.5	849.5	-	847.4	833.0	849.4	-	100-YR

**NOTES**

- SEE SWPPP FOR STORMWATER POLLUTION PREVENTION PRACTICES.
- STREET SWEEPER MUST BE ONSITE OR AVAILABLE WITHIN 3 HOURS IF NOTIFIED BY THE CITY THAT STREET SWEEPING IS REQUIRED.
- ALL DUMPSITE DEBRIS SHALL BE REMOVED FROM THE RIGHT-OF-WAY AND BUILDING PADS. (TO BE COMPLETED WITH THE SITE CLEANUP PROJECT)



**LEGEND**


	EXISTING	PROPOSED
PROPERTY LINE	---	---
EASEMENT LINE	---	---
CURB LINE	---	---
BITUMINOUS	---	---
CONCRETE	---	---
MAINTENANCE ACCESS	---	---
INFILTRATION BASIN	---	---
SANITARY SEWER	---	---
STORM SEWER	---	---
WATER MAIN	---	---
OVERHEAD UTILITY	---	---
STORM CATCH BASIN	---	---
STORM MANHOLE	---	---
OUTLET CONTROL STRUCTURE	---	---
MANHOLE	---	---
HYDRANT	---	---
GATE VALVE	---	---
TELEVISION BOX	---	---
TELEPHONE BOX	---	---
UTILITY POLE	---	---
RETAINING WALL	---	---
FENCE	---	---
10' CONTOUR	---	---
2' CONTOUR	---	---
SPECIFIED CONTOUR	---	---
FEMA FLOODWAY	---	---
FEMA FLOODPLAIN	---	---
100' BUFFER	---	---
WETLAND LINE	---	---
SPOT ELEVATION	---	---
EMERGENCY OVERFLOW	---	---
SILT FENCE	---	---
TREE FENCE	---	---
GRADING LIMITS	---	---
TREELINE	---	---
SOIL BORING	---	---

**WETLAND FIL SUMMARY**

THERE ARE NO PROPOSED WETLAND IMPACTS

**FLOODPLAIN SUMMARY**

- FLOODPLAIN MITIGATION = 4,675 C.Y.
- FLOODPLAIN FILL = 4,160 C.Y.



BENCHMARK	
1.	MNDOT GSID Station #833, Named "Lumber MNDT RM 1" Elev. = 859.11
2.	MNDOT GSID Station #775, Named "E 257" Elev. = 863.67