

- SOIL DISPOSAL AREA
1. STRIP AND STOCK PILE
 - EXISTING TOPSOIL
 2. COMPACT SUBGRADE.
 3. PLACE SUITABLE SOIL FROM INFILTRATION BASIN IN 1 FOOT LIFTS AND COMPACT.

LEGEND

- EXISTING 1 FT CONTOUR
- EXISTING 5 FOOT CONTOUR
- PROPOSED 1 FOOT CONTOUR
- PROPOSED 5 FOOT CONTOUR
- PROPOSED SPOT ELEVATION
- SILT FENCE


DATE	REVISION

I hereby certify that this plan, specification, or report was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota

LEONARD LINTON
Date 1/03/19 Lic. No. 21112

DESIGNED BY: LLL
DRAWN BY: LLL
CHECKED BY: BRW

DATE: 1/03/19
FILE No. 18-09



CITY OF RAMSEY
7550 SUNWOOD DRIVE
RAMSEY, MN 55303
(763) 427-1410 FAX (763) 433-9898

GRADING CENTER STREET SITE

COR INFILTRATION BASIN IMPROVEMENTS
CITY PROJECT NO. 18-09
CITY OF RAMSEY, MINNESOTA