




TREE PRESERVATION CALCULATIONS

Because the site is so large, only trees in areas affected by construction were surveyed. There are many more trees on site than are represented on this plan. Any trees that weren't surveyed will be preserved.

A total of 1,429 significant trees were surveyed. The total inches (DBH) of those surveyed trees is 13,453. To meet the 40% threshold 5,381 inches must be preserved. This plan preserves 8,653 inches, so no replacement trees are required. Data is summarized below:

Total Significant Trees surveyed: 1,429
Total # of Inches of Significant Trees (DBH): 13,453
Removal Threshold: 40% of the inches of significant tree DBH should be preserved
40% of Significant Tree inches: 5,381

Total Trees Lost: 510
Total Inches Lost: 4,800
Total Inches Preserved: 8,653
Percent of Inches Preserved: 64%


PRESERVATION NOTES

- A Critical Root Zone of preserved trees has been identified and represented for trees closest to the limits of grading. A standard calculation was used to find the Critical Root Zone:
 $CRZ = DBH \times 1.5$
A Tree is preserved if less than 30% of the Critical Root Zone is disturbed.
- Suitable protective barriers are required around all trees that are to be preserved. The barriers shall remain in place until they're authorized to be removed by the city or a final certificate of occupancy has been issued.
- There shall be no movement, clearing, or storage of equipment within a designated tree protection zone.
- All clearing of oak stands shall be performed prior to April 15 or after July 15 of each season.
- If encroachment into a tree preservation area occurs that causes irreparable damage to a tree(s), the tree preservation plan shall be revised to compensate for the loss.
- All tree protection areas are recommended to be designated with "Tree Save Area" signs to be posted in addition to the required protective fencing.
- Signs requesting sub-contractor cooperation and compliance with tree protection standards are recommended for site entrances.


LEGEND

- Existing Tree with Tree Tag #
- Lost Tree
- Silt Fence


TREE PROTECTION DETAILS



TREE PROTECTION



'TREE SAVE AREA' SIGNAGE



DEVELOPER

BILL BOYUM
1755 ROUND LAKE BOULEVARD
RAMSEY, MINNESOTA 55304
TEL 612-221-3075

MUNICIPALITY

City of RAMSEY

PROJECT

WILLIAMS WOODS
RAMSEY, MINNESOTA

ISSUE / REVISION HISTORY

DATE	ISSUE / REVISION	REVIEW
06 MAY 2021	PRELIMINARY PLAT SUBMITTAL	CNC

CERTIFICATION

PRELIMINARY
NOT FOR
CONSTRUCTION

IF THE SIGNATURE SEAL OR FOUR LINES DIRECTLY ABOVE ARE NOT VISIBLE, THIS SHEET HAS BEEN REPRODUCED BEYOND INTENDED READABILITY AND IS NO LONGER A VALID DOCUMENT. PLEASE CONTACT THE ENGINEER TO REQUEST ADDITIONAL DOCUMENTS.

PRELIMINARY PLAT SUBMITTAL
05.06.2021

LANDFORM

From Site to Finish

105 South Fifth Avenue Suite 513 Minneapolis, MN 55401
Tel: 612-252-9070 Fax: 612-252-9077 Web: landform.net

FILE NAME L101ZZZ543.dwg
PROJECT NO. ZZZ20543

TREE PRESERVATION PLAN - OVERALL
L1.1



DEVELOPER

BILL BOYUM
1755 ROUND LAKE BOULEVARD
RAMSEY, MINNESOTA 55304
TEL 612-221-3075

MUNICIPALITY

**City of
RAMSEY**

PROJECT

**WILLIAMS
WOODS**
RAMSEY, MINNESOTA

ISSUE / REVISION HISTORY

DATE	ISSUE / REVISION	REVIEW
06 MAY 2021	PRELIMINARY PLAT SUBMITTAL	CNC

CERTIFICATION

PRELIMINARY
NOT FOR
CONSTRUCTION

IF THE SIGNATURE SEAL OR FOUR LINES DIRECTLY ABOVE ARE NOT
VISIBLE, THIS SHEET HAS BEEN REPRODUCED BEYOND INTENDED
READABILITY AND IS NO LONGER A VALID DOCUMENT. PLEASE CONTACT
THE ENGINEER TO REQUEST ADDITIONAL DOCUMENTS.

PRELIMINARY PLAT SUBMITTAL

05.06.2021

LANDFORM
From Site to Finish

105 South Fifth Avenue
Suite 513
Minneapolis, MN 55401


Tel: 612-252-9070
Fax: 612-252-9077
Web: landform.net

FILE NAME L102ZZZ543.dwg

PROJECT NO. ZZZ20543

**TREE PRESERVATION
ENLARGED PLAN
L1.2**

Landform® and Site to Finish® are registered service marks of Landform Professional Services, LLC.




LEGEND	
	Existing Tree with Tree Tag #
	Lost Tree
	Critical Root Zone of Preserved Trees = DBH x 1.5
	Silt Fence



DEVELOPER

BILL BOYUM
1755 ROUND LAKE BOULEVARD
RAMSEY, MINNESOTA 55304
TEL 612-221-3075

MUNICIPALITY

**City of
RAMSEY**

PROJECT

**WILLIAMS
WOODS**
RAMSEY, MINNESOTA

ISSUE / REVISION HISTORY

DATE	ISSUE / REVISION	REVIEW
06 MAY 2021	PRELIMINARY PLAT SUBMITTAL	CNC

CERTIFICATION

PRELIMINARY
NOT FOR
CONSTRUCTION

IF THE SIGNATURE, SEAL OR FOUR LINES DIRECTLY ABOVE ARE NOT
VISIBLE, THIS SHEET HAS BEEN REPRODUCED BEYOND INTENDED
READABILITY AND IS NO LONGER A VALID DOCUMENT. PLEASE CONTACT
THE ENGINEER TO REQUEST ADDITIONAL DOCUMENTS.

PRELIMINARY PLAT SUBMITTAL
05.06.2021

LANDFORM

From Site to Finish


105 South Fifth Avenue
Suite 513
Minneapolis, MN 55401

Tel: 612-252-9070
Fax: 612-252-9077
Web: landform.net

FILE NAME L103ZZZ543.dwg
PROJECT NO. ZZZ20543

TREE PRESERVATION
ENLARGED PLAN
L1.3

Landform® and Site to Finish® are registered service marks of Landform Professional Services, LLC.



LEGEND

 Existing Tree with Tree Tag #

 Lost Tree

 Critical Root Zone of Preserved Trees
= DBH x 1.5

 Silt Fence



DEVELOPER

BILL BOYUM
1755 ROUND LAKE BOULEVARD
RAMSEY, MINNESOTA 55304
TEL 612-221-3075

MUNICIPALITY

CITY OF RAMSEY

PROJECT

WILLIAMS WOODS
RAMSEY, MINNESOTA

ISSUE / REVISION HISTORY

DATE	ISSUE / REVISION	REVIEW
06 MAY 2021	PRELIMINARY PLAT SUBMITTAL	CNC

CERTIFICATION

PRELIMINARY
NOT FOR
CONSTRUCTION

IF THE SIGNATURE, SEAL OR FOUR LINES DIRECTLY ABOVE ARE NOT
VISIBLE, THIS SHEET HAS BEEN REPRODUCED BEYOND INTENDED
READABILITY AND IS NO LONGER A VALID DOCUMENT. PLEASE CONTACT
THE ENGINEER TO REQUEST ADDITIONAL DOCUMENTS.

PRELIMINARY PLAT SUBMITTAL

05.06.2021

LANDFORM
From Site to Finish

105 South Fifth Avenue
Suite 513
Minneapolis, MN 55401

Tel: 612-252-9070
Fax: 612-252-9077
Web: landform.net

FILE NAME L104ZZZ543.dwg


PROJECT NO. ZZZ20543

TREE PRESERVATION
ENLARGED PLAN
L1.4


Landform® and Site to Finish® are registered service marks of Landform Professional Services, LLC.



Know what's Below.
Call before you dig.



NORTH



LEGEND

Existing Tree with Tree Tag #

Lost Tree

Critical Root Zone of Preserved Trees
= DBH x 1.5

Silt Fence

1755 ROUND LAKE BOULEVARD
RAMSEY, MINNESOTA 55304
TEL 612-221-3075



City of
RAMSEY

RAMSEY, MINNESOTA

CONTACT ENGINEER FOR ANY PRIOR HISTORY		
DATE	ISSUE / REVISION	REVIEW
06 MAY 2021	PRELIMINARY PLAT SUBMITTAL	CNC

PRELIMINARY
NOT FOR
CONSTRUCTION

IF THE SIGNATURE, SEAL OR FOUR LINES DIRECTLY ABOVE ARE NOT VISIBLE, THIS SHEET HAS BEEN REPRODUCED BEYOND INTENDED READABILITY AND IS NO LONGER A VALID DOCUMENT. PLEASE CONTACT THE ENGINEER TO REQUEST ADDITIONAL DOCUMENTS.

PRELIMINARY PLAT SUBMITTAL

05.06.2021

LAND FORM
From Site to Finish

105 South Fifth Avenue
Suite 513
Minneapolis, MN 55401


Tel: 612-252-9070
Fax: 612-252-9077
Web: landform.net

FILE NAME L105ZZZ543.dwg


**TREE PRESERVATION
ENLARGED PLAN**

L1.5


I andform® and Site To Finish® are registered service marks of I andform Professional Services.



Know what's **Below**.
Call before you dig.



NORTH

 XXX Existing Tree with Tree Tag #

☒ Lost Tree



Critical Root Zone of Preserved Trees
= DBH x 1.5

 Silt Fence



104
918
914

© LANDFORM 2021



LEGEND	
	Existing Tree with Tree Tag #
	Lost Tree
	Critical Root Zone of Preserved Trees = DBH x 1.5
	Silt Fence

DEVELOPER

BILL BOYUM
1755 ROUND LAKE BOULEVARD
RAMSEY, MINNESOTA 55304
TEL 612-221-3075

MUNICIPALITY

PROJECT

WILLIAMS WOODS
RAMSEY, MINNESOTA

ISSUE / REVISION HISTORY

CONTACT ENGINEER FOR ANY PRIOR HISTORY		
DATE	ISSUE / REVISION	REVIEW
06 MAY 2021	PRELIMINARY PLAT SUBMITTAL	CNC

CERTIFICATION

PRELIMINARY
NOT FOR
CONSTRUCTION

IF THE SIGNATURE, SEAL OR FOUR LINES DIRECTLY ABOVE ARE NOT
VISIBLE, THIS SHEET HAS BEEN REPRODUCED BEYOND INTENDED
READABILITY AND IS NO LONGER A VALID DOCUMENT. PLEASE CONTACT
THE ENGINEER TO REQUEST ADDITIONAL DOCUMENTS.

PRELIMINARY PLAT SUBMITTAL
05.06.2021

LANDFORM

From Site to Finish


105 South Fifth Avenue
Suite 513
Minneapolis, MN 55401

Tel: 612-252-9070
Fax: 612-252-9077
Web: landform.net

FILE NAME L106ZZZ543.dwg
PROJECT NO. ZZZ20543

TREE PRESERVATION
ENLARGED PLAN
L1.6

Landform® and Site to Finish® are registered service marks of Landform Professional Services, LLC.



DEVELOPER

BILL BOYUM
1755 ROUND LAKE BOULEVARD
RAMSEY, MINNESOTA 55304
TEL 612-221-3075

MUNICIPALITY

**City of
RAMSEY**

PROJECT

**WILLIAMS
WOODS**
RAMSEY, MINNESOTA

ISSUE / REVISION HISTORY

DATE	ISSUE / REVISION	REVIEW
06 MAY 2021	PRELIMINARY PLAT SUBMITTAL	CNC

CERTIFICATION

PRELIMINARY
NOT FOR
CONSTRUCTION

IF THE SIGNATURE, SEAL OR FOUR LINES DIRECTLY ABOVE ARE NOT
VISIBLE, THIS SHEET HAS BEEN REPRODUCED BEYOND INTENDED
READABILITY AND IS NO LONGER A VALID DOCUMENT. PLEASE CONTACT
THE ENGINEER TO REQUEST ADDITIONAL DOCUMENTS.

PRELIMINARY PLAT SUBMITTAL

05.06.2021

LANDFORM
From Site to Finish

105 South Fifth Avenue
Suite 513
Minneapolis, MN 55401


Tel: 612-252-9070
Fax: 612-252-9077
Web: landform.net

FILE NAME L107ZZZ543.dwg


PROJECT NO. ZZZ20543

**TREE PRESERVATION
ENLARGED PLAN
L1.7**

Landform® and Site to Finish® are registered service marks of Landform Professional Services, LLC.



LEGEND	
	Existing Tree with Tree Tag #
	Lost Tree
	Critical Root Zone of Preserved Trees = DBH x 1.5
	Silt Fence



DEVELOPER

BILL BOYUM
1755 ROUND LAKE BOULEVARD
RAMSEY, MINNESOTA 55304
TEL 612-221-3075

MUNICIPALITY

CITY OF RAMSEY

PROJECT

WILLIAMS WOODS
RAMSEY, MINNESOTA

ISSUE / REVISION HISTORY

DATE	ISSUE / REVISION	REVIEW
06 MAY 2021	PRELIMINARY PLAT SUBMITTAL	CNC

CERTIFICATION

**PRELIMINARY
NOT FOR
CONSTRUCTION**

IF THE SIGNATURE, SEAL OR FOUR LINES DIRECTLY ABOVE ARE NOT
VISIBLE, THIS SHEET HAS BEEN REPRODUCED BEYOND INTENDED
READABILITY AND IS NO LONGER A VALID DOCUMENT. PLEASE CONTACT
THE ENGINEER TO REQUEST ADDITIONAL DOCUMENTS.

PRELIMINARY PLAT SUBMITTAL
05.06.2021

LANDFORM
From Site to Finish

105 South Fifth Avenue
Suite 513
Minneapolis, MN 55401


Tel: 612-252-9070
Fax: 612-252-9077
Web: landform.net

FILE NAME L108ZZZ543.dwg
PROJECT NO. ZZZ20543


**TREE PRESERVATION
ENLARGED PLAN
L1.8**



Know what's Below.
Call before you dig.



NORTH



LEGEND

Existing Tree with Tree Tag #

Lost Tree

Critical Root Zone of Preserved Trees
= DBH x 1.5

Sit Fence

TREE PRESERVATION TABLES

Tree #	DBH	Condition	Species	Lost
241	5	5	Red oak	
350	10	5	White pine	
401	6	5	Red oak	X
402	9	5	Siberian elm	X
403	5	4	Black cherry	X
404	12	5	Red oak	X
405	8	5	Green ash	X
406	14	5	Red oak	X
407	9	2	Quaking aspen	X
408	13	5	Red oak	X
409	9	4	Green ash	X
410	10	4	Sugar maple	X
411	8	4	Green ash	X
412	7	5	Red oak	X
413	30	4	Weeping willow	
414	9	5	Green ash	
415	8	4	Green ash	X
416	4	4	Red cedar	X
417	6	5	Douglas fir	X
418	10	4	Green ash	
419	9	5	Red oak	X
420	8	4	Black willow	
421	15	4	Green ash	X
422	8	3	Green ash	X
423	14	4	Green ash	X
424	9	5	Silver maple	X
425	10	4	Green ash	
426	20	4	Weeping willow	
427	10	4	Green ash	X
428	12	5	Green ash	X
429	7	5	Red oak	
430	26	4	Weeping willow	X
431	6	5	Bur oak	
432	4	5	Red oak	X
433	12	5	Red oak	X
434	8	5	Red oak	X
435	11	5	Red oak	X
436	7	5	Red oak	
437	8	4	Quaking aspen	
438	8	5	Quaking aspen	
439	8	5	Red oak	
440	11	4	Quaking aspen	
440	7	4	Red oak	
441	8	4	Quaking aspen	
442	4	5	Red oak	
443	10	5	Red oak	
444	9	5	Red oak	
445	9	5	Red oak	
446	4	5	Red oak	
447	10	3	Quaking aspen	X
448	6	5	Red oak	X
449	8	6	Red oak	X
451	7	4	Red oak	X
452	4	5	Red oak	
453	7	5	Red oak	
454	12	2	Quaking aspen	X
455	8	5	Quaking aspen	
456	8	5	Quaking aspen	
457	13	6	Red oak	X
458	9	5	Red oak	
459	9	5	Quaking aspen	
460	11	5	Quaking aspen	
461	8	6	Red oak	
462	10	4	Quaking aspen	
463	11	4	Green ash	
464	10	5	Quaking aspen	
465	11	5	Quaking aspen	
466	9	3	Quaking aspen	
467	8	4	Quaking aspen	
468	9	4	Quaking aspen	
469	11	5	Quaking aspen	
470	4	5	Red oak	
471	6	5	Red oak	
472	10	4	Green ash	
473	9	5	Red oak	
474	11	3	Black cherry	
475	8	4	Green ash	
476	8	6	Quaking aspen	
477	11	3	Quaking aspen	
478	9	5	Quaking aspen	
479	8	5	Quaking aspen	
480	9	5	Red oak	
481	4	5	Jack pine	
482	4	5	Red pine	
483	8	4	Quaking aspen	
484	8	5	Quaking aspen	
485	12	4	White oak	
486	8	5	Red oak	
487	7	4	Red oak	X
488	5	4	Red oak	
489	8	5	Paper birch	X
490	4	5	Red oak	X
491	8	4	Box elder	X
492	8	4	Green ash	
493	9	5	Red oak	
494	8	3	Green ash	
495	10	4	Green ash	
496	6	5	Red oak	
497	9	4	Red maple	
498	10	4	American elm	
499	11	5	Green ash	X
500	9	5	Red oak	X
792	10	5	White oak	
793	9	5	American elm	
794	10	8	Green ash	
795	7	4	White oak	
796	10	4	Red oak	
797	15	4	Red oak	
798	19	5	Red oak	

Tree #	DBH	Condition	Species	Lost
799	7	5	Red oak	
800	7	5	Red oak	
801	15	5	White oak	X
802	13	5	White oak	X
803	15	5	White oak	
804	15	5	White oak	
805	16	5	White oak	
806	10	5	Red oak	
807	10	6	Red oak	
808	19	5	White oak	
809	14	4	White oak	
810	10	4	Green ash	
811	14	5	Red oak	
812	15	5	White oak	
813	5	5	Red pine	
814	13	4	Silver maple	
815	15	5	White oak	
816	12	5	American elm	
817	4	5	Red oak	
818	5	5	White oak	
819	6	5	Red oak	
820	14	5	Red oak	
821	24	5	Red oak	
822	12	5	Red oak	
823	4	5	Red oak	
824	12	4	Green ash	
825	12	5	Green ash	
826	13	5	Green ash	
827	10	3	Catalpa	
828	14	4	Green ash	
829	12	5	Green ash	
830	8	5	American elm	
831	12	4	Box elder	
832	10	5	White pine	
833	12	5	Red maple	
834	12	5	White pine	
835	14	5	White pine	
836	10	5	Green ash	X
837	7	3	White spruce	X
838	10	5	Hackberry	X
839	5	4	White spruce	X
840	9	3	Apple	X
841	8	4	Apple	X
842	9	4	Apple	
843	4	5	Bur oak	
844	15	5	Red oak	
845	17	4	White oak	X
846	17	5	Red oak	
847	12	5	Hackberry	
848	11	4	Silver maple	
849	9	5	White pine	
850	9	4	White spruce	
851	10	5	Black walnut	X
852	13	4	Black walnut	X
853	10	4	Honey locust	
854	16	5	White oak	X
855	20	5	White oak	X
856	10	4	Black walnut	
857	9	5	Red oak	
858	4	5	White oak	
859	6	5	White spruce	X
860	4	5	White spruce	X
861	12	5	White pine	X
862	7	5	White pine	X
863	4	5	White spruce	
864	5	5	White spruce	
865	5	4	White spruce	
866	4	4	White spruce	
867	5	3	White spruce	
868	9	5	Black walnut	
869	11	5	Green ash	
870	4	4	White spruce	
871	4	3	White spruce	
872	4	3	White spruce	
873	5	4	White spruce	
874	4	3	White spruce	
875	4	4	White spruce	
876	8	4	Silver maple	
877	8	5	Silver maple	
878	8	5	White oak	
879	5	5	Red oak	
880	10	4	Big Tooth aspen	
881	8	5	Red oak	
882	13	5	Red oak	X
883	15	5	Red oak	X
884	16	5	Red oak	X
885	14	5	White oak	
886	18	5	Red oak	X
887	18	5	Red oak	
888	14	5	Red oak	X
889	9	5	Red oak	X
890	10	5	Black walnut	X
891	5	4	White oak	X
892	8	5	Red oak	X
893	8	4	Black cherry	X
894	6	5	Red oak	
895	6	4	Red oak	
896	5	4	Red oak	
897	8	5	Red oak	
898	4	5	Red oak	
899	12	5	Red oak	
900	4	4	Red oak	
901	5	5	Red oak	X
902	7	5	Red oak	
903	8	4	Quaking aspen	
904	8	4	Green ash	
905	6	5	Bur oak	
906	8	5	Red pine	
907	8	5	White spruce	
908	8	5	Quaking aspen	
909	8	5	Quaking aspen	

Tree #	DBH	Condition	Species	Lost
910	8	4	Black willow	
911	8	5	Quaking aspen	
912	8	5	Black walnut	
913	4	5	Red pine	
914	8	5	Red oak	
915	8	3	Quaking aspen	
916	7	5	Green ash	
917	8	4	Box elder	
918	8	4	Quaking aspen	
919	8	5	Quaking aspen	
920	8	5	American elm	
921	10	5	Quaking aspen	
921	7	5	White spruce	
923	5	4	White spruce	
924	4	4	White spruce	
925	5	5	White spruce	
926	7	5	White spruce	
927	13	5	Red oak	
928	6	5	Red oak	
929	10	5	Red oak	
930	8	5	White spruce	
931	8	5	White spruce	
932	6	5	White spruce	
933	6	5	Red oak	
934	9	5	White spruce	
935	8	5	Red oak	
936	13	5	White pine	
937	4	5	White spruce	
938	6	5	Red oak	
939	4	4	Red oak	
940	4	5	White spruce	
941	8	5	White pine	
942	14	5	White pine	
943	15	4	White oak	
944	15	4	Red oak	
945	15	5	White oak	
946	16	5	White oak	
947	17	4	White oak	
949	16	5	White oak	X
948	4	5	Red oak	
950	12	5	Red oak	X
951	8	5	Red oak	X
952	7	5	Red oak	X
953	4	5	Red oak	X
954	4	5	Red oak	X
955	6	5	Red oak	X
956	5	5	Red oak	X
957	6	5	Red oak	X
958	6	5	Red oak	
959	5	5	White oak	
960	6	2	Red oak	
961	17	5	White oak	
962	9	5	Red oak	
963	6	3	White pine	
964	8	5	White pine	
966	8	5	Quaking aspen	
967	12	5	Red oak	X
968	16	5	White pine	
969	8	4	Red pine	
970	7	4	White pine	
971	10	4	White pine	
972	7	4	White spruce	
973	11	3	Green ash	
974	25	4	Weeping willow	
975	10	5	Red pine	
976	20	4	Red oak	
977	8	3	Paper birch	X
978	15	5	White oak	
979	5	5	Red oak	
980	17	6	White oak	
981	15	5	Red pine	
982	15	5	White oak	
983	16	4	White oak	
984	12	5	Honey locust	
985	14	5	White oak	
986	20	5	Silver maple	
987	10	5	Black walnut	
988	7	5	Red oak	
989	8	3	Big tooth aspen	
990	8	5	Big tooth aspen	
991	8	5	Big tooth aspen	
992	11	5	Red oak	
993	11	3	White oak	X
994	21	5	White oak	X
995	10	4	White oak	X
996	13	4	White oak	X
997	10	4	White oak	X
998	14	8	White oak	
999	9	5	White oak	X
1000	28	4	Red oak	X
1272	10	4	Red oak	
1313	11	6	White oak	
1314	10	4	Red oak	
1316	14	3	Red oak	
1317	12	5	White oak	
1397	10	5	White oak	
1399	12	5	Red oak	
2360	6	5	Red oak	
2361	9	5	White oak	
2362	15	6	Red oak	
2363	9	5	White oak	
2364	8	6	Red oak	
2365	7	5	Red oak	
2366	13	5	White oak	
2367	11	5	White oak	
2368	21	3	Red oak	
2369	9	5	Bur oak	

TREE PRESERVATION TABLES

Tree #	DBH	Condition	Species	Lost
3320	8	4	Red pine	
3321	6	4	Red pine	X
3322	8	4	Red pine	
3323	7	4	White spruce	
3324	10	5	Red pine	X
3325	8	4	Green ash	
3326	13	4	Green ash	
3326	13	4	Green ash	
3327	25	4	Weeping willow	
3328	16	4	Catalpa	
3329	13	4	Catalpa	
3330	18	3	Black willow	
3331	10	5	White spruce	
3332	6	5	White spruce	
3333	26	5	Red oak	
3334	13	5	Red oak	
3335	23	5	White oak	
3336	9	5	Red cedar	X
3337	25	5	Red oak	X
3339	12	5	Red oak	X
3340	9	5	Red oak	X
3341	8	5	Red oak	X
3342	8	5	Red maple	X
3343	10	5	Red maple	X
3344	13	5	Red oak	X
3345	12	4	Red oak	
3346	13	3	White spruce	
3347	15	5	Honey locust	
3348	13	5	White pine	
3349	14	5	White pine	
3351	10	4	White pine	
3352	10	5	White pine	
3353	16	5	White pine	
3354	7	5	Bur oak	
3355	15	5	White pine	
3356	8	4	Sugar maple	
3357	12	4	Green ash	
3358	25	4	Red oak	
3359	10	5	Red maple	X
3360	8	3	Red maple	X
3361	10	5	Red maple	X
3362	10	5	Silver maple	X
3363	16	5	Silver maple	X
3364	9	4	Red maple	X
3365	15	5	Silver maple	X
3366	12	4	Red oak	X
3367	31	3	Red oak	X
3368	14	4	Red oak	
3369	17	5	Red oak	
3370	20	5	Red oak	
3371	14	4	Red oak	
3372	20	4	Red oak	
3373	20	5	Red oak	
3374	16	4	Red oak	
3375	6	4	White oak	
3376	8	5	White oak	
3377	14	4	White oak	
3378	15	2	Red oak	
3379	9	4	Red oak	
3380	7	5	Red oak	X
3381	10	5	Red maple	
3382	6	4	Red oak	
3383	9	4	Red oak	
3384	9	5	Red maple	X
3385	12	5	Red maple	
3386	8	3	Big Tooth aspen	
3387	12	5	Red maple	X
3388	8	5	White oak	X
3389	8	5	Red maple	X
3390	10	5	Red maple	X
3391	8	4	Red maple	X
3392	8	5	Red maple	X
3393	8	5	Green ash	
3394	19	4	Green ash	
3395	17	3	Green ash	
3396	31	2	Weeping willow	
3397	12	5	Red oak	
3398	23	6	White oak	
3399	8	3	Black walnut	
3400	12	5	Red oak	
3401	10	5	Bur oak	
3402	12	5	Bur oak	
3403	13	5	Red oak	
3404	7	4	Red oak	
3405	11	5	Bur oak	
3406	6	5	Red oak	
3407	8	3	Green ash	
3408	7	5	Red oak	
3409	12	5	Red oak	
3410	6	5	Red oak	
3411	9	4	Red oak	
3412	8	4	Red oak	
3413	12	4	Red oak	
3414	11	5	Red oak	
3415	12	5	Red oak	
3416	8	4	Red oak	
3417	8	5	Red oak	
3418	16	5	Red oak	
3419	6	5	Red oak	
3420	10	5	Red oak	
3421	10	5	Red oak	
3422	8	5	Red oak	
3423	10	5	Red oak	
3424	10	5	Red oak	
3425	6	4	Red oak	
3426	5	5	Red oak	
3427	17	5	Red oak	
3428	11	4	White oak	
3429	20	4	Red oak	
3430	11	4	Bur oak	
3431	20	4	Red oak	
3432	8	2	Black cherry	

Tree #	DBH	Condition	Species	Lost
3433	8	5	Hackberry	X
3434	18	5	Red oak	X
3435	9	3	Black cherry	
3436	10	5	Bur oak	
3437	12	5	White oak	
3438	8	5	Black cherry	
3439	8	5	Green ash	
3440	14	5	White oak	X
3441	8	4	Black cherry	
3442	9	5	Bur oak	
3443	18	5	Red oak	
3444	24	4	Red oak	X
3445	17	5	White oak	X
3446	4	5	White pine	
3447	10	5	White oak	X
3448	20	3	Red oak	X
3449	10	4	Red oak	X
3450	10	4	White pine	X
3451	12	5	Red oak	X
3452	8	5	Red oak	X
3453	10	4	Red oak	X
3454	11	4	Red oak	X
3455	13	5	Red oak	X
3456	10	5	Red oak	X
3457	8	4	Red oak	
3458	10	3	Red oak	
3459	9	4	Red oak	
3460	10	5	Red oak	
3461	11	5	Red oak	
3462	30	4	Red oak	X
3463	19	3	Red oak	
3464	5	5	Red oak	
3465	6	4	White pine	
3466	5	4	Red oak	
3467	10	4	Red oak	
3468	8	4	Red oak	X
3469	9	5	Red oak	X
3470	6	5	White pine	X
3471	7	5	Red oak	X
3472	13	5	Red oak	X
3473	7	5	Red oak	X
3474	11	5	Red oak	X
3475	7	3	Red oak	X
3476	10	4	Red oak	X
3477	9	5	Red pine	X
3478	7	5	Red pine	X
3479	10	5	Red pine	X
3480	5	5	Red pine	X
3481	5	4	Red pine	X
3482	9	5	Red pine	X
3483	7	5	Red pine	X
3484	8	5	Red pine	X
3485	7	5	Red pine	X
3487	10	4	Red pine	X
3488	4	3	Red pine	X
3489	12	5	Red oak	X
3490	24	4	Red oak	X
3491	6	5	Red oak	X
3492	10	5	Red pine	X
3493	6	5	White spruce	X
3494	7	5	Red pine	X
3495	8	5	Red pine	X
3496	6	5	Red pine	X
3497	9	5	Red pine	X
3498	7	5	Red pine	X
3499	6	5	Red pine	X
3500	8	4	Red pine	X
3501	9	5	Red oak	
3502	4	5	White spruce	
3503	4	5	Red oak	
3504	9	5	Black cherry	X
3505	7	5	Red pine	X
3506	5	5	Red pine	X
3507	4	5	Red pine	X
3508	5	5	Red pine	
3509	4	5	Red pine	
3510	4	5	Hackberry	
3511	4	5	Red pine	
3512	5	5	Red oak	X
3513	4	5	Bur oak	X
3514	4	5	Red oak	X
3515	12	5	Red oak	
3516	10	5	Red oak	
3517	5	5	Red oak	
3518	4	5	Red oak	
3519	5	5	Red oak	
3520	12	5	White oak	
3521	10	5	White oak	
3522	9	5	White oak	
3523	6	5	Red oak	
3524	7	5	Red oak	
3524	9	5	Red oak	
3526	19	2	Red oak	
3527	4	5	Balsam fir	
3528	4	5	White spruce	
3529	8	4	Paper birch	
3530	4	5	White spruce	
3531	5	5	White spruce	
3533	11	5	White oak	
3534	11	5	White oak	
3535	5	5	Red oak	
3536	5	5	Red oak	
3537	4	5	Red oak	
3538	8	5	Big Tooth aspen	
3539	5	5	White pine	
3540	5	5	White pine	
3541	13	4	Bur oak	X
3542	6	5	Red oak	X
3543	9	5	Paper birch	
3544	5	4	Red oak	
3545	5	5	Red pine	
3546	4	4	Red pine	

Tree #	DBH	Condition	Species	Lost
3547	8	4	Big Tooth aspen	
3548	8	5	Big Tooth aspen	
3549	4	4	Red pine	
3550	5	5	Red pine	
3551	4	5	Red pine	
3552	5	5	Red pine	
3553	5	5	Red pine	
3554	5	4	Red pine	
3555	6	4	Red oak	
3556	7	4	Red pine	
3557	5	5	Red oak	
3558	4	5	Red oak	
3559	10	5	Red oak	
3562	9	5	Red oak	
3565	8	5	Big Tooth aspen	
3566	10	5	Red oak	
3567	6	4	Red oak	
3568	9	3	Big Tooth aspen	
3569	9	2	Big Tooth aspen	
3570	4	5	White pine	
3571	5	5	White pine	
3572	4	5	White pine	
3573	10	5	Big Tooth aspen	
3574	4	5	White pine	
3575	8	5	Big Tooth aspen	
3576	8	3	Big Tooth aspen	
3577	8	5	Big Tooth aspen	
3578	9	5	Big Tooth aspen	
3579	9	5	Big Tooth aspen	
3580	8	5	Big Tooth aspen	
3581	4	5	White pine	
3582	9	5	Big Tooth aspen	
3583	9	5	Big Tooth aspen	
3584	4	3	Bur oak	
3585	11	5	Big Tooth aspen	
3586	5	5	Red oak	
3587	12	5	Big Tooth aspen	
3588	4	5	Red oak	
3589	8	5	Big Tooth aspen	
3590	9	5	Big Tooth aspen	
3591	11	5	Big Tooth aspen	
3592	21	4	White oak	
3593	9	5	Red oak	
3594	6	5	Red oak	
3595	8	5	Black walnut	
3596	8	4	Big Tooth aspen	
3597	8	5	Red oak	
3598	5	5	Bur oak	
3601	6	5	Bur oak	
3602	8	3	Black cherry	
3603	8	3	Green ash	
3604	8	4	Bur oak	
3605	8	4	Green ash	
3606	8	4	Green ash	
3607	15	5	Red oak	
3608	9	3	Green ash	
3609	10	5	Hackberry	X
3610	13	4	White oak	X
3611	8	4	Green ash	
3612	20	5	Red oak	
3613	9	5	Bur oak	
3614	8	3	Black cherry	
3617	14	5	Big Tooth aspen	
3618	15	4	Green ash	
3619	12	3	Green ash	
3620	13	5	White oak	
3621	13	4	Red oak	
3622	10	5	White oak	
3623	9	5	Bur oak	
3624	10	4	Black cherry	
3625	9	4	Black cherry	
3626	21	5	Bur oak	
3627	15	4	Bur oak	
3628	8	5	Apple	
3629	13	5	Bur oak	
3630	12	4	Bur oak	
3631	8	5	Hackberry	
3632	9	3	Black cherry	
3633	15	5	Bur oak	X
3634	14	4	Bur oak	X
3635	8	5	Hackberry	X
3636	15	4	Red oak	X
3637	15	5	White oak	X
3638	9	4	Bur oak	X
3639	9	5	Black cherry	X
3640	15	4	Bur oak	X
3641	25	4	Red oak	X
3642	11	3	Black cherry	X
3643	10	4	Black cherry	X
3644	9	5	Black cherry	
3645	8	2	Black cherry	
3646	10	4	Green ash	
3647	11	5	Black cherry	
3648	20	3	Red oak	X
3649	8	3	Black cherry	X
3650	11	4	Bur oak	X
3651	5	5	Red pine	X
3652	5	5	Red pine	X
3653	10	4	Bur oak	X
3654	9	4	Bur oak	X
3655	4	5	Bur oak	X
3656	4	4	White oak	X
3657	12	1	Red oak	X
3658	16	4	Red oak	X
3659	14	5	Red oak	X
3661	13	4	Bur oak	X
3662	19	5	Red oak	X
3663	7	5	White pine	X
3664	8	4	Green ash	X
3665	12	5	Red oak	X
3666	12	4	Bur oak	X