

Provide light fixtures as shown on Fixture Schedule. Substitutions shall have prior approval by the Project Engineer before bid date. Being listed as an acceptable Manufacturer in no way relieves the Contractors obligation to provide all equipment and features in accordance with these specifications.

LIGHT FIXTURE SCHEDULE				
TYPE	STYLE	MANUFACTURER/MODEL NUMBER	LAMPS	REMARKS
L21A	BUILDING MOUNTED WALL PACK	CREE LIGHTING #NTW-A-WM-T3-7L-30K-UL-CS-P	46W LED - 7,000 LUMENS	MOUNT FIXTURE AT 9'-0" ABOVE FINISHED FLOOR
L21B	BUILDING MOUNTED WALL PACK	CREE LIGHTING #NTW-A-WM-T3-7L-30K-UL-CS-P	46W LED - 7,000 LUMENS	MOUNT FIXTURE AT 10'-0" ABOVE FINISHED FLOOR
L21C	BUILDING MOUNTED WALL PACK	CREE LIGHTING #NTW-A-WM-T3-7L-30K-UL-CS-P	46W LED - 7,000 LUMENS	MOUNT FIXTURE AT 12'-0" ABOVE FINISHED FLOOR
L22	CANOPY	CREE LIGHTING #CPY250-B-DM-F-C-UL-CS-30K	31W LED - 4,210 LUMENS	MOUNT FIXTURE ON UNDERSIDE OF CANOPY
L24	ACCENT CYLINDER	CREE LIGHTING #CL-20364LEDD-SAT-CLR-SB	29W LED - 2,900 LUMENS	MOUNT FIXTURE AT 14'-6" ABOVE FINISHED FLOOR PROVIDE FIXTURE WITH DOWNLIGHT ONLY
L32	SITE POLE DOUBLE HEAD @ 180 POLE	CREE LIGHTING #NTA-A-NM-T4-11L-57K-UL-CS, w/NTA-DA-CS CREE LIGHTING #CL-SSP-4011-25-D2-PS	(3) 75W LED - 11,000 LUMENS	2@180 FIXED ARM MOUNT 25'-0" POLE
L34	SITE POLE QUAD HEAD @ 90 POLE	CREE LIGHTING #NTA-A-NM-T4-11L-57K-UL-CS, w/NTA-DA-CS CREE LIGHTING #CL-SSP-4011-25-D6-PS	(4) 75W LED - 11,000 LUMENS	4@90 FIXED ARM MOUNT 25'-0" POLE

Note: All light fixtures shall be full-cutoff fixtures, which do not allow light to be emitted above 90 degrees.

Issued:	Date:
A CITY SUBMITTAL #1	05/12/23
B CITY SUBMITTAL #2	06/06/23
C	
D	
E	
Revisions:	Date:
1	
2	
3	
4	
5	
6	
7	
8	
9	

I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED PROFESSIONAL ENGINEER UNDER THE LAWS OF THE STATE OF MINNESOTA.

RYAN J. ANDERSON


Ryan Anderson

DATE 06/06/2023 LIC. NO. 55938

NOTE: THE CLARITY OF THESE PLANS DEPEND UPON COLOR COPIES. IF THIS TEXT DOES NOT APPEAR IN COLOR, THIS IS NOT AN ORIGINAL PLAN SET AND MAY RESULT IN MISINTERPRETATION.



MANAGING LOCATION:
BLOOMINGTON OFFICE
7900 INTERNATIONAL DRIVE
SUITE 550
MINNEAPOLIS, MN 55425
PHONE: 952.426.0699



ALDI Inc. Store #: 143
RAMSEY, MN
7992 SUNWOOD DR NW
RAMSEY, MN 55303
ANOKA COUNTY
Project Name & Location:

SITE LIGHTING
PHOTOMETRIC PLAN

Drawing Name:

Type: V7.0 ER
Drawn By: AJR
Designed By: AJR
Reviewed By: RJA

ISG Project No.
23-21339
C-610
Drawing No.

PRELIMINARY NOT FOR CONSTRUCTION

