



Specification Summary

Reference: QUO0000006776 **Rev:** 1
Purchaser: Siddons-Martin Emergency Group
Contact: Travis Tatsch
Address: 1362 E. Richey Rd.

Houston, TX

Telephone:

Opportunity: SMEG Demers Demo #4
Account: Siddons-Martin Emergency Group
Contact: Gretchen Peters
Shipping Address:

Currency: USD
Quotation Date: 2022-07-21
Expiration: 2022-08-20

Sales Contact: Gretchen Peters
Mobile: 8329421712
Phone:

Factory Contact: Chuck Burgess
Mobile: 4196517924

Name

Type I - MXP153



Specifications

Overall Length 285" - 291" (724 cm - 739 cm)
 Overall Width 95" (241 cm)
 Overall Height 110" (279 cm)**
 Headroom 72" (183 cm)
 Wheelbase 165" - 168" (411 cm - 427 cm)*
 Payload Capacity Up to 4500 lbs (2041 kg)

*Depending on chassis selection

**Total height of vehicle may differ according to chassis and suspension

Sales Options by Category

10-Base (BAS)

Item Number	Name/Description	Quantity
BAS-BON-11	No Bond Required	1.00
	No Bond Required	
BAS-GPO-11	No GPO Contract Required	1.00
	No Group Purchasing Organization contract required	
BAS-PLA-21	TYPE I - MXP153	1.00
	TYPE I - MXP153	
BAS-REG-11	United States	1.00
	Sales Administration Charge	
BAS-SUR-14	Surcharge - MXP153	1.00
	Surcharge - MXP153	
BAS-TYP-11	Type I - Pick up	1.00
	Type I - Pick up	



11-Chassis (CH*)

Item Number	Name/Description	Quantity
CHP-FRD-00	Conversion Ford F350/F450 Chassis Cab Conversion Ford F350/F450 Chassis Cab	1.00
CHP-FRD-25	Ford F450XLT Super Duty Diesel Chassis Cab 4X4 169 Ford F450XLT Super Duty Diesel Chassis Cab 4X4 1696,7L POWER STROKE V8 Diesel EngineWheelbase 169" (4293 mm)GVWR (Gross vehicle weight rating) 13,300 Lbs / 6,033 Kg	1.00

12-Suspension (SUS)

Item Number	Name/Description	Quantity
SUS-LIQ-11	LiquidSpring™ Suspension Type I Compressible Liquid Adaptive Suspension System, is a smart suspension systems. Liquid-based struts and an on-board processor provide better handling and control, and a smoother, softer ride. The reduced vehicle vibration increases comfort.	1.00

13-Module (MOD)

Item Number	Name/Description	Quantity
MOD-ALU-17	MXP153 Ambulance Module All Aluminum ambulance module structure, doors structure and accessories. (Included)	1.00

14-Module Configuration (MCF)

Item Number	Name/Description	Quantity
MCF-CC1-11	C1 Door, ALS Access and Battery Location First door on curbside (C1) for ALS compartment access and battery slide out sealed compartment. (Included)	1.00
MCF-CC2-12	C2, Curbside Entry Door, with Opening Window Side entry door on curbside (C2) for patient compartment access, with flush-mounted, automotive-style opening window.	1.00
MCF-CC3-11	C3 Door, Storage Exterior Compartment Third door on curbside (C3) for backboard or other storage. (Included)	1.00
MCF-CC3-17	Non-adjustable Backboard Dividers, Two (2), Straps Two (2) non-adjustable backboard dividers with straps, in C3 compartment.	1.00
MCF-CC4-11	Fourth door (C4) for equipment storage Fourth door (C4) for equipment storage	1.00
MCF-CML-12	High-Intensity Compartment Tube Lighting High-intensity tube lighting for Compartments. With Side entry Door Steps.	1.00
MCF-RDR-11	A1 and A2, Rear Entry Doors, Indiv. Door Handles Two (2) rear entry doors for patient compartment access, each with its individual exterior door handle.	1.00
MCF-SS1-12	First door (S1) for oxygen horizontal cylinders and storage First door on streetside (S1) for mainhorizontal oxygen cylinde. (Included)	1.00
MCF-SS1-17	One (1) full depth adjustable shelf One (1) full depth adjustable shelf in S1 Compartment	1.00
MCF-SS2-12	Full-Depth Shelf, One (1), Adjustable One (1) full-depth, adjustable shelf in S2 compartment.	1.00
MCF-SS2-18	Short S2 Door for equipment storage, electrical Second door (S2) for equipment storage and electrical comaprtnment for MXP153 (Included)	1.00
MCF-SS3-12	S3 Compartment, Equipment Storage, In/Out Access Third door on streetside (S3) for equipment storage, with interior/exterior access.	1.00
MCF-SS3-13	Full-Depth Shelves, Two (2), Adjustable Two (2) full-depth, adjustable shelves in S3 compartment.	1.00



MCF-SS4-12	Fourth door (S4) below S1 and S2 Fourth door (S4) below S1 and S2 for stair chair storage. (Included)	1.00
MCF-SS4-13	Fire extinguisher (5lbs) with heavy duty bracket Fire extinguisher (5 lbs) ABC with heavy duty bracket in S4 compartment	1.00
SR00135462	Electrical Panel Cover Change electrical panel cover in compartment S2 to Lexan. Ship Loose the aluminum panel cover.	1.00

15-Lighting (LGT)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
LGT-LSL-14	Turn Signal Lights, Amber (2), LED Two (2) amber turn-signal lights, intermediate side mount. Whelen M7 series (7 x 3) LED lights.	1.00
LGT-RSL-14	Rear Step Plate: Turn Signal Light, Brake, Reverse Two (2) red brake/tail lights, two (2) amber turn lights, and two (2) reverse lights installed in rear step plate. Round LED lights.	1.00
LGT-RSL-18	Third Upper Brake Light, LED Third upper brake light at rear of module. Whelen M6 series (6 x 4) LED light.	1.00
LGT-TPL-11	Marker Lights, Amber (7) and Red (7), LED Seven (7) front upper center and corner amber LED marker lights.Seven (7) rear upper center and corner red LED marker lights.	1.00

16-Emergency and Working Lights (EWL)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
EWL-ACC-11	Clear Lenses Clear lenses.	1.00
EWL-BEZ-11	Chrome bezels Chrome bezels	28.00
EWL-FWD-20	Emergency Lights, Red (3), White (1), Red (3), LED Seven (7) emergency lights installed on the front of the module. Includes three (3) red, one (1) white, and three (3) red. Whelen M9 series (10 x 6) LED lights.	1.00
EWL-GRL-19	Lights in Front Grille, Red (2), Wig-Wag (2), M7 Two (2) red and two (2) clear lights in front grille with Wig Wag flash pattern. Whelen M7 series (7 x 3) LED lights.	1.00
EWL-INT-11	Emergency Lights on Inside of Doors, One (1) each One red emergency light on each compartment and entry door inside panel. Total of eight (8) round LED lights.	1.00
EWL-ITC-14	Intersection Lights, Clear/Red (2), LED Two (2) clear/red intersection lights with turning priority. Whelen M7 series (7 x 3) LED lights.	1.00
EWL-LTI-12	Emergency Lights, Red (2), LED, Inter. Side Mount Two (2) red emergency lights, intermediate side mount. Whelen M7 series (7 x 3) LED lights.	1.00
EWL-LTS-18	Four (4) red LED lateral emergency lights (M9) Four (4) red lateral emergency lights (two (2) on each side). Whelen M9 series (10 x 6) LED lights.	1.00
EWL-LTS-20	Scene Lights, Four (4), Clear LED, (M9) Four (4) lateral scene lights (two (2) on each side). Whelen M9 series (10 x 6) LED scene lights.	1.00
EWL-RER-17	Emergency Lights, Red (2), LED, Rear Corners Two (2) red rear emergency lights at upper rear corners. Whelen M9 series (10 x 6) LED lights.	1.00



EWL-RER-18	Emergency Lights, Amber (2), LED Two (2) rear upper amber lights. Whelen M6 series (6 x 4) LED lights.	1.00
EWL-RER-19	Loading Lights, Two (2), LED Two (2) rear loading lights. Whelen M6 series (6 x 4) LED lights.	1.00
EWL-RER-20	Emergency Lights, Red (2), LED, Addtl, Window Hgt Two (2) additionnal red lights at window height. Whelen M9 series (10 x 6) LED lights.	1.00
SR00135460	Front wall Whelen M9 layout Red/Blue/Red/White/Red/Blue/Red	1.00
SR00135465	Grill light flash pattern X-pattern, (1) red and (1) white flash opposite	1.00
SR00135468	Emergency light flash patterns Emergency light flash pattern to be the same as unit F22P-3617, previous Demo order.	1.00

17-Audible Warning System (WRN)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
WRN-BUA-11	Back-Up Alarm Back up alarm (97dB) with override switch. (Included)	1.00
WRN-SIR-11	Whelen 295SLS Hands-Free Siren Whelen model 295HFSA1 siren amplifier with 17 Scan-Lock™ siren tones.	1.00
WRN-SIR-13	Switch to Mute OEM Horn when Siren Speakers Active Switch to mute the OEM horn when the siren speakers are activated.	1.00
WRN-SPK-11	Whelen SA315 Series Speakers Whelen SA315 series speakers is a compact speaker meeting SAE Class A requirements when paired with Whelen 100 watt siren amplifier.	1.00

18-Exterior Vehicle features (VFT)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
VFT-CHP-11	Chrome wheel simulator Chrome wheel simulator	1.00
VFT-CHP-13	Rear Tow Hooks Two (2) tow hooks are installed in the rear step plate.	1.00
VFT-FUL-11	Quarter-Tank Fuel Fill Quarter-tank fuel fill.	1.00
VFT-MIR-11	OEM exterior mirrors Keep OEM exterior mirrors	1.00
VFT-MOP-11	Module Rub Rails, Aluminum Aluminium rub rails on module sides. (Included)	1.00
VFT-MOP-12	Module Corner Protectors, Stainless-Steel Stainless-steel protectors on module corners. (Included)	1.00
VFT-MOP-13	Module Wheel Trims, Fiberglass Formed fiberglass wheel trimming on module.(Inlcuded)	1.00
VFT-MOP-14	Undercoating Protection Undercoating protection for module and chassis. (Included)	1.00
VFT-MOP-15	Rear Wheel Mud Guards Mud guards on module for rear wheels. (Included)	1.00
VFT-PLT-12	Chrome License Plate with Light Recessed chrome license plate holder with LED light.	1.00
VFT-STP-11	Cab Steps, Anti-Skid Material with Mud Guards Anti-skid lateral steps. Includes mud guards for front wheels. (Included)	1.00
VFT-STP-12	Rear Step Bumper, Retractable Center Section Anti-skid rear retractable step. Diamond plate corner bumper. Rubber bumperette. (Included)	1.00

19-Convenience (CNV)



<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
CNV-ACC-13	Valet Switch in Front Grille The door unlock valet switch is located on the back of the front grille, on the driver's side half portion of the grille. It allows to unlock all doors of the vehicle, but cannot lock the doors. (Included)	1.00
CNV-ACC-15	Demers Fast Idle Demers fast idle is generated by the multiplex module, it allows fast charging of the batteries by the engine when specific conditions are met. (Included)	1.00
CNV-CAM-11	Black Back-Up Camera Zone Defense standard back-up camera with build-in audio support and infra-red night vision.	1.00
CNV-LCK-11	Anti-Theft System The anti-theft allows to leave the vehicle with the keys with the engine running to keep the vehicle at the ideal operating temperature. It protects against theft by running off the engine if the vehicle moves. (Included)	1.00
CNV-LCK-12	ECOSMART Anti-Idling System The ECOSMART Anti-Idling System automatically stops the engine and restarts the engine of the vehicle in idling conditions. The ECOSMART Anti-Idling System is managed by the Demers Electronic Multiplex System (DEMS).	1.00

21-Paint and Decals (DEC)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
DEC-PNT-11	Tri-Star Urethane Paint Two (2) coats of primer with two (2) coats of urethane. All four (4) sides and roof. No sanding. No buffing.	1.00

22-Drivers Compartment (CAB)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
CAB-ACC-11	Spotlight in Front Cab, Hand-Held, with Bracket Hand-held spotlight, 2000 lumens, with trigger-type switch and bracket.	1.00
CAB-ACC-17	Glove Storage in Cab OEM Door Panels, Loose Gloves Glove storage compartment in OEM door panels for loose gloves.	1.00
CAB-CON-11	Floor-Mounted Console with control Floor-mounted console in front cab.	1.00
CAB-CON-14	Armrests, Driver and Passenger, Individual Individual driver- and passenger-side armrests on sides of floor-mounted console.	1.00
CAB-CON-15	Cup Holders, Dual, in Floor-Mounted Console Dual cup holders in floor-mounted console.	1.00
CAB-CTR-13	Control Center with Switches and Touch Pad Control center with switches and LED backlit pictograms in the floor mounted console.	1.00
CAB-LGT-11	Cab headliner with Reading Lights, Red/Clear (2) Two (2) clear and red overhead LED reading lights.	1.00

23-Curbside configuration (CRB)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
CRB-ACC-17	Recessed glove box at head of squad bench Recessed glove box holder at head of squad bench	1.00
CRB-NET-11	Safety Net Safety net at the head of the curbside configuration, by the side entry door (C2).	1.00
CRB-TEC-11	Full-Length Seat Cushion Full-length, thermoformed, molded seat cushion.	1.00
CRB-TEC-14	Seat Backrest Individual, thermoformed, molded backrests.	2.00



CRB-TEC-21	Seating, Two (2) Passengers, 6Pts Safety Belts Seating for two (2) passengers with 6-point safety belts.	1.00
-------------------	--	------

24-Streetside configuration (STR)

Item Number	Name/Description	Quantity
STR-ACS-23	Flip-Up Door, Tinted Self Latching Sliding Windows Aluminum flip-up frames, self latching for easy restocking of cabinets. Polycarbonate tinted self latching sliding windows.	2.00
STR-MED-27	Medical Cabinet, CPR Bench Seat, Int/Ext Access MXP153 Medical cabinet with CPR bench seat, the rear lower storage compartment is accessible from the S3 exterior compartment.	1.00
STR-REA-12	Seating, One(1) EMT, 6pts Safety Belt Seating for one(1) EMT with 6pts safety belt - CPR seat	1.00

25-Forward Bulkhead (FWB)

Item Number	Name/Description	Quantity
FWB-DIV-12	Sliding Window Pass-Through Pass-through sliding window on front division for communication with cab.	1.00
FWB-RGT-37	Two (2) Large Doors see-through Two (2) Doors with see through windows	1.00
FWB-RGT-38	ALS Cabinet, with upper large compartment ALS Cabinet, with upper large compartment. Aluminum restocking windows frame (1) with self latching sliding windows. Access to radio communication compartment behind ALS upper cavity. Two adjustable shelves with dividers.	1.00

26-Attendant seat (AST)

Item Number	Name/Description	Quantity
AST-HRS-12	EVS 1880 3Pts Vac-Formed Seamless Child Seat The EVS 1880 is a vac-form, seamless ambulance attendant's seat. Integrated child restraint system that allows uninjured children weighing between 20-65 lbs to be transported in a five point safety harness. When it is not needed, the child-insert can be folded into the seat and allow an adult to use the seat as a standard attendant's seat	1.00

27-Cot Configuration (COT)

Item Number	Name/Description	Quantity
COT-ANC-23	Floor Plate & Pre-wire Power-LOAD - GEN 2 (NEW) Stryker Power-Load floor plate. No cot fastener included. Include pre-wiring for charging feature. Default option for new Power-LOAD system from the field.	1.00
COT-POS-11	Center Floor-Mount Cot Configuration Center floor mount cot configuration	1.00

28-Rear Control Panel (CAR)

Item Number	Name/Description	Quantity
CAR-CTR-11	Rocker Switch Controls with LED Backlit Pictograms Rocker switch controls with LED backlit pictograms.	1.00

29-Oxygen (OXY)

Item Number	Name/Description	Quantity
OXY-NTW-14	Oxygen Outlets, Four (4) Four (4) oxygen outlets. Two (2) in ECC, one (1) on curbside, and one (1) on the ceiling.	1.00
OXY-OUT-11	Oxygen Outlet, Quick-Connect Quick-connect style oxygen outlet.	4.00
OXY-REG-12	Oxygen Regulator, Manual, Sensor and Dig. Read-Out Manual oxygen regulator with pressure sensor and digital read-out.	1.00



OXY-REG-13	Oxygen Control Valve, Electronic, Manual By-Pass Electronic oxygen control valve with manual by-pass.	1.00
OXY-SPO-21	"D" Portable oxy tank in S1 comp int/ext acces Storage for two (2) "D-size" cylinders in street side S1 exterior compartment interior/exterior access	1.00
OXY-SPR-17	Universal transv holder sliding oxygen type M Universal transverse holder on sliding tray for main oxygen cylinder type "M" in street side S1 exterior compartment	1.00
SR00135466	O2 bracket-Clarification Transverse O2 holder to be universal for M and H/K tank holder.Option selected.____Clarification added by Demers to match SMEG Demo & Stock units.Universal transv holder sliding oxygen TO BE FOR TYPE K WITH RE-DESIGN. Comments:	1.00

31-Suction (SUC)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
SUC-LOC-13	Suction System Below Action Area (ECC) Suction system recesses below action area (ECC), forward of medical cabinet	1.00
SUC-LOC-14	Recessed Main Suction location under ECC Main suction pump with canister is located in front streetside, recessed under action area.	1.00
SUC-MOT-11	Thomas high flow vacuum pump Thomas high flow vacuum pump	1.00
SUC-OUT-11	Vacuum outlet QD in action area Vacuum outlet QD Puritan with yellow 5/16" hose 4 ft long	1.00
SUC-REG-11	Vacuum regulator with disposable canister Vacuum regulator with disposable canister (Rico RS-4X)	1.00

32-Electrical System (ELE)

<i>Item Number</i>	<i>Name/Description</i>	<i>Quantity</i>
ELE-ALT-11	Power Inverter, Xantrex Freedom, True Sine, 1000W The inverter/charger provides AC power using the DC power from the conversion battery bank. Recharge all battery banks and power all 120 volts AC outlets when the external shoreline is connected.	1.00
ELE-ALT-15	Electrical Outlet, 120V AC with Indicator 120V AC hospital-grade electrical outlets with indicator. (Included)	1.00
ELE-ALT-21	Add 120V AC Duplex outlet with indicator Additional 120V AC Duplex outlet with indicator. Details and location are as follows: (1) Head end of Sq Bench, (1) in drug cabinet	2.00
ELE-ALT-25	Dual Super Auto Eject 20 & 30 Amps Dual Super Auto Eject Power Intet mounted on front of module, 20 & 30 Amps	1.00
ELE-CON-13	ACDelco Conversion Batteries Two (2) ACDelco conversion Batteries. (Included)	1.00
ELE-CON-14	Electrical Outlet, 12V DC 20 amp with Indicator 12V DC, 20 amp Duplex electrical outlets. (Included)	1.00
ELE-CON-17	Add 12V DC outlet with indicator Additional 12V DC outlet with indicator. Details and location are as follows: (1) in upper drug cabinet	1.00
ELE-CON-18	Add Dual USB DC outlet with indicator Additional dual USB DC outlet with indicator. Details and location are as follows: (1) ECC area	1.00
ELE-COV-11	Shoreline cover - Change color	1.00



ELE-GES-11	Change Shoreline cover from Standard Yellow to One of the available colors: red, blue, grey or black. Selected color of shoreline cover : White Demers Multiplex Electronic Management System	1.00
SR00135457	FAST-IDLE Install switch on front console to override parking brake requirement for fast idle triggering condition.	1.00
SR00135459	Electrical All circuits are to be wired hot when shoreline is plugged in. For Example: OEM does not have to be turned on to check the system within the ambulance. Need programming to match unit number F22P-3617, previous demo order.	1.00

33-Communication System (COM)

Item Number	Name/Description	Quantity
COM-RAD-11	Pre-Wiring for 2-Way Radio, Two (2) Antenna Cables Wiring preparation for two-way radio, with two (2) antenna cables.(routed from front cab to radio communication compartment)	1.00
COM-RAD-14	Radio Communications Compartment Radio communications compartment universal board, Bussmann blade-type fuse panels, and harness to power the radio communication devices.(12V battery feed, ground, ignition).	1.00
COM-RAD-15	Radio Communications Front Console Radio communications front console universal board, Bussmann blade-type fuse panels, and harness.	1.00
COM-REC-11	Data Recorder Available Signals Data recorder available signals through a universal connector in the electrical compartment. (Included)	1.00

34-HVAC (CVC)

Item Number	Name/Description	Quantity
CVC-AUX-27	Triple row condenser 60000 BTU, Front Auxiliary condenser Hoseline 60000 BTU mounted in the front of the module.2 independant coils for engine and shoreline driven A/C loop.	1.00
CVC-AUX-28	120V HVAC Independant System Shoreline powered HVAC system for patient compartment. Cold/heat air is blown through the forward A/C unit outlets.120V A/C system consist in an independant loop with shoreline driven compressor linked to forward HVAC unit and front condenser.120V Heating system consist in heat strips include inside the front HVAC unit.	1.00
CVC-CLD-15	Independent Air Conditioning System, Dual units Independent engine driven compressor for patient compartment. Twin evaporator coils with brushless motors for patient compartment, one fore, one aft. Direct flow air distribution.	1.00
CVC-HOT-11	OEM Tie-In Heating Unit The heating system is an extension of the OEM heating system, heating the patient compartment area through invisible opening underneath the medical cabinet at floor level. (Included)	1.00
CVC-ISO-11	Premium Thermal Insulation Package Includes high efficiency 2" thick closed-cell insulation on doors and module. Insulated to cut thermal bridges and air leaks. Additional insulation on floor, wheel wells and entry steps.	1.00
CVC-VNT-13	Exhaust Fans (2)	1.00

CVC-VNT-17	Two (2) exhaust fans for contaminated air. Activated by front control interface or rear console switch. (Included) HEPA air filtration system	1.00
SR00135467	HEPA air filtration system with filter. Designed to filter the air in the cabin and in the sanitary compartment of ambulances, removing 99.995% particulates corresponding to SARS/COVID-19 and reducing the risk of infection. 110Volt AC system The 110V AC is to always be powered on when unit is plugged in to shoreline. To be programmed the same as unit F22P-3617, previous Demo order.	1.00

35-Interior Lights (ILG)

Item Number	Name/Description	Quantity
ILG-PLF-11	LED Dome Lights, Adjustable, Dig. Timer The ceiling lights have four (4) different intensities. Each time the ceiling lights button is pushed, the intensity increases, until maximum intensity is reached.	8.00

36-Grab Handles (GBR)

Item Number	Name/Description	Quantity
GBR-COL-12	Grab Bars Color, Yellow Color of selected grab bars is Yellow.	1.00
GBR-DRS-11	Rear Door-Mounted Grab Bars, 16" x 16" Two (2) door-mounted grab bars, 16" x 16", inside of rear doors (A1 and A2). (Included)	1.00
GBR-DRS-12	Curbside Door-Mounted Grab Bar, 12" One (1) door-mounted grab bar, 12" each, on the inside of the side entry door (C2). (included)	1.00
GBR-EMB-11	Embarking Grab Bars, 12" Two (2) entry grab bars, 12" each, mounted inside the patient compartment. One (1) near the curbside entry door, and one (1) near the R2 rear entry door. (Included)	1.00
GBR-PLF-11	Ceiling Grab Rails, 90", Two (2) Two (2) ceiling-mounted grab rails, 90".	1.00

37-Finish and Trim (FNS)

Item Number	Name/Description	Quantity
FNS-FLR-13	Lonseal, Loncoin II Flecks, Onyx Lonseal, Loncoin II Flecks, Onyx floor covering.	1.00
FNS-GRD-11	Cobalt Blue Upholstery Cobalt blue vinyl upholstery for seat and padding covering. (Included)	1.00
FNS-GRD-15	Safety Yellow Upholstery Yellow vinyl upholstery for safety exit padding covering. (Included)	1.00
FNS-MAT-11	Wood Flooring Exterior grade plywood, 0,75 inches thick.	1.00
FNS-MAT-12	Composite Flooring Thermo-Lite composite board, 0,75 inches thick.	1.00
FNS-PLF-11	Fiberglass Ceiling Fiberglass ceiling in Patient Compartment. (Included)	1.00
FNS-STK-11	General Vehicle Identification Vehicle general labels identification. (Included)	1.00
SR00135464	Black Upholstery Black upholstery throughout module interior	1.00

38-Functionality (FCT)

Item Number	Name/Description	Quantity
FCT-PLF-11	Radio Speakers, Recessed, Two (2) Two (2) recessed radio speakers. (Included)	1.00



FCT-PLF-13	IV Hooks, Recessed in Ceiling, Flexible, Four (4) Four (4) recessed flexible IV hooks in ceiling.	1.00
FCT-RGT-13	Storage Compartment, Sliding Doors Storage compartment, two (2) cabinets, LED strip lighting, and sliding doors.	1.00
FCT-RGT-21	Trash Container, Flip-Down, Hands-Free Trash container bracket in curbside flip-down container.	1.00
FCT-RWR-11	Digital Clock, Driver and Step Indicator Lights Digital clock, rear step indicator light, driver intention indicator lights (direction, braker) located in padding above the rear doors.	1.00