




Lektriever Vertical Carousel Proposal for: Pecos Valley Emergency Management

Lektriever Project- Sourcewell

Date Prepared: 1/21/26

Created by:

Carlyle Ordner
Southwest Solutions Group Inc.
cordner@southwestsolutions.com
281-768-9026

Prepared for:

Alison Herring
Pecos Valley Emergency Management

Pecos Valley Emergency Management
Attn: AlisonHerring
Roswell, NM

Subject: Lektriever Project- Sourcewell

Thank you for your interest in our products and services. We are pleased to present you with the following proposal for your storage needs.

As discussed we have prepared the following quotation for you:

Lektriever Vertical Carousel, Model 125-1611X

Qty. 1 EA

Overall Unit Size: 128.7" W x 47.32" D x 107.29" H

16 carriers total, Carrier dimension: 114.5" W x 15.19" D x 10.23" H Clear, 308 lbs. per carrier. 9 file trays per carrier.

Total of 2,074 LFI Provided

This quotation is valid for three months from the date above.

We hope that our quotation meets your expectations. Furthermore, we would like to take this opportunity to assure you that all work will be carried out to a high, professional standard.

If you have any questions, please do not hesitate to contact our team at any time.

Regards,

CarlyleOrdner
Southwest Solutions Group Inc.

Table Of Contents

Product Overview

Lektriever Vertical Carousel

Software

Scope & Supply

Pricing

Warranty Program

Terms & Conditions

This document contains information that is proprietary to Kardex Remstar, and the customer identified herein. Reproduction and distribution of this document is restricted for exclusive use by the above named entitled. The information contained herein is subject to change without notice, and shall supersede information in similar documents produced for the above named entity. Warranties governing the suitability and contents, whether expressed or implied, are limited to use of this document in the manner in which it is intended, as described herein. Kardex Remstar makes no warranties for consequential or incidental damages connected with the furnishing and use of this material.

Product Overview

Lektriever Vertical Carousel


The Principle

Paper records, files, stationery, CD/DVD, credit cards, library, and X-ray; light industrial applications, sample vials, artifacts, valuables collectors' items, guns, sports equipment, check books, certificates and licenses... we understand that companies have to contend with an ever-widening range of media. That's why we've developed solutions to suit any of these applications, which will save space, improve security and productivity, comply with the latest legislation, deliver a greener office environment and save you money.

The Lektriever Vertical Carousel is designed with shelves or drawers that rotate up or down via the shortest path, automatically delivering stored items to an operator at an ergonomically positioned pick window. Each unit is compatible with an entire suite of software and controls or can be used as a standalone solution.

The Lektriever Vertical Carousel Unit provides:

- Reduced Labor Costs
- Increased Retrieval Speeds
- Increased Space Utilization
- Increased Control
- Increased Ergonomics



Electric Lateral File System



Lektriever Standard Features:

Optional Automatic Security Door

Accessibility & Security


- Advanced Security Doors – a range of security options
- Disabled Persons Access – adjustable work counter
- Fire Protection – integration with locally approved solutions
- Software & Control – enhanced track and trace of records and valuable items

Advanced Security

With the Automatic Security Doors, department managers can give restricted access rights to certain employees. This helps ensure that specific users can retrieve the files, documents and items to which they have been given prior approval by their managers and supervisors. Sensitive files and valuable items are therefore stored within a secure and enclosed environment.


Key Features

- Each user (up to 25) has a unique 4 digit PIN code
- The PIN identifies the approved shelves assigned to the user
- Administrator rights exist to change shelf usage and PIN codes
- Lektriever ELF only rotates when doors are closed and secure, preventing random access from other users
- Only the shelf requested appears in the access opening




Easy to Use Automatic Security Door:


1. The units doors are closed.



2. An operator selects the shelf level they wish to access.



3. The Lektriever ELF rotates with the doors closed.



4. When the required shelf level is ready to be accessed, the door opens.

5. The operator picks the needed item.

6. The doors automatically close, ready for the next pick.

Lektriever Standard Features:


Emergency Hand Crank

A method of manually rotating the carriers (without power if necessary) is available by use of a hand crank. If during hand crank operation power is returned to the unit, it shall remain non-operational by means of a micro switch interrupt caused by the hand crank attachment.

Standard Safety Features

All units include a safety systems witch continually monitors the proper operation of the unit. Maximum safety stopping distance is +/-0.59". The Lektriever ELF Includes:

- Two Emergency Stop Button's
- Mechanical Safety Bars (an integral part of the door assembly)
- Infra-red Photocells (2 sets)
- Safety Switches for Lower Front Access Panel, Hand Crank, Opening & Overheating Motor
- Micro Switch Interrupts To:
 1. Prevent unit operation if the door is not completely open
 2. Prevent unit operation if maintenance access panel is not secure
 3. Prevent unit operation if hand crank is in place
- Emergency Service Switch: The emergency service switch is used to operate the unit if there is a failure on the electronic control/keyboard, until the failure is corrected.



Safety Light Curtain

Both left hand and right hand sides of the access opening area feature a safety light curtain that brings the drive to a standstill immediately if anything or anyone should break the light curtain. The light curtain also prevents the stored goods from being damaged if they happen to protrude out of the storage space.


Software

Unit Control Software

T3 Keyboard in Work Counter

The T3 Control offers:

- Carrier selection, maximum input: 3 digits
- Position selection, maximum input: 2 digits
- Depth position selection, max. input: 1 digit
- Quantity display, maximum input: 6 digits
- Manual buffer, maximum input: 40 data lines
- Review and correction of the manually stored information
- Optimization (or sort) of the manually stored information
- Direct definition of carrier number
- Programmable carrier offset
- Programmable unit number 01-99
- Two separated data transfer buffers
 - o Buffer capacity 120+40 data lines per buffer
- Recall of quantity corrections via host
- EDP host call-up (remote in/output)
- System error indication
- Firmware revision indication
- Messages in plain text (obtainable in different languages)
- LCD- display, 4x20 digits
- 8mm character height
- Integrated Alpha-display with 20/40 digits
- Key switch function
- Standard operation
- Keyboard locked (except EDP-functions)
- Additional function keys for future applications
- Controls can be located in an optional swing arm if required




Fixed Seated Work Counter

Work Counter supplied at a fixed location of 29.5" from floor with a light gray laminate top. Optional stainless steel top available.



Carriers For Trays (Letter or Legal)

Designed specifically for storage of letter or legal trays for the model 125. Carriers are made with a 60 degree front lip to aid in tray removal. Trays are priced separately.



Letter Sized Tray Carrier		
X-Wide Width	Holds 9 Letter Trays Per Carrier	130 LFI

Scope & Supply Pricing

Quote/Proposal ID #: EL-011626-02

Name	Price	Sourcewell Discount	QTY	Subtotal
Lektriever Vertical Carousel Model: 125-1611X Unit Model - Overall unit size 128.7" W x 47.32" D (+11.82"D for work counter) x 107.29" H - Includes (16) Carriers 114.53" W x 15.19" D x 10.23" H, 308 lb. capacity per carrier/ 9 Trays per Carrier - T3 LCD Controller Located in Work Counter - Automatic Security Door with PIN Code Access - Access Opening Light - Manual Hand-Crank for emergency access during power outage - Fixed Seated Work Counter with Light Gray Top set at 29.5" 110V Single Phase Power 2,074 LFI Provided Per Unit - Includes 2 year parts and labor warranty	\$92,224.00	-\$36,197.92	1	\$56,026.08
Mechanical Equipment Installation-OPEN MARKET - Includes Two (2) Year Semi-Annual PM Contract, Visits at 6 month intervals - Does not include any electrical connections unless noted	\$16,099.00	\$0.00	1	\$16,099.00
				\$72,125.08

Subtotal	\$72,125.08
Open Market- Freight	\$7,000.00
Tariff Surcharge	\$4,633.00
Total	\$83,758.08

Exceptions/Limitations/Disclaimers/Clarifications

- Mechanical and electrical installation to be non-union unless otherwise specified.
- Delay of work due to site obstructions, lack of electrical power, etc. could result in additional charges.
- Modification requests after order placement will result in additional charges

Delivery Schedule

All equipment will be scheduled to deliver 15-18 weeks after receipt of purchase order.

Freight Payment Terms - Order Terms Shown Selected Below:

If no freight terms are selected FCA Origin Pre-Pay & Add Actual Costs will be applicable.

☐ FCA Origin Pre-Pay & Add Actual Costs

Kardex will arrange the trucks, load/pack the trucks, & complete all necessary documentation. Pecos Valley Emergency Management assumes all risks associated with the shipment and Kardex will invoice actual freight costs in addition to PO value received.

☐ FCA Origin Pre-Pay & Add Actual Costs (Estimated Freight Quoted)

Kardex will arrange the trucks, load/pack the trucks, & complete all necessary documentation. Pecos Valley Emergency Management assumes all risks associated with the shipment and Kardex will invoice actual freight costs in addition to PO value received. Please note if freight is shown as estimated in the quote Kardex reserves the right to charge the difference on the final invoice in the event that freight was grossly miscalculated or special freight requests were made by the customer which resulted in higher shipping costs than expected.

☒ FCA Destination (Freight Included)

Kardex will arrange the trucks, load/pack the trucks, & complete all necessary documentation. Kardex is responsible for any damages until delivery is complete. Please note if freight is shown as estimated in the quote Kardex reserves the right to charge the difference on the final invoice in the event that freight was grossly miscalculated or special freight requests were made by the customer which resulted in higher shipping costs than expected.

*This is not the typical freight term, typically used for Government/Military or special use cases as approved by management.

☐ FCA Origin - Customer Arranged Freight

Customer will arrange the trucks and coordinate directly with the Kardex Logistics team & complete all necessary documentation. Kardex will load/pack the trucks at our site. The customer assumes all risks associated with the shipment. Kardex Remstar will add a \$500 Logistics Handling Fee per truckload.

Invoicing & Payment Terms

Standard terms: Net 30 day payment terms

- **30% at placement of order**
- 60% upon delivery (or no later than 30 days after notification of delivery)¹
- 10% upon substantial completion²

All above pricing is good for 60 days.

Prices and terms are not subject to verbal changes unless approved in writing by the seller.

Should the buyer cancel before completion, he will assume responsibility for all work performed prior to receipt of written cancellation.

Terms inconsistent with those stated therein which may appear on the purchaser's formal order will not be binding to the seller.

Please see our full terms and conditions in the Appendix section for more details.

TAXES

The prices given do not include any Federal, State, or local taxes based upon or measured by sales or use. Taxes in effect at the time of shipment will be billed separately and will be due and payable within thirty (30) days of shipment.

GOVERNMENT IMPOSED TARIFFS

On April 3, 2025, the US Government implemented tariffs that will increase the landed cost of Kardex Remstar products. The newly imposed tariffs will impact all products manufactured in Germany. These tariffs are collected upon entry into the United States.

However difficult, these unprecedented government-imposed tariffs constitute circumstances beyond our control and necessitate an additional fee for the tariff cost in order to maintain our quality standards and service levels. Due to these circumstances beyond our control, Kardex Remstar will be adding a tariff adjustment to any final invoices for new equipment and spare parts.

Each order will be subject to the prevailing government tariff at time of entry into the United States. We will continue to monitor developments regarding these tariffs, and should the situation change, Kardex Remstar will make the appropriate adjustments as needed. If a tariff is not charged on your goods by the US Government a tariff adjustment **WILL NOT** be made on any invoicing.

We value your continued partnership and appreciate your understanding as we navigate the evolving economic landscape.

¹Delivery Delays:

1. If Kardex has not undertaken to install the product, the full purchase price is payable 30 days after supply and invoicing.
2. If a customer cannot take delivery of equipment within two weeks of their confirmed scheduled delivery date Kardex will store the equipment at an added charge of \$900 per month/per machine (unit) and will not be prorated per month for a maximum of 3 months.
3. After 3 months maximum of storage, the full order will be required to ship to a local customer owned storage facility and be stored at the customers expense and the customer will be invoiced accordingly.


²Substantial completion is considered as the following:

1. For a single unit equipment installation, substantial completion is equipment delivered and installed and/or awaiting final power hookups by a customer or other delays by customer that are out of Kardex's control and preventing final completion.
2. For a multi unit equipment installation, substantial completion is at least 75% of the equipment installed and/or awaiting final power hookups by a customer or other delays by customer that are out of Kardex's control and preventing final completion.
3. For projects involving software installations, substantial completion is at least 75% of the software installation complete including any remote work or onsite time but still awaiting final customer training or interfacing by a customer including other delays by customer that are out of Kardex's control and preventing final completion.
4. In the event of substantial completion Kardex will give 30 days notice to the customer to remedy the delays before invoicing for the final 10% payment.

Specifications

kardexremstar								
Kardex Megamat 125 VCM								
Equipment Specifications								
Overall Unit Specifications:								
Base Unit includes lockable bi-parting door (unless automatic door has been chosen), dust cover/top, all safety circuits, safety light curtain, emergency stop left & right side, touch bars (upper and lower), motor, manual handcrank, electronics and TUV label.								
Quantity of Carousels	: 1							
Model Number	: 125-1611X							
Overall Unit Width	: 128.7 inches (3269 mm)							
Overall Unit Depth (without posting board)	: 47.32 inches (1202 mm)							
Work Counter (posting board) Depth	: 11.82 in. (300 mm)							
Overall Unit Height	: 107.29 inches (2725 mm)							
Unit Weight Empty (includes carrier weight)	: 3089 lbs.							
Unit Weight - Fully Loaded	: 8033 lbs.							
Max. Total Load (including carrier dead weight)	: 4070 kg (8,973 lb)							
Top Tolerance at Balanced Load	: +/- 15mm (.059")							
Minimum Ceiling Height: 108.08 inches (2745 mm)								
*Important Note: Unit may fit in an 9'H room with a dropped ceiling and/or dust cover not installed. With shimming and/or a hard ceiling, unit will be too tall.								
*Units can be placed side by side, or back to back. When a unit is to be installed through a ceiling or in a niche, free space of approximately 1.2" (30 mm) is required all around the unit.								
Average Floor Load (based on Unit weight-fully loaded)	: 1.32 lbs./in² (189.94 lbs./ft²)							
Supporting contact surface	: 130.5 in² /842 cm²							
Dynamic Unit Weight (Newtons)	: 48,256							
Dynamic Floor Load Bearing Capacity	: 1.78 lbs./in² (256.32 lbs./ft²)							
Maximum Imbalance Load	: 300 kg (660 lbs)							
Cycle Speed	: 7.0 inches / second							
Average Access Time (1/4 carousel revolution)	: 6.3 seconds							
Color Selection (Endframes)	: Standard-Light Gray							
Color Selection (Panels)	: Standard - Silver Fir Blue							
Noise Level	: < 60 db(A)							
Access Opening Information:								
Work Counter Type & Height	: Seated 29.5 in. (750mm)							
Work Counter Finish	: Standard Light Gray Finish							
Door Type	: Automatic Security Door With Passcode Access							
Opening Clear Height	: 29.25 in. (743mm)							
Access Lighting	: Full Width Light Above Access Opening							
Power & Controls:								
Power Supply	: 110 Volt /1-/60 Hz							
Drive, Gear Motor	: AC - Gear Motor - 1.5 kva							
AMP Draw	: 16 AMP							
Average Power Consumption	: 2.0 KVA							
Control	: T3 LCD Control							
Controller Location	: Work Counter/Table							
E-Stop	: Included Left & Right Side of Access Opening							
Emergency Service Switch	: Included							
Computer Interface	: Computer Interface Module Included							
Breaker Size: 20*								
*Cannot be wired to a breaker or outlet that uses a GFI circuit.								
Standard Safety Features								
Expanded Error Indicator	Upper and Lower Mechanical Safety Bars (Doors)							
Safety Light Curtain	Safety Switches for Lower Front Access Panel and Hand Crank Opening							
E-Stop Left & Right Side	Emergency Service Switch							
Standard Features included in Base unit								
Electronics Located in the Bottom Access Panel	Top Dust Cover							
Hand Crank for Installation of Carriers and Service	Access for Service from Front							
Additional Features and Options								
Dirak Access Panel Lock Kit Included								
Carrier Specifications:								
Specifications Per Carrier								
Carousel's Carrier Configuration	Qty	Clear Height	Clear Width	Clear Depth	Max. Capacity	*Avg. Capacity	LFI Per Carrier	Total LFI Per Carrier Style
Letter Lateral Carrier w/5 fixed dividers & BRF	:							
Legal Lateral Carrier w/5 fixed dividers	:							
Letter Tray Carrier w/5 fixed dividers- Top Tab Trays	16	10.23	114.50	15.19	308 lbs.	308 lbs.	130	2074
Special Letter Hanging Tray Carrier w/5 fixed dividers	:							
Legal Tray Carrier w/5 fixed dividers- Top Tab Trays	:							
	:							
Carrier with 60 deg.Lip	:							
	:							
	:	2.87	114.05	15.15				
	:							
Letter File Drawer Carrier (4+5 Configuration)	:							
Legal File Drawer Carrier (4+3 Configuration)	:							
Letter Hanging Frame Carrier (4+4 Configuration)	:							
N/A	:							
Total Linear Filing Inches (LFI) for 1 unit(s)	2074	Multimedia Carriers/Drawers are not included in Total LFI calculation						
(Does not include carriers with additional shelves or drawers)		*Avg. capacity is based on a unit configured with one carrier type.						

kardexremstar



Notes:

New Color Concept Effective 10/1/2022

Date 1/16/2026

Customer

Model 125-1611X

*Kardex Megamat 115/120/125 VCM
Vertical Carousel*

Warranty Program

Lektriever Electric Lateral File Vertical Carousel

Warranty Statement

Kardex Remstar warrants all new Lektriever Electric Lateral Files to be free from defects caused by substandard material or inferior workmanship. This liability is limited to the obligation to repair, or at Kardex Remstar's discretion, replace without charge any part found to be defective under normal wear and tear within two (2) years from the commencement of this warranty. The warranty period begins upon completion of installation, or within four (4) weeks of the originally scheduled delivery date of equipment, whichever date is first.

For an additional cost, Kardex Remstar offers an optional Extended Warranty on its vertical carousels. Lektriever Electric Lateral Files are eligible for up to five (5) total years of warranty (the standard two years plus three additional years of coverage). The extended warranty period is subject to the same terms covering inclusions, exclusions, invalidations, payment policies, and geographical scope that exist for the standard warranty period.

Kardex Remstar warranty coverage, both standard and extended, is contingent upon the complete performance of scheduled maintenance on the equipment. Scheduled maintenance must be performed at minimum biannually, including during the first two years, by Kardex Remstar Certified Technicians, and performance of that scheduled maintenance must be reported to Kardex Remstar promptly via your local Kardex Remstar dealer. For more information on extended warranty coverage, including the associated costs, please contact your Kardex Remstar dealer.

Lifetime Motor Warranty

Under the terms of the warranty, Kardex Remstar will replace free of charge any vertical carousel drive motor that fails while using standard maintenance and operating conditions for the life of the carousel providing scheduled maintenance is completed biannually. To confirm that your machine meets these requirements, contact Kardex Remstar's Warranty Administrator.

Extent of Coverage

This warranty pertains to all Kardex Remstar Lektriever Electric Lateral Files. This warranty is limited to the original purchaser of equipment and is not transferable.

Invalidation

This warranty will be invalidated if any of the following occur:

1. The Kardex Remstar unit is operated outside the recommended parameters as specified in the operations manual and on the machine data plate.
2. The unit is modified in any way which is not authorized in writing by Kardex Remstar prior to the modification.
3. Scheduled maintenance is not carried out at least biannually (or as recommended by Kardex Remstar for individual application) by Kardex Remstar Certified Technicians.
4. Any installation, service, relocation or other work is performed by anyone other than Kardex Remstar Certified Technicians.*
5. Scheduled Maintenance Checklist is not reported to Kardex Remstar within thirty (30) days of performance of scheduled maintenance.
6. The conveyor chains of the vertical carousel are not re-tightened within five (5) days of machine loading.

Exclusions

The following are not covered under the scope of the warranty:

1. The replacement of fuses.
2. The replacement of fluorescent or LED bulbs.
3. Ancillary equipment supplied by others, or damage caused by such equipment.
4. The replacement of lost, damaged, or broken keys.
5. Routine adjustments (e.g., photocells, microswitches, reinitialization of controls, belt/chain tensioning).
6. Damage or intermittent failure caused by connection to incorrect power supplies.
7. Damage caused by improper storage of materials within equipment.
8. Removal of obstructions internal or external to the unit (e.g., conveyors, dropped ceilings, computer floors).
9. Repairs necessitated by abuse, negligent care, deliberate damage, accident, fire, flood, power supply surges, riots, war, or acts of God.
10. Consequential damages.**

Geographical Scope

This warranty covers all 48 contiguous states, and Washington, D.C., and Canada. In Alaska, Hawaii, Puerto Rico and other worldwide locations, the warranty is the same, except that the warrantee is responsible for payment of the service technician's time and travel expenses to and from the nearest Kardex Remstar authorized service center, the cost of parts shipment and handling, and associated duties and customs fees.

The warranty is expressly in lieu of all other warranties, expressed or implied (including but not limited to the implied warranties of merchantability or fitness) and constitutes all of Kardex Remstar's liability in respect to its equipment.

* While Kardex Remstar maintenance training classes are available to its customers for a fee, scheduled maintenance, if performed by Customer technicians for the purpose of maintaining the standard or extended warranty, must be done under the direct supervision of a Kardex Remstar Certified Dealer Technician. Timely filing of the scheduled maintenance online form to Kardex Remstar is in this case the responsibility of the supervising Dealer, not the Customer. The supervising Dealer is responsible for costs associated with any repairs that result from improper, incomplete, or untimely scheduled maintenance, for the balance of the warranty period.

** Some states do not allow the exclusion or limitation of incidental or consequential damage, so the above limitation or exclusion may not apply to the warranty. This warranty gives you specific legal rights and you may also have other rights which may vary from state to state. To know what your legal

rights are in your state, consult your statutes.

Terms & Conditions

Contract#: 110923-KRS
Category: Storage
Description: Storage and Retrieval Products
Contract Date: 12/29/2023 - 12/29/2027

Please make orders out to:

Kardex Remstar, LLC
Attn: Sourcewell Order Entry
41 Eisenhower Drive
Westbrook, ME 04092
Phone: 662-582-7295
Fax: 740-236-1525

*Please reference contract #110923-KRS on all PO's.



CUSTOMER INFORMATION FOR ORDERING ACTIVITIES:

1. Minimum Order: \$50.00 Net
2. Discounts from List Price (Discounts are applied to the product list price (before freight or any applicable taxes are added):

Product Type – Automated Equipment: Lektriever, Megamat Vertical Carousel, Shuttle XP Vertical Lift	Applicable Discount - 39.25% Discount
Product Type – Inventory Software: Power Pick System Inventory Tracking Software	Applicable Discount - 10% Discount
Product Type – TC Storage Products (Non-Automated): Office Products, L & T Shelving and Drawers, Warehouse Shelving, Logic Shelving, Workbench and Shop Equipment, Technical Workstations, & Metal Lockers	Applicable Discount: Order Value \$0 - \$50,000- 36% Discount Order Value \$50,001 and up - 40% Discount
Product Type – FM Locker Products (Non-Automated): Phenolic Lockers	
Product Type – ASP Storage Products (Non-Automated): Mobile, QUIK-LOK®, Side to Side, Wood-Tek™, Times 2, & Wire Shelving	Applicable Discount: Order Value \$0 - \$50,000- 28% Discount Order Value \$50,001 - \$100,00 - 32% Discount Order Value \$100,001 and up - 34% Discount

3. Payment Terms: Net 30 days,
 - a. Prompt Payment Discount Of 1% -10 days (Discount Not Applicable On CC Orders)
4. Credit Card accepted: 2.75% handling fee per transaction will be assessed.
5. Time of Delivery:
 - a. Storage Products: 30-45 days after receipt of order unless otherwise noted
 - b. Automated Equipment: 90-120 days after receipt of order unless otherwise noted
6. Freight Not Included. Please contact for a freight quote.
 - a. Storage Products FOB: Dickson, TN, Chicago, IL, or Murrieta, CA depending on product
 - b. Automated Equipment FOB: Westbrook, ME or Columbia, SC depending on product
7. Payment Address: Kardex Remstar, LLC, TD Banknorth, N.A., P.O. Box 9540, Portland, ME 04112
8. Maintenance and Repair: Contact For Pricing.
9. Installation:
 - a. Automated equipment will require installation by a factory certified technician, please contact us for an installation quote for your area.
 - b. Most non-automated storage products within this catalog can be assembled by the end user. If professional assembly is required as denoted by product (High Density Mobile Product) please contact us for an installation quote by an authorized installer in your area.
10. Repair Parts: Contact For Pricing.
11. Service and Distribution Points: Contact Kardex Remstar LLC, at 800-639-5805 for authorized sales and service agent closest to you.
12. Participating Agents (Dealers): Contact Kardex Remstar LLC, at 800-639-5805 for authorized sales and service agent closest to you.
13. Reconfiguration and Relocations: Contact For Pricing.

Ordering instructions

**FSC Group 36
CAGE #69785
DUNS 00-255-5654
Federal ID #27-384-6558
NAICS #s 33721 & 333922**

**Automated Storage & Retrieval Systems
Lektriever ELFs; Vertical Carousels & VLMs**

All orders against Kardex Remstar, LLC Sourcewell Contract are to be made out to Kardex Remstar, LLC as shown below:

Kardex Remstar, LLC
Attn: Sourcewell Order Entry
41 Eisenhower Drive
Westbrook, ME 04092

*Please reference contract #110923-KRS on all PO's.