



Wheeled Coach®

REV GROUP

San Luis Fire

Emergency Vehicle Group, Inc.

Exp. Date: 10/13/2016
 Quote No: 10005-0001
 11/22/2016 09:47:43

PART NO	S	DESCRIPTION	QTY	ID
		== Dodge,3500,4x2,SLT,6.7L,153",#1153D - 620.033 08/05/16 ==	1	WC
		CHASSIS:	1	WC
00-10-8159	S < >	Dodge 2017 Ram 3500,4x2,SLT, 6.7L 167.5 WB, #1153D 2016-3 SR#2161087F	1	WC
		Chassis shall be a 2017 Dodge 3500		
		153.00 inches long x x 95.00 inches wide x 67.00 inches interior headroom CSB		
		Autothrottle OEM		
		Dual Alternators OEM		
		Cab seats OEM Captains chairs		
		Black rubber floor mat, std on '09+		
00-10-81SR	X <	Afermarket Aluminum Wheels SR#2161087F	1	
		(4) Aluminum Ultra 02 Wheels (2 front, 2 rear-outer), dismounts and remounts, computer balancing This will be done by Boulevard Tire		
00-98-0012	S <	- Flatbed Sales to add money to recap	1	WC
		CAB TO MODULE MOUNTING:	1	WC
10-10-5000	>	Bellows, Passthru, Unigrip, D1, Std	1	WC
		THROTTLE CONTROLS:	1	WC
1P-50-5100		High Idle Controls, OEM	1	WC
		HEATING/AIR CONDITIONING:	1	WC
5U-12-5000	>	Hoses, Heater, No Max, to Rear, STD	1	WC
5U-70-0526	< >	Heat/AC, D1, Combo, 12vdc/110vac, w/Coolbar, Ducted (new code)	1	WC
		CM3000 thermostat in action area.		

PART NO	S	DESCRIPTION	QTY	ID
		110vac air conditioner		
		110vac External Condenser, in Coolbar mounted on front of module.		
		110vac heat strips(approx 1700 watt)		
		12vdc air conditioner		
		12vdc External Condenser, in Coolbar mounted on front of module. Painted. Specify paint code _____		
		Note: pick warning lights separately !!		
		With IATS 30amp shoreline inlet (separate option code)		
5U-80-1000	<	Inlet, Auto Eject, 30amp, White, for 12v/110v AC unit (new code)	1	WC
		above compt "E"(unless otherwise specified)		
		BATTERY SWITCHES:	1	WC
60-22-1060	<	Battery Sw, 5min Timer, D1, Fig 5B, Batteries Under Hood Activated thru OEM ignition switch timer function upon ignition "off". Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer.	1	WC
		(2) OEM batteries under hood		
		ONLY Module power is turned on/off. Chassis power is NOT turned off.		
		CONSOLES:	1	WC
7U-10-60SR	X <	Center Cab Console, Aluminum Powder Coated Install a custom center cab front console to the specification of the San Luis Fire Department.	1	
		The console shall be finished with a powder coat finish to match the cab interior		
7U-10-7000		Console, A/A, Wood, Angled	1	WC
		BULKHEAD CABINET:	1	WC
		BULKHEAD CABINET:	1	WC
TF-50-0700	<	Bulkhead,Unigrip,Pass Thru,153/170x67, Dodge (change to TF-50-0705 if 72" headroom is selected)	1	WC
TF-50-0700	<	Bulkhead,Unigrip,Pass Thru,153/170x67, Dodge (change to TF-50-0705 if 72" headroom is selected)	1	WC
		WHEELCOVERS:	1	WC
X5-10-4301	< >	Covers,Wheel,Phoenix,Dodge Ram 3500 SLT,#1146D/#1153D only	1	WC
		with Air Max Valve Extenders, std		

PART NO	S	DESCRIPTION	QTY	ID
		== Type 1 Dodge-153" Module - #1153D - 620.033 08/05/16 ==	1	WC
35-05-0005		Type 1 - 153" Module - Standard Model Series	1	WC
35-05-0010		Type 1 - 153" Module General Body Construction Spec	1	WC
35-05-0020		Type 1 - 153" Module Vehicle Body Structure Spec	1	WC
35-05-2000		INTERIOR CABINETS -Duralite Construction, Wood	1	WC
		MODULE BODIES:	1	WC
35-10-0069	<	Aisle Space, 44-45", Type 1, #1153F/#1170F/#1153D only	1	WC
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD		
35-10-0501	>	Headroom, 72 in. Type 1 - 153" module, #1153F/D/C	1	WC
37-00-0350	<	Coating, Scorpion X02, Per Compt, (1), Std light gray	6	WC
37-00-0360		Coating, Scorpion, Rear Bumper Supports	1	WC
37-00-0500	< >	Compartments, Std, Floor 3" Drop Down from Door Opening compts B1,B2,D,& E are STD drop down floor	4	WC
37-00-0600	< >	Compartments, Sweepout - Compartments "A" & "F" are standard sweep out	2	WC
37-00-0710	<	Duraseam Doors, with Hidden Jambes - Magnetic door switches, Standard	1	WC
37-A0-0373		A, Compt, Single Door, Hoseline, 153" Module, 72" HR, T1	1	WC
37-B1-0126	>	B1, Compt, Std, 153" Module , T1, 72"HR, #1153F/D/C only	1	WC
37-B2-0173	>	B2, Compt, Std, 153" Module, T1, 72"H.R.	1	WC
37-D0-0351	< >	D, Compt, 3/4, 153" Module, T1, 72" H.R, #1153F/D/C only With single door	1	WC
37-E0-0101	< >	E, Compt, Std, 153" Module, T1, #1153F/D/C only With single door	1	WC
37-F0-0151		F, Compt, Std,3/4 High,153" Module,T1,72" HR,#1153F/D/C only	1	WC
37-F0-0600	<	With Dogleg for Stairchair in Compt "F" (not available when electric O2 rack is selected) (this will decrease space for attend seat & cot by 5.25") for stairchair	1	WC
		FUEL FILL HOUSING:	1	WC
3A-10-1000	>	Housing, Fuel Fill, Cast, F1/C1/D1/M2	1	WC
		EXTERIOR DIVIDERS:	1	WC
3F-10-1101	<	Divider, Vertical, B2, 3/16" Thick, Recessed Adj Track,Std Model only (divider to be full depth if a shelf is requested) compt "B2", centered.	1	WC
		SHELF- COMPARTMENT "A"/RF CABINET:	1	WC
3F-20-1000	< >	Shelf, Adjustable,(1), RF Cabt Custom (1) RF Compt "A"/cabt "E1" area, centered.	1	WC

PART NO	S	DESCRIPTION	QTY	ID
		(change to cabt "E2" for Pureair 1 cabt)		
3F-20-1500	< >	Shelf, Additional, Adjustable, (1), RF Cab Custom RF Compt "A"/cabt "E2" area, centered. (change to cabt "E1" for combo unit cabt)	1	WC
		SHELF- COMPARTMENT "D":	1	WC
3F-40-3001	< >	Shelf, Custom, Adj, Cmpt "D", (1), Std Model only at bottom of cabt "H" inside/outside access opening.	1	WC
		SHELF- COMPARTMENT "E":	1	WC
3F-50-2000	>	Shelf, Custom, Adj, Cmpt "E", (1)	1	WC
		WINDOWS:	1	WC
3P-10-5201	>	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only	1	WC
		MODULE ENTRY DOOR HANDLES:	1	WC
3U-30-8000		Handles, Patient Entry, Trimark Black/Chrome "SafePass" STD	1	WC
		EXTERIOR COMPT DOOR HANDLES:	1	WC
3U-40-0510	>	Handle, Module Compt, Trimark, Black/Chrome, STD	6	WC
3U-60-0100	>	ELECTRIC DOOR LOCK PACKAGE OPTIONS: Click to add	1	WC
3U-60-1390	< >	Door Locks,Electric, Trimark, (1)DOOR, Entry Door	2	WC
		Module entry doors.		
3U-60-1400	< >	Door Locks,Electric, Trimark, (1)DOOR, Compt Door	6	WC
		All module compts(except battery compt) . (unless other specified)		
3U-60-1500	< >	Switch,Momentary Rocker,Activate Elect Door Locks (Note: will not lock/unlock Dodge cab doors)	2	WC
		Installed on C/S wall at head of S/B. (unless otherwise specified)		
3U-60-2505	< >	Switch, Stealth, Cab/Mod Doors, Dodge, 2008-2010 only In grille on passenger's side.	1	WC
3U-60-3000	< >	Relay Control Circuit, Electric Locks (Use dropdown menu to pick #3U-60-2950 if keyless entry is required)	1	WC
3U-60-5200		Circuit, OEM Door Lock to activate Mod Doors(not Dodge)	1	WC
		DOOR HOLD OPENS:	1	WC
40-10-1611	< >	Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only - Installed so doors will open as wide as possible - Mount at top of doors. - (relocate to bottom is backup camera is selected)	1	WC
40-10-7200		Hold Open, Gas Strut, Ext Compt, 30lb, Std	5	WC
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std	1	WC
40-10-7750	<	Holdopen, Gas Strut, CS Entry Door, 35# Standard. New Code Per ECN 1823	1	WC
		DOOR PANELS:	1	WC

PART NO	S	DESCRIPTION	QTY	ID
45-10-4505	< >	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD - Durasafe Design - Aluminum Center Panels covered: white/red reflective tape	1	WC
FENDER FLARES:			1	WC
4A-10-3001	>	Flare, Fender, Bright Finish, Std Model only	1	WC
BUMPERS:			1	WC
4F-10-1105	<	Bumper,Rear,w/ Skids & Flip Up,D1,w/LED DOT lights,Std Model w/ Gator Grip on flip up step.	1	WC
RUNNING BOARDS:			1	WC
4K-10-2901		Running Boards, Std, Dodge 3500, w/ Gator Grip, #1153D	1	WC
SKIRTRAILS			1	WC
4U-10-9200		Skirtrails,Extruded Rubber w/Refl Tape,146-153" Module	1	WC
4U-10-9500		Tape, Reflective, White, For Extruded Rubber Skirtrails	1	WC
STONE GUARDS (FRONT):			1	WC
4U-11-2000		Stone Guard, Front, Dia Plate, 13.38"	1	WC
KICKPLATES (w/STD. REAR STONEGUARDS):			1	WC
50-10-2105		Kickplate, W/Recess, No Light Holes,Duraseam	1	WC
55-10-3000	<	Holder, License Plate, Cast, C30002, STD - in rear kick plate, centered	1	WC
SILL PROTECTORS			1	WC
55-30-4001		Sill Protectors, Stainless, All Compts, Std Model only	1	WC
MUD FLAPS:			1	WC
5A-10-1001		Mud Flaps, Rear, W/Logo, Std Model only	1	WC
PAINT/BELTS:			1	WC
5F-10-3200	< >	Paint, Entire Unit, 20% Upch Color: Red Sikkens paint code #FLNA 30009 Please see reference picture on server. Note top of mod and cab white. Send sprayout for approval to: _____ _____ _____ Do Not paint unit until sprayout is approved !!!!	1	WC
5F-10-4801	<	Paint, Belt, None, Std Model only Cab & Module, all white, std.	1	WC
DECAL PACKAGES INSTALLED:			1	WC
5P-10-5001		Roof Star, White Border, Installed, Std Model Only	1	WC
ELECTRICAL SYSTEM: Circuitboard			1	WC
COAX CABLES/ANTENNAS:			1	WC
65-30-6500	< >	Base- Antenna, Motorola Mount, W/Coax From antenna base located: (1) Behind passenger seat	2	WC

PART NO	S	DESCRIPTION	QTY	ID
		(1) Behind passenger seat		
12VDC POWER SOURCES & OUTLETS:			1	WC
6A-22-200E	< >	Outlet, Cigar Lighter, STD, (2), A/A - on standard 20-amp ignition hot circuit. ("elect batt sw")	1	WC
6A-22-5200	<	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location ILOS Located in the cab switch panel per Electrical Engineering	1	WC
6A-22-5250	<	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch pane Style, IATS Location in the Action area switch panel.	1	WC
6A-23-3800	< >	Power Source, 12 VDC, 40 Amp (+-) Locations: (1) Behind passenger seat - Ignition Hot (1) Behind passenger seat - Constant Hot	2	WC
BUSS BARS			1	WC
6A-24-1100	< >	Buss Bar Assembly (+/-), 5 Position, Locations: (1) Behind passenger seat - Ignition Hot (1) Behind passenger seat - Constant Hot	2	WC
SHORELINE INLETS:			1	WC
6F-90-4101	< >	Super Auto Eject, 20 amp, ILOS, White, Std Model Only - with white cover; mounted above compartment "E"	1	WC
110 VAC OUTLETS:			1	WC
6K-40-1000	<	Outlet, 110 VAC, Duplex, (2), STD - (1) outlet in action area - (1) outlet in the RF Cabinet "E1", wall #2, upper right. (change to cabt "E2" for Pureair 1 cabt)	1	WC
7F-10-9000	< >	Inverter/Charger, Vanner 20-1050CUL-DC - Mounted on fixed shelf or ceiling in Compartment "E"	1	WC
GAUGES/METERS:			1	WC
D0-10-6500	<	Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab.	1	WC
D0-10-7000		Voltmeter, OEM, In Dash	1	WC
SIREN SPEAKERS:			1	WC
DF-10-1262	<	Siren Speakers, Dodge Ram SLT, 2011+ Thru Front Bumper	1	WC
SIRENS:			1	WC
DK-10-1400	>	Siren, Whelen, WS-295-SLSA1, Standard	1	WC
SWITCHING OPTIONS FOR AIR HORNS & SIRENS:			1	WC

PART NO	S	DESCRIPTION	QTY	ID
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1	WC
		AUDIBLE ALARMS:	1	WC
F0-11-3501		Alarm, Back-Up, Auto Reset, Std Model only	1	WC
		VEHICLE EXTERIOR LIGHTING	1	WC
FU-35-01SR	X <	Opticom, GTT 794 SR#216875F	1	
		SO-OPTI-331034 GTT #794H LED Opti-Com Emitter installed on the bottom of the Cool-Bar IATS		
		WHELEN FLANGES FOR 9E SERIES LIGHTS:	1	WC
FU-38-0100		Flange, Super 9L, #90FLANGC, (1) Each	16	WC
	>	WHELEN SUPER LED 9L STEADY BURN LIGHTS T1,3,9:	1	WC
FU-40-0505	< >	Light, 9L, Super LED, Whelen, Red,Clear Lens,ILOS, 90RR5SCR Locations: (2) Front upper corners (2) Streetside upper corners (2) Curbside upper corners (2) Rear upper corners Comet Flash 75	8	WC
FU-40-0507	< >	Light, 9L, Super LED, Whelen, Red,Clear Lens,IATS, 90RR5SCR Locations: (4) Front wall of module in positions #2, #3, #5 and #6 (2) Rear at window level, centered Comet Flash 75	6	WC
FU-40-0510	< >	Light, 9L, Super LED, Whelen,Amber,Clear Lens,ILOS, 90AA5SCR Locations: (1) Rear centered above the rear doors Comet Flash 75	1	WC
FU-40-0514	< >	Light, 9L, Super LED, Whelen, Clear, ILOS, 90CC5SCR Location: (1) Center front wall in position #4 Comet Flash 75	1	WC
		5 SERIES(LIN6) NON-SPLIT LED LIGHTS:	1	WC
H4-06-5712	< >	Light,5L LIN6,Whelen,Red,Clear Lens,50R02ZCR,Std, F1/D1 Only Locations: (2) Dodge OEM grille lights (2) Front intersection lights	4	WC

PART NO	S	DESCRIPTION	QTY	ID
H4-06-5715	< >	Light, 5L LIN6, Whelen, Red, Clear Lens,50R02ZCR, IATS Locations: (2) Rear above wheel wells	2	WC
WHELEN 5E FLANGES/HOUSINGS:			1	WC
H4-10-0044	>	Housing, 5L Series, #5LSMAC, (1),Std, F1/D1 Only	4	WC
H4-10-0045	>	Housing, 5L Series, #5LSMAC, (1)	2	WC
CORNER CAP LIGHTS			1	WC
HF-11-6049	<	Corner Cap Lts,Multi-LED,(2)Amber(2)Red w/Flashers,Std Model - High intensity flashers; thru separate switch	1	WC
CLEARANCE LIGHTS:			1	WC
HF-12-9100		Light, Clearance, Amber LED, ILOS	3	WC
HF-12-9601	<	Light, Clearance, Red LED, Std Model only - On rear as clearance lights.	3	WC
SCENE AND LOAD LIGHTS			1	WC
HK-20-110M	<	Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, ILOS, (1) W/ Chrome Flange (new code) (2) each side as scene lights	4	WC
HK-20-130M	<	Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, ILOS, (1) W/ Chrome Flange (new code) (2) on rear as load lights	2	WC
HK-20-7100	>	Scene Lights, C/S, Activated W/C/S Door	1	WC
WARNING LIGHT FLASHERS			1	WC
HU-24-6400	< >	Flasher, Vanner, 9860GCPE, Standard Flash Pattern will be Dual Burst unless otherwise Noted Rated at 140 total amps with one flasher for Halogen, LED and Selectable lamps. (Available flash Patterns are Single Burst, Dual Burst, Triple Burst, and Quad Burst.)	1	WC
HARNES LAYOUT:			1	WC
J5-12-0000		Halogen, " E " Spec, Vanner	1	WC
STOP/TURN/TAIL LIGHTS:			1	WC
JA-10-1200		Light, License Tag, (2), Trucklite #15205 LED, ILOS	1	WC
JA-13-8012	<	Tailights, Whelen,LED Stop/Tail,Turn & LED Backup, w/ WC logo, ILOS - Brake- Alert Flash before the steady Burn - Turn Arrow – sequential arrow - Replace backup with 700 LED	1	WC

PART NO	S	DESCRIPTION	QTY	ID
MODULE OVERHEAD HEADLINER:			1	WC
JK-10-5506		Headliner, Flat, Expanded PVC, with (8) HVAC Ducts	1	WC
12VDC INTERIOR LIGHTING:			1	WC
JP-10-0611	<	Lights, Dome, LED, Whelen,White Flng, (4) S/S, (3) C/S, ILOS NOTE: NO VISABLE FASTENERS OR HOLES.	1	WC
JP-10-0621	<	Light, Dome, LED, Whelen,White Flng,(1) IATS Location _____?	1	WC
NOTE: NO VISABLE FASTENERS OR HOLES.				
JP-10-7015		Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS	1	WC
JP-10-8020		Light, Kinequip #621224W, LED, In A/A ILOS	1	WC
LIGHTS & MISCELLANEOUS:			1	WC
JR-50-1401		Spotlight, Blue Eye, 400,000 CP, Std Model only	1	WC
JR-50-2800		Light, Compartment, 2" Incandescent, (1) Each	6	WC
JR-50-2880	<	Lighting, Compt, LED Hi-Brite Flex, ILOS both vertical edges near door jambs, compts "A", "B1", "B2", "D", "E", & "F". Retain 2" O2 light.	1	WC
JR-50-2950	<	Light, LED, Compt, Whelen #TOCACCCR, 2in, ILOS Location: (1) Compartment "F" oxygen light, ILOS	1	WC
JR-60-2003	< >	Timer, Momentary Sw,15 Minute, Constant Hot, Std Model only (must have ECX timed battery switch with this option) Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to fluorescent lights in liner.	1	WC
JR-70-0005	<	Light, in Circuit Board Area, for Electrical Troubleshooting - with integral switch; wired constant hot.	1	WC
SUCTION PUMPS:			1	WC
LP-10-0500		Suction Pump, Standard	1	WC
INSULATION:			1	WC
LU-10-3001	< >	Insulation, Severe Weather Package one inch block foam in modular walls and roof covered with reflective insulation. Under Floor to be Spray Foam insulated after the production assembly process is complete by 24/7. All edges of reflective insulation on walls and ceiling must be taped, std.	1	WC
GRABRAIL(S)/GRABHANDLES:			1	WC
N0-10-9101	<	Grabrail,Overhead,117",Handicap Style,Yellow,Std Model Only Yellow Powder Coat Finish	1	WC

PART NO	S	DESCRIPTION	QTY	ID
N0-10-9703	<	Handrails,(3),Custom "L" Shape,1",Yellow,Entry Drs,Std Model - Yellow Powder Coat Finish Stainless Steel Grab Handles	1	WC
O2 CYLINDER RACKS:			1	WC
NA-10-2500	>	Rack, Cylinder, Ziamatic, "M", QRM-2	1	WC
O2 SYSTEMS COMPLETE:			1	WC
NF-50-1001	< >	O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only Ohio style (2) oxygen outlets in action area (1) vacuum port in action area (1) oxygen outlet curbside wall at head of squad bench	1	WC
O2 SYSTEM PARTS:			1	WC
P0-59-7500	<	Regulator, Oxygen Cylinder, Preset 50PSI, Installed (new code)	1	WC
SUCTION CONTAINERS:			1	WC
PA-10-7001	>	Regulator/Holder, SSCOR 22000, Std Model only	1	WC
COT MOUNTS:			1	WC
PF-26-3100	<	Cot Mount, Stryker #6377, Dual Position - Change Notice 8- NOT COMPLIANT Specify cot model _____	1	WC
PF-35-4200	>	Cot Mount, Stryker, Mods, Rear Safety Hook Installed	1	WC
PF-36-0000	<	Non-Compliance to SAE J3027 Patient Cot Mount Notice SPECIAL NOTE: The Litter Fastener/Anchorage you have selected for this order does not meet the performance requirements of the SAE J3027 Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint. Section 3.11.6 of KKK-A-1822F as revised July 1,2015 specifically relates to Litter Fasteners and Anchorage and requires the installed fastener for wheeled cots to meet the performance requirements of SAE J3027 Recommended Practice for Ambulance Litter Integrity, Retention and Patient Restraint.	1	WC
IV HOOKS:			1	WC
PP-20-1000	< >	IV Hook, Perko, (1), W/Straps, STD curbside and streetside standard locations	2	WC
MISC. INSTALLED HARDWARE/EQUIPMENT:			1	WC
R5-11-2010	<	Net, Squad Saver, at Head of Squad Bench, 2" Straps, Black attached to floor at head of squad bench, CS wall and overhead liner with removable latches.	1	WC
R5-11-5700	<	Seatbelt, Assy, (6) Point, (1) EA - Change Notice 8 -Compliant (1) for CPR side seat (if Required) (2) for squad bench (Standard	3	WC

PART NO	S	DESCRIPTION	QTY	ID
		MODULE INTERIOR	1	WC
RU-05-0000		Interior Cabinets - Duralite Construction, Wood	1	WC
		MICA COLOR:	1	WC
RU-10-3010		Mica, Gray Pampas #4168-01, High Gloss	1	WC
		SUB FLOORING:	1	WC
RZ-99-0050		Flooring, Wood, Type 1, Std	1	WC
		FLOORING:	1	WC
T0-11-8201		Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only	1	WC
		SEAMLESS ATTENDANT SEATS:	1	WC
T5-10-5111	<	Seat, Attendant, EVS, Child, Gunmetal #1880CB, Std Model only	1	WC
		Vacuum formed EVS1880CB w/ 3 point seatbelt.		
		Integrated child safety seat.		
		Mounted metal box base.		
		ATTENDANT SEATS	1	WC
T5-11-4505	>	Door, Diamond Plate, EVS Seat Base, w/Louvers	1	WC
		SEAMLESS UPHOLSTERY:	1	WC
T5-25-0500		Uph, Smless, Gunmetal, No Bio, No Post & Wheel	1	WC
		O2 DOOR:	1	WC
TK-10-5010		Lexan Flaps, Hinged Left Side, Fixed Right Side, Std	1	WC
		GLOVE HOLDERS:	1	WC
TN-20-1001	<	Cabinet, Glove Box Holder, (3), Above C/S door, Std Model only (narrows cabt "E1" on Pureair 1 w/low headroom)	1	WC
		RIGHT FRONT CABINET:	1	WC
TU-20-2200		Cab, RF, Combo, No Healthguard, for Rollup Door	1	WC
TU-20-22SR	X <	Mermaid MK747 Climate Controlled Med Box SR#2161087F	1	
		SO-MK747-361198 Mermaid MK747SS Climate controlled cabinet installed in the RF cabinet, lower section Specify offset to the left or right side AND left or right hinge ILOS		
		RF CABINET DOORS W/COMBO A/C	1	WC
TU-20-8600	< >	Door, RF, Robinson Roll-up, Non GSA, 24.25W x 44.5H Please Note: This roll-up door shall only be for Cabinet "E1" only	1	WC
V0-11-6200		Latch, Lever, No Key, For EVS Door only	1	WC
V0-14-1001	>	Latch, Lever, W/Key, Installed, "L" Cabt Wood Door	1	WC
		SQUAD BENCH:	1	WC
V5-20-1801		Squad Bench, Bio-Waste @ Head, 153", Std Model only	1	WC
		LID 149/153 INCH BOX:	1	WC
V5-60-2200	>	Lid, Squad Bench, 50/50 W/Bio-Waste	1	WC
		HARDWARE:	1	WC
V5-80-1005		Handle, Trimark, Squad Bench, STD	2	WC
V5-82-2500		Strut, Gas, 60 LB, Installed, ILOS, Mods	2	WC
		CURBSIDE SPLINT CABINET 149/153 INCH BOX:	1	WC
VA-40-0550		Curbside Splint Cabt, None	1	WC
		CURBSIDE REAR CABINET:	1	WC
VF-20-3110		Cabinet, Curbside Rear, Standard, 153 In, 72" HR	1	WC
		CABINET H, BASEWALL 149/153", T1 & T3	1	WC

PART NO	S	DESCRIPTION	QTY	ID
VH-H0-0400		H, Cabinet, Deleted	1	WC
		CABINET I, BASEWALL 149/153", T1 & T3	1	WC
VH-I0-0400		I, Cabinet, Deleted	1	WC
		CABINET M, BASEWALL 149/153", T1 & T3	1	WC
VH-M0-0100		M, Cabinet, 1/2 height, std	1	WC
		CABINET O, BASEWALL 149/153", T1 & T3	1	WC
VH-O0-0100		O, Cabinet, full height, std	1	WC
		CABINET CPR, BASEWALL, 149"-170", T1 & T3	1	WC
VH-Q0-0101		CPR, side seat, Std Model only	1	WC
VH-Q0-0301		CPR, side seat, flip up lid, Std Model only	1	WC
		CABINET J, STREETSIDE UPPER 149/153", T1 & T3	1	WC
VI-J0-0150	>	J, Cabinet, Combined with K	1	WC
		CABINET L, STREETSIDE UPPER 149/153", T1 & T3	1	WC
VI-L0-0251	<	L,Cabts,L1 in Angled Area,L2 std,3/4 F,72"HR, Std Model only with adj shelf in "L2"	1	WC
		BASEWALL DOORS:	1	WC
VK-16-1000		Cab M, Gray Lexan Slider	1	WC
VK-16-5000		Cab O, Gray Lexan Slider	1	WC
VK-17-6200	< >	Restocking Feature, (1) cabinet, (2) Gas Strut, 20lbs,ILOS	1	WC
		With 2 Perko elbow latches for closure.		
		installed on the following cabinets:		
VK-17-6200	< >	Restocking Feature, (1) cabinet, (2) Gas Strut, 20lbs,ILOS	1	WC
		With 2 Perko elbow latches for closure.		
		installed on the following cabinets:		
		ACTION AREA 149/153 INCH BOX:	1	WC
VP-10-1002		Cab,A/A,W/O Biowaste, Rounded Corner, Type 1	1	WC
		TELEMETRY AREA WORK SURFACE	1	WC
VP-10-5462	<	Telemetry Tray, Poured, Gray, Narrow, 50" Aisle, Type 3 **only for 50" aisle space units**	1	WC
		ACTION AREA WORK SURFACE	1	WC
VP-10-5914	>	A/A Tray, 149"-170", W/O Bio, Poured, Gray	1	WC
VP-15-8500	X	Writing Tray , Slide Out Under Action Area Tray	1	
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1	WC
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1	WC
VU-14-4001	< >	Shelf Track, Cabt, #HA24663, Upgrade, Std Model only ("C" channel/exterior shelf style track)	4	WC
		This option may require quantity adjustment		
VU-15-9000	<	Cab "L1" Wood Door	1	WC
		hinged on right.		
VU-16-3000		Cab "L2" Gray Lexan Slider	1	WC
		SHIP LOOSE ITEMS:	1	WC

