



# NOTES & LEGEND

## GENERAL NOTES

- ALL MATERIALS AND CONSTRUCTION HEREON SHALL CONFORM TO CITY OF SAN LUIS CONSTRUCTION STANDARDS, YUMA CONSTRUCTION STANDARD DETAIL DRAWINGS, MARICOPA ASSOCIATION OF GOVERNMENTS (MAG) UNIFORM STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, THE CITY OF SAN LUIS SUPPLEMENT TO MAG UNIFORM STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, LATEST EDITION, LATEST ADOT SIGNAL AND LIGHTING STANDARD DRAWINGS, AND SHALL BE IN ACCORDANCE WITH THE ARIZONA DEPARTMENT OF ENVIRONMENTAL QUALITY REGULATIONS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PREPARATION AND FURNISHING TO THE ENGINEER OF "AS-BUILT" REBORDRAWINGS. THE CONTRACTOR SHALL OBTAIN ONE SET OF PLANS FROM THE ENGINEER AND SHALL RECORD IN RED ALL CASES WHERE ACTUAL FIELD CONSTRUCTION DIFFERS FROM WORK SHOWN ON PLANS. ALL CONCEALED WORK AND UTILITIES SHALL BE DIMENSIONED. THE CONTRACTOR SHALL SUBMIT THE FINAL "AS-BUILT" DRAWINGS TO THE PROJECT MANAGER FOR REVIEW AND APPROVAL NO LATER THAN 14 CALENDAR DAYS AFTER COMPLETION OF THE PROJECT.
- ANY UNACCEPTABLE WORK, WHETHER THE RESULT OF POOR WORKMANSHIP, USE OF DEFECTIVE MATERIALS, DAMAGE THROUGH CARELESSNESS OR ANY OTHER CAUSE, FOUND TO EXIST PRIOR TO THE FINAL ACCEPTANCE OF WORK, SHALL BE REMOVED AND REPLACED IN A TRULY AND ACCEPTABLE MANNER TO THE CITY OF SAN LUIS.
- PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION, THE CONTRACTOR SHALL PROVIDE THE ENGINEER WITH ALL PROPOSED PROJECT MATERIAL DATA SHEETS AND ANY SHOP DRAWINGS. ANY MATERIAL SUPPLIED NOT IN CONFORMANCE WITH THE SPECIFICATIONS WILL BE REJECTED.
- THE CONTRACTOR WILL BE RESPONSIBLE, IN ACCORDANCE WITH ARIZONA REVISED STATUTES, TO NOTIFY ARIZONA 811 AT LEAST FORTY-EIGHT (48) HOURS IN ADVANCE OF COMMENCING CONSTRUCTION ACTIVITIES. LOCATIONS OF EXISTING PUBLIC UTILITY LINES SHOWN ON THE PLANS ARE APPROXIMATE. THE CONTRACTOR MUST VERIFY THE LOCATIONS IN THE FIELD AND TAKE NECESSARY PRECAUTIONS, ANY DAMAGE TO A UTILITY SHALL BE REPAIRED AT THE EXPENSE OF THE CONTRACTOR.
- THE CONTRACTOR SHALL MAINTAIN DUST ABATEMENT ACTIVITIES FOR THE DURATION OF THE PROJECT, INCLUDING WEEKENDS AND HOLIDAYS. THE CONTRACTOR SHALL MAINTAIN ADEQUATE MOISTURE LEVELS IN THE SURFACE MATERIALS TO ELIMINATE BLOTTING DUST FROM THESE MATERIALS. ALL HAUL TRUCKS, WHETHER INVOLVED IN DELIVERY OR REMOVAL ACTIVITIES, SHALL BE COVERED AND/OR TARPED IN ORDER TO NEGATE THE REMOVAL OF MATERIAL FROM TRUCKS BY WIND, EITHER NATURAL OR CAUSED BY THE MOVEMENT OF THE TRUCK.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING A TRAFFIC CONTROL PLAN (TCP) TO THE ENGINEER FOR REVIEW AND APPROVAL AT LEAST SEVEN (7) CALENDAR DAYS PRIOR TO IMPLEMENTATION. THE TRAFFIC CONTROL PLAN SHALL BE PREPARED AND SUBMITTED BY PERSONNEL CERTIFIED IN THE AREA OF CONSTRUCTION TRAFFIC CONTROL BY THE AMERICAN SAFETY SERVICES ASSOCIATION (ATSSSA) OR BY THE INTERNATIONAL MUNICIPAL SIGNAL ASSOCIATIONS (IMSAs). THE CONTRACTOR WILL BE RESPONSIBLE FOR PROVIDING AND MAINTAINING PROPER SIGNS, BARRICADES, AND WARNING LIGHTS TO CONTROL THE TRAFFIC AND TO ASSURE THE PUBLIC'S HEALTH, WELFARE, AND SAFETY. ALL TRAFFIC CONTROL DEVICES SHALL CONFORM TO THE MOST RECENT FOLLOWING DOCUMENTS ADOPTED BY THE ARIZONA DEPARTMENT OF TRANSPORTATION (ADOT). THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE INSPECTION OF ALL TRAFFIC CONTROL INSTALLATIONS USED IN CONJUNCTION WITH THIS PROJECT AND SHALL INSPECT, AT LEAST TWICE DAILY, TO ENSURE CONFORMANCE WITH THE TRAFFIC CONTROL PLAN.
- THE CONTRACTOR SHALL GUARANTEE THE WORK COMPLETED AGAINST DEFECTIVE MATERIAL AND/OR WORKMANSHIP FOR A PERIOD OF ONE (1) YEAR FROM THE DATE OF FINAL ACCEPTANCE GRANTED BY THE CITY OF SAN LUIS.
- ANY SURVEY MONUMENT DISTURBED DURING CONSTRUCTION ACTIVITIES SHALL BE REPLACED IN ACCORDANCE WITH THE CITY OF SAN LUIS STANDARD DETAILS BY THE CONTRACTOR AT NO EXTRA COST TO THE OWNER. THE CONTRACTOR SHALL UTILIZE A REGISTERED LAND SURVEYOR TO ASSURE PROPER PLACEMENT OF SAID MONUMENT. THE REGISTERED LAND SURVEYOR SHALL PROVIDE A SEALED DESCRIPTION OF THE NEW MONUMENT AND ITS LOCATION.
- PRIOR TO CONSTRUCTION THE CONTRACTOR SHALL "POTHOLE" ALL POTENTIAL POINTS OF CONFLICT BETWEEN NEW UTILITIES AND EXISTING UTILITIES. THE CONTRACTOR SHALL NOTIFY THE ENGINEER IF DISCREPANCIES EXIST BETWEEN DESIGN DESIGN INFORMATION AND ACTUAL FIELD CONDITIONS.
- THE CONTRACTOR SHALL IMPLEMENT ALL APPLICABLE BEST MANAGEMENT PRACTICES (BMPs) FOR THE DURATION OF THE PROJECT PER CITY OF YUMA ORDINANCES AND ADEQ GUIDELINES.
- OCCUPATIONAL SAFETY AND HEALTH ACT (OSHA) STANDARD FOR CONSTRUCTION (TITLE 29, CODE OF FEDERAL REGULATIONS, PART 1926 AS AMENDED) AND CITY OF SAN LUIS SAFETY REGULATIONS ARE APPLICABLE FOR THE COMPLETION OF THE WORK ON THIS PROJECT.
- CONTRACTOR SHALL PROTECT ALL CATCH BASINS AND/OR CURB INLETS THAT EXIST WITHIN 50 FEET OF THE PROJECT LIMITS OR ANY OTHERS THAT NEED PROTECTION FROM CONSTRUCTION ACTIVITIES RUNOFF.
- CONTRACTOR SHALL CONSULT WITH CITY OF SAN LUIS STAFF TO DETERMINE IF REMOVED VALVE AND MANHOLE FRAMES AND COVERS CAN BE REUSED.
- IF HIGH SOIL MOISTURE CONDITIONS AND/OR SHALLOW GROUNDWATER IS ENCOUNTERED RESULTING IN LOW COMPACTION TESTING RESULTS DURING SUBGRADE PROCESSING, IT WILL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REMEDIATE THE WET SOIL CONDITIONS IN ORDER TO ACHIEVE THE REQUIRED PASSING COMPACTION TEST RESULTS. THE CONTRACTOR WILL PERFORM THIS REMEDIATION OF THE WET SUBGRADE SOILS AT NO ADDITIONAL COST TO THE CITY OF SAN LUIS.

## LEGEND

EXISTING	PROPOSED	EXISTING	PROPOSED	MAJOR CONTOUR

## ABBREVIATIONS

ALL ABBREVIATIONS ARE PER SECTION 1.3 OF THE 2021 "GREENBOOK" STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION WITH THE ADDITIONS INDICATED BELOW.


ABAND	ABANDONED	FL	FLOW LINE
ABC	AGGREGATE BASE COURSE	FNC	FENCE
AC, ASPH.	ASPHALTIC CONCRETE	FDW	FACE OF WALL
ADA	AMERICAN DISABILITY ACT	FS	FRESH SURFACE
ADOT	ARIZONA DEPARTMENT OF TRANSPORTATION	FTG	FOOTING
AP	ANGLE POINT	FW	FACE OF WALL
AC, ASPH.	ASPHALTIC CONCRETE	G	GUTTER ELEVATION
ACSMAS	ALUMINUM CAP SURVEY MONUMENT STAMPED	GB	GRADE BREAK
AVE	AVE	GRD	GROUND
BC	BEGINNING OF CURB	GP	GUARD POST
BC, BOX&B	BACK OF CURB	GV	GATE VALVE
BC&S	BRASS CAP IN HANDHOLE STAMPED	HL, HORIZ	HORIZONTAL
BCR	BEGIN CURB RETURN	HH	HANDHOLE
BEG	BEGINNING	HP	HIGH PRESSURE
BM	BENCH MARK	HP	HIGH POINT
BLDG	BUILDING	ICV	IRRIGATION CONTROL VALVE
BLK	BLOCK	IE, IE	INVERT ELEVATION
BK	BACK	INT	INTERSECTION
BMP	BEST MANAGEMENT PRACTICE	L	LENGTH
BSW	BACK OF SIDEWALK	LP	LOW POINT
BOIT	BOTTOM	LT	LEFT
BVCS	BEGIN VERTICAL CURVE STATION	M&S	MARI COPA
BVCE	BEGIN VERTICAL CURVE ELEVATION	MEX	MEXICO
CAB	CABINET	MH	MANHOLE
CB	CATCH BASIN	MTR	METER
CBP	CUSTOMS AND BORDER PROTECTION	M&A	MARICOPA ASSOCIATION OF GOVERNMENTS
CI	CURB INLET	M&M	MATERIAL
CL	CENTERLINE	M&M	M&M
CG	CURB AND GUTTER	MTS	MOUTH OF SCALE
C.L.F.	CHAIN LINK FENCE	OFF	OFFSET
C, CONC	CONCRETE	ONE	ONE
CMP	CORRUGATED METAL PIPE	P	PAVING
CONC	CONCRETE	PI	PULL BOX
CONC	CONCRETE	PC	POINT OF CURVATURE
CONC	CONSTRUCTION	PI	POINT OF TANGENT INTERSECTION
CONT.	CONTINUES	PKG	PARDING
COR	CORNER	PNL	PANEL
CTR	CENTER	PP	POWER POLE
CTRL	CONTROL	PRC	POINT OF REVERSE CURVE
COY	CITY OF YUMA	PT	POINT OF TANGENCY
DET	DETAIL	PWR	POWER
D.O.	DRAIN INLET	PVC	POLYVINYL CHLORIDE
DG	DECOMPOSED GRANITE	PUE	PUBLIC UTILITY EASEMENT
D&A	DAMETER	RCP	REINFORCED CONCRETE PIPE
DWD	DRAWING	R/W, ROW	RIGHT OF WAY
DRIVEWAY	DRIVEWAY	RT	RIGHT
E	EASTERLY	S	SOUTH
EA	EA	SB	SOUTHBOUND
END OF CURVE	END OF CURVE	SD	STORM DRAIN
EXPANSION JOINT	EXPANSION JOINT	SD&I	STORM DRAIN MANHOLE
ELECTRICAL	ELECTRICAL	SS&SMH	SEWER MANHOLE
ELECTRICAL VAULT	ELECTRICAL VAULT	SR	STATEROUTE
ELEVATION	ELEVATION	ST	STREET
EXISTING GRADE	EXISTING GRADE	STA	STATION
ELEVATION	ELEVATION	STLT	STREET LIGHT
EDGE OF PAVEMENT	EDGE OF PAVEMENT	SQ	SQUARE
EASEMENT	EASEMENT	SW, SW, S&W	SIDEWALK
EDGE TRAVELED WAY	EDGE TRAVELED WAY	S, S, SWR	SANITARY SEWER
END VERTICAL CURVE STATION	END VERTICAL CURVE STATION	TC	TOP OF CURB
END VERTICAL CURVE ELEVATION	END VERTICAL CURVE ELEVATION	T, TELE	TELEPHONE
EXISTING	EXISTING	TF	TOP OF FOUNDATION
FACE OF CURB	FACE OF CURB	TS	TRAFFIC SIGNAL
FOUND	FOUND	TV	TELEVISION
FOUNDATION	FOUNDATION	TYP	TYPICAL
FIRE HYDRANT	FIRE HYDRANT	UG	UNDERGROUND
FRESH GRADE	FRESH GRADE	UGE	UNDERGROUND ELECTRIC
		UGG	UNDERGROUND GAS
		U.S.A	UNITED STATES OF AMERICA
		UNK	UNKNOWN
		UTL	UTILITY
		V, VERT.	VERTICAL
		VC	VERTICAL CURVE
		VG	VALLEY GUTTER
		W	WESTERLYOR WEST
		WAS	WATER AGENCY STANDARDS
		W&M	WATER METER
		WTR	WATER
		WV	WATER VALVE
		X&G	CROSSING

Know what's below.  
Call before you dig.



	<b>P&amp;S O&amp;M A S</b> 333 E. WILSON ROAD SUITE 400 YUMA, AZ 85405 907-955-5555
	SCALE: _____ APPROVED BY: _____ DATE: 8/31/23 DRAWN: J.V. RC, AP C.I.P. NO. _____
SAN LUIS LAND PORT OF ENTRY OFFSITE GENERAL NOTES 2 of 38	

# SHEET INDEX



SHEETS: 8, 10, 12, 14, 15, 19, 23, 31  
STA 12+00 TO STA 17+00

SHEETS: 8, 10, 12, 14, 15, 20, 31  
STA 17+00 TO STA 22+00

SHEETS: 9, 11, 13, 17, 20, 32  
STA 22+00 TO STA 27+00

SHEETS: 17, 21  
STA 22+00 TO STA 27+00

# DESIGN NOTES

## BASIS OF COORDINATES AND ELEVATIONS:

**HORIZONTAL CONTROL:**  
THIS PROJECT IS BASED UPON THE ARIZONA COORDINATE SYSTEM, 1983 (ACS 83), NAD83 (2011) (2010.0000) REFERENCE FRAME. USES INTERNATIONAL FEET, AND IS LOCATED IN THE WESTERN ZONE OF SAID COORDINATE SYSTEM. THE CONTROL NETWORK WAS SURVEYED IN DECEMBER, 2022 USING TRIMBLE GNSS UNITS UTILIZING POST-PROCESSED STATIC METHODS THROUGH NGS OPUS.

STATION (REFERENCE)  
PT#1 OPUS \*PRIMARY CONTROL POINT & CENTRAL POINT

SURFACE COORDINATES AND/OR DISTANCES WERE COMPUTED FROM THE ACS 83 COORDINATES BY APPLYING A PROJECT SPECIFIC GRID TO SURFACE COMBINED ELEVATION AND SCALE FACTOR (CF) AT A CENTRAL POINT (NCP/CEP) AND TRANSLATING THE RESULTING COORDINATES AS FOLLOWS:

NP LOC = (NP ACS83 - NCP ACS83) \* CF + NCP ACS83 - IN

EP LOC = (EP ACS83 - ECP ACS83) \* CF + ECP ACS83 - VE

WHERE:

NP LOC = LOCAL NORTH NP ACS83 = ACS 83 NORTH  
NCP ACS83 = ACS 83 AT CENTRAL POINT  
EP LOC = LOCAL EAST EP ACS83 = ACS 83 EAST  
ECP ACS83 = ACS 83 AT CENTRAL POINT

COMBINED FACTOR (CF) = 0.999948457  
NCP = 542 435.53 (ACS83) ECP = 380 374.47 (ACS83)  
IN = 0.00 VE = 0.00

**VERTICAL CONTROL:**  
THIS SURVEY UTILIZED THE ORTHOMETRIC HEIGHTS AS DETERMINED BY THE STATIC GPS SURVEY THROUGH OPUS. THE BENCHMARK INCORPORATED IN THIS SURVEY ARE:

STATION REFERENCE ELEVATION  
PT#1 OPUS 68.19 \*PROJECT BENCHMARK

ORTHOMETRIC HEIGHTS (ELEVATIONS) WERE DERIVED FROM GPS ELLIPSOID HEIGHT MEASUREMENTS AND THE APPLICATION OF A HIGH-RESOLUTION HYBRID GEOID MODEL, GEOID 18.

## DESIGN DATA

DESIGN SPEED = 25 MPH  
POSTED SPEED = 25 MPH

## MIDPOINT OF PROJECT

Western Zone  
State Plane Coordinates  
X=382004.76  
Y=542845.25

## LENGTH OF PROJECT

Urtuzuastegui Street  
Sta 12+53.88 to 30+06.00 = 1752.12'






# SHEET INDEX

SHEET NO.	SHEET TITLE
1	COVER
2	GENERAL NOTES
3	INDEX AND DESIGN PLAN
4	TYPICAL SECTIONS
5	TYPICAL SECTIONS
6	STORM DRAIN SUMMARY
7	HORIZONTAL CONTROL PLAN
8	DEMOLITION PLAN
9	DEMOLITION PLAN
10	GEOMETRY PLAN
11	GEOMETRY PLAN
12	PAVEMENT PLAN
13	PAVEMENT PLAN
14	STORM DRAIN PLAN
15	PAVEMENT MARKING AND SIGNING NOTES
16	PAVEMENT MARKING PLAN
17	PAVEMENT MARKING PLAN
18	SIGNING LAYOUT
19	SIGNING PLAN
20	SIGNING PLAN
21	SIGNING PLAN
22	TRAFFIC SIGNAL NOTES
23	TRAFFIC SIGNAL PLAN
24	TRAFFIC SIGNAL POLE SCHEDULE
25	TRAFFIC SIGNAL CONDUCTOR SCHEDULE
26	TRAFFIC SIGNAL PLAN
27	TRAFFIC SIGNAL POLE SIGNAL
28	TRAFFIC SIGNAL CONDUCTOR SCHEDULE
29	LIGHTING NOTES
30	LIGHTING MODIFICATION PLAN
31	EROSION CONTROL PLAN
32	EROSION CONTROL PLAN
33	RAMP DETAILS
34	RAMP DETAILS
35	RAMP DETAILS
36	SIGNAL POLE DETAILS
37	SIGNAL POLE DETAILS
38	SIGNAL POLE DETAILS

Keep what's below.  
Call before you dig.



			SEE 6 MEMORANDUM, REPLY AND RETURN AT 88200 208-355-2270
	SCALE: DATE: 8/31/23	APPROVED BY:	DRAWN: J.V. RC, AP C.I.P. NO.
SAN LUIS 1 LAND PORT OF ENTRY OFFSITE INDEX & DESIGN PLAN			3 OF 38



- Notes:
1. See Geometry Sheets for curb information and south Right-of-Way line.
  2. Pavement Marking Sheets for striping layout.
  3. See Details for Pavement Structural Sections

Keep what's below.  
Call before you dig.




	<b>PSOMAS</b> <small>231 E. WINDY ROAD, SUITE 400, SAN LUIS, CA 94583, 530-922-2222</small>	
	SCALE: N.T.S. DATE: 6/31/23	APPROVED BY: DRAWN: JV, RC, AP CLIP NO.
SAN LUIS I LAND PORT OF ENTRY OFFSITE TYPICAL SECTIONS 4 of 38		










**SHEET NOTES**

- 1 REMOVE EXISTING LIGHT, REMOVE EXISTING PULL BOXES, CONDUIT AND ELECTRICAL WIRING SEE LIGHTING PLAN FOR MORE INFORMATION.
- 2 REMOVE AND SALVAGE EXISTING CHAIN LINK FENCE, IRON FENCE AND GATES INCLUDING FOUNDATIONS.
- 3 REMOVE AND DISPOSE EXISTING CONCRETE CURB.
- 4 REMOVE AND DISPOSE EXISTING SITE RETAINING WALLS AND FOUNDATIONS.
- 5 REMOVE AND DISPOSE EXISTING CONCRETE CURB AND GUTTER.
- 6 REMOVE AND DISPOSE EXISTING SIDEWALK CONCRETE, PAVEMENT PLATFORMS AND BASE, FULL DEPTH. SEE DEMO NOTES.
- 7 RELOCATE EXISTING SERVICE METER FOR TRAFFIC SIGNAL CONTROLLER AT ARCHIBALD ST. AND STREET LIGHTS. SEE TRAFFIC SIGNAL PLANS.
- 8 EXISTING SIGNS SEE SIGNING PLANS.
- 9 PROTECT IN PLACE EXISTING OVERHEAD UTILITY POLE.
- 10 EXISTING IRRIGATION VALVE TO BE REMOVED.
- 11 ADJUST TOP FINISHED GRADE MISCELLANEOUS DRY UTILITY EQUIPMENT: PULL BOXES, MANHOLES.
- 12 PROTECT IN PLACE EXISTING WET UTILITY STRUCTURE.
- 13 EXISTING STORM DRAIN MANHOLE, RESET TO FINISHED GRADE.
- 14 PROTECT IN PLACE EXISTING MISCELLANEOUS DRY UTILITY EQUIPMENT: PULL BOXES AND CONDUIT.
- 15 EXISTING WET UTILITY (44 VES. METERS) ADJUST TO FINISHED GRADE.
- 16 REMOVE EXISTING WATER METER.
- 17 REMOVE AND DISPOSE EXISTING STORM DRAIN CATCH BASIN.
- 18 REMOVE AND DISPOSE EXISTING STORM DRAIN PIPE, SEE STORM DRAIN PLAN.
- 19 PROTECT IN PLACE EXISTING TRAFFIC SIGNAL EQUIPMENT, POLE, ARM, FOUNDATION, EXISTING PULL BOXES, CONDUIT AND ELECTRICAL WIRING. SEE TRAFFIC SIGNAL PLAN FOR MORE INFORMATION.
- 20 REMOVE EXISTING TRAFFIC SIGNAL POLE, MAST ARM, AND FOUNDATION. EXISTING CONTROLLER CABINET, CABINET FOUNDATION, EXISTING PULL BOXES, CONDUIT AND ELECTRICAL WIRING. SEE TRAFFIC SIGNAL PLAN.
- 21 REMOVE AND DISPOSE EXISTING STRUCTURES, CANOPY, COLUMNS, MISC. EQUIPMENT, AND CONCRETE BARRIERS, INCLUDING FOUNDATIONS WHERE APPLICABLE.
- 22 REMOVE AND DISPOSE EXISTING TIE BOLTS AND POSTS, FULL DEPTH INCLUDING FOUNDATION.
- 23 SEE SEPARATE ON-SITE WORK OUTSIDE EXISTING STREET RIGHT-OF-WAY.
- 24 REMOVE EXISTING PULL BOX, SEE LIGHTING OR TRAFFIC SIGNAL SHEETS.
- 25 REMOVE AND DISPOSE EXISTING SIDEWALK SCOURPER.
- 26 PROTECT IN PLACE EXISTING LIGHT POLE, PULL BOXES AND CONDUIT.

MATCHLINE STA 17+00 SEE BELOW



**DEMOLITION NOTES**

- 1 SEE GEOMETRY PLANS FOR STATION/OFFSET OF SAWCUT LINE.
- 2 LIMITS OF DEMOLITION OF URTZUASTEGUI STREET IMPROVEMENTS ARE NORTH OF EXISTING FENCE. SEE ON-SITE PLANS FOR REMOVAL/SALVAGE OF ITEMS SOUTH OF EXISTING FENCE.
- 3 UNLESS OTHERWISE NOTED, ALL EXISTING UNDERGROUND UTILITIES AND ASSOCIATED STRUCTURES SHALL BE PROTECTED IN PLACE.
- 4 SHOULD ANY EXISTING UTILITY NOT SHOWN HEREON BE ENCOUNTERED, THE CONTRACTOR SHALL NOTIFY THE OWNER AND ENGINEER PRIOR TO DEMOLITION OF SUCH UTILITY.

COORDINATE SALVAGE OF EXISTING PAVEMENT MATERIALS WITH CONTRACTOR. EXISTING ASPHALT PAVEMENT AND CONCRETE PAVEMENT MATERIALS IDENTIFIED FOR DEMOLITION SHALL BE TAKEN OFF-SITE AND CRUSHED TO A MAXIMUM SIZE OF 1 INCH. CRUSHED MATERIALS SHALL BE STORED AND PROTECTED OFF-SITE UNTIL READY FOR RE-USE ON-SITE AS DIRECTED BY THE CONTRACTOR. *Applicable to GSA Scope Only - Typical*

MATCHLINE STA 22+00 SEE SHEET 9

**LEGEND**

- REMOVE EXISTING ASPHALT PAVEMENT AGGREGATE BASE TO THE FULL DEPTH AND PERIMETER CURB/GUTTER (WHERE OCCURS. SEE DEMOLITION NOTES)
  - REMOVE EXISTING CONCRETE PAVEMENT AGGREGATE BASE AND PERIMETER CURB/GUTTER (WHERE OCCURS. SEE DEMOLITION NOTE 5)
  - REMOVE EXIST CONCRETE/GUTTER
- Know what you dig. Call before you dig.
- 
- SCALE: 1"=20'

MATCHLINE STA 17+00 SEE ABOVE

**DRAFT**

**PSOMAS** 3331 NETWORK ROAD SUITE 400 LEBANON, NJ 08700 908-977-2200

SCALE: 1"=20' APPROVED BY: [Signature] DRAWN: J.V. RC AP DATE: 8/31/23 C.I.P. NO. [Number]

SAN LUIS I LAND PORT OF ENTRY OFFSITE  
DEMOLITION PLAN B of 38



**SHEET NOTES**


Curve #	Length	Radius	Delta	Tangent
C1	70.75	10.00	118°02'30"	16.02
C2	2.86	1.00	163°36'42"	6.94
C3	2.43	1.50	131°02'54"	3.30
C4	2.04	57.00	2°03'48"	1.02
C5	2.33	2.00	87°23'58"	1.33
C6	4.87	4.00	71°4'49"	2.68
C7	88.61	45.00	87°23'58"	43.00
C8	3.77	7.00	108°35'28"	2.68
C9	15.35	61.00	14°23'05"	7.72
C10	3.11	2.00	90°00'18"	2.00
C11	8.13	4.50	100°1'12"	4.08
C12	3.76	7.00	108°35'28"	2.79
C13	18.48	296.00	1°27'20"	8.73
C14	1.82	7.00	83°38'21"	1.79
C15	31.28	334.00	7°38'32"	15.66
C16	16.18	15.00	88°33'20"	10.38
C17	175.34	1000.00	1°01'38"	89.41
C18	39.24	25.00	88°58'20"	24.93
C19	8.57	11.20	137°27'27"	3.36
C20	6.81	25.00	70°13'55"	4.45
C21	39.54	25.00	80°37'37"	25.23
C22	38.54	25.00	80°37'08"	25.23
C23	2.77	1.50	103°46'43"	1.98
C24	2.58	1.50	88°23'17"	1.74
C25	11.34	100.00	6°38'33"	5.77
C26	10.83	80.97	7°40'16"	5.42
C27	3.14	2.00	90°00'42"	2.00
C28	3.75	2.00	83°04'36"	2.11
C29	7.32	250.00	0°31'53"	1.16

- GEOMETRY PLAN NOTES:**
- XXXXX = BACK OF CURB ELEVATION
  - XXXXX EOG = EDGE OF OUTER ELEVATION
  - SEE DETAILS FOR GEOMETRY POINTS

**LEGEND**



**PSOMAS** 421 S. Bay St., Suite 100, San Diego, CA 92101  
 SCALE: 1"=20' APPROVED BY: [Signature] DATE: 8/21/23  
 SAN LUIS I LAND PORT OF ENTRY OFFSITE  
 GEOMETRY PLAN 10 OF 38



MATCHLINE STA 17+00 SEE SHEET ABOVE


MATCHLINE STA 17+00 SEE SHEET BELOW

MATCHLINE STA 17+00 SEE SHEET 11



CUI / PHS / FEDCOM. Controlled by: General Services Administration Pacific Rim Region & Contact: Christopher Lee, 415-522-2877, christopher.lee@gsa.gov






**SHEET NOTES**

- 1 SAWCUT TACK AND JOIN.
- 2 CONSTRUCT 1" CONCRETE CURB PER COY STD 3-075.
- 3 CONSTRUCT 1" CONCRETE CURB AND GUTTER PER COY STD 3-069.
- 4 CONSTRUCT CURB AND GUTTER TRANSITION PER ADOT TYPE 7 C-05-12.
- 5 CONSTRUCT VALLEY GUTTER PER COY STD 3-050 AND DETAIL ON TYPICAL SECTION SHEET 4.
- 6 CONSTRUCT CURB RAMP SEE DETAIL R1.
- 7 CONSTRUCT CURB RAMP SEE DETAIL R2.
- 8 CONSTRUCT CURB RAMP SEE DETAIL R3.
- 9 CONSTRUCT CURB RAMP SEE DETAIL R4.
- 10 CONSTRUCT CURB RAMP SEE DETAIL R5.
- 11 CONSTRUCT CURB RAMP SEE DETAIL R6.
- 12 CONSTRUCT CURB RAMP SEE DETAIL R7.
- 13 CONSTRUCT CURB RAMP SEE DETAIL R8.
- 14 CONSTRUCT CURB RAMP SEE DETAIL R9.
- 15 CONSTRUCT CONCRETE VALLEY GUTTER DRIVEWAY PER COY STD 3-085.
- 16 CONSTRUCT PEDESTRIAN SPEED TABLE PER COY STD 3-205.
- 17 CONSTRUCT CATCH BASIN 1 SEE STORM DRAIN PLAN SHEET 14.
- 18 CONSTRUCT CATCH BASIN 2 SEE STORM DRAIN PLAN SHEET 14.
- 19 CONSTRUCT TRUNCATED DOME SIDEWALK PER MAG DET 238-1 THROUGH 238-4.
- 20 CONSTRUCT SIDEWALK PER COY STD 3-135.
- 21 INSTALL COMPOSED GRANULE PER MAG DET 60-7-1.
- 22 CONSTRUCT CURB RAMP SEE DETAIL R10.
- 23 CONSTRUCT NEW ROLLED CURB TYPE D PER MAG DETAIL 220-1.
- 24 CONSTRUCT NEW CURB TO ROLLED CURB TRANSITION PER MAG DETAIL 221.
- 25 CONSTRUCT CURB AND GUTTER TRANSITION PER COY STD 3-100.
- 26 CONSTRUCT PARALLEL CURB RAMP PER MAG DETAIL 238-5.

MATCHLINE STA 17+00 SEE BELOW



PAVEMENT PLAN NOTES  
1. SEE ONSITE PLANS FOR DETAILS.

Keep what's below.  
Call before you dig.

MATCHLINE STA 22+00 SEE SHEET 13

**LEGEND**

- CONCRETE PAVEMENT. SEE ONSITE PLANS FOR ONSITE LIMITS AND DETAIL A1 SHEET 33 FOR OFFSET LIMITS. @CONCRETE SIDEWALK.
- AC PAVEMENT. SEE DETAIL A2 SHEET 33.
- SLURRY SEAL EXISTING PAVEMENT.
- DOG-EARED AREA. SEE ONSITE LANDSCAPE PLANS.
- UTILITY EASEMENT LINE.
- R/W LINE.

**DRAFT**

**PSOMAS**

SCALE: 1" = 20' APPROVED BY: \_\_\_\_\_ DRAWN: J.V. RC, AP  
DATE: 1/1/2011 CIP NO. \_\_\_\_\_


SAN LUIS ISLAND PORT OF ENTRY OFFSITE  
PAVEMENT PLAN 12 of 38

MATCHLINE STA 17+00 SEE ABOVE

**SHEET NOTES**

- 1 SAW CUT TACK AND JOINT
- 2 CONSTRUCT 16" CONCRETE CURB PER COY STD 3-015.
- 3 CONSTRUCT 6" CONCRETE CURB AND OUTER PER COY STD. 3-050
- 4 CONSTRUCT CURB AND GUTTER TRANSMISSION PER ADD TYPE TC 05 12.
- 5 CONSTRUCT 3" VALLEY GUTTER PER COY STD. 3-080 AND DETAIL ON TYPICAL SECTION SHEET 4.
- 6 CONSTRUCT CURB RAMP SEE DETAIL R1
- 7 CONSTRUCT CURB RAMP SEE DETAIL R2.
- 8 CONSTRUCT CURB RAMP SEE DETAIL R3
- 9 CONSTRUCT CURB RAMP SEE DETAIL R4
- 10 CONSTRUCT CURB RAMP SEE DETAIL R5
- 11 CONSTRUCT CURB RAMP SEE DETAIL R6
- 12 CONSTRUCT CURB RAMP SEE DETAIL R7
- 13 CONSTRUCT CURB RAMP SEE DETAIL R8
- 14 CONSTRUCT CURB RAMP SEE DETAIL R9
- 15 CONSTRUCT CONCRETE VALLEY GUTTER DRIVEWAY PER COY STD. 3-085.
- 16 CONSTRUCT PEDESTRIAN SPEED TABLE PER COY STD. 3-205.
- 17 CONSTRUCT CAT CH BASIN 1 SEE STORM DRAIN PLAN SHEET 14.
- 18 CONSTRUCT CAT CH BASIN 2 SEE STORM DRAIN PLAN SHEET 14.
- 19 CONSTRUCT TRUNCATED DOME S IN SIDEWALK PER MAG DET. 238 ; THROUGH 238-5
- 20 CONSTRUCT SIDEWALK PER COY STD. 3-135
- 21 INSTALL DECOMPOSED GRANITE PER MAG DET. 607.1.
- 22 CONSTRUCT CURB RAMP SEE DETAIL R10
- 23 CONSTRUCT NEW ROLLED CURB TYPED PER MAG DETAIL 220-1.
- 24 CONSTRUCT NEW ROLLED CURB TRANSITION PER MAG DETAIL 221
- 25 CONSTRUCT CURB AND GUTTER TRANSMISSION PER COY STD. 3-100
- 26 CONSTRUCT PARALLEL CURB RAMP PER MAG DETAIL 235-3

PAVEMENT PLAN NOTES:  
1. SEE ON-SITE PLANS FOR DETAILS




Know what's below.  
Call before you dig.



**LEGEND**

- CONCRETE PAVEMENT (SEE ON-SITE PLANS FOR ON-SITE LIMITS AND DETAIL AT SHEET 337 DROFF-SITE LIMITS); CONCRETE SIDEWALK.
- AC PAVEMENT (SEE DETAIL A2 SHEET 331).
- SLURRY SEAL EXISTING PAVEMENT.
- DIG FILL AREA. SEE ON-SITE LANDSCAPE PLANS.
- UTILITY EASEMENT LINE.
- NEW LINE.



MATCHLINE STA 22+00 SEE SHEET 12

URTUZASTEGUI ST

2ND AVE

URTUZASTEGUI STREET  
CONST

SLURRY SEAL LIMIT

NEW R/W

24+75.72, 35.67 R  
MATCH EXISTING PAVEMENT

23+93.52, 55.10 R  
MATCH ON-SITE PAVEMENT

Project: 8/17/2023 8:28:46 AM ... 8/17/2023 8:50:38 PM ...



**PSOMAS**

SCALE: 1" = 30'



DATE: 8/31/23

SAN LUIS I LAND PORT OF ENTRY OFFSITE  
PAVEMENT PLAN

13 OF 36







### SHEET NOTES

- ▲ NEW 18" WHITE SOLID (18SW) PER COY STD. NO. 10-020 AND 10-025. L.F.
- ▲ NEW 12" WHITE SOLID (12SW) PER COY STD. NO. 10-020 AND 10-025. L.F.
- ▲ NO ITEM L.F.
- ▲ NEW 24" WHITE SOLID (24SW) PER COY STD. NO. 10-020 AND 10-025. L.F.
- ▲ NEW 12" WIDE DOTTED WHITE LANE LINE (12LDW) PER COY STD. NO. 10-025. L.F.
- ▲ NEW 6" DOTTED WHITE (6DW) PER COY STD. NO. 10-025. L.F.
- ▲ NEW 24"x 36" WHITE YIELD LINE. L.F.
- ▲ NEW 6" DOUBLE SOLID YELLOW (6SDY) PER COY STD. NO. 10-025. L.F.
- ▲ NEW 6" COMBINATION YELLOW (6CY) PER COY STD. NO. 10-025. L.F.
- ▲ NEW 12" YELLOW SOLID (12SY) PER COY STD. NO. 10-025. L.F.
- ▲ NEW DOUBLE ARROW PER AOOT STANDARD DRAWING M-10 L.F.
- ▲ NEW STRAIGHT ARROW PER AOOT STANDARD DRAWING M-10 L.F.
- ▲ NEW RIGHT ARROW PER AOOT STANDARD DRAWING M-10 L.F.
- ▲ NEW LEFT ARROW PER AOOT STANDARD DRAWING M-10 L.F.
- ▲ NEW MERGING RIGHT TO LEFT PER AOOT STANDARD DRAWING M-11 L.F.
- ▲ NO ITEM L.F.
- ▲ NEW 6" BROKEN WHITE PER COY STD. 10-205 L.F.
- ▲ NEW "SHARROFF", SEE DETAIL. E.A.

\* ALL STRIPING SHALL BE THERMOPLASTIC MARKING.

### LEGEND

Know what's below.  
Call before you dig.

SEAL

**DRAP**

**PSOMAS**

SCALE: 1" = 20'

APPROVED BY: \_\_\_\_\_

DATE: \_\_\_\_\_

333 E. WENTWORTH ROAD  
SUITE 400  
SAN LUIS, CA 94501  
360.992.3200

**DRAP**

DATE: \_\_\_\_\_



SAN LUIS I LAND PORT OF ENTRY OFFSITE  
PAVEMENT MARKING PLAN 16 OF 38

Plan No. = 12/17/2023, 16:38:36, P11, 11, Sheet = 12/17/2023 & 12:48:18, P11, 11, User = I:\WORK\2023\Design\Sheet\121723\121723\_P11.dwg, 11, 12/17/2023 12:48:18

MATCHLINE STA 17+00 SEE SHEET ABOVE

MATCHLINE STA 17+00 SEE SHEET BELOW


MATCHLINE STA 22+00 SEE SHEET 17




**SHEET NOTES**

- △ NEW 18" WHITE SOLID (18SW) PER COY STD. NO. 10-020 AND 10-025. L.F.
  - △ NEW 12" WHITE SOLID (12SW) PER COY STD. NO. 10-020 AND 10-025. L.F.
  - △ N ITEM L.F.
  - △ NEW 24" WHITE SOLID (24SW) PER COY STD. NO. 10-020 AND 10-025. L.F.
  - △ NEW 12" WIDE DOTTED WHITE LANE LINE (12LDW) PER COY STD. NO. 10-025. L.F.
  - △ NEW 6" DOTTED WHITE (6DW) PER COY STD. NO. 10-025. L.F.
  - △ NEW 24"x 36" WHITE YIELD LINE. L.F.
  - △ NEW 6" DOUBLE SOLID YELLOW (6SDY) PER COY STD. NO. 10-025. L.F.
  - △ NEW 6" COMBINATION YELLOW (6CY) PER COY STD. NO. 10-025. L.F.
  - △ NEW 12" YELLOW SOLID (12SY) PER COY STD. NO. 10-025. L.F.
  - △ NEW DOUBLE ARROW PER ADOT STANDARD DRAWING M-10. L.F.
  - △ NEW STRAIGHT ARROW PER ADOT STANDARD DRAWING M-10. L.F.
  - △ NEW RIGHT ARROW PER ADOT STANDARD DRAWING M-10. L.F.
  - △ NEW LEFT ARROW PER ADOT STANDARD DRAWING M-10. L.F.
  - △ NEW MERGING RIGHT TO LEFT PER ADOT STANDARD DRAWING M-11. L.F.
  - △ NEW 12" WHITE SOLID (12SW) PER COY STD. 3-205. L.F.
  - △ NEW 6" BROKEN WHITE PER COY STD. 10-205. L.F.
  - △ NEW "SHARROW". SEE DETAIL. EA.
- \* ALL STRIPING SHALL BE THERMOPLASTIC MARKING.

**LEGEND**




**PSOMAS**



SCALE: 1"=20'    APPROVED BY:    DRAWN: J.V. RC, AP  
 DATE: 8/31/23    EIP NO:

SAN LUIS I LAND PORT OF ENTRY OFFSITE  
 PAVEMENT MARKING PLAN    17 OF 38

Project: 027-0002 - 027-0002 - 027-0002 - San Luis I Land Port of Entry Offsite Pavement Marking Plan - 8/31/23








Know what's below.  
Call before you dig.



<b>PSOMAS</b>		333 E. WETMORE ROAD, SUITE 400 TUCSON, AZ 85710 520.792.3300
SCALE: 1"=20'	APPROVED BY:	DRAWN: JV, RC, AP
DATE: 8/31/23		C.I.P. NO.
SAN LUIS 1 LAND PORT OF ENTRY OFFSITE		
SIGNING PLAN		20 OF 38




SHEET NOTES



MATCHLINE STA 27+00 SEE SHEET 20

Project: 8/17/2023 7:02:24 PM :: Sheet: 8/17/2023 8:38:41 PM :: Scale: 1"=20' (8/17/2023 8:38:41 PM) :: San Luis I Land Port Offsite

LEGEND



Know what's below. Call before you dig.



	SCALE: 1"=20'	APPROVED BY:	DRAWN: JV, RC, AP
	DATE: 8/31/23	C.I.P. NO.	
SAN LUIS I LAND PORT OF ENTRY OFFSITE			
SIGNING PLAN		21 OF 38	







CONDUIT AND CONDUCTOR SCHEDULE

CONDUIT-CONDUCTOR RUN NUMBER		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
CONDUIT SIZE (INCHES)	EXIST 2.5	3	3	EXIST 3	EXIST 2.4	EXIST 3	EXIST 2-4	EXIST 3	EXIST 2-4	EXIST 3	EXIST 3	3	3	2-4	3																		
AWG	ORCUT PHASE																																
#14 AWG IMSA 19-1 MULTI-CONDUCTOR CABLE	NO. OF CABLES																																
	NO. OF CONDUCTORS																																
	SIGNAL #1																																
	SIGNAL #2																																
	SIGNAL #3																																
	SIGNAL #4																																
	SIGNAL #5																																
	SIGNAL #6																																
	SIGNAL #7																																
	PEDESTRIAN SIGNAL #2 (FUTURE)																																
	PEDESTRIAN SIGNAL #4 (FUTURE)																																
	PEDESTRIAN SIGNAL #6 (FUTURE)																																
	PEDESTRIAN SIGNAL #8 (FUTURE)																																
	PEDESTRIAN P.B. #2 (FUTURE)																																
	PEDESTRIAN P.B. #4 (FUTURE)																																
PEDESTRIAN P.B. #6 (FUTURE)																																	
PEDESTRIAN P.B. #8 (FUTURE)																																	
PEDESTRIAN P.B. COMMON																																	
SIGNAL COMMON																																	
SPARES																																	
CONDUIT-CONDUCTOR RUN NUMBER		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
#110 XHHW	EXIST STREET LIGHTING CIRCUIT (BLACK)					1	1	1		1	1																						
#8 XHHW	EXIST STREET LIGHTING CIRCUIT (RED)									1	1																						
#8 XHHW	EXIST STREET LIGHTING COMMON (WHITE)					1	1	1	1	1	1	1																					
#8	EXIST EQUIPMENT GROUND	1	1		1	1	1	1	1	1	1	1	1	1																			
120/240V	EXIST POWER HOT #6 THW (STREET LIGHT)				2																												
120/240V	EXIST POWER NEUTRAL #6 THW (STREET LIGHT)				1																												
120/240V	EXIST POWER HOT #6 THW (CONTROLLER)				2																												
120/240V	EXIST POWER NEUTRAL #6 THW (CONTROLLER)				1																												
120/240V	EXIST POWER HOT #3/0 (RED) THW (CONTROLLER)	2	2	2	2									2																			
120/240V	EXIST POWER NEUTRAL #3/0 (WHITE) THW (CONTROLLER)	1	1	1	1									1																			
TOMAR M913 CABLE	PRE-EMPTY BEACON (BLUE)																																
	PRE-EMPTY BEACON (WHITE)																																
	PRE-EMPTY SENSOR*	N/A																															
	PRE-EMPTY SENSOR*	E/W																															
PER ADOT SOLID 3 COND.	EXIST VEHICLE DETECTION				3	1	2	1	1	1																							
	2500# WIRE TAPE																																

CONDUIT AND CONDUCTOR SCHEDULE NOTES

- THE INSULATED BOND SHALL HAVE THE INSULATION STRIPPED INSIDE THE PULLBOXES.
- THE IMSA 20 CONDUCTOR CABLE SHALL BE #14 AWG IMSA 19-1. THE IMSA 4 CONDUCTOR AND 7 CONDUCTOR CABLE SHALL BE #14 AWG IMSA 19-1.
- A CRIMP CONNECTION SHALL BE USED FOR SPLICING IN PULLBOXES.
- EXIST - EXISTING CONDUIT
- CONDUCTORS BY UTILITY COMPANY; CONDUIT BY CONTRACTOR. DEPTH OF CONDUIT AND RISER SHALL BE PER UTILITY COMPANY REQUIREMENTS.

SHEET NOTES

IMSA CABLE, #14 AWG, 20 CONDUCTOR

CABLE #	CONDUCTOR OR STRIPE	SIGNAL INTERVAL	
		BASIC COLOR	TRAFIC STRIPE
# 1	# 5 OR OVERLAP A	RED	WHITE
	BLACK	WHITE	YELLOW
# 2	# 8 OR OVERLAP B	RED	WHITE
	GREEN	WHITE	YELLOW
# 3	# 7 OR OVERLAP C	RED	WHITE
	ORANGE	WHITE	YELLOW
# 4	# 8 OR OVERLAP D	RED	WHITE
	GREEN	WHITE	YELLOW
# 2 PED	# 6 PED	BLACK	WHITE
	WHITE	BLACK	PUSH BUTTON
# 4 PED	BLUE	WHITE	WALK
	RED	GREEN	DO NOT WALK
ALL P.S.	WHITE	RED	PUSH BUTTON
	BLUE	BLACK	SPARE

INDIVIDUAL CONDUCTORS IN THE CABLE SHALL BE TAGGED AS TO ASSIGNED PHASE

IMSA CABLE 19-1, #14 AWG, 4 CONDUCTOR & 7 CONDUCTOR

SIGNAL HEADS 5-SECTION		SIGNAL HEADS INBOARD & SIDEMOUNT	
7-CONDUCTOR CABLE		4-CONDUCTOR CABLE	
BASIC COLOR	SIGNAL INTERVAL	BASIC COLOR	PUSH BUTTON STATION
RED	RED	RED	RED
BLACK	YELLOW	BLACK	YELLOW
GREEN	GREEN	GREEN	GREEN
ORANGE	YELLOW ARROW	WHITE	VEN. COM.
BLUE	GREEN ARROW		
WHITE	VEN. COM.		
WHT/BLK TRI	VEN. COM.		

THIS CABLE SHALL BE TAGGED AS TO THE ASSIGNED PHASE

LEGEND

Know what's below W. Call before you dig.



**PSOMAS** 333 E. GARDNER ROAD, SUITE 200, SAN LUIS, CA 95050, 530.799.1200

SCALE: N.T.S. APPROVED BY: DRAWN: JV, RC, AF  
DATE: 10/23/23 PIP NO.

SAN LUIS LAND PORT OF ENTRY OFFSITE  
TRAFFIC SIGNAL CONDUCTOR SCHEDULE 28 OF 38

Project - 12/17/2023 7:42:35 PM - 11 - San Luis Land Port of Entry Offsite Traffic Signal Schedule - 10/23/23 10:28:23 AM - 11 - San Luis Land Port of Entry Offsite Traffic Signal Schedule - 10/23/23 10:28:23 AM



CABINET SCHEDULE						
CABINET	TYPE	CONTROLLER	AUX CONTROLLER	REMARKS	STATION, OFFSET	STANDARDS
A		APS METER PEDESTAL		MEYERS MEUG16A-M100-AZ, 138 1 PHASE 100 AMP, W/PHOTOCELL 1-3 SERV. DISC, 100 AMP 2-POLE 2-4 LIGHTING, 20 AMP 2-POLE 6 CONTROL, 15 AMP 1-POLE 8 SIGNAL, 60 AMP 1-POLE	21+33.9, 27.7' RI	T.S. 2-6 T.S. 3-5
B		ZINCBLUE BBS WITH 500W BATTERY		UNIT RATED 5 KW, 120/240V 1 PH IN NEMA 3R ENCLOSURE	21+39.1, 27.7' RI	T.S. 2-7
C		ECONOLITE COBALT ATC CONTROLLER W/ECONOLITE CABINET POWER SUPPLY PS-2412-5A		ECONOLITE 77 INCH "R" CABINET ADOT TYPE V (ADOT T.S. 3-9) INCLUDE GENERATOR HOOK-UP ON CABINET	21+45.0, 27.7' RI	T.S. 2-4 T.S. 3-9 T.S. 3-10

POLE SCHEDULE									
POLE NUMBER	TYPE	MAST ARMS		SIGNALS		LUMINAIRE	PED. P.B. TYPE/SIGN	REMARKS	STATION, OFFSET
		SIG	LUM	FACE	ASSEMBLY				
D	 J See Note 6	25	-	(2) - F (1) - PED	(1) - H (1) - V (1) - X	-	(1) TYPE 1 2" ADA PB PPB SIGN R10-3d(L)	PRE-EMPT BEACON, SEE NOTE 2 PRE-EMPT GPS SENSOR, SEE NOTE 2 STREET NAME SIGN, SEE SIGNING PLAN	D 21+29.3, 27.2' RI
E F	 A (10 FT)	-	-	(1) - PED	(1) - X	-	(1) TYPE 1 2" ADA PB PPB SIGN R10-3d(R)	PPB, SEE NOTE 4	E 20+59.2, 31.2' RI F 20+48.2, 22.9' RI
G	 O See Note 6	25	15	(2) - F (1) - PED	(1) - H (1) - V (1) - X	1.35W SEE NOTE 5	TYPE 1 2" ADA PB PPB SIGN R10-3d(L)	PRE-EMPT BEACON, SEE NOTE 2 STREET NAME SIGN, SEE SIGNING PLAN VIDEO CAMERA, SEE NOTE 3 PPB, SEE NOTE 4	G 20+48.2, 31.4' LI
H	 A (10 FT)	-	-	(1) - PED	(1) - X	-	(1) TYPE 1 2" ADA PB PPB SIGN R10-3d(L)	PPB, SEE NOTE 4	H 20+65.5, 33.4' LI
I	 J See Note 6	25	-	(2) - F (1) - PED	(2) - H (1) - X	-	TYPE 1 2" ADA PB PPB SIGN R10-3d(L)	PRE-EMPT BEACON, SEE NOTE 2 STREET NAME SIGN, SEE SIGNING PLAN VIDEO CAMERA, SEE NOTE 3 PPB, SEE NOTE 4	I 21+19.0, 36.7' LI
J	 G	-	15	-	-	1.35W SEE NOTE 5	-	PHOTOCELL ON LUMINAIRE	J 21+48.5, 24.7' LI
K	 PPB	-	-	-	-	-	TYPE PB 2" ADA PB PPB SIGN R10-3d(L)	PPB, SEE NOTE 4	K 21+24.5, 28.3' RI

**SHEET NOTES**

**POLE SCHEDULE NOTE**

THE CONTRACTOR SHALL PREPARE SIGNED AND SEALED SHOP DRAWINGS FOR ALL TRAFFIC SIGNAL POLES, MAST ARMS, AND FOUNDATIONS TO SUPPORT THE LOAD SHOWN ON THESE PLANS AND TO THE STANDARDS DRAWINGS. DESIGN OF SIGNALS SHALL BE COMPLIANT WITH THE 2013 AASHTO STANDARD SPECIFICATIONS FOR STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRES, AND TRAFFIC SIGNALS, 6TH EDITION. SHOP DRAWINGS SHALL BE SUBMITTED TO THE SENIOR TRAFFIC TECHNICIAN FOR REVIEW AND APPROVAL PRIOR TO FABRICATION.

**NOTES**

- THE EXISTING TRAFFIC SIGNAL WAS CONSTRUCTED FOLLOWING THE ARIZONA DEPARTMENT OF TRANSPORTATION (ADOT) SIGNALS AND LIGHTING STANDARD (SLS) DRAWINGS, 2010. REFERENCE IS MADE TO THESE STANDARD DETAILS.
- PRE-EMPTION SHALL BE OPTICOM GPS AND INCLUDE:
  - GPS RADIO UNIT MODEL #3100
  - GPS INSTALLATION CABLE MODEL #1700, EXT. 500'
  - 4-CHANNEL 1 SLOT OPTICOM CARD RACK MODEL #760
  - OPTICOM MULTI-MODE PHASE SELECTOR MODEL #764
- VIDEO DETECTION SHALL BE MOVISION WITH VIDEO IMAGE VEHICLE TRACKING AND DETECTION SYSTEM (V.I.V.T.D.S.) AND INCLUDE:
  - MOVISION SMARTVIEW 360 BELL CAMERA
    - INCLUDE CAMERA MOUNT AND UNIVERSAL HUB FOR MOUNTING TO TRAFFIC SIGNAL POLE.
  - SHIELDED CAT5E ETHERNET CABLE
  - MOVISION CORE WITH DIRECT COUNTS MODULE (DCM)
- PEDESTRIAN PUSH BUTTONS SHALL BE POLARIS APS BUTTONS WITH IN29W0X-X R10-3 SIGN, ICCU-S CENTRAL CABINET CONTROL UNIT, 060-390 CABLE HARNESS, AND IN2-ICB INTERCONNECT BOARD.
- LUMINAIRE SHALL BE LEOTEX MODEL GCL1, 135, 3000K, 60G OR EQUIVALENT.
- TYPE J AND O TRAFFIC SIGNAL POLES SHALL BE PER ADOT SPECIFICATION, BUT WITH HINGED COVER ON TERMINAL COMPARTMENT PER FIG FOR REFERENCE ONLY DETAILS.

**LEGEND**

How much below.  
Call before you dig.



**PSOMAS** EST. 1978  
 SCALE: N.T.S. APPROVED BY: DRAWN: J.V. RC, AP  
 DATE: 8/31/2018 I.E.P. NO.  
 SAN LUIS I LAND PORT OF ENTRY OFFSITE  
 TRAFFIC SIGNAL POLE SCHEDULE 27 OF 38

1: L:\Projects\2018\San Luis I Land Port of Entry\Drawings\Traffic Signal Pole Schedule.dwg, 11/15/2018, 11:00 AM, J.V. RC

CONDUIT AND CONDUCTOR SCHEDULE

CONDUIT-CONDUCTOR RUN NUMBER		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
CONDUIT SIZE (INCHES)		2.5	3	3	2-4	3	2-4	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
AWG	CIRCUIT PHASE																															
#14 AWG IMSA 19-1 MULTI-CONDUCTOR CABLE	NO. IMSA 20 CC				3	1					1	1			1		1	1														
	NO. IMSA 4 CC				15	2	10	2	2	2	5	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
	SIGNAL #1																															
	SIGNAL #2																															
	SIGNAL #3																															
	SIGNAL #4																															
	SIGNAL #5																															
	SIGNAL #6																															
	SIGNAL #7																															
	SIGNAL #8																															
	PEDESTRIAN SIGNAL #2 (FUTURE)																															
	PEDESTRIAN SIGNAL #4 (FUTURE)																															
	PEDESTRIAN SIGNAL #6 (FUTURE)																															
	PEDESTRIAN SIGNAL #8 (FUTURE)																															
	PEDESTRIAN P.B. #2 (FUTURE)																															
PEDESTRIAN P.B. #4 (FUTURE)																																
PEDESTRIAN P.B. #6 (FUTURE)																																
PEDESTRIAN P.B. #8 (FUTURE)																																
PEDESTRIAN P.B. COMMON																																
SIGNAL COMMON																																
SPARES																																
CONDUIT-CONDUCTOR RUN NUMBER		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
#110 3/4" W	STREET LIGHTING CIRCUIT (BLACK)				1										1																	
#110 3/4" W	STREET LIGHTING CIRCUIT (RED)				1		1			1	1				1																	
#8 3/4" W	STREET LIGHTING COMMON (WHITE)				1										1																	
#8 3/4" W	EQUIPMENT GROUND	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
120/240V	POWER HOT #6 THW (STREET LIGHT)			2																												
120/240V	POWER NEUTRAL #6 THW (STREET LIGHT)			1																												
120/240V	POWER HOT #5 THW (CONTROLLER)			2																												
120/240V	POWER NEUTRAL #5 THW (CONTROLLER)			1																												
120/240V	POWER HOT #3/0 (RED) THW (CONTROLLER)	2	2	2																												
120/240V	POWER NEUTRAL #3/0 (WHITE) THW (CONTROLLER)	1	1	1																												
	PRE-EMPT BEACON (BLUE)																															
	PRE-EMPT BEACON (WHITE)																															
GPS CABLE MODEL #1070	OPTICOM GPS RADIO UNIT MODEL #3100				1	1																										
SHIELDED CAT5 ETHERNET CABLE	VEHICLE DETECTION				1	1				1	1																					
	2500# WULE TAPE																															
CONDUIT-CONDUCTOR RUN NUMBER		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	

CONDUIT AND CONDUCTOR SCHEDULE NOTES

1. THE INSULATED BOND SHALL HAVE THE INSULATION STRIPPED INSIDE THE PULLBOXES.
2. THE IMSA 20 CONDUCTOR CABLE SHALL BE #14 AWG IMSA 19-1. THE IMSA 4 CONDUCTOR AND 7 CONDUCTOR CABLE SHALL BE #14 AWG IMSA 19-1.
3. - A CRIMP CONNECTION SHALL BE USED FOR SPLICING IN PULLBOXES
4. Exst - EXISTING CONDUIT
5. - CONDUCTORS BY UTILITY COMPANY, CONDUIT BY CONTRACTOR, DEPTH OF CONDUIT AND RISE/RUN SHALL BE PER UTILITY COMPANY REQUIREMENTS.

IMSA CABLE, #14 AWG, 20 CONDUCTOR

CABLE #	CONDUCTOR COLOR	SIGNAL	
		BASIC COLOR	INTERNAL
# 1	# 5 OR OVERLAP A	RED	WHITE
	BLACK	WHITE	YELLOW
	GREEN	WHITE	GREEN
# 2	# 6 OR OVERLAP B	RED	---
	BLACK	---	YELLOW
	GREEN	---	GREEN
# 3	# 7 OR OVERLAP C	BLACK	RED
	ORANGE	RED	YELLOW
	BLUE	RED	GREEN
# 4	# 8 OR OVERLAP D	RED	BLACK
	ORANGE	BLACK	YELLOW
	GREEN	BLACK	GREEN
# 2 PED.	# 6 PED.	BLACK	---
	WHITE	BLACK	PUSH BUTTON
	BLUE	WHITE	WALK
# 4 PED.	# 8 PED.	RED	GREEN
	WHITE	RED	PUSH BUTTON
	BLACK	---	P.B. COMMON
ALL # 3	---	BLUE	BLACK
INDIVIDUAL CONDUCTORS IN THE CABLE SHALL BE TAGGED AS TO ASSIGNED PHASE			

SHEET NOTES

1. ON-SIT PRE-EMPTION VIA ACC TO BE DESIGNATED AS PHASE 9 OR PHASE 6 OVERLAP FOR N8 GREEN AND SET WITH MAX. GREEN TIME OF 180 SEC. OR OTHER TIME, AS APPROVED BY THE ENGINEER.

IMSA CABLE 19-1, #14 AWG, 4 CONDUCTOR

SIGNAL HEADS INBOARD & SIDEMOUNT	
BASIC COLOR	PUSH BUTTON STATION
RED	RED
BLACK	YELLOW
GREEN	GREEN
WHITE	VEH. COM.

THE CABLES SHALL BE TAGGED AS TO THE ASSIGNED PHASE

PEDESTRIAN HEADS		PUSH BUTTON	
BASIC COLOR	SIGNAL INTERNAL	BASIC COLOR	SIGNAL INTERNAL
RED	DONT WALK	RED	PUSH BUTTON
GREEN	WALK	WHITE	P.B. COM.
WHITE	PED. COM.	GREEN	SPARE
BLACK	SPARE	BLACK	SPARE

THE CABLES SHALL BE TAGGED AS TO THE ASSIGNED PHASE

IMSA CABLE 19-1, #14 AWG ON-SITE PRE-EMPTION	
BASIC COLOR	PUSH BUTTON STATION
RED	VEH. COM.
WHITE	NEUTRAL
GREEN	GROUND
BLACK	SPARE

THE CABLES SHALL BE TAGGED EITHER PHASE 9 OR OVERLAP PHASE 6. SEE NOTE 1

LEGEND

Know what's below. Call before you dig.



**PSOMAS** 333 E. MCNEER ROAD, SUITE 400, TUCSON, AZ 85705, 520.992.7300

SCALE: N.T.S. APPROVED BY: DRAWN: J.V. RC, A.P. DATE: 8/31/23 C.I.P. NO.

SAN LUIS I LAND PORT OF ENTRY OFFSITE TRAFFIC SIGNAL CONDUCTOR SCHEDULE 28 OF 39


Plotfile: 8/31/2023 2:13:41 PM || Server: 8/31/2023 8:22:30 PM || S:\Projects\2023\San Luis I Land Port of Entry\Drawings\Traffic Signal\Traffic Signal.dwg || 0:0:00

== LEGEND ==

EXIST	PROPOSED	
		LUMINAIRE, MAST ARMS, POLE & POLE BASE
		*7 PULLBOX WITH EXTENSION
		*3/2 PULLBOX
		*5 PULLBOX
		*7 PULLBOX
		LOAD CENTER CABINET
		METER PEDESTAL
		CONDUIT RUN
		LUMINAIRE W/PHOTOCELL
		LUMINAIRE
		STREET NAME SIGN (SNS)
		POLE ID KEY LETTER
		CONDUIT RUN NUMBER
		CONSTRUCTION KEY NOTE
		GAS LINE
		TELEPHONE LINE
		ELECTRIC LINE
		SEWER LINE
		WATER LINE
		CABLE TV LINE
		FIBER OPTIC LINE

**STREET LIGHTING GENERAL NOTES:**

- ALL LIGHTING AND RELATED CONDUIT/WIRE WORK SHALL CONFORM UNLESS NOTED OTHERWISE TO THE 2021 EDITION OF THE ADOT STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION AND THE CURRENT STANDARD DRAWINGS FOR TRAFFIC SIGNALS AND LIGHTING ALONG WITH ANY SUBSEQUENT AMENDMENTS PRIOR TO BID DATE FOR HIGHWAY LIGHTING.
- EXISTING CONDUIT RUNS ARE DIAGRAMMATIC AND ARE BASED SOLELY ON EXISTING AS-BUILT PLANS. EXACT LOCATION OF CONDUIT RUNS AND PULL BOX LOCATIONS SHALL BE FIELD VERIFIED PRIOR TO ANY EXCAVATION OR REMOVAL WORK.
- POLE OFFSET SHALL BE MEASURED FROM CONSTRUCTION CENTERLINE INDICATED TO THE CENTER OF POLE AS INDICATED ON POLE SCHEDULE. REFER TO LIGHTING PLAN SHEETS FOR ADDITIONAL INFORMATION.
- ALL EXISTING EQUIPMENT AND LIGHTING SYSTEMS SHALL REMAIN IN OPERATION UNLESS OTHERWISE NOTED. COORDINATE AND RECEIVE APPROVAL OF ANY OUTAGES FROM ENGINEER.
- CONTRACTOR IS TO NOTIFY ENGINEER IN WRITING WHEN FIELD ADJUSTMENT OF POLES IS NECESSARY TO AVOID CONFLICT WITH UTILITIES OR CONSTRUCTION. STAKE NEW LOCATION OF POLES FOR REVIEW BY ENGINEER PRIOR TO ANY WORK.
- CONTRACTOR IS RESPONSIBLE FOR LOCATION ALL EXISTING UTILITIES WHETHER SHOWN HEREIN OR NOT AND SHALL PROTECT THEM FROM DAMAGE. CONTRACTOR SHALL BEAR ALL EXPENSES FOR REPAIR OR REPLACEMENT IN CONJUNCTION WITH EXECUTION OF THIS CONTRACT.
- WHERE INDICATED ON THE PLANS, REMOVE EXISTING FOUNDATION PER SPECIAL PROVISIONS. POLES AND HARDWARE SHALL BE CLEANED AND DELIVERED TO APS, OR CITY OF SAN LUIS AS INDICATED ON THE PLANS.
- DIRECT BURIED POLES SHALL BE SET IN AN AUGURED HOLE IN UNDISTURBED EARTH. POLE SHALL BE SET PLUMB IN TWO DIRECTIONS 90 DEGREES APART. BACKFILL SHALL BE IN ACCORDANCE WITH ADOT 2021 STANDARD SPECIFICATIONS, SUBSECTION 203-5.03(B).
- EXISTING APS POWER SOURCE SHALL REMAIN IN PLACE AND FULLY OPERATIONAL THROUGHOUT THE CONSTRUCTION PERIOD UNLESS OTHERWISE NOTED.
- CONTRACTOR SHALL RECIRCUIT AND RECONNECT ALL ELECTRICAL EQUIPMENT CIRCUITS, ETC. NOT INDICATED TO BE REMOVED WHICH MAY BECOME SEVERED FROM IT NORMAL POWER SUPPLY.
- DIRECT BURY POLE BURY DEPTH SHALL BE IN ACCORDANCE WITH APS REQUIREMENTS.
- CONTRACTOR SHALL CONTACT JOHN P. MAHON OF APS AT (928-336-9820) A MINIMUM OF 10 DAYS BEFORE ANY SERVICE WORK IS REQUIRED.
- CONTRACTOR SHALL REFER TO STORM DRAIN PLAN SHEETS FOR COORDINATION OF CONDUIT INSTALLATIONS ROUTED ADJACENT TO AND OVER EXISTING OR NEW CATCH BASIN AREAS.
- EACH LUMINAIRE SHALL BE INDIVIDUALLY PROTECTED BY FUSE.
- ORIENT POLE BASE TO ROADWAY SUCH THAT THE LUMINAIRES ARE 90 DEGREES TO THE DIRECTION OF TRAVEL.
- CONTRACTOR TO REPLACE AND BURNED-OUT LAMPS OF NEW EQUIPMENT AT ANY TIME DURING THE CONSTRUCTION PERIOD UP TO FINAL ACCEPTANCE OF THE PROJECT BY THE CITY OF SAN LUIS. COST FOR MATERIAL AND LABOR TO BE INCLUDED AS PART OF "MAINTAIN EXISTING HIGHWAY LIGHTING AND TRAFFIC SIGNALS".
- CONTRACTOR TO FURNISH AND INSTALL A LOCATOR BALL IN THE CONDUIT TRENCH ADJACENT TO PULL BOXES. PULL BOX COVERS TO BE BURIED 12 INCHES BELOW GRADE. TYPICAL UNIT IS 3W-EM5-XR/D POWER. LOCATOR BALLS TO BE INCLUDED IN PULL BOX PRICES.
- EXISTING LIGHTS ARE POWERED BY APS
- CONTRACTOR TO PROVIDE CONDUIT TRENCH, 1 INCH AND 2 1/2 INCH CONDUIT AND INSTALL 2500 LB. RATED MULE TAPE IN CONDUIT. CLOSE TRENCH AFTER CONDUIT/PULL BOX SYSTEM HAS BEEN INSPECTED AND APPROVED BY APS.
- APS TO SUPPLY PULL BOXES (J BOXES) AND INSTALL LIGHTING CONDUCTORS IN CONDUIT. PULL BOX TO PULL BOX, AND IN LIGHT POLES TO LUMINAIRE ALONG WITH THE NECESSARY FUSES FOR THE ROADWAY STREETLIGHT AND PEDESTRIAN LIGHT. APS TO SUPPLY AND INSTALL LIGHT POLES.
- CONTRACTOR TO INSTALL APS FURNISHED GROUND RODS IN EACH APS FURNISHED PULL BOX. GROUT THE PULL BOXES PER APS REQUIREMENTS. GROUND RODS TO BE INCLUDED AS PART OF PULL BOX INSTALLATION.



**KEYNOTES: THIS SHEET**

- 1** REFER TO POLE SCHEDULE, LIGHTING MODIFICATION PLAN


Know what's below.  
Call before you dig.



**A** COMBINATION POLE DETAIL - APS POLE CODE 1944.38

HTS

	<b>PSOMAS</b>		255 E NETWORK ROAD, SUITE 420 SAN LUIS, AZ 85301 520-392-2570
	SCALE: N.T.S.	APPROVED BY:	DRAWN: JV, RC, AP
	DATE: 8/31/23		CLP NO.
	SAN LUIS 1 LAND PORT OF ENTRY OFFSITE		
LIGHTING NOTES		28 OF 38	



**SHEET NOTES**

**KEYNOTES: THIS SHEET**

- 1 EXISTING ELECTRIC SERVICE CONDUIT RUN NO. 1 FROM APS CONNECTION POINT. 2 1/2 INCH CONDUIT. 3#3 Ø WRES TO REMAIN.
- 2 EXISTING LIGHT AND POLE TO REMAIN.
- 3 EXISTING NO. 5 PULL BOX TO BE RESET.
- 4 EXISTING NO. 5 PULL BOX TO BE REMOVED. NEW 2 1/2 INCH CONDUIT TO CONNECT TO EXISTING CONDUIT.
- 5 NEW NO. 5 PULL BOX TO BE INSTALLED.
- 6 EXISTING DIRECTORY APS ARCHITECTURAL LIGHT POLE TO BE REMOVED.
- 7 NEW DIRECT BURY APS ARCHITECTURAL LIGHT POLE TO BE INSTALLED.
- 8 NEW 2 1/2 INCH CONDUIT INSTALLED BY CONTRACTOR 2 #10 ALUMINUM - GROUND INSTALLED BY APS.
- 9 NEW 2 INCH CONDUIT WITH 2#10 ALUMINUM #10 GROUND FROM PULL BOX TO POLE WRES CONTINUE TO BALLAST AND INSTALLED BY CONTRACTOR.
- 10 EXISTING CONDUIT AND CONDUCTORS TO REMAIN IN PLACE.
- 11 NEW 2 1/2 INCH CONDUIT INSTALLED BY CONTRACTOR 3#3 Ø WRES TO RELOCATED SERVICE METER PEDESTAL BY APS.
- 12 EXISTING CONDUIT TO REMAIN IN PLACE. APS TO INSTALL NEW CONDUCTORS BETWEEN PULL BOXES.
- 13 SEE TRAFFIC SIGNAL PLANS FOR NOTES ON RELOCATED SERVICE METER PEDESTAL.

**POLE SCHEDULE - STREET LIGHTING SYSTEM**

ADOT NUMBER	LOAD CENTER	CIRCUIT NUMBER	POLE NO.	CONSTRUCTION CENTERLINE	STATION NO.	OFFSET FROM CENTERLINE	POLE HEIGHT	LAMP	LAMP QUANTITY	POLE TYPE	MAST ARM	LUMINAIRE ORIENTATION	REMARKS	NOTES
	EXISTING		1	Urtuzuastegui Street	16+64.3	18.4' RT	32 FT	160 / 25	2	APS 1944	8 FT HI-RISE 2' MID-POLE	STREET / SW	APS SUPPLIED	1, 2, 3, 4, 5
	EXISTING		2	Urtuzuastegui Street	17+81.0	37.4' RT	32 FT	160 / 25	2	APS 1944	8 FT HI-RISE 2' MID-POLE	STREET / SW	APS SUPPLIED	1, 2, 3, 4, 5


CONDUIT AND CONDUCTOR SCHEDULE						
CONDUIT RUN LETTER	A	B	C	D	E	F
CONDUIT SIZE IN INCHES	2 1/2	2 1/2	1			
#3/0 ALUMINUM - BY APS	3					
#1/0 ALUMINUM - BY APS		2				
#8 GND	1	1				
#10 COPPER, BLACK			4			
#10 GND COPPER, BARE				1		
Notes:		2	3			

**CONDUIT AND CONDUCTOR SCHEDULE NOTES**

- 1. All conduit is new and supplied and installed by the contractor.
- 2. Conductors supplied and installed by APS.
- 3. Wires to the light fixtures installed by APS.

**POLE SCHEDULE NOTES**

- 1. New poles supplied and installed by APS.
- 2. 8 foot mast arm faces street side full cut-off.
- 3. 2 foot mast arm faces sidewalk side full cut-off.
- 4. APS Light Code CL54, 160 W LED, Type II Distribution for street.
- 5. APS Light Code CL50, 26 W LED, Type II Distribution 3000K, 3,400 Initial Lumens for sidewalk.



**LEGEND**

- CONCRETE PAVEMENT PER PAVING PLAN, SHEETS C1121-SP THROUGH C125-S. CONCRETE SIDEWALK PER COV NO. 3-135.
- AC PAVEMENT PER PAVING PLAN, SHEETS C1121-SP THROUGH C125-SP.
- FOG SEAL EXISTING PAVEMENT.
- UTILITY EASEMENT LINE.
- PROPERTY LINE.



Know what's below. Call before you dig.



**PSOMAS** SAN LUIS LAND PORT OF ENTRY

SCALE: 1" = 20' DATE: 8/31/23 DRAWN: JV, RC, AP C.I.P. NO. APPROVED BY: LIGHTING MODIFICATION PLAN 30 OF 38

Project: 6/27/2023 7:54:30 PM 11. Server: 6/27/2023 11:13:04 PM 13. S:\CADD\2023\11\1125-SP\1125-SP.dwg 14. User: jv\jv\jv




**SHEET NOTES**

- ① SWEEP STREETS DAILY AT POINTS OF INGRESS AND EGRESS ACROSS PROJECT EXTENTS
  - ② INSTALL FIBER ROLL BARRIER
  - ③ INSTALL BASIN AND STEEL GRATE PROTECTION
  - ④ INSTALL CONSTRUCTION TRACK-OUT CONTROLS (STABILIZED CONSTRUCTION ENTRANCE)
  - ⑤ INSTALL SANDBAG CHECK DAMS
1. REFER TO THE LATEST EDITION OF THE UNITED STATES ENVIRONMENTAL PROTECTION AGENCY (EPA) STORMWATER BEST MANAGEMENT PRACTICE FOR THE BMP OUTLINED ON THIS PLAN.
  2. INSTALL INLET PROTECTION ON ALL EXISTING INLETS PRIOR TO DEMOLITION.
  3. THE LOCATION AND PROTECTION OF ALL UTILITIES IS RESPONSIBILITY OF THE CONTRACTOR.
  4. DISTURBANCE LIMIT IS APPROX. 1 ACRE
  5. IMPROVEMENTS SOUTH OF WAY ARE PER SEPARATE ON-SITE PLANS.

MATCHLINE STA 17+00 SEE BELOW

MATCHLINE STA 22+00 SEE SHEET 32



Know what's below.  
Call before you dig.

**LEGEND**

- SLOPE ARROW
- NEW CONTOUR
- - - EXISTING CONTOUR
- - - EXISTING NEW R/W
- - - OFFSITE EROSION CONTROL LIMIT
- FIBER ROLL BARRIER
- INLET PROTECTION
- CONSTRUCTION TRACK OUT CONTROLS

**DRAFT**

**PSOMAS**  
 333 F. WETMORE ROAD  
 SUITE 400  
 RAYNES, CA 95070  
 530.762.2000


SCALE: 1"=20'  
 DATE: 8/31/23  
 APPROVED BY: [Signature]  
 DRAWN: JV, RC, AP  
 C.I.P. NO.

**SAN LUIS I LAND PORT OF ENTRY OFFSITE  
 EROSION CONTROL PLAN | 31 OF 38**


MATCHLINE STA 17+00 SEE ABOVE

### SHEET NOTES

- ① SWEEP STREETS DAILY AT POINTS OF INGRESS AND EGRESS ACROSS PROJECT EXTENTS
  - ② INSTALL FIBER ROLL BARRIER
  - ③ INSTALL BASIN AND STEEL GRATE PROTECTION
  - ④ INSTALL CONSTRUCTED TRACK-OUT CONTROLS (STABILIZED CONSTRUCTION ENTRANCE)
  - ⑤ INSTALL SANDBAG CHECK DAMS
1. REFER TO THE LATEST EDITION OF THE UNITED STATES ENVIRONMENTAL PROTECTION AGENCY (EPA) STORMWATER BEST MANAGEMENT PRACTICE FOR THE BMP OUTLINED ON THIS PLAN.
  2. INSTALL INLET PROTECTION ON ALL EXISTING INLETS PRIOR TO DEMOLITION.
  3. THE LOCATION AND PROTECTION OF ALL UTILITIES IS RESPONSIBILITY OF THE CONTRACTOR.
  4. DISTURBANCE LIMIT IS APPROX. 1 ACRE
  5. IMPROVEMENTS SOUTH OF RIGHT OF WAY ARE PER SEPARATE ONSITE PLANS.



MATCHLINE STA 20+00 SEE SHEET 31



Know what's below.  
Call before you dig.




### LEGEND

- SLOPE ARROW
- 500 NEW CONTOUR
- EXISTING CONTOUR
- EXISTING NEW R/W
- OFFSITE EROSION CONTROL LIMIT
- FIBER ROLL BARRIER
- INLET PROTECTION
- CONSTRUCT TRACK OUT CONTROLS



<b>PSOMAS</b>		233 E WENDE ROAD SUITE 400 SANTA ANA, CA 92705 949.282.2500
SCALE: 1"=20'	APPROVED BY:	DRAWN: JY, RC, AP
DATE: 8/31/23		C.I.P. NO.
SAN LUIS I LAND PORT OF ENTRY OFFSITE		
EROSION CONTROL PLAN 32 OF 38		


Project: 07/2023 3100 00 Rev 11; Sheet: 07/2023 0108 01 Rev 11; Date: 07/2023 0108 01 Rev 11; Scale: 1"=20'; Title: SAN LUIS I LAND PORT OF ENTRY OFFSITE - EROSION CONTROL PLAN 32 OF 38




- 1 EXST SIGNAL POLE & FOUNDATION TO REMAIN
- 2 EXST SIGNAL CONTROLLER FOUNDATION & PAD TO REMAIN

**12** DIRECTIONAL CURB RAMP  
3" CURB AND GUTTER


(xxx.xx) EXISTING ELEVATION  
xxx.xx PROPOSED ELEVATION



**13** RADIAL CURB RAMP ATTACHED  
SIDEWALK PER MAG STD DTL 236-1



**A1** CONCRETE PAVEMENT (RIGID)  
12/13 N.T.S.




**A2** ASPHALT PAVEMENT (FLEXIBLE) FOR  
URTUZUASTEGUI ST  
N.T.S.

Know what's below.  
Call before you dig.




**PSOMAS** 213 E NETWORK ROAD, SUITE 400, RUSCON, AZ 85705, 520.792.3300


SCALE: N.T.S.	APPROVED BY:	DRAWN: JV, RC, AP
DATE: 8/31/23		C.I.P. NO.
SAN LUIS I LAND PORT OF ENTRY OFFSITE		
DETAILS		33 OF 38




**R4**  
12  
PARALLEL CURB RAMP  
PER MAG STD DTL 238-3



**R4**  
12  
SIDEWALK RAMP TYPE C  
PER ADOT STD C-05.30



**R5**  
12  
PERPENDICULAR CURB RAMP  
PER MAG STD DTL 237-2



**R6**  
12  
RADIAL CURB RAMP ATTACHED  
SIDEWALK PER MAG STD DTL 236-1

SEAL  
**DRAFT**

**PSOMAS**  
333 E WILLOW ROAD, SUITE 400  
TUCSON, AZ 85705  
520.792.2300


SCALE: N.T.S. APPROVED BY: DRAWN: JV, RC, AP  
DATE: 8/31/23 C.I.P. NO.  
SAN LUIS I LAND PORT OF ENTRY OFFSITE  
DETAILS 34 OF 38

Project: 8/17/2023, 7:18:09 PM :: Detail: 8/17/2023, 8:04:48 PM :: S:\A04020200 - San Luis I Land Port of Entry\Drawings\OFFSITE\DRG02-SP.dwg :: mjb@psomas.com

Know what's below.  
Call before you dig.








THE MAST ARM TRAFFIC STRUCTURES SHOWN ON THIS DRAWING HAVE BEEN DESIGNED IN ACCORDANCE WITH THE LOADING AND THE ALLOWABLE STRESS REQUIREMENTS OF THE 2013 AASHTO STANDARD SPECIFICATIONS FOR STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LUMINAIRE AND TRAFFIC SIGNALS, SIXTH EDITION, L15-6. THE WIND LOADS WERE CALCULATED FROM A BASIC WIND VELOCITY OF 90 MPH WITH A RECURRENCE INTERVAL OF 50 YEARS, AND A FATIGUE CATEGORY OF 2. THE FATIGUE LOADS WERE CALCULATED ON THE REQUIREMENTS OF SECTION 11 OF THE CODE, AND THE FOLLOWING DESIGN CONDITIONS:

- STRUCTURES ARE DESIGNED TO RESIST NATURAL WIND GUSTS BASED ON THE YEARLY MEAN WIND VELOCITY OF 11.2 MPH.
- STRUCTURES ARE NOT DESIGNED TO RESIST GALLOPING-INDUCED CYCLIC LOADS.
- STRUCTURES ARE DESIGNED FOR TRUCK-INDUCED GUST LOADS, AS REQUIRED BY THE OWNER OF THE STRUCTURES.
- THE WIND LOADS WERE CALCULATED FROM A BASIC WIND VELOCITY OF 90 MPH WITH A RECURRENCE INTERVAL OF 50 YEARS, DESIGN BASED ON FATIGUE CATEGORY 1 WITHOUT VIBRATION MITIGATION DEVICE OR FATIGUE CATEGORY 2 WITH INDEPENDENTLY TESTED VIBRATION MITIGATION DEVICE THAT IS GREATER THAN 85% EFFECTIVE OVER ENTIRE RANGE OF STRUCTURES.
- THE VIBRATION MITIGATION DEVICE SHALL BE AN ACTIVE, NON-AERODYNAMIC VIBRATION DAMPER SYSTEM TO EFFECTIVELY MITIGATE THE VERTICAL MOVEMENT UNDER FATIGUE LOADS. THE POLE MANUFACTURER WILL BE REQUIRED TO SUBMIT ALL THE NECESSARY DOCUMENTATION AND INDEPENDENT 3RD PARTY TESTING OF THE DEVICE TO PROVE THE DEVICE EFFECTIVENESS. THE DEVICE SHOULD BE ROBUST TO DAMPENING LARGE DISPLACEMENTS AND SMALL DISPLACEMENTS AND BE SELF-ADAPTING, NOT REQUIRE STRUCTURE-SPECIFIC TUNING. THE MITIGATION DEVICE SHALL BE TESTED TO WITHSTAND OVER 17 MILLION LARGE AMPLITUDE CYCLES WITH NO DETEIORATION OF THE DAMPENING PERFORMANCE

AASHTO 2013 SPECIFICATIONS

MATERIAL DATA		
COMPONENT	ASTM DESIGNATION	MIN. YIELD (KSI)
TAPERED TUBES	A595 GR. A OR A572	55
BASE PLATE	A36	36
ARM SIMPLEX PLATES	A36	36
SIGNAL ARM CONNECTING BOLTS	F3125 GR. A325	
LUMINAIRE ARM CONNECTING BOLTS	F3125 GR. A325	
ANCHOR BOLTS	F1554 GR. 55	55
ANCHOR BOLT NUTS	A563 GR. D <sup>1</sup>	
ANCHOR BOLT WASHERS	F436	
GALVANIZING-HARDWARE	F2329	



SIGNAL ARM DATA							
TYPE	QTY.	ARM SPAN "L" (FT)	LARGE END DIA. (IN)	SMALL END DIA. (IN)	GAUGE OR THICK (IN)	SECTION LENGTH (FT)	ARM PLATE CENTER HOLE (IN)
J & Q		20	9.00	6.20	7	20	7.00
		25	9.00	5.50	7	25	7.00
		30	10.00	5.80	7	30	7.00
		35	10.50	5.60	7	35	8.00
		40	11.00	5.40	7	40	8.00
K & R		45	12.50	6.20	5	45	8.00
		50	12.50	5.50	5	50	8.00
		55	12.50	6.62	3	42.00	7.00
V & W		60	6.50	4.67	7	13.00	
			13.50	10.79	0.250	19.35	7.00
		65	11.50	5.45	7	43.24	
			13.50	10.79	0.250	19.35	7.00
			11.50	4.75	7	48.25	

LUMINAIRE ARM DATA					
QTY.	ARM SPAN "L" (FT)	FIXED END DIA. (IN)	FREE END DIA. (IN)	GAUGE	RISE "R" (FT)
	6.00	3.31	2.40	11	2.00
	8.00	3.61	2.40	11	2.50
	10.00	3.93	2.40	11	3.33
	12.00	4.23	2.40	11	4.25
	15.00	4.65	2.40	11	4.75
	18.00	5.10	2.40	11	5.75
	20.00	5.90	3.00	7	5.75

POLE, BASE PLATE, ANCHOR BOLT DATA

QTY.	POLE TYPE	POLE TUBE				POLE BASE					ANCHOR BOLT		
		LENGTH (FT)	BASE DIA. (IN)	TOP DIA. (IN)	WALL GA/THK	SQUARE "B" (IN)	BOLT CIRCLE "C" (IN)	CENTER HOLE DIA. (IN)	THK. "D" (IN)	SLOT/HOLE SIZE "Z" (IN)	DIA. (IN)	LENGTH (IN)	PLATE SIZE "e" x "f" x "g" (IN)
	J	21.25	15.50	12.53	0.250	22.00	21.00	10.00	2.00	2.25 x 2.75	2.00	70 00	1.50 x 5.50 x 5.50
	K	21.25	15.50	12.53	0.250	22.00	21.00	10.00	2.00	2.25 x 2.75	2.00	70 00	1.50 x 5.50 x 5.50
	Q	30.00	15.50	11.30	0.250	22.00	21.00	10.00	2.00	2.25 x 2.75	2.00	70 00	1.50 x 5.50 x 5.50
	R	30.00	15.50	11.30	0.250	22.00	21.00	10.00	2.00	2.25 x 2.75	2.00	70 00	1.50 x 5.50 x 5.50
	V	21.25	16.00	13.03	0.250	23.00	22.00	11.50	2.00	2.25	2.00	70 00	1.50 x 5.50 x 5.50
	W	30.00	16.00	11.80	0.250	23.00	22.00	11.50	2.00	2.25	2.00	70 00	1.50 x 5.50 x 5.50



Digitally signed by Stephen R Osborn  
Date: 2023-05-09 16:17:05:00

REV	DATE	DESCRIPTION
RBC2	05/02/23	RBC2 05/02/23

TITLE CITY OF BOONVILLE  
TYPE J, K, Q, R, V & W POLES  
TRAFFIC SIGNAL STRUCTURES

VALMONT INDUSTRIES, INC. RESERVES THE RIGHT TO INSTALL VARIOUS ENGINEER APPROVED MATERIALS AND ACCOMMODATIONS TO FACILITATE THE MANUFACTURING PROCESS.

**valmont**  
valley, NE 68064  
(402) 359-2201

PROJECT NUMBER: 1 OF 5	DRAWING NUMBER: 11
DB01403	

FOR REFERENCE ONLY DETAILS



Know what's below. Call before you dig.




**PSOMAS**  
SCALE: N.T.S. APPROVED BY: DRAWN: J.V. RC, AP  
DATE: 8/31/23  
SAN LUIS I LAND PORT OF ENTRY OFFSITE  
DETAILS 36 OF 38

8/27/2023 10:27 PM: 11: Revise - 8/27/2023 10:28:02 AM: 11: B. MARSHALL - San Luis I Land Port of Entry Offsite Traffic Signal Structures 11.dwg






DETAIL 13 | TERMINAL COMPARTMENT W/HINGED COVER




DETAIL 14 | TERMINAL BLOCKS




DUE TO MANUFACTURING CRITERIA, BASEPLATES MAY HAVE SLOTS FOR GALVANIZING DRAINAGE

DETAIL 15 | POLE BASE



DETAIL 16 | ANCHOR BOLT



DETAIL 17 | TRI MITIGATOR

TITLE  
CITY OF GOODYEAR  
TYPE J, K, Q, R, V & W POLES  
TRAFFIC SIGNAL STRUCTURES

VALMONT INDUSTRIES, INC. RESERVES THE RIGHT TO INSTALL VARIOUS, ENGINEER APPROVED, MATERIAL HANGING ACCOMMODATIONS TO FACILITATE THE MANUFACTURING PROCESS.

**valmont**  
Valley, NE 68064  
(402) 359-2201

PAGE NUMBER 4 OF 5  
DRAWING NUMBER DB01403  
REV

FOR REFERENCE ONLY DETAILS

Keep what's below.  
Call before you clip.



SCALE: N.T.S. APPROVED BY: DRAWN: J.V. RC, AP  
DATE: 8/31/23 C.L.P. NO.  
SAN LUIS I LAND PORT OF ENTRY OFFSITE  
DETAILS 38 OF 38

333 E. WENMORE ROAD  
SUITE 400  
SAN LUIS, MO 63103  
314.221.2200