WABASHA HERITAGE PRESERVATION COMMISSION

October 30, 2023 9:00 a.m.

AGENDA

2.	Changes or Additions to Agenda (Open)
3.	Approval of minutes (Commission)
a.	Date of Minutes September 25, 2023
4.	Design Review-
a.	119 Pembroke Ave - Transom Window to Front
b.	Grantor/Sponsor Panel for Mural on 180 Main Street West
5.	Possible upcoming review/request for assistance:
6.	Old Business/Subcommittee Work
a.	Main Street Update - Flicek
b.	Fall SHPO Conference Review - Mann
7.	New Business
8.	Other Business
9.	Announcements
10.	Next Meeting Date: November 27, 2023
11.	Adiourn (Chair)

Call to Order (Chair)

1.

Heritage Preservation Commission

Meeting Date: 10/30/2023

SUBJECT: Date of Minutes September 25, 2023

DEPARTMENT: Administration

TITLE:

Date of Minutes September 25, 2023

PURPOSE:

Attachments

Minutes 9-25-2023

3. a.

DRAFT

WABASHA HERITAGE PRESERVATION COMMISSION MINUTES SEPTEMBER 25, 2023, 9:00 a.m.

Present: Linda Mann, Commissioner; Mary Flicek, Commissioner; John Rivers, Commissioner;

Jenny Palmen, Commissioner

Absent: Emily Durand, Commissioner; John Palmen, Commissioner

1. Call to Order

The meeting was called to order by Chair Flicek at 9:02 a.m.

2. Changes or Additions to Agenda

The revised agenda was discussed. It was noted that the PreserveMN 2023 conference will be discussed during the next HPC meeting.

3. **Approval of Minutes**

a. Dates of Minutes: 8/28/2023 & 9/5/2023

Motion made by Commissioner Linda Mann, seconded by Commissioner John Rivers to approve the minutes of both meetings as drafted.

Vote: 4 - 0 - Unanimously

4. **Design Review**

There were no design reviews.

5. Possible Upcoming Reviews / Requests for Assistance

City Clerk Busch reported that an NEC signage proposal will be presented during a future HPC meeting.

6. Old Business / Subcommittee Work

a. Main Street Update

Chair Flicek provided an update regarding mural insurance. The process of gifting public art to the City was reviewed. The Public Places are Sacred Spaces mural capstone event and the anticipated timeline were discussed. An upcoming coffee meeting at the Anderson House on November 9 was discussed.

b. Downtown Construction Q & A

Recent accessibility issues were discussed. The athletic field project was discussed. The benefits of weekly project updates were noted.

7. Announcements

A recent Rethos walking tour was discussed. Applications for a new grant program were discussed.

Additional project updates were provided. Promotion of the mural project was discussed.

Conference attendance was discussed.

A presentation by author Olaf Danielson at the Reads Landing Museum on October 8 was discussed. Historic bridges in the area were discussed. Museum events and hours were reviewed. A recent auction was discussed.

An Anderson House update was provided.

8. Next Meeting Date: October 23, 2023

The next meeting was discussed. Chair Flicek indicated that she would be unable to attend the meeting.

9. Adjourn

Motion made by Commissioner Jenny Palmen, to adjourn the meeting. The meeting adjourned at 9:27 a.m.

Vote: 4 - 0 - Unanimously

Respectfully submitted by:	
	Wendy Busch, City Clerk
	Adopted Date

Heritage Preservation Commission

Meeting Date: 10/30/2023

SUBJECT: 119 Pembroke Ave - Transom Window to Front

DEPARTMENT: Administration

TITLE:

119 Pembroke Ave - Transom Window to Front

PURPOSE:

ITEM SUMMARY:

Mike Sholing has made an application to insert transom windows at 119 Pembroke Ave in the lower store front. The windows will be black to match the upper windows in the building as well as his property to the north at 113 Pembroke Ave. Staff spoke to Tracy Sholing onsite. It was confirmed that there will be three windows with gridlines all in black. While onsite staff was able to see that it was likely windows were present in this location in the past. With the reintroduction of windows and natural light into the space it will enhance the new intended use of an art studio. Below is

Checklist based on adopted HPC Design Guidelines, & Secretary of Interior Standards

Requirements of Specific Project Proposed

Window Checklist	Findings for Approval	Findings for Denial
1. Are the present windows ornamental, fine examples of historic design or craftsmanship or the most dominant visual element of the building and does the proposed design preserve and retain these elements?		
2. Are original materials and features still present being repaired and retained to the extent possible? If replacement is proposed, is there evidence (an evaluation with photos) that the work proposed meets the level of deterioration present?		
3. If new windows are proposed, are the proposed replacements consistent with the style (size, shape, proportions, and configuration) of the current or historic windows?		
4. Do proposed new windows contribute to the appearance of the façade following the historic pattern of window size, openings, proportion and arrangements for this specific building?		

4. a.

5. Do proposed new windows contribute to the appearance of the façade following the historic pattern of frame and sash proportion, muntin profiles, materials, color, glass, hoods, sills and other decorative elements in the same way historic windows did for this specific	
building?	

STAFF RECOMMENDATION:

Approval of the reintroduction of the transom windows as presented in the application dated 9/25/2023

Attachments

Application
Store Front Picture



HISTORIC PRESERVATION COMMISSION DESIGN REVIEW APPLICATION

The HPC respectfully requests all applicants or an assignee attend the design review meeting. The Commission has 60 days to review all applications, however, submittal of a complete application 14 days or more before a meeting will typically secure a spot on the next meeting agenda.

Address of Design Review:	119 Pembroke Ave			
Applicant: Address:	Make Shoung 65939 142nd Alu	Phone: Cell: 507-259-3949 e-mail:		
Owner (if different): Address:	65939 142nd Ave Wabasha MN 53981	Phone: 507-259-3999 e-mail:		
Historical use or name of bu	ilding or site (if known)			
Type of work proposed (attach additional pages as necessary) Reverte Space, New Heat Rock, All To BIHAROS All G Oscible down to back, All transon undown to Front Mee LVP Flowing. ATTACHEMENTS REQUIRED: 1. A current photograph of the building or site where work is proposed 2. An illustration of proposed work to be completed 3. Samples of exterior materials, paint chips, or other appropriate material examples 4. Historic photos (if available) of the site/building where work is proposed				
Mosel TShite		9-25-2023		
Applicants Signature	Date			
Office use only Date application submitted 15 day notice	9-25-2023 Date application complement 60 day notice	ete 9.25.2023		
		·		

HISTORIC DISTRICT DESIGN REVIEW QUICK LIST FOR PREPARING APPLICATION

	Current Photos of building/site where changes will occur (include both views from street and close up details of area to be changed and features already present)
	Detailed sketch of proposed changes to site interior work. (The more involved the project, the more detailed your sketch should be. For some projects an architect produced drawing may be recommended)
A	Paint chips and/or sample materials to be used
	Historic photos or information about the history of the building and site (if available)
	Provide a time line for construction (when do you expect to start and complete the project?) ASAP (Maputed by 12-1-2023
	Filled out application form along with assembled items above must be submitted 1 week prior to the meeting where design review will occur. (sample materials may be brought to the meeting if not available ahead of time)
	nances and requirements along with Design Guidelines used to

The City Planner (Molly) is available to answer questions at 651-565-

4568 or cityplan@wabasha.net



Heritage Preservation Commission

10/30/2023 **Meeting Date:**

SUBJECT: Grantor/Sponsor Panel for Mural on 180 Main Street West

DEPARTMENT: Administration

TITLE:

Grantor/Sponsor Panel for Mural on 180 Main Street West

PURPOSE:

ITEM SUMMARY:

An application has been received from Sue Mundy & George Hill for an attached Grantor/Sponsor panel under the staircase on the rear of 180 Main Street West at Hills Hardware Hank. The sign will be printed on a vinyl sheet and adhered to a 3mm board of polymetal and secured to a 2x4 structure to the staircase. The sign will be 42"x60" and falls within the allowed signage for the property given Hills has 3 frontages. (Main Street, Alleghany Ave, Big Jo) This signage is not advertisement but rather informational. The top half will provide information regarding the Public Places Are Sacred Spaces mural and the lower portion will provide space for Grantors/Partners/Volunteer & Donors.

4. b.

COMMITTEE RECOMMENDATION:

Review the checklist for Sign Approval			
V N NA W		N.A.	With the proposed sign is the total <i>square footage</i>
1	11	11.71.	of signage at or under that allowed
Y N	N	N.A.	With the proposed sign is the total <i>number</i> of
1	11	IN.A.	signs at or under that allowed
			Is the type of sign proposed listed in Section
Y	N	N.A.	153.45"SIGNS TYPES" and does it meet the
			requirements indicated there
			Is the sign comprised of metal or wooden base
			with a molding around the edge and the letters
Y	N	NΑ	painted or applied Or does the Commission find
1	11	1 N.A.	that the materials proposed duplicate the

appearance of materials historically used in sign manufacturing Are the lettering styles legible and do the words,

pictures, names, symbols and/or logos relate to the N N.A. character of the property's use

Does the proposed sign contain no more than two N N.A. lettering styles

Does the lettering occupy no more than 60% of Y N N.A. the sign's total area

Do the capital letters extend no more than 75% of Y N N.A. the height of the sign background

Are there no more than two colors (or three for Y N.A. highlighting) and are they compatible with the building façade

Does any part of the sign move or create the Y N N.A. illusion of movement in any manner

Are all other signs on the property kept in good

Y N N.A. repair and in proper state of preservation and working order


Does the proposed sign adversely affect the

Heritage Preservation Landmark or District based on the Heritage Preservation Guidelines or Secretary of Interior Standards

STAFF RECOMMENDATION:

Staff suggest a motion to approve as follows: To approve the application for a sign permit for Public Places Are Sacred Spaces Sponsor/Donors sign dated 10/20/2023.

	Attachments	
Application		
pics		
pic 2		



HISTORIC PRESERVATION COMMISSION DESIGN REVIEW APPLICATION

The HPC respectfully requests all applicants or an assignee attend the design review meeting. The Commission has 60 days to review all applications, however, submittal of a complete application 14 days or more before a meeting will typically secure a spot on the next meeting agenda.

Address of Design Review:	Backside of 180 Main St. West			
Applicant: Address:	Sul Munty / GCorge Hill Phone: 651-515-3743 22869 6644 St. Wabasha, MD Cell: e-mail: Sweling @ riverlang			
Owner (if different): Address:	Colbrag Hill 180 Main St. West Phone: 651-564-042 e-mail: geo.hankahotma			
Historical use or name of bu	uilding or site (if known)			
Hi113	s Hardware Hank			
	ach additional pages as necessary)			
Attach a Cox	intor/Snonson Panel under Staircase			
on backside of building. To be installed before				
ATTACHEMENTS REQUIRED: 1. A current photograph of the building or site where work is proposed 2. An illustration of proposed work to be completed 3. Samples of exterior materials, paint chips, or other appropriate material examples 4. Historic photos (if available) of the site/building where work is proposed				
Applicants Signature	Date			
Office use only				
Date application submitte	Date application complete			
15 day notice	60 day notice			

This is a rough draft of what the accompanying panel will look like. Need to fill in Dakota names for plants and continue to add donor names.

Size: 42" x 60"

Fonts: Amerigo BT and Arial (regular and bold) Background color: Same as neighboring building.

Font color: Gold

This will be printed on a vinyl sheet then adhered to a 3mm board of polymetal. It will be secured to a 2x4 structure that is secured to the staircase and building on the right.

PUBLIC PLACES ARE SACRED SPACES

WABASHA MAIN STREET PROJECT 2023

A Collaborative work lead by Susan Degnan Mundy, painter, with Native bead artist Jalayahraven WhiteCloud, and Native artist and educator Inkpa Mani.

> Video QR CODE

Use this QR code or visit wabashamainstreet.org to learn about this mural. Listen to native stories about this place, the significance of the elements in the mural, and the "healing plants" bead design. This video is 40 minutes long.

Plant Identification

1	Prairie Crocus
2	Flame Flower
3	Choke Cherry
4	
5	
6	
7	
8	Coneflower
9	Bergamot
10	Sage
11	Flame Flower

Original beadwork may be seen at the National Eagle Center.



Thank You

GRANTORS & PARTNERS











12





With Support from the RUTH GALE and GEORGE DOFFING FOUNDATION



Wabasha-Kellogg Area Community Boost



VOLUNTEERS

Blood Root

Claire Hall Carolyn Emory Jada Fries Jean Fries Sarah Fries Sue Hampe Toni McMillin Abigail Hall Bev Hall Bruce Kinlund Amy Glomski Mary Jo Bussian Linda McMillin Ivv Patterson Claire Abbott Mary Flicek Jan Brunkow Joanie Passe Georgette Schumacher

Eric Pierson Mary O'Brien Jeanie Wodele **Emily Durand** Theá Durand Laura Fredrickson Julie Anderson Jennifer Christoffer Norma Pries Carol Larson Bob Holtan Janet Runions Michelle Meyer Lisa Allen John Mundy George Hill Christopher Hill Dave Mentch Soren Rasmussen

Individual Donors

Mary Ann Mundy



