

STREET COMMISSION

March 3, 2026 8:30 am

MEETING AGENDA

- 1) Call to Order and Roll Call:
- 2) Public Comments:
- 3) Changes or Additions to Agenda:
- 4) Approval of Minutes:
 - a) Minutes from 2-3-2026
- 5) General Business:
 - a) Old Legion coffee company drive up window/one way alley request 155 Pembroke Avenue
 - b) 2007 plow truck replacement
- 6) Old Business:
- 7) Other Business:
- 8) The next Street Commission meeting is April 7, 2026 at 8:30AM
- 9) Adjourn:

Street Commission

4) a)

Meeting Date: 03/03/2026

ITEM TITLE: Minutes from 2-3-2026

DEPARTMENT: Administration

REQUESTED BY:

PURPOSE:

ITEM SUMMARY:

Review minutes as drafted.

STAFF RECOMMENDATION:

Approve minutes as drafted.

Attachments

Minutes from 2-6-2026

DRAFT

**Street Commissioners:**

Doug Marcotte, Commissioner
Jay Jewson, Commissioner
Jim Mathias, Commissioner
Jeff Sulla, Commissioner & Council Representative

Staff:

Tony Johnson, Public Works Director
Riley Costello, Assistant Public Works Director
Lisa Springer, Office Manager

STREET COMMISSION MINUTES

Present: Jay Jewson, Commissioner; Jim Mathias, Commissioner; Jeff Sulla, Commissioner;
Doug Marcotte, Commissioner

Also Present: Tony Johnson, Public Works Director
Riley Costello, Assistant Public Works Director
Lisa Springer, Office Manager
Kristi Trisko, Senior Planner-Bolton & Menk

Attendees: Steve Gosse, Public Comment on APC Plat

1. Call to Order and Roll Call:

The Street Commission meeting was called to order at 8:32AM by Chair - Jim Mathias.

2. Public Comments:

Mike Gosse, property owner at 1148 21st Street, brought forward concerns about Anchor Point Church's future development of a church & event center for a proposed use of practices, sporting events, club organization meetings, weddings, funerals, parties and indoor play. First, the increased traffic volume in the neighborhood; second, parking concerns; third, access in and out of the neighborhood. Mr. Gosse also asked what traffic or development thresholds trigger the requirement for a new development to have another outlet. Currently, there is no other way into or out of Eagle's Basin other than on 21st Street. There is also no parking on one side of 21st Street and parking in the neighborhood is limited in that area. He compared this to the Fitzgerald Development, where they were required to provide future road access as a part of their development agreement. He also noted the speed limit along Hiawatha Dr/County Road 30 is 55mph, which raises concerns about the risk of traffic accidents. Staff

noted that the county did a speed study in that area in 2025, but we don't know the details of that study.

3. Changes or Additions to Agenda:

Moved by Commissioner Doug Marcotte, seconded by Commissioner Jeff Sulla to move item "E" Preliminary Plat & Plans (Anchor Point Church Development) to item "A"

AYE: Commissioner Doug Marcotte, Commissioner Jay Jewson, Commissioner Jeff Sulla,
Commissioner Jim Mathias

Adopted - Unanimously

4. Approval of Minutes:

a. Minutes from 1-6-2026

Moved by Commissioner Jay Jewson, seconded by Commissioner Doug Marcotte to approve the minutes as drafted.

AYE: Commissioner Doug Marcotte, Commissioner Jay Jewson, Commissioner Jeff Sulla,
Commissioner Jim Mathias

Adopted - Unanimously

b. Minutes from 12-2-2025

Moved by Commissioner Jay Jewson, seconded by Commissioner Doug Marcotte to approve the minutes as drafted.

AYE: Commissioner Doug Marcotte, Commissioner Jay Jewson, Commissioner Jeff Sulla,
Commissioner Jim Mathias

Adopted - Unanimously

5. General Business:

a. Street light temperature for replacement bulbs

Table discussions until more information is available, still waiting for information from Xcel Energy.

b. 2026 Freightliner Truck

Reviewed the new 2027 truck specification proposal from Dave Syverson Freightliner. No motion, discussion only.

c. Matt Wobbe replacement hire process

Motion to recommend to City Council to move forward with advertising for both Public Works Tech I and Tech II positions to see what applications come forward.

Moved by Commissioner Jay Jewson, seconded by Commissioner Doug Marcotte

AYE: Commissioner Doug Marcotte, Commissioner Jay Jewson, Commissioner Jeff Sulla,
Commissioner Jim Mathias

Adopted - Unanimously

d. Commissioner Expectations

No motion, review only of commissioner's expectations.

e. Preliminary Plat & Plans (Anchor Point Church Development)

City Planner Kristi Trisko gave an overview of the Anchor Point Church preliminary plat of Phase I and Phase II of the proposed development of a church building for worship/meeting space and double as a gymnasium for community-centric activities.

It was agreed to support the recommended conditions 1 and 2 in the staff report from the City Planner and additionally, have the Planning Commission also consider a traffic study and require that all utilities and street improvements extend to the end of the lot on the new parcel.

Moved by Commissioner Jay Jewson, seconded by Commissioner Jim Mathias

AYE: Commissioner Doug Marcotte, Commissioner Jay Jewson, Commissioner Jeff Sulla,
Commissioner Jim Mathias

Adopted - Unanimously

6. Old Business:

There was no old business to discuss.

7. Other Business:

There was no other business to discuss.

8. Next meeting: March 3, 2026 at 8:30am

9. Adjourn:

Moved by Commissioner Jay Jewson, seconded by Commissioner Jeff Sulla to adjourn the meeting at 9:37AM.

AYE: Commissioner Doug Marcotte, Commissioner Jay Jewson, Commissioner Jeff Sulla,
Commissioner Jim Mathias

Adopted - Unanimously

Street Commission**5) a)****Meeting Date:** 03/03/2026**ITEM TITLE:** Old Legion coffee company drive up window/one way alley request 155 Pembroke Avenue**DEPARTMENT:** Public Works**REQUESTED BY:** Old Legion Coffee Company

PURPOSE:

Discuss the request to change the alley to a one way and install a drive-up window to serve coffee and other items.

ITEM SUMMARY:

We have received a request from Chad and Anne Muerer to install a drive-up window at their business, Old Legion Coffee Company, and to change the alley to one-way traffic, East to West. Drive-thru placements are not allowed in the TDC Zoning District. The only drive-up service windows in the Wabasha city limits are all located on "privately owned property." Dairy Queen, WNB bank, Wabasha County bank, etc. If approved, the planning commission would need to approve the change to the entire TDC Zoning District for downtown. Will the common closet want a drive-up window next? What would be the precedent being set?

Good morning Tony. Chad reached out to me on Friday afternoon and wants to move forward with a request for the partial use of the Alley adjacent to Pembroke and Bailey Ave for a coffee drive-thru. I mentioned that the first step would be to see if the Street Commission would approve this use of a public alley. IF that group could find a way forward, then Chad would have to request that the Planning Commission amend the TDC Zoning District to add a drive-thru for use. I would anticipate that Chad will move forward with a request for a review at March's Street Commission Meeting. From Kristi - Planning.

Attachments

alley pic

zoning map



5th Gr



Legend



City Limits



Parcels 04/21/2025

Zoning


- RC - Residential Conservancy
- RR/LA - Rural/Residential/Limited
- RR/GT - Rural Residential Growth
- R1 - Low Density Residential
- R2 - Medium Density Residential
- Traditional Downtown Commercial
- GC - General Commercial
- HC - Highway Commercial
- I - Industrial
- PUD Overlay District Eagle Basin

Zoning Map



Disclaimer:

This drawing is neither a legally recorded map nor a survey and is not intended to be used as one. This drawing is a compilation of records, information, and data located in various city, county, and state offices, and other sources affecting the area shown, and is to be used for reference purposes only. The City of Wabasha is not responsible for any inaccuracies herein contained.



0 132 Feet



**BOLTON
& MENK**

Real People. Real Solutions.

Street Commission

5) b)

Meeting Date: 03/03/2026
ITEM TITLE: 2007 plow truck replacement
DEPARTMENT: Public Works
REQUESTED BY: Public Works

PURPOSE:

Discuss the truck replacement for 2027.

ITEM SUMMARY:

The current tandem plow truck we have was purchased new in 2007 for \$185,000. The trade in of the old 1995 plow truck we received \$21,000. For 20 years it cost us \$8,200 per year in the CIP for this purchase, plus yearly maintenance costs. This truck was to be replaced after 15 years, but we needed to push the truck out to 20 years due to the CIP amounts available. In 2023, we spent \$50,000 on major repairs between the hydraulics and ABS brake controller.

The new proposed truck for 2027 is priced at \$334,290. Truck and chassis cost \$139,000, and the plow/box/scraper/sander/wing equipment with installation cost \$195,290. Our estimated auction price of the old truck is \$35,000. This would cost us \$15,000 per year in the CIP over the next 20 years.

Unlike most other city departments, Public Works does not have the ability to call mutual aid if one of our trucks is down for major repairs. If a fire truck or ambulance breaks down, they can call other surrounding agencies to help. Public Works is unable to call MNDOT or Wabasha County for a truck/operator or to borrow a plow truck. Due to our daily schedule of routine tasks, we have limited time to spend on repairs and are limited to what we are capable of repairing on these trucks. This truck plows 1/3 of our city limits area, and has more of a tough route, plowing/sanding the more rural roads surrounding town, including county roads in our jurisdiction. Pushing this purchase back further in the CIP will be detrimental to our yearly maintenance costs and operability. I checked this truck with Wabasha County pricing, and we are very much inline with their trucks, and also conversed with them about budget-saving ideas.

- 2027 truck chassis pricing costs will rise approximately \$10,000-\$15,000 due to new emissions coming and an entirely new engine/powerplant.
- See attached documents, pictures, and tariff increase notice, \$1,500.

COMMITTEE RECOMMENDATION:

Street Commission will meet the same day and we will bring their recommendation to City Council that night.

STAFF RECOMMENDATION:

After holding the truck back an additional 5 years, it is recommended to replace the truck and seek as much auction money as possible to reimburse the CIP.

Attachments

truck pic 1
truck pic 2
truck chassis pricing
Snowplow equipment pricing
Tariff increase notice





CARQUEST

CARQUEST

Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092


A proposal for
MINNESOTA STATE OF

Prepared by
DAVE SYVERSON FTL-STL

Andrew Peterson

February 04, 2026

Freightliner 114SD Plus



Components shown may not reflect all spec'd options and are not to scale



MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

QUOTATION

114SD PLUS CONVENTIONAL CHASSIS

SET FORWARD AXLE - TRUCK	5325MM (210 INCH) WHEELBASE
CUM X12 455V HP @ 1900 RPM, 1550 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC	NO FIFTH WHEEL
ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	1/2X3.64X11-7/8 INCH STEEL FRAME (12.7MMX301.6MM/0.5X11.88 INCH) 120KSI
MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE	1500MM (59 INCH) REAR FRAME OVERHANG
TUFTRAC GEN2 40,000# REAR SPRING SUSPENSION	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION
DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT
18,000# FLAT LEAF FRONT SUSPENSION	
114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB	

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	138,596	\$	138,596
EXTENDED WARRANTY		\$	230	\$	230
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	138,826	\$	138,826

TAXES AND FEES

TAXES AND FEES	\$	0	\$	0
OTHER CHARGES	\$	0	\$	0

TRADE-IN

BALANCE DUE	(LOCAL CURRENCY)	\$	138,826	\$	138,826
-------------	------------------	----	---------	----	---------

COMMENTS:

Projected delivery on ___ / ___ / ___ provided the order is received before ___ / ___ / ___.

APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X _____ Date: ___ / ___ / ___.



MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-30D	SD PRL-30D (EFF:MY27 ORDERS)			STD
Data Version				
DRL-022	SPECPRO21 DATA RELEASE VER 022			N/C
Vehicle Configuration				
001-177	114SD PLUS CONVENTIONAL CHASSIS	7,934	6,476	\$170,892.00
004-227	2027 MODEL YEAR SPECIFIED			STD
002-003	SET FORWARD AXLE - TRUCK			STD
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10	\$1,025.00
003-001	LH PRIMARY STEERING LOCATION			STD
General Service				
AA1-002	TRUCK CONFIGURATION			STD
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			STD
99D-027	EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)			STD
A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE			N/C
A84-1GM	GOVERNMENT BUSINESS SEGMENT			N/C
AA4-010	DIRT/SAND/ROCK COMMODITY			N/C
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-1AD	FREIGHTLINER LEVEL I WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD 18000.0 lbs			



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD 40000.0 lbs			
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY 58000.0 lbs			

Truck Service

AA3-073	BELLY PLOW BODY WITH HIGH GROUND CLEARANCE			N/C
AF3-2BJ	UNIVERSAL TRUCK BODY			N/C

Tractor Service

N AA2-005	FLATBED TRAILER			N/C
AH6-001	SINGLE (1) TRAILER			N/C

Engine

101-26J	CUM X12 455V HP @ 1900 RPM, 1550 LB-FT @ 1000 RPM, 2000 GOV RPM, VOC	-390	-45	(\$635.00)
---------	--	------	-----	------------

Electronic Parameters

79A-073	73 MPH ROAD SPEED LIMIT			N/C
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79K-008	PTO MODE ENGINE RPM LIMIT - 1150 RPM			N/C
79P-007	PTO RPM WITH CRUISE SET SWITCH - 1100 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			N/C
79W-001	ONE REMOTE PTO SPEED			N/C
79X-006	PTO SPEED 1 SETTING - 950 RPM			N/C
80G-015	PTO MINIMUM RPM - 800			N/C
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
80S-017	PTO 1, NO SWITCH, TEM SUPPLIED REQUEST AND INTERLOCKS, WITH PTO CONNECTIONS, ENGAGE WHILE DRIVING INTERLOCKS			N/C



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
80V-003	ENGINE MOUNT PTO, TEM SUPPLIED REQUEST, FOR PTO SPEED MODE, PERMANENTLY ENGAGED PTO			N/C
Engine Equipment				
99C-024	EPA 2010/GHG 2024 CONFIGURATION			STD
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
014-108	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10		\$775.00
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES			STD
290-1CD	BATTERY BOX WITH ALUMINUM COVER MOUNTED SHORT SIDE TO RAIL	15		\$248.00
281-001	STANDARD BATTERY JUMPERS			STD
282-042	LH BATTERY BOX MOUNTED AS FAR AFT AS POSSIBLE, NO GREATER THAN 60 INCHES BACK OF CAB			\$257.00
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	2		\$265.00
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2		STD
107-048	CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			STD
128-004	CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE			N/C
* 016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	30	25	\$775.00
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			STD



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			(\$15.00)
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			N/C
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK	-35	-10	\$145.00
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD			\$40.00
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			STD
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			STD
110-003	CUMMINS SPIN ON FUEL FILTER			N/C
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER			N/C
120-998	NO COOLANT FILTER	-10		STD
266-057	1500 SQUARE INCH ALUMINUM RADIATOR			N/C
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			N/C
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20		\$1,255.00
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER	4		\$30.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C
155-055	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45		N/C



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
Transmission				
342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	260	100	\$13,690.00
Transmission Equipment				
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV			STD
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			STD
84D-020	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 3, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-013	S1 PERFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84F-012	S1 PERFORMANCE SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84G-012	2000 RPM PRIMARY MODE SHIFT SPEED			N/C
84H-012	2000 RPM SECONDARY MODE SHIFT SPEED			N/C
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY			STD
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			STD
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS			STD
85E-011	MAXIMUM ENGINE SPEED FOR PTO ENGAGEMENT 1000 RPM			N/C
353-075	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH CAP			\$500.00
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR			\$95.00
362-2JT	CUSTOMER INSTALLED CHELSEA 281 SERIES PTO	50		N/C



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON			N/C
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			\$365.00
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			STD
370-011	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED			STD
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			STD
35T-001	ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID			STD

Front Axle and Equipment

400-1BA	DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE	210		\$2,253.00
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	10		N/C
403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
* 419-018	WEBB CAST IRON FRONT BRAKE DRUMS			\$208.00
427-001	FRONT BRAKE DUST SHIELDS	5		\$102.00
409-006	FRONT OIL SEALS			STD
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS			\$51.00
406-001	STANDARD KING PIN BUSHINGS			STD
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	130		\$1,142.00
539-003	POWER STEERING PUMP			STD
534-003	4 QUART POWER STEERING RESERVOIR			N/C
533-001	OIL/AIR POWER STEERING COOLER			N/C



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE			\$17.00
Front Suspension				
620-005	18,000# FLAT LEAF FRONT SUSPENSION	290		\$767.00
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			N/C
62H-010	FRONT SUSPENSION WITH LEFT HAND OFFSET SHACKLE BRACKET	4		\$79.00
410-001	FRONT SHOCK ABSORBERS			\$121.00
Rear Axle and Equipment				
420-1K3	MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE		-40	\$608.00
421-433	4.33 REAR AXLE RATIO			N/C
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING		40	\$102.00
386-075	MXL 18T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-10	-10	\$157.00
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES			STD
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES		30	\$1,317.00
878-022	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AXLE VALVE AND (1) REAR-REAR AXLE VALVE			\$24.00
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH			N/C
87B-014	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE <5 MPH, DISENGAGE >25 MPH			N/C
423-033	MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			\$303.00
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-019	ASPHALT SPREADER CLEARANCE REAR BRAKE GEOMETRY			N/C
* 451-018	WEBB CAST IRON REAR BRAKE DRUMS		50	(\$17.00)
425-002	REAR BRAKE DUST SHIELDS		10	\$130.00



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
440-006	REAR OIL SEALS			STD
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			STD
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS			\$93.00
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			STD
42T-001	STANDARD REAR AXLE BREATHER(S)			STD

Rear Suspension

622-297	TUFTRAC GEN2 40,000# REAR SPRING SUSPENSION		275	\$3,411.00
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)			N/C
431-003	AXLE CLAMPING GROUP			N/C
624-025	55 INCH AXLE SPACING			N/C
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS			N/C
439-001	REAR SHOCK ABSORBERS - ONE AXLE			N/C

Pusher / Tag Equipment

429-998	NO PUSHER/TAG BRAKE DUST SHIELDS			STD
---------	----------------------------------	--	--	-----

Brake System

490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH			\$232.00
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			STD
46E-001	STANDARD AIR MANAGEMENT UNIT			STD
904-001	FIBER BRAID PARKING BRAKE HOSE			STD
412-001	STANDARD BRAKE SYSTEM VALVES			STD
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			STD
413-002	STD U.S. FRONT BRAKE VALVE			STD
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			STD



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			STD
479-003	AIR DRYER MOUNTED INBOARD ON LH RAIL			N/C
460-1AE	STEEL AIR TANKS MOUNTED FOR MAX GROUND CLEARANCE, (BELLY PLOW - AA3-073)			\$165.00
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			STD

Trailer Connections

476-998	NO AIR HOSE HANGER			STD
914-021	PLUGGED AIR CONNECTIONS AT END OF FRAME			(\$25.00)
296-027	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR COMBINATION STOP/TURN, CENTER PIN POWERED THROUGH IGNITION WITH STOP SIGNAL PREWIRE PACKAGE			\$59.00
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME			N/C

Wheelbase & Frame

545-532	5325MM (210 INCH) WHEELBASE			N/C
546-1B2	1/2X3.64X11-7/8 INCH STEEL FRAME (12.7MMX301.6MM/0.5X11.88 INCH) 120KSI	310	280	\$2,850.00
547-034	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION	180		\$1,060.00
548-803	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			N/C
552-027	1500MM (59 INCH) REAR FRAME OVERHANG			N/C
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH	10	-60	N/C
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	140	-20	\$460.00
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) 126.18 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) 123.18 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL 320.44 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE 29.23 in			N/C



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
FSS-0RH	CALCULATED FRAME SPACE RH SIDE 71.58 in			N/C
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE 0.0 in			
553-001	SQUARE END OF FRAME			STD
550-001	FRONT CLOSING CROSSMEMBER			STD
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
572-001	STANDARD REARMOST CROSSMEMBER			STD
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER		30	N/C

Chassis Equipment

556-997	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203	-100		(\$294.00)
585-998	NO MUDFLAP BRACKETS			STD
590-998	NO REAR MUDFLAPS			STD
551-001	HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS SUSPENSIONS ONLY			(\$77.00)
44Z-002	EXTERIOR HARNESSSES WRAPPED IN ABRASION TAPE			STD
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD			\$218.00

Fifth Wheel

578-998	NO FIFTH WHEEL			STD
---------	----------------	--	--	-----

Fuel Tanks

204-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	25		\$75.00
218-005	RECTANGULAR FUEL TANK(S)			N/C
215-021	PLAIN ALUMINUM/HYDRAULIC FUEL TANK(S) WITH PAINTED ZINC-PLATED STEEL BANDS			N/C
212-011	FUEL TANK(S) FORWARD - RAISED MOUNTING			\$360.00
664-001	PLAIN STEP FINISH			STD



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
205-001	FUEL TANK CAP(S)			STD
122-079	ALLIANCE FUEL FILTER/WATER SEPARATOR WITH HEATED BOWL AND INDICATOR LIGHT	15		\$40.00
216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			STD

Tires

093-10C	CONTINENTAL INTELLIGENT HSC3 315/80R22.5 20 PLY RADIAL FRONT TIRES	106		\$1,040.00
094-12P	CONTINENTAL HDR2+ 11R22.5 14 PLY RADIAL REAR TIRES		184	\$440.00

Hubs

418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			STD
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			STD

Wheels

502-664	ALCOA ULTRA ONE 89U63X 22.5X9.00 10-HUB PILOT 3.12 INSET 10-HD ALUMINUM FRONT WHEELS	-44		\$500.00
505-1HB	ALCOA 88167X 22.5X8.25 10-HUB PILOT ALUMINUM DISC REAR WHEELS		-248	\$1,280.00
524-022	POLISHED DISC SIDE FRONT WHEELS WITH DURA-BRIGHT FINISH			\$170.00
525-023	POLISHED OUTER (DISHED SIDE) REAR WHEELS WITH OUTER ONLY DURA-BRIGHT FINISH			\$400.00
496-011	FRONT WHEEL MOUNTING NUTS			STD
497-011	REAR WHEEL MOUNTING NUTS			STD

Cab Exterior

829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
650-008	AIR CAB MOUNTING			STD
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			STD
667-001	FRONT FENDERS			STD
754-002	3-1/2 INCH FENDER EXTENSIONS	15		\$169.00



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
678-018	LH AND RH EXTERIOR GRAB HANDLES WITH SINGLE RUBBER INSERT			\$54.00
645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL			\$253.00
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS			\$88.00
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE			\$15.00
644-004	FIBERGLASS HOOD			STD
652-001	FREIGHTLINER NAME PLATES			STD
690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION	5		\$117.00
727-1AJ	DUAL 14 INCH ROUND POLISHED AIR HORNS	4		\$100.00
726-001	SINGLE ELECTRIC HORN			STD
728-002	DUAL HORN SHIELDS			N/C
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS			N/C
302-047	LED AERODYNAMIC MARKER LIGHTS			STD
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER			\$162.00
311-001	DAYTIME RUNNING LIGHTS			STD
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			\$133.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
74B-080	RH AND LH 8 INCH STAINLESS STEEL FENDER MOUNTED CONVEX MIRRORS WITH TRIPOD BRACKETS	8		\$201.00
729-001	STANDARD SIDE/REAR REFLECTORS			STD
677-062	FIXED CAB MOUNTED STEPS LH AND RH FOR CAB ENTRY, BELLY PLOW BODY WITH HIGH GROUND CLEARANCE DOES NOT COMPLY FMCSR 399			\$106.00
764-010	COMPOSITE EXTERIOR SUN VISOR	10		\$247.00
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS			STD
654-011	RH AND LH ELECTRIC POWERED WINDOWS			STD
663-029	1-PIECE BONDED HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD			\$423.00
659-007	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR			STD
647-001	WHITE WINTERFRONT	2		\$60.00

Cab Interior

055-019	RUGGED TRIM PACKAGE			STD
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"			STD
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)			STD
706-013	MOLDED DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			STD
785-026	(1)DASH MOUNTED 12V POWER OUTLET, (1)DASH MOUNTED DUAL USB-C OUTLET			\$45.00
691-001	FORWARD ROOF MOUNTED CONSOLE			STD
693-035	LH AND RH KICKPLATES			\$131.00
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
680-029	M2/SD DASH			STD
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			STD
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE			\$31.00
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			STD
170-015	STANDARD HEATER PLUMBING			STD
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			STD
739-034	PREMIUM INSULATION			\$145.00
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD
324-1B2	PREMIUM LED CAB LIGHTING			\$50.00
787-998	NO SECURITY DEVICE			N/C
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-002	KEY QUANTITY OF 2			STD
655-005	LH AND RH ELECTRIC DOOR LOCKS			STD
740-998	NO MATTRESS	-20	-15	STD
756-339	PREMIUM ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH 2 AIR LUMBAR, INTEGRATED CUSHION EXTENSION, TILT AND ADJUSTABLE SHOCK	70		\$360.00
760-335	BASIC ISRI HIGH BACK NON SUSPENSION PASSENGER SEAT			STD
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4		\$69.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER			(\$76.00)
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER			(\$70.00)



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
763-101	BLACK SEAT BELTS			STD
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN			STD
540-070	4-SPOKE 18 INCH (450MM) LEATHER WRAPPED STEERING WHEEL WITH CHROME SWITCH BEZELS			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instruments & Controls				
106-002	ELECTRONIC ACCELERATOR CONTROL			STD
732-998	NO INSTRUMENT PANEL-DRIVER			STD
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS			STD
87L-001	ENGINE PTO SPEED CONTROL WITH PARK BRAKE INTERLOCK			N/C
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			STD
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE			STD
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS			\$15.00
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY			STD
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
* 148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS			\$134.00
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS			\$100.00



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP			\$6.00
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR			N/C
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY			STD
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
864-022	DIGITAL TRANSMISSION OIL TEMPERATURE IN DRIVER DISPLAY			STD
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			STD
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE			\$60.00
736-998	NO OBSTACLE DETECTION SYSTEM			(\$4,324.00)
72J-998	NO DR ASSIST SYSTEM			N/C
49B-004	ELECTRONIC STABILITY CONTROL			STD
73B-998	NO LANE DEPARTURE WARNING SYSTEM			(\$1,080.00)
679-998	NO OVERHEAD INSTRUMENT PANEL			STD
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10		\$780.00
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE			STD
747-001	DASH MOUNTED RADIO			STD
750-002	(2) RADIO SPEAKERS IN CAB			STD
753-998	NO AM/FM RADIO ANTENNA			STD
749-998	NO CB RADIO MOUNTING PROVISION			STD
75W-006	SHARKFIN MULTI-BAND ANTENNA, CENTRAL ROOF MOUNTING LOCATION: AM/FM/WEATHERBAND, WIFI/BLUETOOTH, SDAR/SIRIUSXM, GNSS/GPS			\$5.00



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
78C-003	INTEROPERABLE SDAR ANTENNA			STD
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
813-1C8	DETROIT CONNECT PLATFORM HARDWARE			STD
8D1-315	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES			N/C
6TS-008	(2) TMC RP1226 ACCESSORY CONNECTORS: (1) LOCATED BEHIND PASSENGER SIDE REMOVABLE DASH PANEL (1) CENTER OF OVERHEAD CONSOLE			\$40.00
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP			STD
329-133	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO BETWEEN SEATS, BLUNTCUT			\$50.00
4C1-025	HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER			\$90.00
4C2-025	HARDWIRE SWITCH #2, ON/OFF LATCHING, 20 AMPS IGNITION POWER			\$40.00
4C3-016	HARDWIRE SWITCH #3, ON/OFF LATCHING, 20 AMPS IGNITION POWER			\$40.00
4C4-016	HARDWIRE SWITCH #4, ON/OFF LATCHING, 20 AMPS IGNITION POWER			\$40.00
81Y-006	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS AND SERVICE BRAKES			\$51.00
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN			STD
482-001	STANDARD TRACTOR PROTECTION VALVE			N/C
883-001	TRAILER HAND CONTROL BRAKE VALVE			N/C
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS			N/C



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Data Code	Description	Weight Front	Weight Rear	Retail Price
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			N/C
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT			STD
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY			STD
87T-998	NO WRG/SW-OPTL #2,CHAS,AIR			STD

Design

* 065-000	PAINT: ONE SOLID COLOR			STD
-----------	------------------------	--	--	-----

Color

* 980-7RM	CAB COLOR A: L3004EY ELITE EY	OSHA ORANGE		N/C
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
976-995	SUNVISOR PAINTED SAME AS CAB COLOR A			N/C
963-003	STANDARD E COAT/UNDERCOATING			STD

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
---------	---	--	--	-----

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

Adjusted List Price

Adjusted List Price ** \$ 208,388.00

Weight Summary

	Weight Front	Weight Rear	Total Weight
Factory Weight+	9246 lbs	7062 lbs	16308 lbs
Total Weight+	9246 lbs	7062 lbs	16308 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE



Prepared For :
Dustin Burns
MINNESOTA STATE OF
50 Sherburne Ave Suite 11
Saint Paul, MN 55155
UNITED STATES
Phone :651-201-2441

Prepared by:
Andrew Peterson
DAVE SYVERSON FTL-STL
7 COUNTY ROAD 16 SE
ROCHESTER, MN 55904
Phone :507-280-3092

Other Factory Charges

PMV-024	GHG24 SURCHARGE - CUMMINS	\$450.00
RD1-315	5 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES	N/C
RD3-998	NO SAFETY EVENT VIEWER	(\$180.00)
RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
PAT-025	STEEL, ALUMINUM, AND CHINA TARIFF IMPACT FEE 108/114 SD AND M2 106/112	\$1,500.00
R27-001	MY27 ESCALATOR	\$3,750.00
P73-2FT	STANDARD DESTINATION CHARGE	\$3,375.00

Extended Warranty

WAG-074	TOWING: 1 YEAR/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$750 CAP FEX APPLIES	\$230.00
	Currency Exchange Rate	1.0000
	Total Extended Warranty (local Currency)	\$ 230.00

(+) Weights Shown are estimates only.
If weight is critical, contact Customer Application Engineering.

(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



For: City of Wabasha / Att: Tony
Quoted By: Greg Konkel
Universal Truck Eq.

Thursday, February 12, 2026

VENDOR: UNIVERSAL TRUCK EQUIPMENT
CONTACT PERSON: Greg Konkel
ADDRESS: N15921 SCHUBERT RD., GALESVILLE, WI 54630
PHONE NO.: 608-539-4600
FAX NO.: 608-539-4800
E-MAIL ADDRESS: greg@universaltruckequipment.com

Summary Page: MN DOT Contract # TBD

Body:	\$32,138
All Body Options:	\$21,120
Hoist:	\$17,957
Fixed Scraper:	\$17,651
Wing:	\$25,353
Hitch:	\$7,208
Plow:	\$14,072
Sander:	\$11,569
Hydraulics:	\$46,715
Precise:	\$742
Total Equipment Price (1-TRK)	\$194,525
Non MNDOT Adders:	\$765.00
TOTAL:	\$195,290

Sales Tax is NOT Included

Note: Truck Dealer Needs to have truck set up so Equipment vendor can install warning lights- plowing lights- work lights- stop/turn/tail lights, and this needs to be done without having to add a bunch of relays

Please note:

Because of the new emissions on trucks, Universal Truck Equipment will not be held responsible for major modifications or relocation of the exhaust. The truck should be ordered to accommodate the equipment you are putting on the truck, Universal Truck Equipment should not be held responsible for major modifications or the relocation of air tanks, battery boxes, exhaust and/or fuel tanks. Each truck mfg./salesman has different ways of setting up patrol trucks, it is important to get things in the right location. Because we are not directly involved in ordering the truck we have no way of knowing what kind of modifications or relocations need to be done, if any (unless we are aware of it before the equipment is bided). Most of the time the trucks can be ordered to eliminate or minimize the modifying or relocating of the standard truck exhaust, battery boxes, air tanks and/or fuel tanks.

Accepted By: _____

NON-MNDOT ADDERS

Extra	Front Board Holder Extensions	\$765
-------	-------------------------------	-------

Price quote for:	1.0 NON-MnDOT PRICE SCHEDULE DUMP BOX	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
1.0	Box Make and Model	Henderson Mark E-ti (XD) 36/44 (13'-16')
	List Truck Type Box Fits	Tandem axle only
	Box Style	Unibody design, crossmemberless (Western style)
	Width & Length of Box	13' box length & 96" outside width, 84" inside width
	Side Panel Description	36" high, fully welded, 10 ga. grade 50 Hi-tensile steel, fully boxed-in & fully welded top rails, rub rails are sloped for dirt & debris shedding. Includes 2" sideboard pockets
	Front Panel Description	60" high, 10 ga. construction. Boxed top rail, 12" internal doghouse
	Floor Description	One piece, 3/16" AR400 steel floor-200,000 PSI tensile strength, 45 degree floor to side knee-brace formed into floor
	Corner Post Description	Rear corner post, 7 ga. steel, 5-3/4" x 12", full depth, tied to 8" deep structural channel rear apron. Contoured front corner post
	Under Structure Description	Two 8" structural steel I-beam long sills with "No splices" (8" x 13.0 lbs./ft.), std. skip
	Tailgate Description	44" high, one piece 10 ga. sheet. Extra deep braces. Full perimeter boxing with sloped horizontal brace & top rail. 10 ga. sloped horizontal brace, flush with perimeter boxing (3 panel design) 3/4" latch hooks with 3/8" latch plates. 1-1/4" upper & lower pins. Air trip release kit with double over-center linkage (air over air) (brake chamber type, not cylinder operated).
	Hinge Description	Flush mount 1/2" flame-cut pivots. Heavy-duty 1" flame cut hinge plates.
	Description of Peripheral Items (Lights, Access Steps, etc.)	LED Stop/turn/tail lights and side clearance lights are mounted in rear corner post. Rubber mounted, shock resistant ICC, 3-light cluster is also included. Front & rear mud flaps included. Pull out type ladder with box step and grab handle, mounted front drivers side on underside of dump body. All electrical wiring connections will be put in heat shrink tubing & will run to a sealed junction box.
	Is Installation included in price?	Yes ☒ or No ☐
	Is Box Painted?	Yes ☒ or No ☐
	Warranty Information	One Year Warranty, parts and labor
	List Volume Discounts	N/A
1.2	Cost for Painting box per spec	Included
	TOTAL PRICE:	\$25,567
	Description	Answer
	Wiring Standoffs	Included
	Box Options	
1.01	Air operated tailgate latch, air over air, brake chamber type, in lieu of manual type trip	Std.
1.02	Box Vibrator - Make & Model - Cougar model 3200	\$712
1.02A	Installation of Box Vibrator-Includes Custom UTE vibrator plate - 1/2in x 12in x 28in (with 6-holes to be plug welded)	\$858
1.03	Mark E Asphalt body style (includes sloped tailgate)	\$300
1.04	13-1/2' or 14' dump body in lieu of 13'	\$527
1.05	14-1/2' or 15' dump body in lieu of 13'	\$1,219
1.06	15-1/2' and 16' dump body in lieu of 13'	\$1,710
1.07	44" sides and 52" tailgate in lieu of 36" sides & 44" tailgate (13' and 14' bodies)	\$372

1.08	44" sides and 52" tailgate in lieu of 36" sides & 44" tailgate (15' and 16' bodies)	\$440
1.09	1/4" AR400 floor, 200,000 PSI tensile, in lieu of standard 3/16" AR400 floor (13' body)	\$860
1.10	1/4" AR400 floor, 200,000 PSI tensile, in lieu of standard 3/16" AR400 floor (14' body)	\$926
1.11	1/4" AR400 floor, 200,000 PSI tensile, in lieu of standard 3/16" AR400 floor (15' body)	\$988
1.12	1/4" AR400 floor, 200,000 PSI tensile, in lieu of standard 3/16" AR400 floor (16' body)	\$1,056
1.13	7 ga. sides and ends in lieu of 10 ga. (13' body with 36" sides)	\$639
1.14	7 ga. sides and ends in lieu of 10 ga. (13' body with 44" sides)	\$1,158
1.15	7 ga. sides and ends in lieu of 10 ga. (14' body with 36" sides)	\$664
1.16	7 ga. sides and ends in lieu of 10 ga. (14' body with 44" sides)	\$1,185
1.17	7 ga. sides and ends in lieu of 10 ga. (15' body with 36" sides)	\$692
1.18	7 ga. sides and ends in lieu of 10 ga. (15' body with 44" sides)	\$1,217
1.19	7 ga. sides and ends in lieu of 10 ga. (16' body with 36" sides)	\$714
1.20	7 ga. sides and ends in lieu of 10 ga. (16' body with 44" sides)	\$1,261
1.21	3/16" AR400 sides & ends in lieu of 10 ga. (13' body with 36" sides)	\$4,527
1.22	3/16" AR400 sides & ends in lieu of 10 ga. (13' body with 44" sides)	\$5,082
1.23	3/16" AR400 sides & ends in lieu of 10 ga. (14' body with 36" sides)	\$4,649
1.24	3/16" AR400 sides & ends in lieu of 10 ga. (14' body with 44" sides)	\$5,242
1.25	3/16" AR400 sides & ends in lieu of 10 ga. (15' body with 36" sides)	\$4,778
1.26	3/16" AR400 sides & ends in lieu of 10 ga. (15' body with 44" sides)	\$5,404
1.27	3/16" AR400 sides & ends in lieu of 10 ga. (16' body with 36" sides)	\$4,996
1.28	3/16" AR400 sides & ends in lieu of 10 ga. (16' body with 44" sides)	\$5,686
1.29	One piece sloping sides (includes 1 top rail, 2 intermediate side braces, and 1 bottom rub rail)- 10 ga. carbon steel- in lieu of std. 10 ga. straight sides (per foot - times foot length of body)	\$144
1.30	One piece sloping sides (includes 1 top rail, 2 intermediate side braces, and 1 bottom rub rail)- 7 ga. carbon steel- in lieu of 7 ga. straight sides (per foot - times foot length of body)	\$207
1.31	One piece sloping sides (includes 1 top rail, 1 intermediate side braces, and 1 bottom rub rail)- 3/16" AR400 steel- in lieu of 3/16" AR400 straight sides (per foot - times foot length of body)	\$245
1.32	201 stainless steel rear corner post & apron only, in lieu of std. (all bodies)	\$920
1.33	201 stainless steel front & rear corner post, all side bracing, tailgate bracing, and apron in lieu of standard (13' bodies)	\$2,665
1.34	201 stainless steel front & rear corner post, all side bracing, tailgate bracing, and apron in lieu of standard (14' bodies)	\$2,870
1.35	201 stainless steel front & rear corner post, all side bracing, tailgate bracing, and apron in lieu of standard (15' bodies)	\$3,077
1.36	201 stainless steel front & rear corner post, all side bracing, tailgate bracing, and apron in lieu of standard (16' bodies)	\$3,282
1.37	4 panel tailgate in lieu of 3 panel (44" & 52 tailgate)	\$184
1.38	9 panel tailgate in lieu of 3 panel (44" & 52 tailgate)	\$287
1.39	Extra tailgate bracing in 201SS in lieu of std. (4 or 9 panel)	\$550
1.40	3/4" round down both sides for walk/tarp rail (all bodies) (per foot - times foot length of	NA
1.41	2", Sure-Step down both sides for walk rail (201 S/S) (all bodies) (per foot - times foot	\$56
1.42	4.75", Anti-Slip Walk Rail (201 Stainless Steel) (Removeable) (Elliptical Bodies Only)...Price is Per Side (per foot - times foot length of	\$104
1.43	Elliptical body sides in lieu of square body sides (add 44" sides & 3/16" AR400 sides & ends) (deduct)	-\$710
	Cost per loaded mile for pickup and or delivery of vehicle (if (45 X \$5.50)	\$248.00
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630
	Body Shop Rate	\$140
	Mechanic Shop Rate	\$140

Price quote for:		1.0 NON-MnDOT PRICE SCHEDULE DUMP BOX	
Vendor Name:		Universal Truck Equipment Inc.	
Contact Person:		Donnie Bjorge	
Street Address:		N15921 Schubert Rd.	
P.O. Box:			
City, State, Zip:		Galesville, WI 54630	
Phone #:		608-539-4600	
Toll Free #:			
Fax #:		608-539-4800	
Email Address:		donnie@universaltruckequipment.com	
Item #	Category	Information Requested	Answer
Dump Body Options (All Bodies)			
1.010	Body	One set of M/S shovel hooks, fork type (each)	\$112
1.015	Body	One set of S/S shovel hooks, fork type (each)	\$118
1.020	Body	22" x 78" cabshield, installed and fully welded, 10 ga. mild steel	\$1,245
1.025	Body	201 stainless steel cabshield in lieu of mild steel, primed & painted	\$1,546
1.030	Body	22" x 78" cabshield, installed and fully welded, 10ga. 201S/S	\$1,405
1.035	Body	22" x 78" stationary cabshield, w/rubber flap, installed, 10 ga. m/s, painted	\$3,279
1.040	Body	22" x 78" stationary cabshield, w/rubber flap, installed, 10ga. 201 S/S	\$3,069
1.045	Body	7 ga. grade 50 steel cabshield in lieu of 10 ga. grade 50 steel	\$54
1.050	Body	7 ga. 201 S/S cabshield in lieu of 10 ga. S/S	\$119
1.055	Body	Tailgate grab handles, one in each corner of lower panel - M/S	\$112
1.060	Body	Tailgate grab handles, one in each corner of lower panel - S/S	\$83
1.065	Body	Install one set of chain hangers (in requested location) (per set)	\$426
1.070	Body	High Lift Tailgate with air over air in cab control, installed (MS Arms) (in rear bolster) (asphalt body on outside)	\$4,702
1.075	Body	High Lift Tailgate with air over air in cab control, installed (SS Arms) (in rear bolster) (asphalt body on outside)	\$5,937
1.080	Body	Fully welded I-beam longsills (MKE Bodies) in lieu of std. skip welded	\$256
1.085	Muni	Larger 8.0 cu. in. conveyor drive motors in lieu of std.	\$146
1.090	Muni	Stainless Steel Tubing front to rear on MuniBody's	\$921
1.095	Ladder	Fold-up type ladder in lieu of std. stow-away type ladder	\$122
1.100	Ladder	Stainless Steel fold-up type ladder in lieu of std. stow-away type ladder	\$174
1.105	Ladder	S/S unpainted stow-away ladder in lieu of std. M/S painted stow-away ladder	\$132
1.110	Ladder	Install inside step	\$130
1.115	Toolbox	Factory installed tool box across front of dump body, 3/16" AR400 shell, weather tight sealed key locking doors, one on each side (door opening is 10.75" W x 16.5" H)	\$3,326
1.120	Toolbox	Factory installed tool box across front of dump body, 1/4" S/S shell, weather tight sealed key locking doors, one on each side	N/A
1.125	Toolbox	Aluminum tool box frame mounted w/ brackets, 18" x 18" x 24"	\$842

1.130	Toolbox	Aluminum tool box frame mounted w/ brackets, 18" x 18" x 30"	\$848
1.135	Toolbox	Aluminum tool box frame mounted w/ brackets, 18" x 18" x 36"	\$901
1.140	Toolbox	Stainless Steel tool box frame mounted w/ brackets, 18" x 18" x 24"	\$1,080
1.145	Toolbox	Stainless Steel tool box frame mounted w/ brackets, 18" x 18" x 30"	\$1,169
1.150	Toolbox	Stainless Steel tool box frame mounted w/ brackets, 18" x 18" x 36"	\$1,240
1.155	Tarp	Donovan, electric tarp system with asphalt tarp, all aluminum arms, and tarp housing, standard install, off top of front header	\$4,126
1.160	Tarp	Donovan front tension bows- installed	\$1,223
1.165	Tarp	Donovan Spring Trap (spring loaded tarp hold down)- installed	\$830
1.170	Tarp	Donovan Tarp Roller & Hold Down Kit (2-roller bars & Stainless Steel brackets)- Installed	\$842
1.175	Tarp	Roll-Rite, electric tarp system with asphalt tarp, all aluminum arms, tarp housing, and TarpMaster Motor - standard install, off top of front header	\$5,174
1.180	Tarp	Roll-Rite Super Duty motor in lieu of TarpMaster Motor	\$357
1.185	Tarp	Roll-Rite front tension bows- installed	\$1,223
1.190	Tarp	Aero, electric tarp system with asphalt tarp, all aluminum arms, tarp housing, and Power Plus Motor - standard install, off top of front header	\$4,715
1.195	Tarp	Aero front tension bows- installed	\$1,336
1.200	Plow Lights	Set of LED Snow Plowing Lights with Heated Lens Truck Lite model 80990 7in round- 23 Doide- Polycarbonate- 12-24V- std. 94in harness, standard install, off cowling of truck hood with custom made S/S mounting brackets and on/off switch in cab	\$2,367
1.205	Plow Lights	One set of ABL model 3832 LED snow plowing lights with turn signals, includes heated lens, light housings are polycarbonate, standard install, off the cowling of the truck hood with custom made S/S mounting brackets and on/off switch in cab	\$1,623
1.210	Plow Lights	One set of Ecco EW4011 LED snow plowing lights with heated lens & turn signals, standard install, off cowling of truck hood with custom made S/S mounting brackets and on/off switch in cab	\$1,665
1.215	Plow Lights	One set of ABL model 3830-0575 snow plowing lights w/turn signals & standard H4- 60/55 watt bulb, standard install, off cowling of truck hood with custom made S/S mounting brackets and on/off switch in cab	\$1,224
1.220	Lightbar	Adjustable aluminum light bar, cab mounted, in lieu of mirror mount brackets, (truck cab needs to have a drip rail/rain gutter)	N/A
1.225	Lightbar	Adjustable aluminum light bar, cab mounted, in lieu of mirror mount brkt. (truck has "no" drip rail/rain gutter - holes will need to be drilled in truck cab)	N/A
1.230	Lightbar	Adjustable aluminum light bar, cab mounted, in lieu of mirror mount brkt. (truck has brackets of set up for Lightbar)	\$677
1.235	Lightbar	Stainless Steel fixed length cabshield mounted lightbar in lieu of mirror mount brkts	\$582
1.240	Lightbar	Stainless Steel branch guards for front Whelen DOT lights - installed (each)	\$350
1.245	Work Light	Nordic LED auxillary lights (984310U)- lightbar or stationary cabshield mounted	\$895
1.250	Work Lights	Set of 2...ABL LED Work Lights, 5,000 Lumen, 5in x 5in (Long Range) mounted on existing aluminum light bar assembly	\$871
1.255	Work Light	Work light, sealed beam type, installed (i.e. sander or wing etc.) (each)	\$213

1.260	Work Light	Work light, LED Type, MWL20, installed (i.e. sander or wing etc.) (each) (5 X\$140)	\$945
1.265	Work Light	Whelen NP6BB Work light, LED type, installed (i.e. sander or wing ect. (each)	\$290
1.270	Strobes	Federal Signal model HL15 HighLighter LED warning light Class 1, 15" mini-lightbar with Amber LED's and Clear Lens- cabshield mounted with protective guard, wiring will run to on/off switch in cab (each)	\$664
1.275	Strobes	Federal Signal model 454201-25 HighLighter LED warning light, Class 1, 15" mini-lightbar with Amber LED's and Clear Lens- cabshield mounted with protective guard, wiring will run to on/off switch in cab (each)	\$658
1.280	Strobes	dome, cabshield mounted with protective guard, wiring will run in conduit to on/off switch in cab (each)	\$604
1.285	Body	(1) extra obround light hole in each rear corner post	\$48
1.290	Body	(2) extra obround light holes in each rear corner post	\$95
1.295	Body	(2) 3-oval hole Stainless Steel light boxes - installed to outside rear corner posts with 1/2" gap	\$627
1.300	Body	(4) single oval hole Stainless Steel light boxes - installed on cabshield with 4-LED S/T/T	\$888
1.305	Strobes	Two (2) oval rear LED warning lights, recessed rubber mounted in rear corner post, Whelen 5G series, 14 different flash patterns, installed with on/off switch in cab	\$574
1.310	Strobes	Two (2) oval rear LED warning lights, recessed rubber mounted in rear corner post, Whelen TIR6 series, 14 different flash patterns, installed with on/off switch in cab	\$685
1.315	Strobes	Two (2) 1" X 4" rear LED warning lights, mounted on the side of rear corner post, installed with eye guards	\$610
1.320	Strobes	Oval LED Back-Up Lights - installed	\$284
1.325	Strobes	Amber wing warning light Whelen TIR3 # WPLOW1A- "In Use" - installed	\$409
1.330	Strobes	Amber wing warning light Whelen TIR3 # WPLOW2A- "Stowed" - installed	\$409
1.335	Strobes	Amber wing warning light Whelen TIR3 on UTE SS bracket- "In Use" - installed	\$320
1.340	DOT	Whelen SYS401D, Two 2-lamp Micro Freedom LED lighthead, std. 20' TRP cable for each lighthead, 400 series "D" light heads and Stainless Steel housing, 30' rear cables, standard install, mirror mouted fornt strobes and rear light housing welded to outside of rear corner post	\$5,975
1.345	DOT	Whelen SYS401D (ADD4TIR3), Two 2-lamp Micro Freedom LED lighthead, std. 20' TRP cable for each lighthead, 400 series "D" light heads & Stainless Steel housing w/ TIR3 side light, standard install, mirror mounted front strobes and rear light housing welded to outside of rear corner post	\$6,308
1.350	DOT	Weld rear DOT3 lighthead housings in rear corner post in lieu of welding to outside of rear corner post	\$142
1.355	DOT	Whelen SnowAway (H400SD) 400 series heated rear lens with auto on/off & switch in the cab	\$2,140
1.360	DOT	Whelen SYS410D, Two Stainless Steel 2-lamp Micro 400 LED lighthead, std. 20' TRP cable for each lighthead, 400 series "D" light heads and Stainless Steel housing, 30' rear cables, standard install, mirror mouted fornt strobes and rear light housing welded to outside of rear corner post	\$6,094
1.365	DOT	Whelen DOT3-410D, (ADD4TIR3), Two Stainless Steel 2-lamp Micro 400 LED lighthead, std. 20' TRP cable for each lighthead, 400 series "D" light heads and Stainless Steel housing, 30' rear cables, standard install, mirror mouted fornt strobes and rear light housing welded to outside of rear corner post	\$6,427
1.370	Flap	Quick detachable mud flaps in lieu of standard (per set)	\$95
1.375	Flap	Poly Fenders, plastic mnt brkts with rear flaps in lieu of two sets of std. mud flaps (single axle)	\$1,062
1.380	Flap	Poly Fenders, plastic mnt brkts with rear flaps in lieu of two sets of std. mud flaps (tandem axle)	\$1,720
1.385	Flap	Poly Fenders, S/S mnt brkts with rear flaps in lieu of two sets of std. mud flaps (single axle)	\$1,336

1.390	Flap	Poly Fenders, S/S mnt brkts with rear flaps in lieu of two sets of std. mud flaps (tandem axle)	\$1,857
1.395	Flap	Custom Stainless Steel Fenders installed on elliptical tub bodies- use existing prewet tank brackets (Single Axle)	\$2,143
1.400	Flap	Custom Stainless Steel Fenders installed on elliptical tub bodies- use existing prewet tank brackets (Tandem Axle)	\$2,593
1.405	Prewet	Henderson (1) 60 gallon elliptical pre-wet tank - installed	\$2,243
1.410	Prewet	Henderson (2) 60 gallon elliptical pre-wet tanks - installed	\$4,406
1.415	Prewet	Henderson (1) 100 gallon elliptical pre-wet tank - installed	\$3,285
1.420	Prewet	Henderson (2) 100 gallon elliptical pre-wet tanks - installed	\$6,456
1.425	Prewet	Henderson Stainless Steel pre-wet tank receiver tubes (Now standard on radius bodies)	Std.
1.430	Camera	Back-Up Camera System with monitor & heated camera - std. install	\$1,408
1.435	Camera	Additional heated camera for wing veiwing - std. install (2nd camera) Camera mounted on Cabshield to look	\$864
1.440	Camera	Heated camera system only (no monitor...plugs in FA 6100 display screen) Camera mounted to look Rear	\$810
1.445	Camera	Custom S/S Camera Housing/Guard (Each) (2 X\$225)	\$450
1.450	Hitch	Electric Brake Controller (1-4 axels), Installed	\$751
1.455	Hitch	20 ton pintle hitch installed w/ 3/4" steel plate bracing, D-rings, plug	\$1,544
1.460	Hitch	30 ton pintle hitch installed w/ 3/4" steel plate bracing, D-rings, plug	\$1,592
1.465	Hitch	45 ton pintle hitch installed w/ 1" steel plate bracing, D-rings, plug	\$1,740
1.470	Hitch	50 ton pintle hitch installed w/ 1" steel plate bracing, D-rings, plug	\$1,746
1.475	Hitch	Air Compensated Pintle hitch - Installed (must add a pintle hitch)	\$615
1.480	Hitch	Custom chipper hitch- installed by itself (with no other hitch)	\$763
1.485	Hitch	Custom chipper hitch- installed with additional hitch (must add additional hitch)	\$905
1.490	Boards	Composite Side Boards- Black- 2" x 10" x 12' - Installed with one center brace on each side (10'-12' bodies)	\$1,220
1.495	Boards	Composite Side Boards- Black- 2" x 10" x 15' - Installed with two center braces on each side (13'-15' bodies)	\$1,433
1.500	Boards	Composite Side Boards- Black- 2" x 10" x 18' - Installed with two center braces on each side (16'-17' bodies)	\$1,481
1.505	Misc Body	Rubber/Steel mounting pads- installed (all MKE bodies 13'-16')	\$1,244
1.510	Misc Body	Hoist stabilizer (used with Mailhot tele hoist)- installed	\$6,308
1.515	Misc Body	Greaseable upper tailgate pins only (all bodies)	\$89
1.520	Misc Body	Stainless Steel rear chute storage pins - installed	\$177
1.525	Misc Body	License plate light- std. install	\$349
1.530	Misc Body	VCMS 8 Button Switch Panel with back lit switches installed , price is in lieu of dash mounted switches	\$931
1.535	Misc Body	Electronic Back-up Alarm- 97 decibels- 12 volt systems- installed	\$166
1.540	Misc Body	Body-Up Switch- installed	\$204
1.545	Misc	Relocate factory truck tow hooks	\$177
1.550	Misc	Weld stainless steel angle to tailgate for customer to install license plate (Headache Rack)	\$154

1.555	Misc	Install custom round storage basket to truck frame	\$675
1.560	Misc	Install reflective 3M tape to sides & ends of body...get location details (per feet of tape needed)	\$3
1.565	Misc	Roto-Grip Automatic 6-Starnd Wheel Chain System- Installed (Must have appicable truck suspension for install)	\$3,890
1.570	Misc	Relocate factory transmission control pad (as far as factory harness will allow)	N/A
1.575	Misc	16" x 86" cabshield, with tarp housing 10ga. with 7ga. end plates, M/S (less aluminum tarp housing)- installed	\$1,386
1.580	Misc	16" x 86" cabshield, with tarp housing 10ga. with 7ga. end plates, 201 S/S (less aluminum tarp housing)- install	\$2,219
1.585	Misc	Grease zerks added upper tailgate pins, latch jaws, & shaft (all bodies)	\$264
1.590	Misc	Stainless Steel Auger Sensor Guard	\$195

		Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$5.50
		Delivery Starting Point City, State, & Zip: N15921 Schubert Rd., Galesville, WI 54630	
		Body Shop Rate	\$140
		Mechanic Shop Rate	\$140

TOTAL BOX OPTIONS PRICE: \$21,120

Price quote for:	2.0 NON-MnDOT PRICE SCHEDULE BOX HOIST	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
2.0	Box Hoist Make and Model	Henderson UB-88-24 (13'-15' bodies)
	Class & Type	NTEA class 90, type V, dual-cylinder twin push arm- underbody type
	Rated Capacity	29.1 ton on 13' body and 26.7 ton-14' body 24.6 ton on 15' body
	Maximum PSI Operating Pressure	2,000 PSI
	Cylinder Bore & Stroke	Dual Cylinders - 8" diameter with 24" stroke
	Piston Rod Diameter & Description	2-1/2" Nitrited Finish
	Sub-Frame Construction	6" structural channel subframe, 6"x2"x5/16" structural angle hinge with 1-1/2" pins connecting to 2-1/2" hinge blocks, with grease zerks, two safety body prop. All connecting pins and trunnion pivot shaft on this hoist are greaseable (note: bodies need 10" I-beams for proper mounting height)
	Is Installation included in Price?	Yes ___ or No <u>X</u>___
	Warranty Information	Two Year Warranty, parts and labor
	Volume Discounts	N/A
	Stainless Steel option	N/A
	TOTAL PRICE:	\$15,071
Options		
2.1	Installation of Hoist- standard install without modifications. Hoses and fittings from hoist to existing valve	\$2,600
2.2	One extra body prop- installed (one is standard)	\$110
2.3	303 stainless steel pivot pins with bushings and grease zerks in lieu of std. pins with grease zerks only (tighter fit)	\$286
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$5.50
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630
	Body Shop Rate	\$140
	Mechanic Shop Rate	\$140

Price quote for:	3.0 NON-MnDOT PRICE SCHEDULE UNDERBODY PLOW	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
3.0	Underbody Plow, Make and Model	Universal, Underbody Fixed Angle Scraper, model UBFS-10x20
	Moldboard Description	20" height, 5/8" thick, 10' length. Primed and painted one color (std. orange or black)
	Moldboard Cutting Edge Description	Two piece 1/2" x 6" flame hardened
	Moldboard Hydraulic Cylinder Description	(1) 3" double acting cylinder w/ 1-1/2" nitrited rod
	Moldboard maximum PSI operating pressure	500 PSI
	Circle Drive Description	not available w/ fixed scraper (non-reversible)
	Circle Drive Hydraulic Cylinder description	not available w/ fixed scraper (non-reversible)
	Warranty Information	One Year Warranty, parts and labor
	Volume Discounts	N/A
	TOTAL PRICE	\$9,123
	Description	Answer
3.01	Installation cost of underbody plow Include Parts & Labor	\$5,631
3.02	Paint the last 12" to 18" on each end of the moldboard std. orange	\$275
3.03	Std. UTE Orange painted scraper in lieu of std. black (All Scraper Models & Sizes) (#G4241040)	\$578
3.04	1" moldboard thickness in lieu of 5/8" (10'/11'/12')	\$1,776
3.05	11' moldboard length in lieu of 10' length	\$106
3.06	12' moldboard length in lieu of 10' length	\$340
3.07	Accumulator system for constant down pressure, installed	\$2,052
3.08	7/8" x 5" carbide cutting edge in lieu of std. (per ft.)	\$150
3.09	ft.)	\$285
3.10	Delete std. cutting edge blade (No Cutting Edge Blade Provided)	-\$160
3.11	Bolt-On Type Hinge Plates ilo std. weld-on hinge plates	\$645
3.12	Bolt-On Cylinder Pivots ilo std. weld-on pivots (20" Moldboard Only)	\$395
3.13	Dual actuating cylinders with mounting table, 16" moldboard height, and 1" thick moldboard in lieu of single actuating cylinder, 20" moldboard height, and 5/8" thick moldboard	\$1,268
3.14	Dual actuating cylinders with mounting table, 20" or 18" moldboard height, and 1" thick moldboard in lieu of single actuating cylinder, 20" moldboard height, and 5/8" thick moldboard	\$1,548
3.15	Automatic Reverse Raise Air Kit for Underbody Scraper Application (cable type controls)	\$1,145
3.16	Automatic Reverse Raise Air Kit for Underbody Scraper Application (5100EX electric type controls)	\$935
3.17	Automatic Reverse Raise Air Kit for Underbody Scraper Application (6100 electric type controls)	\$565
3.18	18" moldboard in lieu of 20" moldboard (UBFS) (Same Price)	\$0
3.19	16" moldboard in lieu of 20" moldboard (UBFS) (Deduct)	-\$150
3.20	Add for moving battery box for proper scraper install	\$540
3.21	Add for moving air tank(s) for proper scraper install - per air tank	\$370
3.22	Add for moving fuel tank up & out for proper scraper install	\$625
3.23	Std. UTE serrated type step on drivers side top of moldboard	\$174
3.24	Extended hanger plates for 4 x 4 application (or higher than normal truck frame heights)	\$320
3.25	12" Bolt-On Extension (For Passenger Side), installed	\$1,660
3.26	Std. Moldboard Corner Cut (per side)	\$190
3.27	Constant down pressure - includes counterbalance block dual pressure limiter block, and down side relief and float (electric sys.'s)	\$1,625
3.28	Oscillating Scraper Cheek Plates (Includes 2-DA Cylinders) (Requires 2-double acting valve sections & controls)	\$4,317
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$5.50
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630
	Body Shop Rate	\$140
	Mechanic Shop Rate	\$140
TOTAL SCRAPER PRICE:		\$17,651

Price quote for:	4.0 NON-MnDOT PRICE SCHEDULE WING PLOW	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
	• For the purposes of this contract, a wing assembly will include all parts necessary to attached the wing to the truck frame and the wing, unless it is marked, like "Wing Plow Only" or "attaching assembly's only".	
4.0	Wing Plow - Make and Model	Universal - AHW/UTF 8' Uni-Tilt Wing
4.1	Where Mounted on Truck	Front Uni-Tilt lift assy. is mounted ahead of right front tire, rear cross tube is mounted under truck frame behind cab. Tilted Post Design
4.2	Moldboard Description	30" height, straight moldboard, 3/16" moldboard thickness with eight 1/2" ribs, fully welded, 8' moldboard length, 1-1/2" main pivot bolt. Heavy duty adjustable spring loaded push beam with shear pin. Primed and Painted Std. Black (see options for different colors)
4.3	Moldboard Cutting Edge Description	One piece 5/8" x 8" x 8' cutting edge with standard AASHTO & carbide punch. Non-tripping, 3/4" x 4" x 4" bottom angle (frog).
4.4	Lift Height	13"
4.5	Hydraulic Cylinder Description	All hydraulic "No cables", 3-1/2" x 10" toe cylinder with 2" Nitrided rod, double acting. 4" x 13" Decel type heel cylinder with 2" Nitrided rod, double acting. 8" float at the toe. Floating link arm at the heel. Safety chain at the toe. Safety chain with rear stop.
4.6	Warranty Information	One Year Warranty, parts and labor
	Volume Discounts	N/A
	TOTAL PRICE:	\$10,377
Spec #	Description	Answer
4.01	Installation Cost of Wing Plow Include all Parts & Labor	\$7,667
4.02	Std. UTE Orange painted wing in lieu of std. black (All Wing Models & Sizes) (#IG4241040)	\$120
4.03	Std. UTE Yellow painted wing in lieu of std. black (All Wing Models & Sizes) (#4421)	\$300
4.04	Std. UTE Red painted wing in lieu of std. black (All Wing Models & Sizes) (#2303)	\$240
4.05	Front Mount installation with underbody scraper in lieu of std. (extra)	\$590
4.06	9' moldboard length in lieu of 8' length	\$152
4.07	10' moldboard length in lieu of 8' length	\$749
4.08	11' or 12' moldboard length in lieu of 8' length	\$1,600
4.09	Tapered moldboard from 30" to approx. 38" in lieu of standard	\$619
4.10	Left hand moldboard in lieu of right hand	\$175
4.11	Dual spring loaded push bars in lieu of single push bar	\$1,093
4.12	One Piece Trip cutting edge in lieu of fixed, suggested for city use (8' & 9') (1/2"x3"x4")	\$1,953
4.13	One Piece Trip cutting edge in lieu of fixed, suggested for city use (10') (1/2"x3"x4")	\$2,095
4.14	Two Piece Trip cutting edge in lieu of fixed, suggested for city use (10') (1/2"x3"x4")	\$2,218
4.15	Two Piece Trip cutting edge in lieu of fixed, suggested for city use (11') (1/2"x3"x4")	\$2,604
4.16	Two Piece Trip cutting edge in lieu of fixed, suggested for city use (12') (1/2"x3"x4")	\$2,929
4.17	Three Piece Trip cutting edge in lieu of fixed, suggested for city use (11' or 12') (1/2"x3"x4") (includes replaceable trip springs)	\$3,808
4.18	Individually replaceable trip edge springs ilo standard (8', 9', & 10')	\$483
4.19	Individually replaceable trip edge springs ilo standard (2-piece 11' & 12')	\$626
4.20	3/4" x 4" x 4" lower trip edge angle in lieu of std. 1/2" x 3" x 4" (8', 9', & 10')	\$161
4.21	3/4" x 4" x 4" lower trip edge angle in lieu of std. 1/2" x 3" x 4" (11' & 12')	\$194
4.22	Full moldboard trip in lieu of non-tripping moldboard	\$1,722

4.23	Wing cutting edge shoe, installed (each)	\$348
4.24	Curb shoe, (2" cold rolled round), installed (each)	\$188
4.25	Wing plow end marker, installed	\$50
4.26	Timbren rubber puck, installed on wing side, extra wing support	\$1,560
4.27	Adjustable air bag with in cab controls, wing side, installed	\$1,790
4.28	3/4" x 6" carbide cutting edge with cover blade in lieu of std. (per ft.)	\$145
4.29	Sabre Shielded Carbide cutting edge blades 3/4" x 6" ilo std. ("No" cover blade required) (per ft.)	\$267
4.30	Flex Pro (Joma) cutting edge blades 3/4" x 6" ilo std. (Includes cover bar) (per ft.)	\$200
4.31	Flex Pro (Joma) backer blades for additional support (per ft.)	\$44
4.32	Hydraulic push arm assy. in lieu of spring loaded push arm (includes cushion valve and loc valve)- installed	\$3,050
4.33	Two (2) 1" pins with window set-up in lieu of std. mount	\$730
4.34	Rear mounted, behind the scraper (in front of rear tires) in lieu of std. front mount install	\$650
4.35	Wing toe cylinder counter balance valve (recommended!) (External mount used with cable type controls) installed	\$470
4.36	Wing toe cylinder counter balance valve (recommended!) (Internal mount used with electric/hydraulic type controls) installed	Std.
4.37	Twin air bags in lieu of single bag (add price to 4.27)	\$606
4.38	Self leveling air kit for front air bag(s) in lieu of in cab control (add price to 4.27)	\$245
4.39	Longer spring for spring loaded pushbar assy. (11" ilo 6-1/2")	\$167
4.40	12" longer spring loaded pushbar assy. ilo std.	\$60
4.41	Reinforced lower angle (Upper frog bracing) (N/A on Trip Edge Wings)	\$255
4.42	Holes in end rib for wing warning light & wire stand-offs/tie down brackets)	\$136
4.43	Std. Mailbox Corner Cut	\$275
4.44	Frog Saver- Installed (helps prevent wearing into the lower angle) (Each)	\$245
4.45	Extended Cheek Plates for 4x4 chasiss (or other truck frames higher than std.)	\$193
4.46	Rear Heel Lift Cylinder (ilo std. front lift with mechanical float lift link)	\$508
4.47	Extra grease zerk option ~ All six (6) ears connecting the vertical link assy. & the wing slab will have bushings & grease zerks. Bushings have 1/4" thick walls the wing slab will have bushings & grease zerks. Bushings have 1/4" thick walls	\$537
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$5.50
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630
	Body Shop Rate	\$140
	Mechanic Shop Rate	\$140

Price quote for:	5.0 NON-MnDOT PRICE SCHEDULE FRONT HITCH		
Vendor Name:	Universal Truck Equipment Inc.		
Contact Person:	Donnie Bjorge		
Street Address:	N15921 Schubert Rd.		
P.O. Box:			
City, State, Zip:	Galesville, WI 54630		
Phone #:	608-539-4600		
Toll Free #:			
Fax #:	608-539-4800		
Email Address:	donnie@universaltruckequipment.com		
Item #	Information Requested	Answer	
5.0	Front Hitch - Make and Model	Universal Truck Portion of Snap Link style hitch	
	Lift Cylinder Description	Single acting, 3" x 10" stroke, Nitrided Rod	
	Truck Frame Mounting Requirements	18" to 24" integral frame extension	
	Warranty Information	One Year Warranty, parts and labor	
	Volume Discounts	N/A	
	TOTAL PRICE:	\$2,364	
Spec #	Description	Answer	
5.01	Install front hitch, hoses & fittings from lift cylinder to valve body, 1/2" x 4" x 12" x 87" heavy duty bumper, full length, all heavy duty bracing needed (for fixed angle plow)- Painted Black	\$3,814	
5.02	Install front plow (Hook up the front plow and run to be fully operation)	\$400	
5.03	Hoses & couplers from valve body to front bumper for reversible plow, installed	\$360	
5.04	3-1/2" x 10" double acting lift cylinder in lieu of 3" x 10" single acting lift cylinder (includes extra hose, fittings & labor)	\$270	
5.05	Fold Down lift arm in lieu of fixed positioned lift arm	\$490	
5.06	Cushion valve installed on bumper, for reversing cylinders	\$518	
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$5.50	
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630	
	Body Shop Rate	\$140	
	Mechanic Shop Rate	\$140	

Price quote for	6.0 NON MnDOT PRICE SCHEDULE - FRONT SNOW PLOW	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
	Information Requested	Answer
	Plow Type (one way, reversable, high wing, v plow, etc)	
6.00	Two-Way Reversible Snow Plow - Make and Model	Universal CST-11-43L two way power reversible snow plow, moldboard trip type, 11' plow length. Note: plow portion of Loop hitch is standard (see options for other plow hitches).
6.00	Moldboard Height	43" (measured with 6" cutting edge)
	Moldboard Smoothed Rolled Design include Radius.	Multiple radius's 15 to 20
	Discharge Height	43" (measured with 6" cutting edge)
	Plow Throat depth from vertical to deepest point in.	14-1/2"
	Moldboard thickness & type of steel	10ga. moldboard thickness, grade 50 Hi-tensile steel. Plow is fully welded
	Type, size and number of vertical reinforcement ribs.	Eight (8) 1/2" flame cut ribs, ribs are 100% fully welded
	Adjustable cutting edge angles to pavement measured from roadway surface through perpendicular back toward truck.	Adjustable angles, 20, 10 & 15 degrees
	State number of hook up points from moldboard to frame.	Six (6)
	Type and size of reinforcement of frog at either end.	3/4" x 4" x 4" lower angle, fully gusseted (carbide punched)
	Type and size of circle frame	Semi-circle type, constructed with 1/2" x 3-1/2" x 3-1/2" rolled angle
	Size of double acting reversing cylinders.	Two heavy duty 4" x 10" power reversing cylinders with 2" Nitrided rods. Cylinders are mounted above the push frame.
	Size and type of reinforced snow flap	3-ply, 1/2" thick x 12" wide
	Type and size of push frame	Push frame is constructed with 3/8" x 4" x 4" x 102" square tubing
	Carbide cutting Edge (AASHTO punched) size.	5/8" x 8" x (length of plow) steel cutting edge is standard (see options for carbide)
	Distance beyond vertical that snow deflectors integral with moldboard extends.	27"
	Size of Adjustable Snow Shoes	None - See Options Includes adjustable parking stand
	Weight of plow (less hitch and hydraulics)	2,240 lbs.
	Type and number of resettable HD compression spring trip	Two (2) heavy duty moldboard trip springs, compression type, made of 9/16" wire
	Painting system with type of paint	Primed & Painted Std. Black (See options for different colors)
	Warranty Information	One Year Warranty, parts and labor
	Volume Discounts	N/A
	TOTAL PRICE:	\$9,705
	Front Plow Options	
6.01	12' plow length in lieu of 11'	\$270
6.02	48" plow height in lieu of 43"	\$626
6.03	52" plow height in lieu of 43"	\$1,605
6.04	Std. UTE Orange painted plow in lieu of std. black (All Plow Models & Sizes) (#IG4241040)	\$212
6.05	Std. UTE Yellow painted plow in lieu of std. black (All Plow Models & Sizes) (#4421)	\$379
6.06	Std. UTE Red painted plow in lieu of std. black (All Plow Models & Sizes) (#2303)	\$310
6.07	Plow end markers, red cable type, 27", installed (set)	\$100
6.08	Adjustable mushroom type shoes- std. pad, 12" round x 2" thick (installed with standard shoe brackets)	\$1,805

6.09	Adjustable mushroom type shoes- Ni-Hard pad, 12" round x 2" thick (installed with standard shoe brackets)		\$2,481
6.10	Adjustable shoes- Flat type shoe pad (installed with standard shoe brackets)		\$1,678
6.11	Curb shoe, (2" cold rolled round), installed (each)		\$188
6.12	Plow cutting edge shoe, installed (each)		\$348
6.13	Trip cutting edge, one piece or split, in lieu of moldboard trip		\$1,773
6.14	Moldboard trip/trip edge combo, in lieu of moldboard trip only		\$2,929
6.15	Individually replaceable trip edge springs ilo standard		\$623
6.16	3/4" x 6" carbide cutting edge with cover blade in lieu of std. (per ft.)		\$145
6.17	Sabre Shielded Carbide cutting edge blades 3/4" x 6" ilo std. ("No" cover blade required) (per ft.)		\$267
6.18	Flex Pro (Joma) cutting edge blades 3/4" x 6" ilo std. (Includes cover bar) (per ft.)		\$200
6.19	Flex Pro (Joma) backer blades for additional support (per ft.)		\$44
6.20	Stucchi Multifaster coupler with parking station (coupling under pressure)		\$1,630
6.21	Plow portion of 29" Husting hitch in lieu of Loop Hitch		\$1,567
6.22	Plow portion of 34" Husting hitch in lieu of Loop Hitch		\$1,814
6.23	Roller Kit for 29" or 34" Husting hitch, installed on plow only		\$635
6.24	Plow portion of Snap Link hitch in lieu of Loop Hitch		\$828
6.25	Plow portion of Universal Pin hitch (Falls #46) in lieu of Loop Hitch		\$193
6.26	Level lift assy. for Universal Pin hitch		\$326
6.27	40" plow height w/ in lieu of 43" height	(deduct)	(\$351)
6.28	Mailbox/Guard rail corner cut	(per side)	\$458
6.29	Three piece trip cutting edge in lieu of std. 2-piece trip cutting edge		\$180
6.30	UTE Frog Saver- Installed (helps prevent wearing into the lower angle)	(Each)	\$253
6.31	3/4" x 4" x 4" lower trip edge angle in lieu of std. 1/2" x 3" x 4"		\$178
6.32	"J" Type moldboard curl in lieu of "C" type curl		\$275
6.33	Heavy Duty Pushframe (10-Ribs, 8-Pivot Points, 126" wide pushframe) ILO Std.		\$910
6.34	3/16" moldboard thickness in lieu of std. 10ga.		\$404
6.35	Bolt-On Plow Air Foil (Bolts to top of moldboard ribs)		\$3,280
6.36	Poly Moldboard Plow in lieu of steel moldboard (2-extra ribs/10 total)		\$724
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):		\$5.50
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630	
	Body Shop Rate		\$140
	Mechanic Shop Rate		\$140

Price quote for:	8.0 NON-MnDOT PRICE SCHEDULE SANDER	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
8.0	Sander - Make and Model	Universal UTGS-9-SS
	Auger size	9"
	Type of Sander	9" diameter auger type tailgate sander with 3/8" thick flighting. Direct drive auger and Spinner motors. Fighting is welded to a 2-3/8" O.D. schedule 80 pipe, supported by 1-1/2" shafts. Ball type bearings are 1-1/4" diameter & are greaseable, mounted with a 4 bolt flang. End plates are 1/4". Bottom opens with 6 hinge points for easy cleanout. Self leveling spinner assembly. 18" polyurathane spinner disk assy. Seal savers on Auger & Spinner Motors is Std. See Options for tailgate spill shields. Unpainted 201 Stainless Steel Spreader
	number of spinners	1
	Warranty Information	One Year Warranty, parts and labor
	TOTAL PRICE:	\$6,526
	Volume Discounts	N/A
	Stainless Steel options	N/A
Spec #	Description	Price
8.01	Install spreader, (includes standard short hose kit w/ couplers from spreader to rear of truck) (see next option for long hose kit)	\$1,555
8.02	Install long hose kit w/ couplers from rear of truck to valve body	\$1,324
8.03	4" auger flight spacing in lieu of 6" flight spacing (more consistant material flow)	\$282
8.04	Spreader configuration to fit on asphalt type dump body in lieu of std.	\$400
8.05	Auger motor with integral sensor	\$584
8.06	Dual spinner assy., 201 stainless steel, (hoses not included) (L&R discharge only) in lieu of single spinner assy.	\$970
8.07	Install dual spinner assy. and hose kit, (hoses & couplers are included)	\$696
8.08	Right hand berm chute, stainless steel (9" auger only) (no install)	\$436
8.09	Std. 10ga. S/S Sander Spill Shields (bolt to inside of tailgate)	\$238
8.10	UTE Custom S/S Sander Spill Shields (hooked into lower tailgate latch & pinned to upper part of tailgate)	\$1,580
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$5.50
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630
	Body Shop Rate	\$140
	Mechanic Shop Rate	\$140

Price quote for:	9.0 NON-MnDOT PRICE SCHEDULE HYDRAULICS	
Vendor Name:	Universal Truck Equipment Inc.	
Contact Person:	Donnie Bjorge	
Street Address:	N15921 Schubert Rd.	
P.O. Box:		
City, State, Zip:	Galesville, WI 54630	
Phone #:	608-539-4600	
Toll Free #:		
Fax #:	608-539-4800	
Email Address:	donnie@universaltruckequipment.com	
Item #	Information Requested	Answer
9.0	Hydraulics - Make and Model	Force America, MPJC6100-3-CAN-ULTRA Three Stick Proportional Controller- GEN5, Add-A-Fold valve with electric controls and electric spreader control - 10" LCD monitor
	Cab Controls Description	Force America three (3) mini-stick Ultra Controller, model MPJC6100-3-CAN-ULTRA Proportional control console, floor mount (Valve has integrated wing toe lock)
	Sander Control Description	Force America SSC-6100 electronic controller, dual manual adjustments, detented positions for auger and spinner knobs (integrated unit) (Closed Loop System)
	Pump Drive Description	Front Frame mount, Spicer driveline from engine crankshaft
	Pump Type	FA piston type, load sensing, 6.0 CID with 1" shut off valve (pump model FASD45L)
	Valve Description	design
	Number and Type Functions	7 functions, box hoist, plow lift, plow swing, wing toe, wing heel, sander auger <u>w/rev. &</u>
	Type of Valve Actuation	Electric solenoid, with manual over-ride
	Reservoir Size	30 gallon, frame mount, with filler breather, sight glass, suction screen, and 2" shut off valve, cube design w/ in tank filter provision
	Fluid Type	Conoco hydraulic 32 (included with installation) (Includes low oil & temp sending unit)
	Filter Style	In tank mounted filter, 12 volt DC condition indicator system
	Valve Enclosure	Frame mounted, stainless steel construction, removeable weather tight cover
	Hose Recommendation	2" diameter suction, 1" diameter return, 1" pressure, balance to be same as port sizing. R2 for pressure lines, R1 for return lines, & R4 for suction line
	Warranty Information	One Year Warranty, parts and labor
	Volume Discounts	N/A
	TOTAL PRICE	\$33,575
	Description	Price
9.01	Installation (hoses & fittings, mounting brackets, pump & valve mounts, control tower, fasteners, hyd. oil and labor) (hosing for pump/tank/valve body, sander control/touch screen display mounted on pedestal by controller & wired from control valve to valve body- install feedback sensor)	\$7,460
9.02	Additional valve section & harness (each) (1-required for dual spinners)	\$2,426
9.03	Upgrade to a 4-Stick ULTRA Contoller in lieu of 3-Stick Controller	\$706
9.04	Upgrade to a 5-Stick ULTRA Contoller in lieu of 3-Stick Controller	\$2,450
9.05	30 gal. slimline tank with in tank filter in lieu of std. 30 gal.	\$75
9.06	Stainless Steel oil tank in lieu of standard mild steel (Std. 30 gal. square)	\$15
9.07	Stainless Steel Slim-Line oil tank in lieu of standard mild steel square tank	\$90
9.08	45 gallon S/S behind the cab oil tank in lieu of std. 30 gal M/S	\$780
9.09	Oilgear FASD60-HP-L-CS 6.0 CID Load Sense Pump (3,750 psi) in lieu of Std.	\$2,390
9.10	Wing loc valve- installed	\$382
9.11	High pressure filter & in cab warning light- installed	\$1,160
9.12	Cable pull-off valve (hoist limiter valve), installed	\$623
9.13	Hoist limiter switch, installed (wired to Ultra)	\$485
9.14	12V DC pump shut off w/ over ride switch, in lieu of manual 1" shut off valve	\$1,018
9.15	VT35 valve/tank enclosure in lieu of standard valve body & tank- S/S	\$5,153
9.16	10 " color LCD display monitor and mount	Included in base price
9.17	Electric Double Selector Valve (C10964)	\$741

9.18	Integrated Plow Float Control Valve- installed	\$1,182
9.19	C10190 Pressuere relief valve- installed	\$546
9.20	Adder for double acting plow lift with float	\$858
9.21	Adder for Switch Base to Ultra Controllers (8-switches)	\$1,485
9.22	Internal wing toe lock valve (Uni-Tilt wings)	Std.
9.23	Seat Mount Controls in lieu of Floor Mount Stand	\$120
9.24	Auto Recall (Lifts plow & wing & etc. with one switch)	\$500
9.25	Scraper Reverse Raise	\$500
9.26	Read Scraper Pressure on LCD display screen	\$606
9.27	Camera Harness Only (No Camera) (2 X \$154)	\$308
9.28	Open Loop System ilo of Closed Loop (Deduct)	(\$820)
9.29	Vaisala Temp Sensor Harness (No Sensor)	\$550
9.30	Samsara GPS Harness Installed (Customer supplied)	\$309
9.31	Force America Single Stick Controller (Spartan) in lieu of Ultra 3-Stick	\$1,984
9.32	Constant Mesh PTO and Force TXV92 5.6 CID load sense pump and 12VDC pump shutdown and override switch in lieu of standard	\$4,311
9.33	Hot Shift PTO and Force TXV92 5.6 CID load sense pump in lieu of standard	\$4,378
9.34	Extended PTO shaft with constant mesh PTO in lieu of std. shaft	\$2,709
9.32	Extended PTO shaft with Hot Shift PTO in lieu of std. shaft	\$3,056
9.33	Straight Stainless Steel Hyd. lines with short whip hoses in lieu of hose only (sander)	\$1,610
9.34	Straight Stainless Steel Hyd. lines with short whip hoses in lieu of hose only (prewet)	\$921
9.35	TXV120, 7.3 CID Pump in lieu of TXV92, 5.6 CID pump (Extended Shaft PTO Recommended)	\$1,048
9.36	Tailgate pre-wet system, LDS-TG075-EM, 75 gallon tank, open loop (F/S/N kits) p/c mounting brackets, tank mnt. electric pump (controlled with 6100 ~ add harness)	\$3,450
9.37	Stainless steel prewet mounting brackets in lieu of standard p/c (75 gal)	\$1,554
9.38	Tailgate pre-wet system, LDS-TG100-EM, 100 gallon tank, open loop (F/S/N kits) p/c mounting brackets, tank mnt. electric pump (controlled with 6100 ~ add harness)	\$3,540
9.39	Stainless steel prewet mounting brackets in lieu of standard p/c (100 gal)	\$1,618
9.40	Tailgate pre-wet system, LDS-TG150-EM, 150 gallon tank, open loop (F/S/N kits) p/c mounting brackets, tank mnt. electric pump (controlled with 6100 ~ add harness)	\$3,860
9.41	Stainless steel prewet mounting brackets in lieu of standard p/c (150 gal)	\$1,817
9.42	Adder 6100 electric prewet (module)	\$1,025
9.43	Electric Tank Mount Closed Loop Prewet (includes flow meter & feedback cable) (Add Prewet Module #9.42)	\$1,200
9.44	Install Electric tailgate prewet system, includes assembly, plumbing, wiring and fitting brackets to tailgate - Test System	\$2,925
9.45	brackets, hydraulic pump, open loop (controlled with 6100)	\$4,795
9.46	Stainless steel prewet mounting brackets in lieu of standard p/c (75 gal)	\$1,554
9.47	brackets, hydraulic pump, open loop (controlled with 6100)	\$4,825
9.48	Stainless steel prewet mounting brackets in lieu of standard p/c (100 gal)	\$1,618
9.49	brackets, hydraulic pump, open loop (controlled with 6100)	\$5,145
9.50	Stainless steel prewet mounting brackets in lieu of standard p/c (150 gal)	\$1,817
9.51	Hydraulic Prewet Feedback Cable (6100 cable only)	\$394
9.52	Hydraulic Closed Loop Tailgate Prewet System (includes flow meter) ilo open loop (Add feedback cable #9.51)	\$986
9.53	Install Hydraulic tailgate pre-wet system, includes assembly, plumbing, hoses & fittings & fitting brackets to tailgate - Test System (Add Prewet	\$3,720
9.44	Electric Open Loop Prewet Power Unit in FG enclosure with fill & suction plumbing kits includes 3-nozzel kit - Controlled with 6100 controller (No	\$1,245
9.45	Electric Closed Loop Prewet Power Unit in FG enclosure with fill & suction plumbing kits includes 3-nozzel kit - Controlled with 6100 controller (No	\$2,028
9.46	Install Electric prewet power unit system, includes assembly, plumbing, wiring - Test System (Tanks are body mounted)	\$2,550
9.47	Hydraulic Open Loop Prewet Power Unit with plumbing (No Tank) Controlled with 6100 controller	\$2,765
9.48	Hydraulic Closed Loop Prewet Power Unit with plumbing (No Tank) Controlled with 6100 controller	\$3,751
9.49	Low Liquid Level Switch Assy. & Weather Pack Connector- installed	\$458
9.50	Electric Gravity Feed Prewet Kit- 1-nozzle- 12vdc Plunger Valve- installed (includes harness)	\$2,035

9.51	Slurry Pipe Assy. (for feeding liquid to the tailgate trough) (Installed with any prewet system & tailgate sander)	\$593
9.52	Slurry feedback	\$758
9.53	Adder for Direct Application Single Lane (Harness only)	\$758
9.54	Adder for Direct Application- Valve Module & Three Lane Harness	\$2,470
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):	\$5.50
	Delivery Starting Point City, State, & Zip:	N15921 Schubert Rd., Galesville, WI 54630
	Body Shop Rate	\$140
	Mechanic Shop Rate	\$140

Price quote for:	9.0 NON-MnDOT PRICE SCHEDULE HYDRAULICS		
Vendor Name:	Universal Truck Equipment Inc.		
Contact Person:	Donnie Bjorge		
Street Address:	N15921 Schubert Rd.		
P.O. Box:			
City, State, Zip:	Galesville, WI 54630		
Phone #:	608-539-4600		
Toll Free #:			
Fax #:	608-539-4800		
Email Address:	donnie@universaltruckequipment.com		
Item #	Information Requested		Answer
9.50	Precise ARC Sensor (1117640)- Air, Road, & Climate sensor - Wireless/No Display/GEN5 (installed)		\$742
9.51	Precise ARC Sensor (1125402)- Air, Road, & Climate sensor - Wired/No Display/GEN2, 3, 4 (installed)		\$1,405
9.52	Precise ARC Sensor (1125394)- Air, Road, & Climate sensor - Wireless with display (installed)		\$1,301
9.53	Precise ARC Sensor (1125398)- Air, Road, & Climate sensor - Wired with display (installed)		\$1,993
9.54	HYDAC PRESSURE SWITCH KIT DEUTSCH CONNECTOR - 20FT HARNESS (installed) (6950009) (1015422)		\$420
9.55	TILT SWITCH W/ BRACKET Rev. B (installed) (6950006) (1101852)		\$373
9.56	Key, I-Button, Black, Event Logging, 5100 (9873A001) (1015448)		\$255
9.57	Harness - 6100 - Gen5 - Roadtemp to M8, 2M (installed) (1155135)		\$213
9.58	Roadwatch Extension M8 Conn 16 foot (installed) (54802A001) (1015406)		\$129
9.59	Precise Harness, Temp Display, Wired Sensor (1117275) (installed)		\$186
9.6	ARC Sensor Mount, Optional Extended Mount (1126929)		\$54
9.61	ARC Mount for Western Star 47X Chassis- installed (1200664)		\$151
	Cost per loaded mile for pickup and or delivery of vehicle (if applicable):		\$5.50
	Delivery Starting Point City, State, & Zip:		N15921 Schubert Rd., Galesville, WI 54630
	Body Shop Rate		\$140
	Mechanic Shop Rate		\$140

TOTAL PRECISE PRICE: **\$742**

DAIMLER TRUCK

North America

February 19, 2026

Subject: **Tariff Impact Fee Announcement**

US & Canada Freightliner & Western Star Dealers,

We are writing to inform you of an important update regarding Daimler Truck North America's (DTNA) tariff fees specifically associated with copper, steel and aluminum. As you are aware, the rising costs of copper, steel and aluminum related to the impact of tariffs have presented ongoing challenges for our industry. After careful consideration and in light of the persistent tariff costs, we are communicating our 7-day notification of our updated tariff amounts. The announcement below is not reflective of any impacts related to cross-border tariff impacts.

1) Units ordered by COB March 31, 2026 with a Requested Delivery Date of July 31, 2026 or earlier and a Scheduled Build Date of July 3, 2026 or earlier, will qualify for the current tariff amounts.

- **M2:** \$1,500
- **SD:** \$1,500
- **Western Star X Series:** \$3,000
- **Cascadia:** \$3,000

2) Units ordered on or after February 27, 2026 with a Requested Delivery Date of August 1, 2026 or later and a Scheduled Build Date of July 6, 2026 or later, will be subject to revised tariff amounts.

- **M2:** \$2,500
- **SD:** \$3,250
- **Western Star X Series:** \$4,300
- **Cascadia:** \$4,300

DAIMLER TRUCK

North America

Rationale: Daimler Truck North America understands the challenges of the current class 6-8 market as well as the impact of this communication. However, with no relief in sight related to copper, steel and aluminum tariff costs, this increase is necessary to maintain our commitment to delivering high-quality products while managing our costs effectively.

Important Notes

- **Trucks in the backlog on or before February 26 will be at the previous tariff amount.**
- DTNA reserves the right to pull the scheduled build date up a maximum of 30 days. Any floorplan costs associated with these pull-ups will **not** be subsidized by DTNA.
- SpecPro will only reflect the new tariff amounts starting February 27th, 2026. It is the dealer's responsibility to ensure that all quotes accurately reflect the correct applicable tariff based on this communication. Orders will be updated to their qualifying tariff amount closer to invoice date.
- This letter does not apply to Battery Electric Vehicles. Tariff impacts related to battery electric eM2s and eCascadias are being communicated at time of concession approval.
- DTNA reserves the right to pull up the order receipt dates specified above at any time, but we will commit to providing 48 hours advanced notice to any date changes.
- DTNA reserves the right to update tariff charges with a 7-day notification period.

Please contact your New Truck Sales Team should you have any questions.

As a reminder, any impacts beyond new truck sales of Freightliner and Western Star trucks (including FCCC, TBB, DTNA Parts, Extended Warranty, etc.) are/will be communicated on separate announcements.

We value our partnership and leadership through this challenging market and appreciate your understanding and cooperation as we navigate these necessary adjustments.

Thank you,

David Carson
Daimler Truck North America
SVP Sales & Marketing