

HOLT®



Austin • Corpus Christi • Dallas • Fort Worth • Irving • Laredo • Longview • San Antonio • Nash •
Tyler • Victoria • Waco • Weslaco

09/11/2008

WILLIAMSON COUNTY UNIFIED ROAD
SYSTEM 1295310
3151 SE INNER LOOP STE B
GEORGETOWN 78626-6343

#G18710984

(1) CATERPILLAR INC CS54 SOIL SMOOTH DRUM COMPACTOR

MACHINE SPECIFICATIONS

Description
CS54 VIBRATORY COMPACTOR
FREQUENCY, DUAL
DRUM, SMOOTH
SCRAPER, STEEL, FRONT + REAR
PLATFORM, ROPS/FOPS
SEAT, SUSPENSION, VINYL
OIL, HYDR, FACTORY FILLED
INSTRUCTIONS, ENGLISH
TIRES, FLOTATION, 8PR
GAUGE, VIBRATIONS PER MINUTE
INLAND FREIGHT
DOMESTIC TRUCK
PRODUCT LINK, PL321

BuyBoard Sales Price

USD \$ 109,191

Includes:

Manuals – Service & Maint.
Delivery
12 months no Charge Field Service
Beacon

Optional Warranty (STD Warranty 6 months unlimited hours)

12 months Total Machine and 36 months / 5000 Powertrain & Hydraulics - \$1,525.00
6 months Total Machine and 60 months/5000 hours Powertrain & Hydraulics- \$3,111.00
60 months Total Machine ~~\$3,855.00~~

Repurchase Agreement

36 months or 5,000 hours - \$45,750.00
60 months or 7,500 hours - \$32,650.00

\$ 113,046.00

Delivery – December/January ARO

Your Caterpillar dealer from the Red River to the Rio Grande
Call 1-800-275-4658 for the HOLT CAT store nearest you, or visit our website
WWW.HOLTCAT.COM

Compact Equipment

Machines

- » Articulated Trucks
- » Backhoe Loaders
- » Cold Planers
- » Compactors
- » Feller Bunchers
- » Forest Machines
- » Forwarders
- » Harvesters
- » Hydraulic Excavators
- » Industrial Loaders
- » Knuckleboom Loaders
- » Lift Trucks
- » Material Handlers
- » Motor Graders
- » Multi Terrain Loaders
- » Off-Highway Tractors
- » Off-Highway Trucks
- » Paving Equipment
- » Pipelayers
- » Road Reclaimers
- » Scrapers
- » Skidders
- » Skid Steer Loaders
- » Telehandlers
- » Track Loaders
- » Track-Type Tractors
- » Underground Mining
- » Wheel Dozers
- » Wheel Excavators
- » Wheel Loaders

Work Tools

Engines

Power Generation

Rental Power

Turbines

Parts

Used Equipment

Electronics

Technology

OEM Solutions

Gifts & Apparel

CS54 VIBRATORY SOIL COMPACTOR

Overview

Specifications

Benefits & Features

Optional Equipment

SPECIFICATIONS

Units: **US** | Metric

Weights

Operating Weight w/ROPS/FOPS	23120 lb
Weight at Drum w/ROPS/FOPS	12280 lb
Operating Weight without ROPS/FOPS	22635 lb
Weight at Drum without ROPS/FOPS	12148 lb
Shipping weight w/ROPS/FOPS	22945 lb
Shipping weight without ROPS/FOPS	22460 lb

Operating Specifications

Drum Width	84 in
Travel Speed (Maximum)	6.9 mph
Turning Radius Inside Drum Edge	145 in
Turning Radius Outside Drum Edge	229 in
Ground Clearance	20.3 in
Curb Clearance	20.3 in

Engine

Gross Power	130 hp
Engine Model	Cat C4.4 with ACERT Technology
Net Power - EEC 80/1269	121.6 hp
Net Power - ISO 9249	121.6 hp
Net Power - SAEJ1349	120.3 hp
Bore	4.13 in
Stroke	5 in

Dimensions

Drum Diameter - Over Drum	60.4 in
Overall Length	219 in
Overall Width	90 in
Height w/ROPS/FOPS	121 in.
Wheelbase	114 in

Tires

Tires	23.1" x 26" 8-ply flotation
-------	-----------------------------

Service Refill Capacities

Fuel Tank Capacity	53 gal
--------------------	--------

BUILD & QUOTE

Configure your machine and get price estimate

» Launch Application

Locate Your Dealer

Get in touch with your local dealer for more information.

» Locate Your Dealer

Vibratory System

Nominal Amplitude - High	.071 in
Nominal Amplitude - Low	.033 in
Centrifugal Force Maximum	52600 lb
Centrifugal Force Minimum	30000 lb