WORK AUTHORIZATION

WORK AUTHORIZATION NO. 1

PROJECT: Geotechnical Engineering Services for Williamson County Georgetown Annex

This Work Authorization is made pursuant to the terms and conditions of the Williamson County Contract for Engineering Services, being dated <u>December 3, 2015</u> and entered into by and between Williamson County, Texas, a political subdivision of the State of Texas, (the "County") and <u>Balcones Geotechnical PLLC</u> (the "Engineer").

- Part1. The Engineer will provide the following Engineering Services set forth in Attachment "B" of this Work Authorization.
- Part 2. The maximum amount payable for services under this Work Authorization without modification is \$35,000.00.
- Part 3. Payment to the Engineer for the services established under this Work Authorization shall be made in accordance with the Contract.
- Part 4. This Work Authorization shall become effective on the date of final acceptance and full execution of the parties hereto and shall terminate on <u>September 30, 2016</u>. The Engineering Services set forth in Attachment "B" of this Work Authorization shall be fully completed on or before said date unless extended by a Supplemental Work Authorization.
- Part 5. This Work Authorization does not waive the parties' responsibilities and obligations provided under the Contract.
- Part 6. County believes it has sufficient funds currently available and authorized for expenditure to finance the costs of this Work Authorization. Engineer understands and agrees that County's payment of amounts under this Work Authorization is contingent on the County receiving appropriations or other expenditure authority sufficient to allow the County, in the exercise of reasonable administrative discretion, to continue to make payments under this Contract. It is further understood and agreed by Engineer that County shall have the right to terminate this Contract at the end of any County fiscal year if the governing body of County does not appropriate sufficient funds as determined by County's budget for the fiscal year in question. County may effect such termination by giving written notice of termination to Engineer.
- Part 7. This Work Authorization is hereby accepted and acknowledged below.

V:_Documents\URS Office Docs\Contracts\PSAs\RFQ's\2015 RFQs\Geotech and Material Testing - Both\Geotech Investigation\RFO 1507-013 - GT Annex

EXECUTED this day of	, 20
ENGINEER:	COUNTY:
Balcones Geotechnical PLLC	Williamson County, Texas
By: Signature John A. Wooley	By:Signature
Printed Name	Printed Name
Principal	Title
Signature John A. Wooley Printed Name	Signature

 $\label{lem:contracts} $$V:\Documents\URS\Office\ Docs\Contracts\PSAs\RFQ's\2015\ RFQs\Geotech\ and\ Material\ Testing\ -\ Both\Geotech\ Investigation\RFQ\ 1507-013\ -\ GT\ Annex$

LIST OF ATTACHMENTS

Attachment A - Services to be Provided by County

Attachment B - Services to be Provided by Engineer

Attachment C - Work Schedule

Attachment D - Fee Schedule

Attachment A - Services to be Provided by County

Attachment A - Services to be I Tovided by County
 County will provide project management. County will provide a single point of contact, to be identified upon Notice to Proceed.

Attachment B - Services to be Provided by Engineer

The Project will include a new two-story 50,000 sf building structure, with associated parking and driveway areas and a detention pond. The project site parcel is located off of SE Inner Loop within the Williamson County Justice Center complex. Other existing site facilities include the Juvenile Justice Center, Emergency Services facility, Animal Shelter and Children's Advocacy Center.

The geotechnical investigation for the Project will include field, laboratory, and Geotechnical Engineering phases. The scope of services is set out in the three study phases, a cost estimate, and an estimated schedule.

Field Investigation

Based on available geologic information and previous work in the area, the Project site is underlain by Del Rio clay and Georgetown limestone undivided. Surficial soils likely consist of highly plastic, potentially expansive clay. Groundwater and surface water drainage are also known to be present. Engineer will perform the following drilling scope:

- 5 borings to 30 or 35 feet within the proposed building footprint;
- 4 borings to 10 foot depth within the proposed parking and driveway areas;
- 2 borings to 20 feet within the proposed detention pond area; and
- Up to 3 provisional borings should building location be shifted significantly.

A site plan showing the proposed boring locations is attached on Plate 1. Total drilling footage will be about 350 feet. We will install groundwater piezometers if we encounter significant groundwater and it is deemed important to our investigation.

Laboratory Testing

Laboratory index tests (natural water contents, Atterberg limits, and partial gradation analyses) will be performed to classify soil strata and evaluate plasticity. Unconfined compression and triaxial compression tests will be conducted on selected undisturbed clay or rock specimens to evaluate the compressive and shear strength of the subsurface strata. Swell tests will also be performed on high plasticity soils to develop an understanding of soil swell potential. Soluble sulfate tests will be performed on soils from proposed parking areas.

Geotechnical Engineering Report

Geotechnical Engineering analyses of the results of the field and laboratory data will be made to develop recommendations for design of the building structure, pavements, and the detention pond. If warranted, we can compile a preliminary report with preliminary findings Geotechnical

 $V:\\ \label{localization} We have the property of the propert$

Engineering Services for Williamson County Georgetown Annex before finalizing our recommendations. Engineer final report of the investigation will include the following:


- 1. General subsurface conditions, including boring logs with descriptions of strata, summaries of laboratory test results, and water levels obtained at the time of drilling;
- 2. Boring location plan;
- 3. Recommended foundation design type (shallow foundations option on a select fill pad and/or deep foundations) and structural design parameters to be used by the structural engineer in design of foundations;
- 4. Recommendations for construction of slab on ground foundations including any special procedures that might be required to mitigate foundation heave;
- 5. Classification and sulfate test results for use by the County in performing pavement thickness designs;
- 6. Recommendations for detention pond recommendations for discharge structures, lateral earth pressure parameters; and construction including foundation permanent slope configurations, and
- 7. Recommendations for site preparation and site work necessary to properly construct the foundations including selection and compaction of select fill material(s).

One digital (PDF) copy of the report will be submitted unless otherwise requested.

Construction Phase Services.

As requested, Engineer will provide limited construction phase services by making at least two site visits during installation of foundation elements. The purpose of these site visits will be to assure that the foundation bearing material(s) are in conformance with our final recommendations.

 $V:$\Documents\URS\ Office\ Docs\Contracts\PSAs\RFQ's\2015\ RFQs\Geotech\ and\ Material\ Testing\ -\ Both\Geotech\ Investigation\RFQ\ 1507-013\ -\ GT\ Annex$



 $\label{lem:contracts} $$V:\Documents\URS\ Office\ Docs\Contracts\PSAs\RFQ's\2015\ RFQs\Geotech\ and\ Material\ Testing\ -\ Both\Geotech\ Investigation\RFQ\ 1507-013\ -\ GT\ Annex$

Attachment C - Work Schedule

Weather and site conditions permitting, field operations can start within one or two weeks after formal authorization to proceed. Borings will take three or four days to complete. Under normal circumstances, laboratory testing and report preparation will take an additional four to six weeks to complete. Engineer will keep the County verbally informed of our findings as they become available

Attachment D - Fee Schedule

FEE SCHEDULE FOR GEOTECHNICAL FIELD, LABORATORY AND ENGINEERING SERVICES

1.	Field	Investigation		
	1.1	Mobilization and demobilization, per mobilization		
		1.1.1 Drill truck, water truck, pickup, and crew	\$	3.75/mile
		1.1.2 All-terrain drill rig, pickup, and crew	5	6.00/mile
	1.2	All-terrain vehicle with drill rig (additional charge)	. \$	600.00/day
	1.3.	Oriting and sampling		
		1.3.1 Drilling and sampling with 3-inch, thin-walled tube		
		sampler, continuous to 10.0 ft, 5.0-ft intervals thereafter	. 5	20.00/foot
		1.3.2 Continuous drilling and sampling with 3-inch, thin-wailed		
		tube sampler or split-spoon sampler for environmental		
		screening	\$	32,00/loot
	1.4.	Standard penetration tests		20.00/each
	1.5.	TxDOT cone penetration tests		28_00/each
	1.6.	Rock coring, NX or similar core barrel		
		1.6.1 Drilling in soft rock (Austin Chalk, Eagle Ford Shale, etc.)	\$	27.50/foot
		1.6.2 Drilling in hard rock or cavitated rock (Edwards, Buda,		
		Glen Rose, Georgefown, and Walnut Formations)	. \$	29.50/foot
	1.7.	Wash or auger borings drilled and logged from cuttings:		
		1.7.1 Soil	\$	13,00/foot
		1.7.2 Rock	5	19.00/foot
	1.8_	Casing of boreholes	5	15.00/foot
	1.9.	Hourly charges for boring layout, excessive time spent		
		gaining access to boring locations, backfilling boreholes,		
		creaning up site, installing piezometers, and for other		
		reasons beyond our control	.5	185.00/hour
	1.10.	Rental of concrete core drilling equipment or equipment		
		to gain site access, or traffic control devices		Cost
	1.11.	Materials for piezometers, grouting, etc.		Cost
	1.12	Surveying or other outside contractors		Cost
	1.13.	Traffic control		Upon Request
	1.14	Per diem for out-of-town assignments, per person		4 ,
	1.15	High-pressure steam cleaner		
	1.16	OVA meter		
	1.17	Steel drums for drill cuttings (delivered)		75.00/each
	1.19	Plugging boreholes with bentonite/concrete stury		
	1.19	Cone penetrometer testing		
				and the same of th
2.	Labor	ratory Tests		
	2.1.	Natural water content and soit classification	\$	15.00/each

	2.2	Plastic and liquid limits	85.00/each
	2.3.	Free swell test	85.00/each
	2.4.	Pressure swelltest	135.00/each
	2.5.	Uniaxial pressure-strain test	60,00/each
	26.	Sieve analysis (No. 4, 40, and 200 sieves)	65.00/each
	2.7.	Percent material passing a single sieve	45 00/each
	2.8.	Minus No. 200 sieve.	45,00/each
	2.9.	Hydrometer analysis	200.00/each
	2.10	Unit dry weight determination and natural water content \$	18,00/each
	2.11.	Unconfined compression test, soil	65.00/each
	2,12,	Unconfined compression test, rock	75.00/each
	2.13.	Unconsolidated-undralned triaxial compression test\$	95.00/each
	2.14.	Standard Proctor (ASTM D-698) compaction test	230,00/each
	2:15.	Modified Proctor (ASTM D-1657) compaction test	230.00/each
	2.16.	TxDOT (TEX-113-E) compaction test	240_00/each
	2.17.		275.00/point
	2.19.	Consolidation test, 7-load increments	750,00/each
		Additional load increments	100,00/each
	2.19,	Permeability of silt or clay	250,00/each
	2.20.	Specific gravity	50.00/each
	2.21.	Volumetric shrinkage \$	75.00/each
	2.22	Chemical and analytical testing by outside laboratory	Cost
3:	Engin	eering and Technical Personnel	
	3.1	Senior Consultant/Project Principal 5	225.00/hour
	3.2.	Senior Project Manager	180 00/hour
	3.3.	Project Manager	170.00/hour
	3.4	Project Engineer	135,00/hour
	3.5	Project Geologist	95.00/hour
	3.6	Laboratory Manager \$	95.00/hour
	3.7	Graduate Engineer 5	85.00/hour
	3.8.	Senior Engineering Technician \$	75.00/hour
	3.9.	Technician and Draftsperson \$	70.00/hour
	3,10.	Word Processor	50.00/hour
4.	Repor	t Reproduction and Miscellaneous	
	4.1	Outside services, printing, reproduction, etc	Cost
	4.2.	Outside technical assistance	Cost
	4 3.	Transportation \$	0.55/mile