

## Blake Skiles

---

**From:** Sarah Ramos  
**Sent:** Tuesday, July 26, 2016 9:39 AM  
**To:** Blake Skiles  
**Cc:** Jewel Walker; Kon Kwan  
**Subject:** Cross Culvert Design  
**Attachments:** IFBRFPRFQ Worksheet.pdf; RFQ XXXX-XXX - Culvert Crossings Design and Analysis - GENERAL INFORMATION SPECS.docx

Good morning Blake,  
Attached is the worksheet and General Specifications for the Cross Culvert rebid RFQ. We would like to reject the old RFQ 1604-073 and advertise a new bid on the August 2<sup>nd</sup> agenda. Please give me a call or email if you have any questions.

*Sarah Ramos*

---

**From:** Sarah Ramos  
**Sent:** Monday, July 25, 2016 4:11 PM  
**To:** Blake Skiles <blake.skiles@wilco.org>  
**Cc:** Jewel Walker <jewel.walker@wilco.org>; Kon Kwan <kkwan@wilco.org>  
**Subject:** RE: Culverts message

Good afternoon Blake,  
Just an FYI, we will be sending you information for Cross Culvert Design. We would like to reject the old RFQ 1604-073 and advertise a new bid on the August 2<sup>nd</sup> agenda. I will forward all information to you as soon I receive it. Thanks.

*Sarah Ramos*

---

**From:** Jewel Walker  
**Sent:** Monday, July 25, 2016 3:18 PM  
**To:** Sarah Ramos <[sramos@wilco.org](mailto:sramos@wilco.org)>  
**Subject:** Culverts message

Sarah,

Sorry I missed your call earlier. Blake will be managing the Culverts RFQ for you . Please email him the new information and copy me.

Connie said this was just a redo but that Terron had a few additional things to change on it. Is that correct? I'm here now if you need to call me back.

Thank you,  
Jewel

*Jewel Walker*

## Purchasing Specialist III

Williamson County  
Purchasing Department  
901 South Austin Ave.  
Georgetown, TX 78626  
512-943-1692

### Williamson County Purchasing Department



This message contains information which may be confidential and privileged. Unless you are the addressee (or authorized to receive for the addressee), you may not use, copy or disclose to anyone the message or any information contained in the message. If you have received the message in error, please advise the sender by reply e-mail and delete the message.