

DAKTRONICS QUOTE # 614903-1-3

Williamson County Parks & Recreation

219 Perry Mayfield
Leander, TX USA 78641

Phone:

Fax:

Email:

12/Jul/2017

Quote valid for: 90 days

Terms: Net 30 days from shipment with
Purchase Order

Subject to Credit Review

FCA: DAKTRONICS

Reference: Williamson County 45 Second Clock - BuyBoard Vendor # 512-16

Item No.	Model	Description	Qty	Price
1	TI-2003-R-PV for Delay of Game	Outdoor PanaView® Delay of Game Timer; Set of 2; Scoreboard Color: _____ Cabinet Dimensions: 3' 0" H X 4' 0" W X 0' 8" D (Approx. Dimensions) Digit Type: PANAVIEW Digit Color: RED Max Power: 150 watts/display Weight: Unpackaged 65 lbs per display; Packaged 120 lbs per display	1	USD 3,268.00
	Outdoor Scoreboard Wire Communication	Communication Type: Wire (Cable not included)	2	
	I-Beam Mounting Method (A)	For 2 I-Beams	1	
	FREIGHT	Shipping to site	1	
2	AS-5010 Kit	All Sport® 5010 Control Console Kit	1	USD 680.00
Services				
3	G5C5-W	Five Year Warranty - Parts Coverage - G5G5	1	

Total Price Excluding Sales Tax: USD 3,948.00

DAKTRONICS QUOTE # 614903-1-3

Leasing Program

If your purchase exceeds \$25,000, you may qualify for our leasing program allowing you more flexibility to spread out the cost of your Daktronics display over of a period up to five (5) years. Benefits of our leasing program include fixed rate financing, non-appropriation clause, no prepayment penalty, and customizable payment schedules. Plus, at the end of the lease, the equipment is yours to keep with no additional balloon payments.

Sample payment options as follows:

\$50,000 in total equipment cost = \$10,700 per year

\$100,000 in total equipment cost = \$21,199 per year

\$250,000 in total equipment cost = \$52,899 per year

Payments based on 5 year/annual payment in advance structure. **Leasing is subject to credit approval and agreed upon documentation with Daktronics lending partner. Contact your Daktronics representative for additional options and details.

Exclusions:

- | | |
|--|------------------------------------|
| - Electrical Installation | - Physical/Mechanical Installation |
| - Structure | - Foundation |
| - Power | - Hoist |
| - Technical Support/Installation Support | - Engineering Certification |
| - Signal Conduit | - Labor to Pull Signal Cable |
| - Applicable Permits | - Taxes |
| - Electrical Switch Gear or Distribution Equipment | - Front End Equipment |

Unless expressly stated otherwise in this Quote # 614903-1 Rev 3 or the attachments, if Daktronics performs installation of the Equipment, the price quoted does not include the following services pertaining to physical installations: digging of footings (including dirt removal), any materials fabrication, installation of steel cages, rebar, or bolt attachments, or pouring and finishing of concrete footings. Those service may be provided for an additional cost beyond the quoted price. Purchaser shall be fully responsible for any and all additional costs plus overhead in the event anything unexpected of any nature whatsoever is found while digging the footings including but are not limited to rock, water, utility lines, pipes or any other unforeseen circumstance. The Purchaser acknowledges and agrees that it is fully responsible for all site conditions.

Installation Responsibilities:

If applicable please reference Attachment A for Installation Responsibilities.

Ad/ID Copy Approval Process

Daktronics will process your proofs on orders that include advertising and identification panels. Your digital files and copy layouts should conform to graphic file standards document, SL-04116. The digital data files and copy layouts must be submitted at the time of your order and our proofs need to be approved two weeks prior to your initial anticipated ship date. Advertising and identification panels not receiving proof approvals in time will be shipped without copy in our standard finish.

Jose Rodriguez
PHONE:
FAX: 605-697-4746
EMAIL: Jose.Rodriguez@daktronics.com

Becky Graham
PHONE: 605-692-0200
FAX: 605-697-4746
EMAIL: Becky.Graham@daktronics.com

Terms and Conditions:

The Terms and Conditions which apply to this order available on request.

SL-02375 Standard Terms and Conditions of Sale

www.daktronics.com/terms_conditions/SL-02375.pdf

SL-02374 Standard Warranty and Limitation of Seller's Liability

www.daktronics.com/terms_conditions/SL-02374.pdf

SL-07862 Software License Agreement

www.daktronics.com/terms_conditions/SL-07862.pdf

SL-04116 Graphic File Standards

www.daktronics.com/terms_conditions/SL-04116.pdf

Acceptance:

The Undersigned has actual authority to execute this document and Daktronics, Inc is relying upon such authority.

The parties hereby acknowledge and agree that the terms and conditions contained within this Quote along with the terms and conditions of the Daktronics Standard Terms and Conditions, the Standard Warranty and Limitations of Liability, and/or the Software License Agreement (together, the "Terms and Conditions") constitute the full and final understanding of the parties regarding the sale of equipment and/or the provision of services and entirely replace and supersede any previous understanding or agreement between the parties. By executing this agreement, Purchaser acknowledges that it has had opportunity and means to review the Terms and Conditions as provided in the website addresses above. In the alternative, hardcopy of these Terms and Conditions will be provided upon request. Further it is acknowledged and agreed that the price of the equipment and/or the provision of services contained within this agreement are expressly conditioned upon Purchaser's acceptance of the Terms and Conditions without change. Any modification of the Terms and Conditions may require a corresponding change in price. Accordingly, the Purchaser acknowledges and agrees to these Terms and Conditions as evidenced by its attestation below.

Customer Signature

Date

Print Name

Title

Purchase Order Information:

Williamson County Parks &
Recreation

PO# _____

PO Date _____


Purchaser hereby confirms that the equipment is to be delivered to, and may be installed by Purchaser or Daktronics (as indicated elsewhere herein) at the address indicated on page one (1) of the agreement unless otherwise specified below:

<input type="checkbox"/> Same as Bill to
Ship To:
Company _____
Contact Person _____
Address _____
City _____
State _____ Zip _____
Telephone _____
Fax _____
Email _____

<input type="checkbox"/> Same as Ship to
End User:
*Company _____
Contact Person _____
Address _____
*City _____
*State _____ *Zip _____
Telephone _____
Fax _____
Email _____
*Required Information

BILL TO (if different from quoted address):
Company _____
Contact Person _____
Address _____
City _____
State _____ Zip _____
Telephone _____
Fax _____
Email _____

DAKTRONICS ALL SPORT 5000 PRODUCT SPECIFICATIONS



DIMENSIONS	WEIGHT	POWER (120/240 VAC)
4.25" H x 16.25" W x 9" D (108 mm, 413 mm, 229 mm)	7 lb (3.2 kg)	6 Watts

DISPLAY

A 32-character liquid crystal display (LCD) prompts the operator and provides vital feedback. Two lines of 16 characters provide easy viewing of game in progress information. The LCD is backlit with LEDs to allow for readability in dark areas as well as bright sunlight.

- Viewing area: 3.89" W x 0.94" H (99 mm, 24 mm)
- Characters: 0.189" W x 0.378" H (4.8 mm, 9.6 mm)

CONSTRUCTION

Heavy-duty aluminum case is the toughest line of defense against drops, static electricity, and high/low temperatures. The console's "snap-action" keyboard is sealed, making it resistant to moisture and spills. An internal beeper helps to indicate a completed keystroke.

SPORT MODES

Interchangeable sport inserts allow a single console to work for a wide variety of indoor and outdoor sports. Sport inserts reduce the confusion of having multiple functions on individual keys. On most inserts, HOME keys are color-coded green and GUEST keys are red for quick identification. The All Sport 5000 console can also be custom-programmed as needed.

NON-VOLATILE MEMORY

The most current information is automatically stored on a memory chip without the need for a battery, should there be a loss of power. The memory cannot be erased and is only overwritten once new information is entered.

PRODUCT SAFETY APPROVAL

ETL-listed, tested to CSA standards, and CE-labeled; FCC approved

OPERATING TEMPERATURES

32° to 130° Fahrenheit (0° to 54° Celsius)

GENERAL INFORMATION

Console can control multiple scoreboards and stat panels, display tenth-of-a-second times, and features Time of Day and Segment Timer modes. Console is static electricity resistant to 20,000 volts. Specifications and pricing are subject to change without notice.

OPTIONS & ACCESSORIES

- Durable carrying case (see [SL-04551](#))
- 2.4 GHz spread spectrum radio control (see [SL-04370](#))
- Handheld shot clock controllers
- External battery kit (see [SL-04457](#))

FOR ADDITIONAL INFORMATION

- Manual: See [ED-11976](#)
- Quick Guide: See [DD2077845](#)

WWW.DAKTRONICS.COM E-MAIL: SALES@DAKTRONICS.COM

201 Daktronics Drive, PO Box 5128, Brookings, SD 57006
Phone: 1-800-325-8766 or 605-692-0200 Fax: 605-697-4746
SL03991 011817 Page 1 of 2



DAKTRONICS ALL SPORT 5000 PRODUCT SPECIFICATIONS

FEATURE	BENEFIT
Cumulative memory	Saves points and fouls for up to 15 players per team in basketball mode and several user-defined player stats for volleyball for use on stat displays
Main & auxiliary scoreboard control	Control basketball shot clocks & stat displays, hockey goal lights or football delay-of-game clocks in addition to the main scoreboard from the same output signal
Real-Time Data (RTD) output	Displays game-in-progress information on electronic message displays
Track-timing interface	Displays information from automatic timing systems on standard football scoreboards
Multiple sport modes	Easily move the same console from venue to venue
TNMC control	Display custom names for each team on scoreboards that support optional programmable Team Name Message Centers (TNMCs)

TYPICAL CONTROL DIAGRAM

Refer to the diagram below for a typical layout of an All Sport 5000 controller, basketball scoreboard and optional shot clocks.

