

PROPOSAL REQUEST

BRINKLEY SARGENT WIGINTON ARCHITECTS

Distribution: OWNER ☒ ARCHITECT ☒ CONSULTANT ☒ CONTRACTOR ☒ FIELD ☐ OTHER ☐

PROJECT: Williamson County Sheriff's Office Training Center
8160 Chandler Road
Hutto, TX 78634

PROPOSAL REQUEST NO: 14

OWNER: Williamson County
3151 SE Inner Loop
Georgetown, Texas 78626

TO: American Constructors, Inc.
11900 West Parmer Lane
Cedar Park, TX 78613

INITIATION DATE: 9/28/2017

CONTRACT FOR: General Construction

PROJECT NO.: 21522.00
CONTRACT DATE: 12/20/16

Please submit an itemized quotation for changes in the Contract Sum and/or Time incidental to proposed modifications to the Contract Documents described herein.

Description: Incorporate the following revisions to the documents to add blackout shades in Defense Tactics.

Item No. 1. SHEET E311 FLOOR PLAN – POWER

- A. Provide five (5) J-boxes with power for electric black-out shades. Coordinate each location of J-boxes and connection requirements to shades with shade installer. Connect all shades to same circuit. Utilize same breaker at Panel 'LE-37'.
- B. Provide switch for control of shades as shown. All shades will operate simultaneously. Coordinate requirements with shade installer.

Item No. 2. SHEET A811 - FINISH PLAN

- A. Added locations of blackout shades in Defense Tactics.
- B. Provide sizes for shades
- C. Provided new Detail 2/A811

Item No. 3 Provide Draper LightBloc Zip with options as per Draper LightBloc Zip Submittal sheet

- A. Fabric to be Avila Twilight by Mermet in Defense Tactics 143.
- B. Provide Zip 127 Curved headbox (prefer Zip 92 if fabric weight allows)

Attachments: E311 FLOOR PLAN – POWER, A811 - FINISH PLAN, Draper LightBloc Zip Submittal sheet

END OF PROPOSAL REQUEST #14

ISSUED: BRINKLEY SARGENT WIGINTON ARCHITECTS

By: David Achterberg

September 28, 2017

ARCHITECT

DATE



FINISH PLAN

WILLIAMSON COUNTY
SHERIFF'S OFFICE TRAINING CENTER
8160 Chandler Road, Hufto, TX 78634



8160 Chandler Road, Hutto, TX 78634

[illegible]

Technology	Custom Design Group	(312) 478-6001
CAD	HALF Associates Inc.	(312) 777-6400
MEP	Hensley Consulting Engineers	(312) 214-0200
Structural	Danm Engineering Inc.	(312) 466-9490
Landscaping	HALF Associates Inc.	(312) 777-6400
Architectural	Brinkley Cooper/Wagon Architects	(312) 610-0000

項目	単位	備考
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

FINISH PLAIN LEGEND

[illegible]

LEVEL 1 - FINISH PLAN

LEVEL 1 TEST



④

LightBloc™ Zip

Motorized Interior / Exterior Roller Shade System

Please check all appropriate selections and attach room schedule with verified dimensions.

DRAPER

Select Fabric:

See *Draper's Shade Fabric Reference Guide* for fabric colors and specifications.

Fabric Series: Avila Twilight by Mermet

Color name / Number: Draper is providing samples for selection

Openness Factor: blackout

Select Hardware:

Select Installation Option:

- ☒ Jamb
☐ Wall
☐ Pocket

Select Motor Location:

- ☐ Right (Standard)
☐ Left Refer to layout, provide both left and right

Select Cable Exit Location:

- ☐ None (Standard)
☒ Top
☐ Side
☐ Back

Select Headbox Style:

- | | | | |
|--|--|--------------------------------------|--------------------------------------|
| <input type="checkbox"/> Square (Standard) | <input checked="" type="checkbox"/> Curved | <input type="checkbox"/> Angled | <input type="checkbox"/> Pocket |
| <input type="checkbox"/> 127 (Large) | <input type="checkbox"/> 127 (Large) | <input type="checkbox"/> 127 (Large) | <input type="checkbox"/> 127 (Large) |
| <input type="checkbox"/> 92 (Small) | <input checked="" type="checkbox"/> 92 (Small) | | <input type="checkbox"/> 92 (Small) |

Select Zipper Color:


- ☐ Black (Standard)
☒ Grey

Select Hardware Finish:

- ☐ Black ☐ Bronze ☐ Ivory ☐ White ☐ Sand ☒ Silver

Select Zipper Color:

- ☐ Black (Standard)
☒ Grey



Select Operator and Controls:

Select 120V AC Operator:

- ☐ Sonesse 120V Motor (Standard)
☐ Sonesse Ultra 120V Motor

Select 120V AC Control Options:

- ☐ 120V Wall Switch for Single Shade Control
☐ Low Voltage and/or Multiple Shade Control*

Select 120V RTS Operator:

- ☐ Sonesse RTS
☐ Sonesse Ultra RTS

Select RTS Control Options:

- ☐ Altus RF
☐ Telis 1 Transmitter (1-Channel)
☐ Telis 5 Transmitter (4-Channel)
☐ Dry Contact Interface
☐ RTS Sun Sensor
☐ Wireless Wall Switch
☐ Decora RTS 1-Channel (Circle one: White / Ivory)
☐ Decora RTS 4-Channel (Circle one: White / Ivory)
☐ Telis 1 Chronis Timer (1-Channel)
☐ URTSi II Universal RTS Interface RS-232 (16-channel)

Coordinate operation for shades to operate all the way up or all the way down, in unison.

Select 120V AC 485 Intelligent Technology Motor (ILT):

- ☐ 120V RS485 Quiet Sonesse Motor
☐ 120V RS485 ULTRA Quiet Sonesse Motor

Select Control Options:

- ☐ 6 Button Digital Keypad
☐ 8 Button Digital Keypad
☐ Data Hub

DRAPER

411 S. Pearl St., Spiceland, IN 47385 USA ■ 765-987-7999
www.draperinc.com ■ fax 765-987-7142
Copyright © 2017 Draper Inc. Form LightBlocZip_Sub17 Printed in U.S.A.

PROJECT: _____

ARCHITECT: _____

CONTRACTOR: _____

SUPPLIER: _____

DATE: _____ REVISED: _____

Specifications-LightBloc Zip™

Hardware:

Rollers: 2.364" (60 mm) dia. or 3.07" (78 mm) dia. with 0.049" (1.245 mm) wall; steel with galvalum coating.

Headbox: Two-piece extruded aluminum headbox. Small size (92) shall be 35/8" (92 mm) tall x 35/8" (92 mm) deep. Large size (127) shall be 5" (127 mm) tall x 5" (127 mm) deep. Silver, black, white, ivory, sand or bronze powder coat finish.

Fabric: Fabric panel to incorporate pockets at the top and bottom to allow connection to the roller tube and to the hembar. 'Zip' detail welded to the two vertical sides of the fabric panel.

HemBar: Aluminum, with steel weight to reduce fabric movement. Color to match headbox.

Side Channels/Fabric Retention System: Side channels to be extruded aluminum and incorporate plastic inner channels. Plastic inner channels to be held inside the extrusion by means of cushioning pads that also dampen the movement of the fabric panel under wind load. 'Zip' details on the edges of the fabric panel to run in the inner channels to retain the fabric in place.

Motorized Operator:

Sonesse 120V AC Electric Operator: Drive unit inside roller, 4-wire, instantly reversible, lifetime lubricated. **Right hand motor location standard.** Left hand available. Adjustable limit switches, thermal overload protector and electric brake. Operates on 110-120V AC 1 PH 60 HZ current. Draws 1.1 Amps.

Sonesse Ultra 120V AC Electric Operator: Drive unit inside roller, 4-wire, instantly reversible, lifetime lubricated. **Right hand motor location standard.** Left hand available. Adjustable limit switches, thermal overload protector and electric brake. Operates on 110-120V AC 1 PH 60 HZ current. Draws 1.1 Amps. Operates at or below sound level of 44 Db.

Sonesse RTS 120V Radio Technology Electric Operator: Drive unit inside roller, 3-wire, instantly reversible, lifetime lubricated. **Right hand motor location standard.** Left hand available. Built-in radio receiver. Limit switches adjustable using wall switch or remote control. Thermal overload protector and electric brake. Operates on 110-120V AC 1 PH 60 HZ current. Draws 1.1 Amps. Operates at or below sound level of 44 Db. Call Draper for size limitations when using quiet motors.

Sonesse RTS Ultra 120V Radio Technology Electric Operator: Drive unit inside roller, 3-wire, instantly reversible, lifetime lubricated. **Right hand motor location standard.** Left hand available. Built-in radio receiver. Limit switches adjustable using wall switch or remote control. Thermal overload protector and electric brake. Operates on 110-120V AC 1 PH 60 HZ current. Draws 1.1 Amps. Operates at or below sound level of 38 Db. Call Draper for size limitations when using quiet motors.


Sonesse 485 120V Intelligent Technology Electric Operator: Drive unit inside roller, 3-wire, instantly reversible, lifetime lubricated. **Right hand motor location standard.** Left hand available. Built-in encoder and low voltage controller with data cable. Limit switches adjustable using wall switch or remote control. Thermal overload protector and electric brake. Operates on 110-120V AC 1 PH 60 HZ current. Draws 1.1 Amps.


Patent information available at <http://www.draperinc.com/legal/patents/>

Downloadable 3-part specifications are available at www.draperinc.com.


Please note:

Dimensions of rollers, operators and hardware at manufacturer's discretion.







Side Channel Dimensions




Hembar Dimensions




Sill Angle








Zip 92 Mounting Bracket



Zip 127 Mounting Bracket







Evergreen Power of Texas

P.O. Box 1639 Lampasas, Texas 76550

512.564.1388 OFC

512.564.1042 FAX

TO: AMERICAN CONSTRUCTORS
(512) 328-2026

SEPTEMBER 29, 2017

RE: Sheriff's Office PR#14

Attn: Dustin Wiegers

Dear Dustin,

Evergreen Power, LLC. is pleased to quote the above referenced PR#14 as follows:

Quote\$5,113.00

Sincerely,

Glen Stephens, President

(409) 877-9166 celll

WILCO SHERIFF'S OFFICE -PR#14 POWER TO SHADES

QTY	Unit	ITEM	MAT'L	EXTEND	LABOR	EXTEND
600 FT		3/4" EMT	\$ 0.62	\$ 372.00	0.08	48
100 EA		3/4" COUPL	\$ 0.42	\$ 42.00	0.05	5
25 EA		3/4" CONN	\$ 0.45	\$ 11.25	0.05	1.25
100 EA		3/4" STRAPS	\$ 0.40	\$ 40.00	0.1	10
1,800 FT		#12 THHN CU	\$ 0.12	\$ 216.00	0.008	14.4
10 EA		4" SQ BOX	\$ 1.20	\$ 12.00	0.3	3
1 EA		SWITCH COVER	\$ 1.00	\$ 1.00	0.1	0.1
9 EA		4" SQ BLANKS	\$ 1.00	\$ 9.00	1	9
1 EA		SWITCH	\$ 8.00	\$ 8.00	0.3	0.3
5 EA		MOTOR TAILS	\$ 10.00	\$ 50.00	0.3	1.5
TOTAL				761.25		
				LABOR RATE		
					Total Hours	92.55
					Hourly Rate	42
MATERIAL			761.25		Total Labor	3,887.10
LABOR			3,887.10			
TOTAL			4,648.35			
10% O & P			464.84			
TOTAL			5,113.19			

CAPITOL BLIND AND DRAPERY COMPANY, INC .
1801-1803 HYDRO DRIVE
AUSTIN, TEXAS 78728

10/3/17

WILCO SHERIFFS OFFICE TRAINING CENTER SHADES PR 14

MANUAL SHADES WITH CURVED HEADBOX ROOMS 111, 112, 117 WILL REQUIRE 2 SHADES IN ORDER TO PROVIDE SMALL HEADBOX MOTORIZED SHADES IN DEFENSE TACTICS ROOM WILL REQUIRE LARGE CURVED HEADBOX TO MFG PARAMETERS

QUANTITY

ESTIMATED FINISH AND SPECIFICATIONS

13	MANUAL SHADES DRAPER BRAND 3 % open with curved headbox
8	MANUAL SHADES DRAPER BRAND 3 % open with POCKET DELIVERED ONLY INSTALLED BY THIRD PARTY AFTER WHICH CAPITOL INSTALLS SHADES AND CLOSURE
4	MOTORIZED SHADES SINGLE AND MULTI BANDED DRAPER BRAND 1 % open with POCKET DELIVERED ONLY INSTALLED BY THIRD PARTY AFTER WHICH CAPITOL INSTALLS SHADES AND CLOSURE
8	MOTORIZED ZIP SHADES DRAPER BRAND BLACKOUT WITH LARGE CURVED HEADBOX

1 LOT INSTALLATION POCKET

**THIS ITEM IS A DELIVER ONLY ITEM SECURE PRICE AND TRADESMAN FOR
INSTALLATION THIS IS NOT INSTALLED BY CAPITOL BLIND**

\$26,455.00

IMPORTANT QUALIFICATIONS

***** INSTALLATION POCKET IS DELIVERED BY CAPITOL BLIND AND INSTALLED BY THIRD
PARTY CONTRACTOR**

****** 5 FOOT J BOX LEADS PROVIDED ADDITIONAL LENGTH AT ADDITIONAL COST**


****** WALL SWITCH AS ALL ELECTRICAL DELIVERED ONLY INSTALLED BY THIRD PARTY**

****** ALL WIRING, HOOKUP AND WIRE PULLING BY THIRD PARTY. ALL WIRE BY THIRD PARTY THIS
INCLUDES HIGH AND /OR LOW VOLTAGE**

This price includes materials, installation, and freight.. This price **does not include** sales tax. This price is
valid for 45 days. This price is based on listed sizes and quantities only

Sincerely,

CAPITOL BLIND AND DRAPERY COMPANY, INC.



Beth Gamel
Commercial Sales Representative
VOICE 512-990-8033
capitolblind@yahoo.com

CAPITOL BLIND AND DRAPERY COMPANY, INC.
1801-1803 HYDRO DRIVE
AUSTIN, TEXAS 78728

11/17/16
WILCO SHERIFFS OFFICE TRAINING CENTER
SHADES



<u>QUANTITY</u>	<u>ESTIMATED FINISH AND SPECIFICATIONS</u>
47	MANUAL SHADES SWF OR DRAPER BRAND
6	MOTORIZED SHADES MULTI BANDED SWF OR DRAPER BRAND
1 LOT	INSTALLATION POCKET

THIS ITEM IS A DELIVER ONLY ITEM SECURE PRICE AND TRADESMAN FOR
INSTALLATION THIS IS NOT INSTALLED BY CAPITOL BLIND

\$24999.00

IMPORTANT QUALIFICATIONS

*** INSTALLATION POCKET IS DELIVERED BY CAPITOL BLIND AND INSTALLED BY THIRD
PARTY CONTRACTOR

**** 5 FOOT J BOX LEADS PROVIDED ADDITIONAL LENGTH AT ADDITIONAL COST

**** WALL SWITCH AS ALL ELECTRICAL DELIVERED ONLY INSTALLED BY THIRD PARTY

**** ALL WIRING, HOOKUP AND WIRE PULLING BY THIRD PARTY. ALL WIRE BY THIRD PARTY THIS INCLUDES
HIGH AND OR LOW VOLTAGE

This price includes materials, installation, and freight. This price **does not include** sales tax. This price is
valid for 45 days. This price is based on listed sizes and quantities only

Sincerely,

CAPITOL BLIND AND DRAPERY COMPANY, INC.

Beth Gamel

Beth Gamel
Commercial Sales Representative
VOICE 512-990-8033
FAX 512-990-8034

	\$26,455
—	\$24,999
	<hr/>
	\$ 1,456