

**Williamson County Juvenile Justice Center
Security Related [Quote] - Prox Card Readers
STANLEY Convergent Security Solutions, Inc.
March 29, 2018**

1. **[Room # 204] - - Security Electronics**
 - Required equipment for the connection of the new Prox Readers
2. **[Door # 1] - - Mariah E. – Receptionist Office Door: # 429**
 - Install Prox Card Reader (2)
3. **[Door # 2] - - Anja M. –Receptionist Office Door: # 404**
 - Install Prox Card Reader (2)
4. **[Door # 3] - - C.O.R.E. Work Room (Teachers): # 610**
 - Install Prox Card Reader (1)
5. **[Door # 4] - - C.O.R.E. Double Glass Doors (Interior Perimeter) - Bus Exit: # 615**
 - Install Prox Card Reader on the inner set of doors (Vestibule Entry) (1)
6. **[Door # 5] - - Juvenile Court: # 471**
 - Move Prox Reader from that's placed next to Judge Mathew's Office Door and place next to Wanda Davidson's Office # 459 (from the courtroom entry to Ms. Davidson's office.)

*** Courtroom # 471**

- 2-Button Wireless Transmitter – located at or near Judge's desk – to lock/unlock the main entry to court room
 - 1-Channel Receiver – locate at double entry door to court room
 - Power Supply and Battery – locate at double entry door to court room
7. **Intercom System – 1st Receptionist Door - - (Mariah E. Double Glass Door Entrance: No # listed)**
 - a. Install (2-way) Standalone Intercom system [*a local one on one audio station*] from Mariah's desk to communicate with visitors prior to allow entry into Administrative Hallway.
 - b. Install Push Button for Entry-Controlled Access by Mariah-Reception Desk.
 8. **Intercom System – 2nd Receptionist Door - - (C.O.R.E.'s Double Glass Door) [(Front Entrance): No # listed]**
 - a. Install (2-way) Standalone Intercom system [*a local one on one audio station*] from Marianna's Reception desk to communicate with visitors prior to allow entry into Administrative Hallway.
 - b. Install Push Button for Entry-Controlled Access by Marianna's-Reception Desk.

Total Cost Estimate: \$ 18, 136.56

Customer Installation Agreement

Name: WILLIAMSON COUNTY ("Customer")
Address: 1821 INTERLOOP RD, GEORGETOWN, TX 78626
Contact: Nathan Pearl
Date: 4/13/2018

STANLEY Convergent Security Solutions, Inc. ("SCSS") hereby proposes to furnish labor and materials for the installation of an electronic security/integrated solution system in accordance with the specifications below:

Transaction & System Information

Name of Project: Wilco - JJC, add cardreaders, and 2 standalone intercom system, April 2018 - Q-16254
Transaction Type: Add/Upgrade
System Information: Access

Expected approximate date of commencement of project: May 10, 2018
Expected approximate date of completion of project: May 15, 2018

Customer to Provide

120 vac Power Outlets, Any Add'l Devices Req'd by Local AHJ, Network Connectivity, Payments for Permits & Fees, Payments for Plan Submittals, Roof penetrations, Static IP address for equipment,

Equipment		
Quantity	Part Number	Description
3.00	LNL-1320	DUAL READER INTERFACE MODULE (SERIES 2 -SUPPORTS OSDP READERS) - 12/24 VDC; 2 READER INTERFACE; W/M; 8 INPUTS; 6 (5A) FORM C RELAYS ; ROHS; CE; C-TICK AND UL294 CERTIFIED
1.00	LNL-CTX	LENEL UL LISTED HARDWARE ENCLOSURE (15.5 X 12.5 X 4.5) ONLY WITH LOCK AND TAMPER SWITCH. (UL APPROVED) (CAN HOUSE 2 BOARDS)
6.00	920PTNNEK00000	RDR, RP40, MULTICLASS, SE REV E, STD PROX, STD, WIEGAND, PIG, BLK, STD 1 SECURITY, LED RED, FLASH GRN, BZR ON, IPM OFF, 32 BIT
1.00	AX-600ULPD8	8 OUTPUT POWER SUPPLY/CHARGER - 12VDC OR 24VDC @ 6 AMP, FUSED NON-POWER LIMITED OUTPUTS, AC & BATTERY MONITORING, ENCL. 13.5IN H X 13IN W X 3.25IN D, 115VAC INPUT, UL LISTED (UL294/UL1481), CUL LISTED.
1.00	IM-1270	BATTERY - 12V, 7AH
6.00	MSS-19CT	3/4 INCH RECESSED DOOR CONTACT
2.00	KAN-TREXLT	T.REX EXIT REQUEST
2.00	10MAGLOCK1ULST	1200 LB SINGLE LOCK, UL, LED BOND STATUS, TIMER, 12/24 VDC, WITH STANLEY LOGO
4.00	5000C 630	5000C ELECTRIC STRIKE KIT; 12VAC/DC 24VAC/DC SELECTABLE; FAIL SECURE/SAFE SELECTABLE; INCLUDES

License Information (as of 10/03/2016): AK 1003300; 104891; AL 888, 1278, 1322; 1472; Complaints may be directed to Alabama Electronic Security Board of Licensure, 7956 Vaughn Rd., Montgomery, AL 36116 (334) 264-9388; 48682; AZ ROC204975; AR 0329770517; CMPY.0001911. Regulated by Arkansas Bd of Private Investigators and Private Security Agencies, #1 State Police Plaza Dr, Little Rock, AR 72209 (501) 618-8600; CA 848019 - C10, C28, LCO5911; ACO8055, Alarm company operators are licensed and regulated by the Bureau of Security & Investigative Services, Dept. of Consumer Affairs, Sacramento, CA 95814; CT ELC.0184651-L5; DE 04-158; FAL-0001; FL EF0000772; GA 439701; IA AC-211; ID 015830; 022726-AA-4; IL 127001274; KY 338; LA F1162; F875; F1277; 61931; MA 7129C; MD 107-1828; 259; MI 5103306; 3601205772; MN TS01238; MS 19207-SC; 15024172; MT FPL-BEL-000132; NC 23471 SP-FALV; 1839-CSA, Alarm Systems Licensing Bd., 4901 Glenwood Ave, Ste 200, Raleigh, NC 27612 (919)788-5320; NJ 1074485; 659423; 348F00017200; NM 374554; NV F400; F401; 0071024; 0078001; NY 12000293169, Licensed by NYS Dept. of State; OH 53-89-1512; OK 953; OR 161567; PA 032736; RI 9448A; TSC 4996; AC-004956; SC FAC3387; BAC5501; TN 1180; 1540; 1448; 1650; 1446; CE-D 65528; TX ACR2639; ECR1821; B02140; UT 5704068-6501; VA 2705-087235A, 11-5481; WA STANLCS925M2; WV 045298; WI 969322; WY LV-G-23879 REV (2016.10.03) Q-16254

		501, 501A FACEPLATES; SATIN STAINLESS STEEL
1.00	WG-31955099	ACCESS CONTROL CBLE 500FT REEL UNJKT PLENUM
1.00	AX-SMP3ET	SMP3 W/BC100 & TP1640
1.00	IM-1240	12V 4.5AMP SEALED LEAD ACID BT
1.00	LN-DXT21	2-BTTN/1-CHNL HANDHELD XMTR
1.00	LN-DXR701	1-CHANNEL RECEIVER
2.00	9K37W15DS3626	HEAVY DUTY CYLINDRICAL LOCK-INSTITUTIONAL FUNCTION (LARGE ROSE) SATIN CHROMIUM PLATED
2.00	AJ-LEM1DLS	1-CALL ACCESS SENTRY SYSTEM
2.00	AJ-RY18L	18VOLT HIGH CURRENT RELAY
1.00	AJ-82220250C	CABLE, 2C, 22G, OVERALL SHIELD, 500FT
1.00	2S31952R1	18(4)+22(2+4+6)1S CMP PROFN 1000FT (COMP TO HW 31951099)

Existing Equipment

Quantity	Description

Equipment Notes

Stanley Security Solutions will furnish and install the following additions to the access control system in the Juvenile Justice Center at 1821 SE Inner Loop, Georgetown TX 78626. See attached drawing for equipment locations.

Headend Control - Room #204

- 3 Dual reader interface module
- 1 2-board enclosure
- 1 6amp lock power supply with backup battery

Door #1

- 2 Multiclass Cardreaders (IN/OUT)
- 1 Mechanical lockset - "institutional" cylindrical lockset
- 1 Electric door strike
- 1 Door contact switch

Door #2

- 2 Multiclass Cardreaders (IN/OUT)
- 1 Mechanical lockset - "institutional" cylindrical lockset
- 1 Electric door strike
- 1 Door contact switch

Door #3

- 1 Multiclass Cardreader
- 1 Electric door strike -cyl.
- 1 Door contact switch
- 1 REX motion sensor

Door #4

- 1 Multiclass Cardreader
- 2 Sgl. maglocks
- * Door #4 has existing electrified panic bars (2), power transfer device (1), door contacts (2), and (1) REX motion sensor.

Door #5

License Information (as of 10/03/2016): AK 1003300; 104891; AL 888, 1278, 1322, 1472, Complaints may be directed to Alabama Electronic Security Board of Licensure, 7956 Vaughn Rd., Montgomery, AL 36116 (334) 264-9388; 48682; AZ ROC204975; AR 0329770517; CMPY.0001911. Regulated by Arkansas Bd of Private Investigators and Private Security Agencies, #1 State Police Plaza Dr, Little Rock, AR 72209 (501) 618-8600; CA 848019 - C10, C28; LCO5911; ACO6055, Alarm company operators are licensed and regulated by the Bureau of Security & Investigative Services, Dept. of Consumer Affairs, Sacramento, CA 95814; CT ELC.0184651-L5; DE 04-158; FAL-0001; FL EF0000772; GA 439701; IA AC-211; ID 015830; 022726-AA-4; IL 127001274; KY 338; LA F1162; F875; F1277; 61931; MA 7129C; MD 107-1828; 259; MI 5103306; 3601205772; MN TS01238; MS 19207-SC; 15024172; MT FPL-BEL-000132; NC 23471 SP-FA/LV; 1839-CSA, Alarm Systems Licensing Bd., 4901 Glenwood Ave, Ste 200, Raleigh, NC 27612 (919)788-5320; NJ 1074485; 659423; 34BF00017200; NM 374554; NV F400; F401, 0071024; 0078001; NY 12000293169, Licensed by NYS Dept. of State; OH 53-89-1512; OK 953; OR 161567; PA 032736; RI 9448A; TSC 4996; AC-004956; SC FAC3387; BAC5501; TN 1180, 1540; 1448; 1650, 1446; CE-D 65528; TX ACR2639; ECR1821; B02140; UT 5704068-6501; VA 2705-087235A, 11-5481; WA STANLCS925MZ; WV 045299; WI 969322; WY LV-G-23879 REV (2016.10.03) Q-16254

- * Stanley will relocate the cardreader and REX motion sensor from room #460A to Room # 459.
- 1 Electric door strike
- 1 Door contact switch

Courtroom #471

- 1 2-button wireless transmitter - located at or near the Judge's desk - to lock/unlock the main entry to court room
- 1 1-channel receiver - locate at double entry door to court room
- 1 Power supply and battery - locate at double entry door to court room

Intercom System - 1st Receptionist door

- 1 Audio door station - Entry door at 1st Receptionist
- 1 Master station - Entry door at 1st Receptionist
- 1 Door release relay
- 1lot Cable

Intercom System - 2nd Receptionist door

- 1 Audio door station - Entry door at 1st Receptionist
- 1 Master station - Entry door at 1st Receptionist
- 1 Door release relay
- 1lot Cable

Note: The local Authority Having Jurisdiction (AHJ) will have to provide written approval of the proposed operation of the above doors prior to the installation of this equipment.

Theory of Operation

Investment Type: Direct Sale

Pricing and Deposit Terms

Payment Terms: All invoices are due thirty (30) days after date of the invoice. No retainage is permitted.

Transaction Information: Add/Upgrade
Warranty Duration: 12 MONTHS

Customer agrees that SCSS retains a security interest in the equipment until the full purchase price is paid.

Total Installation Price*:	\$18,136.56
Up-front Deposit*:	\$0.00
Progress Payments*:	
Balance Due Upon Completion*:	\$18,136.56

Prices do not include taxes

ACCEPTANCE OF PROPOSAL

The above prices, specifications and conditions attached hereto are satisfactory and are hereby accepted. The terms and conditions as set forth herein and on the attached page shall supersede any conflicting terms, or any additional terms furnished by SCSS. Purchase Orders may be issued for billing purposes only and any terms, conditions or changes included in such Purchase Orders shall have no force or effect. SCSS is authorized to do the work as specified. Payment will be made as outlined above.

STANLEY Convergent Security Solutions, Inc.

Customer: WILLIAMSON COUNTY

Security Representative (Sign)

Customer (Sign)

Security Representative (Print)

Customer (Print)

Title

STANLEY Authorized Manager (Sign)

STANLEY Authorized Manager (Print)

Not Binding on SCSS without either Authorized Management Approval Signature or SCSS Begins the Installation or Services.

Terms and Conditions

WARRANTY

SCSS warrants that the equipment will be free from defects in material and workmanship for a period of 12 MONTHS from the date the system is placed into operation. If during this warranty period, any of the equipment or parts are defective or malfunction, they will be repaired or replaced free of charge. Warranty repair is done 8 am-4pm Monday through Friday, excluding holidays. This warranty will not apply if the damage or malfunction occurs because the system has been adjusted, added to, altered, abused, misused or tampered with by Customer.

DISCLAIMER OF ALL OTHER WARRANTIES: EXCEPT FOR THE FOREGOING LIMITED EQUIPMENT WARRANTY DESCRIBED ABOVE, SCSS MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IT IS EXPRESSLY AGREED THAT UNDER NO CIRCUMSTANCES SHALL SCSS BE HELD LIABLE FOR ANY INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS, WHETHER ARISING UNDER ALLEGED BREACH OF AGREEMENT, NEGLIGENCE, STRICT LIABILITY OR ANY OTHER LEGAL OR EQUITABLE THEORY, AND SCSS'S LIABILITY SHALL BE STRICTLY LIMITED AS STATED ABOVE.

ADDITIONAL CHARGES:

- All prices quoted do not include sales tax unless specifically written on the face of the proposal.
- Unless otherwise stated in the proposal, the price quoted is FOB shipping point. All shipments will be UPS ground, unless otherwise specified.
- Applicable permitting fees will be billed on a pass-through basis.
- The price quoted assumes installation will be performed during SCSS's normal working hours and using its own personnel. If Customer requests the installation or any part thereof to be performed outside ordinary business hours or, if the installation must be performed by outside contractors, or SCSS's wage rates do not apply as a result of prevailing wage requirements, or otherwise, then the installation charge will be adjusted accordingly.

- Any changes to the system required by any government agency or Authority Having Jurisdiction will be billed to Customer, and are not the responsibility of SCSS.

INSURANCE:

SCSS shall purchase and maintain without interruption from date of commencement of the work throughout the end of the contract period or completion of SCSS's work, whichever occurs later, insurance on its performance of the Work as set forth below:

- Worker's Compensation insurance meeting statutory requirements of the state in which the work is to be performed and containing Employers' Liability insurance with limits of \$1,000,000 for each accident/disease.
- Comprehensive Auto Liability insurance on an occurrence basis covering all SCSS owned, non-owned, and hired vehicles with a combined single limit of \$1,000,000 for each occurrence for bodily injury, including death, to any one person and \$500,000 for each occurrence of property damage.
- Comprehensive General Liability, including contractual liability, insurance providing coverage of \$1,000,000 for each occurrence and \$2,000,000 in the aggregate.
- Umbrella/Excess Insurance with coverage of \$1,000,000. Coverage shall apply to all the same risks as the underlying insurance policies listed above.
- SCSS will name Customer as additional insured to the extent of SCSS's negligence on its general liability and automobile policies.
- SCSS shall provide certificates of insurance evidencing the foregoing insurance is in effect at the request of Customer.

INDEMNIFICATION:

SCSS will hold Customer, its officers, directors, agents and employees harmless from damage, liability and expense to the extent resulting from the negligent acts or omissions of SCSS, its agents or employees, during and within the scope of employment of such persons while they are on Customer's premises performing the installation work. Notwithstanding the foregoing, SCSS shall have no liability or obligation to indemnify for damage, liability or expense resulting from or due to occurrences and/or the consequences there from that the system is intended to detect, prevent or record, including any such loss or damage which may be occasioned or caused by the improper working or malfunctioning of the system. In no event will SCSS, its employees, agents or representatives be responsible for consequential, incidental or special damages or for the negligence of others.

PROPRIETARY PROTECTION.

Any computer application program and/or documentation, collectively referred to as "Software", that is provided by SCSS under this agreement, is owned by SCSS, its affiliates or one of its OEM's and is protected by United States and international copyright laws and international treaty provisions. Any breach of this agreement will automatically terminate the Customer's right to use this Software, and the Customer is obligated to immediately return such Software to SCSS. Customer may not copy the Software for any reason other than per the dictates of any end user software license agreement. Customer may not reverse-engineer, disassemble, decompile or attempt to discover the source code of any Software. Customer acknowledges that any breach of this section shall result in irreparable injury to SCSS for which the amount of damages would be unascertainable. Therefore, SCSS may, in addition to pursuing any and all remedies provided by law, obtain an injunction against Customer from any court having jurisdiction, restraining any violation of this section.