

**Williamson County Juvenile Justice Center  
Security Related [Quote] – Tempered Glass  
RSLMB INC. / DBA – The Glass & Door Co.  
April 3, 2018**

- 1. Receptionist Desk # 1 -- Office: # 429 (Mariah E.)**
  - Install 3/8" clear tempered glass to include a (1) pass thru window and (1) speaker hole encompassing the front desk area.
  
- 2. Receptionist Desk # 2 -- Office: # 404 (Anja M.)**
  - Install 3/8" clear tempered glass to include a (1) pass thru window and (1) speaker hole encompassing the front desk area.
  
- 3. Receptionist Desk # 3 -- Office: # 655 (Marianna G.) – C.O.R.E.**
  - Install 3/8" clear tempered glass to include a (1) pass thru window and (2) speaker holes encompassing the front desk area.
  - Install a custom commercial door with 1/4" laminated safety glass

**Total Cost Estimate: \$ 16,998.34**

RSLMB INC. / DBA - THE GLASS & DOOR CO.  
 6601 S. LAKEWOODS DR.  
 SUITE -B  
 GEORGETOWN, TX 78633  
 512-868-5454 / FAX 512-868-5010

# Estimate

Date 4/3/2018  
 Estimate # 05-2916

**Name / Address**

WILLIAMSON COUNTY, TEXAS  
 MAINTENANCE DEPT.  
 GEORGETOWN, TX.  
 OFF. 512-943-1599 / DEWAYNE  
 254-654-1495  
 FAX 512-930-3313/ gwrehsnig@wilco.org

P.O. #

Terms Net 15

Due Date 4/18/2018

Other

Description	Qty	Rate	Total
THE GLASS & DOOR CO. PROPOSES TO INSTALL ALL COMMERCIAL FRAMES AND TEMPERED SAFETY GLASS IN ACCORDANCE WITH ALL CITY & STATE CODES AS DESCRIBED BELOW  3-CUSTOM COMMERCIAL PASS THRU WDWS. APPROX. SIZE: 1- 168"/48" X 43" 3/8" CLR. TEMPERED W/ 1-SPEAK HOLE 1- 196"/47" X 43" 3/8" CLR. TEMPERED W/ 1-SPEAK HOLE 1- 278"/128" X 47" W/ CUSTOM COMMERCIAL DOOR W /1/4" LAMINATED SAFETY GLASS, AND 1-PASS THRU & 2-SPEAK HOLES 1 3/4" X 4 1/2" BRZ. FRAME 3/8" CLR. TEMPERED SAFETY GLASS  JOB ADDRESS: JUVENILE CENTER GEORGETOWN, TX.  REVISED: 4/9/18	1	16,998.34	16,998.34T
PLEASURE WORKING WITH YOU		Subtotal	\$16,998.34
		Sales Tax (0.0%)	\$0.00
		<b>Total</b>	<b>\$16,998.34</b>

**RSLMB INC. / DBA - THE GLASS & DOOR CO.**  
 baker132065@hotmail.com

(512)868-5454  
 (512)868-5010