



DATE: September 10, 2018

QUOTE #:216854-01

WILLIAMSON COUNTY FLEET

Jeff Ivey

3151 SE INNER LOOP STE B
GEORGETOWN, TEXAS 78626-6343

One (1) New Caterpillar Inc. Model: 953K Track Loaders with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: HLK034194

YEAR: 2018

SELL PRICE	\$229,834.00
EXT WARRANTY	Included
TOTAL PRICE	\$229,834.00
<hr/>	
SUB TOTAL	\$229,834.00
HET (0.216%)	\$496.44
TOTAL TAXES	\$496.44
BUY BOARD PURCHASE PRICE	\$230,330.44

WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine


Extended Warranty: 48 months or 3,000 hour Powertrain

In stock Holt Austin

NOTES

BUY BOARD # 515-16

Jeff Kell


Holt Cat 9-12-18

MACHINE SPECIFICATIONS**STOCK NUMBER: HLK034194****SERIAL NUMBER: 0LJT00270****YEAR: 2018****HOURS: 5**

DESCRIPTION	REF.#
953K HRC TRACK LOADER	471-9489
LANE 2 ORDER	0P-9002
REGIONAL PACKAGE ADSD-N	470-6429
CONSTRUCTION PACKAGE, HD	469-5039
FAN, DEMAND, STANDARD	456-3980
AIR INLET, STANDARD	456-4000
GUARD, IDLER	308-6518
TRACK, 19" DG, HD	510-4109
HYDRAULIC OIL, STANDARD	257-4146
SEAT, COMFORT	508-4902
TRANSMISSION CONTROL, JOYSTICK	508-4756
HYDRAULIC 3V,GP JOYSTICK, PACK	469-5052
SERVICE PACKAGE, EXTENDED	470-6425
TANK, FUEL, STANDARD	456-3994
RIPPER, MULTI-SHANK	456-3991
BUCKET-GP, 2.4 CYD, PACKAGE	357-7624
GUARD, FRONT LIGHTS	518-0006
RADIO, AM/FM/AUX/USB/BLUETOOTH	452-6580
OIL CHANGE SYSTEM, HIGH SPEED	348-5135
CAB, DELUXE	513-7703
PRODUCT LINK, CELLULAR PL641	507-5181
LINES IMPLEMENT, STANDARD	472-0849
COMPLETE STORAGE PROTECTION	0G-9236
HITCH, RIPPER	465-8893

STANDARD EQUIPMENT

POWERTRAIN

Caterpillar C7.1 diesel engine Tier-4
EPA Tier 4 Final / EU Stage IV / Japan
2014 (Tier 4 Final) certified engine
with engine mounted aftertreatment
turbo charged with ATAAC
Modular cooling system for engine air
intake, oil and water
Fan radiator, electronically
controlled, hydraulically driven,
temperature sensing, on demand
Electro Hydrostatic Control (EHC) for
transmission

Engine idle shutdown
Auto engine speed control
Electric fuel pump
Water separator
Air cleaner dry-type, axial seal
with integral precleaner and dust
ejection system, electronic filter
condition indicator
Engine mounted aftertreatment
Starting aid, glow plug
Caterpillar extended life coolant

UNDERCARRIAGE

Caterpillar heavy duty tracks
Track guiding guards, end section
Track adjuster, hydraulic
Sprocket rims, with replaceable bolt-on
Tough steel segments
Guards, sprocket

6 track rollers per side, with one
upper carrier roller, lifetime
lubricated
Idlers, conventional type,
lifetime lubricated
Oscillating track roller frames

ELECTRICAL

Alternator, 24 volt, heavy duty
brushless
Alarm, backup
Horn, electric

2 heavy duty batteries, high output,
maintenance free, 900 CCA
Switch, main disconnect
Starter, electric (heavy duty, 24 volt)

OPERATOR ENVIRONMENT

Rear-view camera with display(full-time)
Pressurized, sound suppressed, ROPS/FOPS
cab with tinted glass and right
side sliding window
Air conditioning and heating
Heater / defroster with automatic
temperature control
Seat, fabric-covered, air suspended
adjustable
Armrests, adjustable
Electro hydraulic, seat mounted control
levers with faster processing
Seat belt, retractable, with buckling
indicator on dash
Electronic monitoring system
with gauges for:
engine coolant temperature
hydraulic oil temperature

Hour meter, electronic
Throttle switch rotary with Eco mode
Center brake pedal
Independent forward/reverse speed range
settings
Travel speed limiter, electronic
Mirror, rearview, inside, adjustable
Radio ready. includes 24 to 12 volt
converter, speakers, antenna and
Two 12 volt power outlets
Coat hook
Storage compartments under left armrest
Document holder on right console
Floor mat, rubber, heavy duty
Windshield washers and wipers,
multiple speed front and rear
Durable metal roof
Parking brake switch and "brake-on"

DEF level
fuel level
Engine RPM and gear display

indicator light
Durable metal fender

OTHER STANDARD EQUIPMENT

Sound suppression, exterior
Z-bar loader linkage
Load sensing variable displacement
implement pump
Implement cylinders with sensors
Operator programmable lift and tilt
kickouts
Engine enclosure with lockable doors

Radiator core 6.5fpi, debris resistant
Hinged radiator guard and swing out fan
Guards, full bottom
Ecology drains on hydraulic oil tank
Product link ready
Oil sampling valves
Hoses, Caterpillar XT
HYDO Advanced 10