

1720 Royston Lane Round Rock, TX 78664 Phone: (512) 929-7090

Fax: (512) 929-7197

TACLA20760C / M 16472 / TECL 29725 ITBs to: mtech-itb@csusa.us

**QUOTE TO:** Williamson County Facilities **DATE:** June 6, 2019

FOR THE PROJECT: WilCo Precinct 1 Annex RTU

**ATTENTION**: Toby Bonnet

**EMAIL:** tbonnet@wilco.org

# <u>WILCO PRECINCT 1 ANNEX RTU – RTU REPLACEMENT PROPOSAL</u> TIPS # - 180205

We offer the following proposal for your consideration for the scope of work on the above referenced project. Subject to the following scope narrative, exclusions & clarifications, this proposal is in accordance with the drawings & specifications as prepared by Hendrix Consulting Engineers, dated 05/15/2019. (0) Addenda acknowledged.

#### RTU REPLACEMENT PRICE: \$ 354,700.00

Allowances included above price:

•	Rooftop unit (RTU, crane, labor):	\$ 324,700.00

• Controls: \$14,000.00

• Electrical: \$6,500.00

• Fire protection: \$5,500.00

• Temporary cooling: \$4,000.00

### **INCLUDED IN HVAC PRICE:**

- 1. Temporary cooling for courtroom as required to keep courtroom cooled during RTU replacement
- 2. Disconnect RTUMZ-1A
- 3. Recover refrigerant from RTU and dispose of refrigerant as directed by owner
- 4. Remove RTUMZ-1A from roof and dispose of as directed by owner
- 5. (1) New Inovent model # CHAU-11,000-AC-HG-IF-AC-MZ-460 rooftop unit
- 6. Reuse existing curb. Prep curb as required for new rooftop unit
- 7. Modify and reconnect condensate piping
- 8. Modify and reconnect existing natural gas piping
- 9. Daily and final cleanup. Remove construction debris from site
- 10. Final filters
- 11. Attic stock per plans
- 12. Equipment labels
- 13. Start-up of equipment
- 14. Test & balance at unit
- 15. Controls-ALC
- 16. Test duct detectors proper shutdown of equipment
- 17. Disconnect/reconnect/test existing fire alarm system for new rooftop unit
- 18. Boost mode override button near Judge
- 19. One-year standard warranty

## 20. Permits as required

## **NOT INCLUDED IN PRICE:**

- 1. Equipment service or maintenance, except for warranty purposes
- 2. Delays beyond Mtech Icon's control
- 3. Repairs to existing material or equipment not specifically noted above
- 4. Engineering work of any kind
- 5. Materials or equipment taxes

#### **Bart Hoover**

Chief Estimator 512-908-1069

bart.hoover@csusa.us

<sup>2.</sup> THE EXECUTION BY BOTH PARTIES OF A DEFINITIVE WRITTEN CONTRACT.