

No.	DESCRIPTION	REVISE (R) DELETE (D) ADD (A)	TOTAL SHEETS IN PLAN	NET CHANGE IMPERV. COVER	SITE IMPERV. COVER	% IMP. COVER	APPROVAL DATE


1. THIS PRELIMINARY PLAT IS SUBJECT TO THE SUBDIVISION RULES IN EFFECT ON DECEMBER 12, 2019. WILLIAMSON COUNTY SUBDIVISION REGULATIONS ADOPTED AND EFFECTIVE AS OF JANUARY 18, 2018.

IN
WILLIAMSON COUNTY

TEXAS FIRM REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78630
PHONE (512) 354-4682
CONTACT: SCOTT J. FOSTER, P.E.



01




STREET SUMMARY					
STREET NAME	LENGTH	ROW WIDTH	ROAD WIDTH	ROAD TYPE	DESIGN SPEED
COOGINS LOOP	100.0'	60'	37' LOG-LOG	URBAN COLLECTOR PUBLIC	35 MPH
MILLION DRIVE	2483.8'	50'	30' LOG-LOG	URBAN LOCAL PUBLIC	25 MPH
DOLLAR BABY DRIVE	532.4'	50'	30' LOG-LOG	URBAN LOCAL PUBLIC	25 MPH
OBSIDIAN LN	1336.6'	50'	30' LOG-LOG	URBAN LOCAL PUBLIC	25 MPH
THUNDERBOLT DRIVE	100.0'	60'	37' LOG-LOG	URBAN COLLECTOR PUBLIC	35 MPH
BLACK HEART LANE	1327.0'	50'	30' LOG-LOG	URBAN LOCAL PUBLIC	25 MPH
WHITE HUNTER LANE	774.2'	50'	30' LOG-LOG	URBAN LOCAL PUBLIC	25 MPH
WHITE HUNTER LANE	1390.0'	60'	37' LOG-LOG	URBAN COLLECTOR PUBLIC	35 MPH
WHITE HUNTER LANE	1390.0'	50'	30' LOG-LOG	URBAN LOCAL PUBLIC	25 MPH

LOT SUMMARY	
PHASE I	
DEVELOPED LOTS	194
GREEN SPACE DRAINAGE AND UTILITY LOT	3
GREEN SPACE AND DRAINAGE LOT	1
TOTAL	198
PHASE II	
DEVELOPED LOTS	112
GREEN SPACE DRAINAGE AND UTILITY LOT	2
GREEN SPACE AND DRAINAGE LOT	1
GREEN SPACE LOT	1
TOTAL	116
TOTAL	
DEVELOPED LOTS	306
NONDEVELOPED LOTS	8
AREA (ACRES)	
PHASE I	39.4
PHASE II	40.8
ROW DEDICATION	1.7
TOTAL	81.9

- NOTES:
1. ALL LOTS SHALL HAVE A 25' BUILDING SETBACK FROM THE FRONT RIGHT-OF-WAY LINE. OR 314 TO HAVE A 25' BUILDING SETBACK FROM THE PROPOSED RIGHT-OF-WAY DEDICATION.
 2. WATER AND WASTEWATER SERVICE PROVIDED BY THE SONTERRA MUD.
 3. ALL PROPOSED ROADS TO BE URBAN AND PUBLIC.
 4. A PORTION OF THIS SITE IS LOCATED IN THE 100 YEAR FLOODPLAIN PER FIRM PANEL NO. 48491C0150E DATED DECEMBER 20, 2019 FOR WILLIAMSON COUNTY, TEXAS AND INCORPORATED AREAS.
 5. THE SITE IS LOCATED OUTSIDE OF JARRELL CITY LIMITS AND ETJ.
 6. ALL SIDEWALKS ARE TO BE MAINTAINED BY EACH OF THE ADJACENT PROPERTY OWNERS.
 7. INDIVIDUAL SINGLE FAMILY RESIDENTIAL DRIVEWAYS SHALL ONLY CONNECT TO AN INTERNAL PLATTED ROAD AND NOT TO CR 314. JOINT USE SINGLE FAMILY RESIDENTIAL AND COMMERCIAL DRIVEWAYS SHALL BE ALLOWED.
 8. REFERENCE TYPICAL KNUCKLE OR 90° BEND ON SHEET 07 FOR ADDITIONAL DIMENSIONS.
 9. ON-SITE SURVEY AND TOPOGRAPHY PROVIDED BY PAPE-DAWSON ENGINEERS, INC. DATED NOVEMBER 2018. OTHER DATA SHOWN PROVIDED BY WILLIAMSON COUNTY. NO WARRANTY IS EXPRESSED OR IMPLIED AS TO ITS ACCURACY.

LEGEND

- SUBJECT PROPERTY
- PROPERTY LINES
- EXIST. CONTOURS
- PROP. 360 100 YR WSEL
- FEMA 100 YEAR FLOODPLAIN ZONE A FIRM #48491C0150E



TEXAS FIRM REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78613
FAX (512) 351-4662
FAX (512) 351-4331

PROFESSIONAL
SERVICES, INC.



RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS

OVERALL
PRELIMINARY PLAT

Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No.

SHEET
02

PLAT DATE: 3/7/2020
PLOT DATE: 3/7/2020
PLOT BY: msa
MAKES: 3/7/2020




LOCATION MAP
N.T.S.

LEGEND

	SUBJECT PROPERTY
	PROPERTY LINES
	EXIST. CONTOURS
	PROP. 360 100 YR WSEL
	FEMA 100 YEAR FLOODPLAIN ZONE A FIRM #48491C0150E

- NOTES:
1. REFERENCE TYPICAL KNUCKLE OR 90° BEND ON SHEET 07 FOR ADDITIONAL DIMENSIONS.
 2. ON-SITE SURVEY AND TOPOGRAPHY PROVIDED BY PAPE-DAWSON ENGINEERS, INC. DATED NOVEMBER 2018. OTHER DATA SHOWN PROVIDED BY WILLIAMSON COUNTY. NO WARRANTY IS EXPRESSED OR IMPLIED AS TO ITS ACCURACY.



RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS

PRELIMINARY PLAT
(SHEET 3 OF 4)


Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No.

SHEET
05

TEXAS FIRM REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78630
FAX (512) 351-4662
FAX (512) 351-4331

PROFESSIONAL
SERVICES, INC.
360

PLotted by: resie
PLOT DATE: 3/5/2020
PLOT SCALE: 1"=40' 0"




LEGEND


- 
 SUBJECT PROPERTY
 PROPERTY LINES
 EXIST. CONTOURS
 PROP. 360 100 YR WSEL
 FEMA 100 YEAR
 FLOODPLAIN ZONE A
 FIRM #48491C0150E

NOTES:

1. REFERENCE TYPICAL KNUCKLE OR 90° BEND ON SHEET 07 FOR ADDITIONAL AND DIMENSIONS.
2. ON-SITE SURVEY AND TOPOGRAPHY PROVIDED BY PAPE-DAWSON ENGINEERS, INC. DATED NOVEMBER 2018. OTHER DATA SHOWN PROVIDED BY WILLIAMSON COUNTY. NO WARRANTY IS EXPRESSED OR IMPLIED AS TO ITS ACCURACY.



360 PROFESSIONAL SERVICES, INC.




**RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS**

PRELIMINARY PLAT
(SHEET 4 OF 4)

Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No.

SHEET
06


FILE: C:\Users\vestib\Documents\360PS\360PS\Southern Development\Eastwood Phase III\Coat Exhibits\Eastwood III Prelim Plat.DWG LAYOUT: 04 PLOT DATE: 3/5/2020 11:43am PLOTTED BY: testle
IMAGE: S:\Sign It\ 360PS\360PS\Southern Development\Eastwood Phase III\Coat Exhibits\Eastwood III Prelim Plat.DWG LAYOUT: 04 PLOT DATE: 3/5/2020 11:43am PLOTTED BY: testle




Curve Table						
Curve #	Length	Radius	Delta	Tangent	Chord Direction	Chord Length
C1	39.41	25.00	90.33	25.14	S23° 29' 08"W	35.46
C2	25.87	495.00	2.99	12.94	N20° 10' 58"W	25.87
C3	38.18	495.00	4.42	19.10	N16° 28' 32"W	38.17
C4	38.18	495.00	4.42	19.10	N12° 03' 22"W	38.17
C5	51.70	495.00	5.98	25.87	N6° 51' 15"W	51.68
C6	35.44	495.00	4.10	17.73	N1° 48' 39"W	35.44
C7	38.18	495.00	4.42	19.10	N2° 27' 01"E	38.17
C8	38.18	495.00	4.42	19.10	N6° 52' 11"E	38.17
C9	38.18	495.00	4.42	19.10	N11° 17' 21"E	38.17
C10	38.18	495.00	4.42	19.10	N15° 42' 31"E	38.17
C11	38.18	495.00	4.42	19.10	N20° 07' 42"E	38.17
C12	33.82	495.00	3.91	16.92	N24° 17' 43"E	33.81
C13	3.80	16.50	13.21	1.91	N19° 38' 48"E	3.80
C14	11.59	16.50	40.26	6.05	N7° 05' 16"W	11.36
C15	36.32	60.00	34.68	18.74	N9° 52' 29"W	35.77
C16	36.03	60.00	34.41	18.58	N24° 40' 12"E	35.49
C17	28.58	60.00	27.29	14.56	N55° 30' 58"E	28.31
C18	28.58	60.00	27.29	14.56	N82° 48' 12"E	28.31
C19	105.15	60.00	100.41	72.03	S33° 20' 54"E	92.20
C20	34.25	60.00	32.71	17.61	S33° 12' 39"W	33.79
C21	39.10	60.00	37.34	20.27	S68° 14' 04"W	38.41
C22	17.67	16.50	61.35	9.79	S56° 13' 46"W	16.84
C23	12.24	445.00	1.58	6.12	S24° 46' 03"W	12.24
C24	55.98	445.00	7.21	28.03	S20° 22' 32"W	55.95
C25	52.51	445.00	6.76	26.29	S13° 23' 27"W	52.48
C26	52.51	445.00	6.76	26.29	S6° 37' 46"W	52.48
C27	52.51	445.00	6.76	26.29	S0° 07' 56"E	52.48
C28	2.71	445.00	0.35	1.36	S3° 41' 15"E	2.71
C29	23.56	15.00	90.00	15.00	S48° 51' 43"E	21.21
C30	39.67	155.00	14.66	19.94	N78° 48' 23"E	39.56
C31	88.48	155.00	32.71	45.48	N55° 07' 14"E	87.29
C32	14.80	16.50	51.39	7.94	N13° 04' 23"E	14.31
C33	23.67	50.00	27.12	12.06	N0° 56' 20"E	23.45
C34	34.36	50.00	39.38	17.89	N34° 11' 12"E	33.69
C35	28.38	50.00	32.52	14.58	N70° 08' 07"E	28.00
C36	28.38	50.00	32.52	14.58	S77° 20' 40"E	28.00
C37	37.32	50.00	42.76	19.58	S39° 42' 07"E	36.46
C38	16.12	50.00	18.47	8.13	S9° 04' 59"E	16.05
C39	14.80	16.50	51.39	7.94	S25° 32' 24"E	14.31
C40	13.50	1025.00	0.75	6.75	S50° 51' 22"E	13.50
C41	39.15	1025.00	2.19	19.58	S49° 23' 04"E	39.15
C42	39.15	1025.00	2.19	19.58	S47° 11' 47"E	39.15
C43	39.15	1025.00	2.19	19.58	S45° 00' 29"E	39.15
C44	39.15	1025.00	2.19	19.58	S42° 49' 11"E	39.15
C45	38.55	1025.00	2.16	19.28	S40° 38' 53"E	38.55
C46	325.98	1025.00	18.22	164.38	S30° 27' 35"E	324.61
C47	39.27	25.00	90.00	25.00	S66° 20' 53"E	35.35
C48	39.27	25.00	90.00	25.00	S23° 39' 04"W	35.36
C49	72.12	975.00	4.24	36.08	N23° 28' 04"W	72.10
C50	89.15	975.00	5.24	44.60	N28° 12' 22"W	89.12
C51	40.59	25.00	93.02	26.35	N77° 20' 02"W	36.27
C52	9.31	205.00	2.60	4.65	S57° 27' 29"W	9.30
C53	35.70	205.00	9.98	17.89	S63° 44' 49"W	35.65
C54	35.88	205.00	10.03	17.98	S73° 44' 56"W	35.83
C55	35.79	205.00	10.00	17.94	S83° 45' 49"W	35.74
C56	35.79	205.00	10.00	17.94	N86° 14' 04"W	35.74
C57	35.36	205.00	9.88	17.73	N76° 17' 29"W	35.32
C58	60.90	155.00	22.51	30.85	N82° 36' 21"W	60.51
C59	23.56	15.00	90.00	15.00	S41° 08' 17"W	21.21
C60	138.39	445.00	17.82	69.76	S12° 46' 16"E	137.83

Curve Table						
Curve #	Length	Radius	Delta	Tangent	Chord Direction	Chord Length
C61	39.13	25.00	89.67	24.86	S66° 30' 52"E	35.25
C62	39.27	25.00	90.00	25.00	S48° 51' 43"E	35.36
C63	23.56	15.00	90.00	15.00	S41° 08' 17"W	21.21
C64	33.14	205.00	9.26	16.61	S81° 30' 23"W	33.11
C65	32.00	205.00	8.94	16.03	S72° 24' 12"W	31.96
C66	35.61	205.00	9.95	17.85	S62° 57' 22"W	35.56
C67	35.61	205.00	9.95	17.85	S53° 00' 15"W	35.56
C68	33.14	205.00	9.26	16.60	S43° 23' 50"W	33.10
C69	23.56	15.00	90.00	15.00	S83° 45' 59"W	21.21
C70	1.86	975.00	0.11	0.93	N51° 10' 43"W	1.86
C71	44.94	975.00	2.64	22.48	N49° 48' 12"W	44.94
C72	44.94	975.00	2.64	22.48	N47° 09' 44"W	44.94
C73	44.94	975.00	2.64	22.48	N44° 31' 16"W	44.94
C74	44.94	975.00	2.64	22.48	N41° 52' 48"W	44.94
C75	73.67	975.00	4.33	36.85	N38° 23' 42"W	73.65
C76	24.19	15.00	92.39	15.64	N9° 57' 49"E	21.65
C77	142.01	155.00	52.49	76.43	N82° 24' 14"E	137.09
C78	7.70	205.00	2.15	3.85	S72° 25' 32"E	7.70
C79	35.79	205.00	10.00	17.94	S78° 30' 09"E	35.74
C80	35.63	205.33	9.94	17.86	S88° 28' 30"E	35.59
C81	1.43	98.56	0.83	0.71	N86° 08' 17"E	1.43
C82	39.44	25.00	90.38	25.17	S23° 27' 39"W	35.47
C83	23.56	15.00	90.00	15.00	N66° 43' 46"W	21.21
C84	13.38	16.50	46.46	7.08	S45° 02' 19"W	13.02
C85	1.42	16.50	4.92	0.71	S19° 20' 42"W	1.42
C86	44.84	50.00	51.39	24.06	S42° 34' 37"W	43.36
C87	28.38	50.00	32.52	14.58	S84° 31' 50"W	28.00
C88	25.77	50.00	29.53	13.18	N64° 26' 43"W	25.48
C89	28.40	50.00	32.54	14.59	N33° 24' 35"W	28.02
C90	40.84	50.00	46.80	21.63	N6° 15' 34"E	39.71
C91	6.49	16.50	22.55	3.29	N18° 23' 01"E	6.45
C92	8.31	16.50	28.84	4.24	N7° 18' 35"W	8.22
C93	23.56	15.00	90.00	15.00	N66° 43' 46"W	21.21
C94	12.94	205.00	3.62	6.47	S70° 04' 41"W	12.93
C95	35.79	205.00	10.00	17.94	S76° 53' 13"W	35.74
C96	35.79	205.00	10.00	17.94	S86° 53' 20"W	35.74
C97	35.79	205.00	10.00	17.94	N83° 06' 32"W	35.74
C98	35.79	205.00	10.00	17.94	N73° 06' 24"W	35.74
C99	137.16	205.00	38.34	71.26	N48° 56' 16"W	134.62
C100	23.56	15.00	90.00	15.00	N74° 46' 11"W	21.21
C101	7.18	16.50	24.92	3.65	S47° 46' 11"W	7.12
C102	9.28	16.50	32.23	4.77	S19° 11' 46"W	9.16
C103	116.81	60.00	111.54	88.19	S58° 51' 18"W	99.22
C104	30.32	60.00	28.96	15.49	N50° 53' 43"W	30.00
C105	28.58	60.00	27.29	14.56	N22° 46' 27"W	28.31
C106	28.58	60.00	27.29	14.56	N4° 30' 47"E	28.31
C107	28.58	60.00	27.29	14.56	N31° 48' 01"E	28.31
C108	34.18	60.00	32.64	17.57	N61° 45' 57"E	33.72
C109	41.14	60.00	39.29	21.42	S82° 16' 03"E	40.34
C110	10.46	16.50	36.32	5.41	S80° 47' 00"E	10.29
C111	6.00	16.50	20.83	3.03	N70° 38' 35"E	5.96
C112	34.53	155.00	12.76	17.33	N53° 50' 57"E	34.45
C113	37.15	205.00	10.38	18.62	N52° 41' 02"E	37.10
C114	37.12	205.00	10.38	18.61	N63° 03' 46"E	37.07
C115	56.15	155.00	20.75	28.38	S57° 52' 24"W	55.84
C116	22.79	205.00	6.37	11.41	S50° 39' 11"W	22.78
C117	22.87	205.00	6.39	11.45	S57° 02' 03"W	22.86
C118	23.56	15.00	90.00	15.00	S15° 13' 49"W	21.21
C119	19.31	205.00	5.40	9.66	S27° 04' 19"E	19.30
C120	9.46	205.00	2.64	4.73	S23° 03' 06"E	9.46

Curve Table						
Curve #	Length	Radius	Delta	Tangent	Chord Direction	Chord Length
C121	23.56	15.00	90.00	15.00	S66° 43' 46"E	21.21
C122	23.56	15.00	90.00	15.00	N23° 16' 14"E	21.21
C123	0.96	16.50	3.35	0.48	N23° 24' 16"W	0.96
C124	13.83	16.50	48.04	7.35	N49° 05' 52"W	13.43
C125	33.76	50.00	38.68	17.55	N53° 46' 33"W	33.12
C126	30.72	50.00	35.21	15.86	N16° 49' 57"W	30.24
C127	29.42	50.00	33.72	15.15	N17° 37' 43"E	29.00
C128	29.42	50.00	33.72	15.15	N51° 20' 40"E	29.00
C129	44.90	50.00	51.45	24.09	S86° 04' 13"E	43.41
C130	1.33	16.50	4.62	0.67	S62° 39' 15"E	1.33
C131	13.47	16.50	46.76	7.13	S88° 20' 51"E	13.10
C132	1.91	16.50	6.62	0.95	N64° 57' 38"E	1.91
C133	12.89	16.50	44.77	6.80	N39° 16' 01"E	12.57
C134	39.78	50.00	45.58	21.01	N39° 40' 24"E	38.73
C135	32.60	50.00	37.35	16.90	N81° 08' 24"E	32.02
C136	30.54	50.00	35.00	15.76	S62° 41' 08"E	30.07
C137	35.71	50.00	40.92	18.65	S24° 43' 48"E	34.95
C138	29.61	50.00	33.93	15.25	S12° 41' 33"W	29.18
C139	14.80	16.50	51.39	7.94	S3° 57' 50"W	14.31
C140	39.10	25.00	89.62	24.83	S66° 32' 19"E	35.24
C141	23.56	15.00	90.00	15.00	S66° 43' 46"E	21.21
C142	23.56	15.00	90.00	15.00	N23° 16' 14"E	21.21
C143	23.56	15.00	90.00	15.00	N66° 43' 47"W	21.21
C144	23.56	15.00	90.00	15.00	S23° 16' 16"W	21.21
C145	23.56	15.00	90.00	15.00	N23° 16' 14"E	21.21
C146	21.75	155.00	8.04	10.89	N25° 44' 59"W	21.73
C147	23.56	15.00	90.00	15.00	N74° 46' 11"W	21.21
C148	23.56	15.00	90.00	15.00	S15° 13' 49"W	21.21
C149	110.86	155.00	40.98	57.92	S50° 15' 35"E	108.51
C150	110.86	155.00	40.98	57.92	N88° 45' 37"E	108.51
C151	146.16	470.00	17.82	73.68	N12° 46' 16"W	145.57
C152	308.68	470.00	37.63	160.14	N14° 57' 10"E	303.16
C153	70.72	180.00	22.51	35.82	S82° 36' 21"E	70.27
C154	164.91	180.00	52.49	88.75	N82° 24' 14"E	159.20
C155	148.82	180.00	47.37	78.96	S62° 27' 08"W	144.62
C156	521.59	1000.00	29.88	266.87	S36° 17' 28"E	515.69
C157	257.48	180.00	81.96	156.36	S70° 44' 59"E	236.09
C158	25.26	180.00	8.04	12.65	S25° 44' 59"E	25.24
C159	40.09	180.00	12.76	20.13	S53° 50' 57"W	40.01
C160	65.20	180.00	20.75	32.96	S57° 52' 24"W	64.85



PROPOSED CONDITIONS



PROPOSED CONDITIONS - SCS METHOD SUMMARY											
Area ID	DA (ac.)	IC (ac.)	IC (%)	TOC (min.)	TOC (hr.)	CN	Q2	Q10	Q25	Q100	
P0	1.9	0.6	30%	10	0.17	85.4	4	8	10	14	
P1-A	14.2	5.7	40%	22	0.37	87.2	24	51	67	93	
P1-B	9.1	4.6	50%	15	0.25	89.0	18	36	46	63	
P2-A	11.5	5.2	45%	17	0.28	88.1	21	43	56	77	
P2-B1	6.1	1.2	20%	14	0.23	83.6	10	22	30	42	
P2-B2	16.1	8.1	50%	16	0.27	89.0	31	62	80	110	
P3	4.1	2.5	60%	10	0.17	90.8	9	18	23	32	
P4-A	19.4	9.7	50%	17	0.28	89.0	36	74	96	131	
P4-B	0.6	0.4	60%	15	0.25	90.8	1	2	3	4	

ANALYSIS POINT FLOW DISCHARGE (CFS)									
NODE	2 YR (EX)	2 YR (PR)	10 YR (EX)	10 YR (PR)	25 YR (EX)	25 YR (PR)	100 YR (EX)	100 YR (PR)	
AP 0	801	783	1,779	1,710	2,353	2,252	3,293	3,159	
J0	6	4	15	8	21	10	30	14	
J1	119	120	285	280	385	376	552	538	
J2	532	546	1,160	1,182	1,526	1,552	2,131	2,180	
J3	29	9	72	18	97	23	140	32	
J4	111	111	240	232	314	300	432	412	
J5	78	81	176	183	233	243	329	344	
J6	514	514	1,118	1,118	1,471	1,471	2,053	2,053	
J7	87	87	176	176	227	227	305	305	

NOTES:
1. ON-SITE SURVEY AND TOPOGRAPHY PROVIDED BY PAPE-DAWSON ENGINEERS, INC. DATED NOVEMBER 2018. OTHER DATA SHOWN PROVIDED BY WILLIAMSON COUNTY. NO WARRANTY IS EXPRESSED OR IMPLIED AS TO ITS ACCURACY.
2. REFER TO THE ASSOCIATED RIO BRAVO SUBDIVISION DRAINAGE REPORT FOR ADDITIONAL INFORMATION (DATED FEBRUARY 2020 BY 360 PROFESSIONAL SERVICES, INC. F4932).



TEXAS FIRM REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78613
FAX (512) 351-5331

360 PROFESSIONAL SERVICES, INC.


SCOTT J. FOSTER
84652
LICENSED PROFESSIONAL ENGINEER
3/7/2020

RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS

OVERALL PROPOSED
DRAINAGE AREA MAP

Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No.

SHEET
09




Detention Pond 2 Stage/Volume/Discharge						
STAGE (FT)	CONTOUR AREA (AC)	CONICAL AREA (SF)	INCREMENTAL VOLUME (ac-ft)	CUMULATIVE VOLUME (ac-ft)	CUMULATIVE VOLUME (CF)	Orifice #1 size (in) 2-12" @ 839 Q (cfs)
839.0	0.000	0	0.000	0.000	0	0.0
840.0	0.339	14770	0.113	0.113	4919	5.4
841.0	1.008	84160	0.643	0.756	32944	9.3
842.0	1.305	150729	1.152	1.909	83136	12.0
843.0	1.409	177305	1.355	3.264	142179	14.1
844.0	1.516	191094	1.461	4.725	205814	16.0
845.0	1.625	205185	1.569	6.293	274140	17.7
						84.9
						102.6

DETENTION POND 2 ROUTING SUMMARY			
STORM EVENT	IN (CFS)	OUT (CFS)	WSEL
2-YEAR	31	10	841.1
10-YEAR	62	13	842.3
25-YEAR	80	14	842.9
100-YEAR	110	34	843.7

Preliminary Detention Pond 1 Stage/Volume/Discharge						
STAGE (FT)	CONTOUR AREA (AC)	CONICAL AREA (SF)	INCREMENTAL VOLUME (ac-ft)	CUMULATIVE VOLUME (ac-ft)	CUMULATIVE VOLUME (CF)	Orifice #1 size (in) 10" @ 839 Q (cfs)
839.0	0.000	0	0.000	0.000	0	0.0
840.0	0.264	11511	0.088	0.088	3833	2.0
841.0	0.804	66615	0.509	0.597	26016	3.3
842.0	0.913	112123	0.857	1.454	63353	4.2
843.0	0.986	124047	0.948	2.403	104661	5.0
844.0	1.061	133708	1.022	3.425	149185	5.6
845.0	1.138	143670	1.098	4.523	197027	6.2
						33.9
						40.1

DETENTION POND 1 ROUTING SUMMARY			
STORM EVENT	IN (CFS)	OUT (CFS)	WSEL
2-YEAR	18	3	841.1
10-YEAR	36	4	842.2
25-YEAR	46	5	842.8
100-YEAR	63	12	843.6



PROFESSIONAL
SERVICES, INC.

360

SCOTT J. FOSTER

84652

LICENSED
PROFESSIONAL ENGINEER

3/1/2020

PROPOSED ON-SITE
DRAINAGE AND
PRELIMINARY POND
CALCULATIONS


Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No:

RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS

SHEET
10

LA STATE REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78613
TEL: (512) 351-4662
FAX: (512) 351-4333

POC: 3/27/2020 11:31am
LA STATE REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78613
TEL: (512) 351-4662
FAX: (512) 351-4333




LEGEND

FEMA 100 YEAR
FLOODPLAIN ZONE A
FIRM #48491C0150F

360 PSI EXISTING 100 YR WATER SURFACE ELEVATION

360 PSI PROPOSED 100 YR WATER SURFACE ELEVATION



SCALE IN FEET

200 100 0 200

SECTION 7

100 YEAR EXISTING HEC RAS OUTPUT (02/17/20)										
Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)
1	2800	100 YR	2055	847.8	851.0		851.3	4.3	502.0	270.6
1	2400	100 YR	2055	843.0	846.5	846.5	847.4	7.8	276.0	183.1
1	2200	100 YR	2055	839.5	844.4		844.8	5.2	450.7	193.3
1	2000	100 YR	2055	838.8	843.6		843.9	5.0	499.9	240.0
1	1600	100 YR	2135	838.3	841.7		841.9	5.0	566.1	332.7
1	1200	100 YR	2135	832.5	836.7	836.7	837.9	8.7	258.0	132.7
1	800	100 YR	2135	829.9	834.9		835.2	4.6	682.4	389.4
1	400	100 YR	2300	827.9	832.4	832.0	833.0	6.5	434.3	264.6
1	200	100 YR	2300	826.0	832.2		832.3	3.4	1045.1	430.6
2	2150	100 YR	330	857.4	859.4	859.4	859.8	6.5	76.9	91.1
2	2020	100 YR	330	855.2	856.6	856.6	857.19	6.0	58.6	55.8
2	1900	100 YR	330	853	855.4	855.4	855.8	6.3	89.9	127.1
2	1700	100 YR	330	845.6	847.8		847.85	0.8	433.3	228.2
2	1400	100 YR	330	846.5	847.5	847.4	847.7	3.9	97.5	163.9
2	1125	100 YR	555	841.6	843.5	843.5	843.95	5.6	108.7	138.3
2	1050	100 YR	555	840.8	842.3	842.3	842.71	5.2	110.8	150.3
2	900	100 YR	555	838.5	840.4	840.4	840.81	6.0	141.8	176.5
2	800	100 YR	555	837.5	839.1	838.8	839.22	4.7	202.1	272.3
2	600	100 YR	555	835.5	836.8	836.8	837.09	5.1	140.9	229.4
3	650	100 YR	435	835.5	836.6	836.6	837.03	5.1	87.1	113.9
3	550	100 YR	435	832	833.9	833.8	834.17	4.0	108.3	132.4
3	450	100 YR	435	831	832.3	832.3	832.71	5.1	88.1	121.5
3	300	100 YR	435	829.5	832.2		832.23	0.4	1419.3	722.7
0.5	120	100 YR	3295	826	832.1		832.17	2.6	1773.2	645.1
0.5	100	100 YR	3295	825.8	832.1		832.16	2.6	1767.2	644.3
0	0	100 YR	3295	825.6	832.0	831.0	832.09	3.2	1584.0	692.0
0	-5	Culvert								
0	-100	100 YR	3295	825	830.0	830.0	830.4	6.4	902.8	549.3
0	-300	100 YR	3295	824.5	829.0	828.4	829.28	7.1	871.4	481.5
0	-500	100 YR	3295	823.9	827.8	827.3	828.23	8.1	743.5	402.2

100 YEAR PROPOSED HEC RAS OUTPUT (02/17/20)										
Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)
1	2800	100 YR	2055	847.8	851.0		851.3	4.3	502.0	270.6
1	2400	100 YR	2055	843.0	846.5	846.5	847.4	7.8	276.0	183.1
1	2200	100 YR	2055	839.5	844.4		844.8	5.2	451.3	193.5
1	2000	100 YR	2055	838.8	843.6		843.9	5.0	503.2	240.4
1	1600	100 YR	2180	838.3	841.7		842.0	5.1	576.7	334.5
1	1200	100 YR	2180	832.5	836.7	836.7	837.9	8.7	262.0	134.3
1	800	100 YR	2180	829.9	834.9		835.2	4.8	676.0	387.9
1	400	100 YR	2230	827.9	832.4		833.0	6.4	422.5	259.9
1	200	100 YR	2230	826.0	832.2		832.3	3.3	1027.6	427.8
2	2150	100 YR	345	857.4	859.4	859.4	859.9	6.5	80.1	93.6
2	2020	100 YR	345	855.2	857.9	856.6	858.1	3.5	98.5	162.6
2	1940	Culvert								
2	1900	100 YR	345	853.0	854.4	854.4	855.1	6.8	51.0	63.3
2	1700	100 YR	345	845.6	847.9		847.9	0.8	438.3	228.6
2	1400	100 YR	345	846.5	847.4	847.4	847.7	4.5	89.1	169.3
2	1125	100 YR	540	841.6	845.3	843.5	845.6	4.1	133.3	108.0
2	1055	Culvert								
2	1050	100 YR	540	840.8	842.7	842.7	843.7	7.8	69.0	197.6
2	900	100 YR	540	838.5	840.4	840.4	840.8	6.0	139.0	175.6
2	800	100 YR	540	837.5	839.1	838.8	839.2	4.6	197.5	270.7
2	600	100 YR	540	835.5	836.7	836.7	837.1	5.0	138.3	227.3
3	650	100 YR	415	835.5	836.3	836.3	836.7	4.7	89.7	137.4
3	550	100 YR	415	830.3	832.6	831.7	832.9	4.2	98.6	60.7
3	455	Culvert								
3	450	100 YR	415	830.0	832.0	831.5	832.4	5.0	83.0	178.8
3	300	100 YR	415	829.5	832.2		832.2	0.4	1386.3	713.2
0.5	120	100 YR	3160	826.0	832.1		832.1	2.6	1750.8	642.9
0.5	100	100 YR	3160	825.8	832.1		832.1	2.6	1745.3	642.1
0	0	100 YR	3160	825.6	832.0	831.0	832.1	3.1	1564.1	688.0
0	-5	Culvert								
0	-100	100 YR	3160	825.0	830.0	830.0	830.4	6.2	898.8	548.4
0	-300	100 YR	3160	824.5	828.9	828.4	829.2	7.0	843.0	476.0
0	-500	100 YR	3160	823.9	827.8	827.2	828.2	8.0	719.3	394.9

Drainage Model Analysis Points vs. HEC-RAS Flow Data					
HEC-RAS Station	Analysis Point	100 Year Flows (CFS)			
		Existing DAM	Existing HEC-RAS	Proposed DAM	Proposed HEC-RAS
Reach 0 - Sta. 0	AP0	3,293	3,295	3,159	3,160
Reach 0.5 - Sta. 120	AP0	3,293	3,295	3,159	3,160
Reach 1 - Sta. 400	J0+J2+J3	2,300	2,300	2,227	2,230
Reach 1 - Sta. 1600	J2	2,131	2,135	2,180	2,180
Reach 1 - Sta. 2800	J6	2,053	2,055	2,053	2,055
Reach 2 - Sta. 1125	J1	552	555	538	540
Reach 2 - Sta. 2150	J5	329	330	344	345
Reach 3 - Sta. 650	J4	432	435	412	415

TEXAS FIRM REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78613
TEL (512) 361-4662
FAX (512) 361-4331

PROFESSIONAL
SERVICES, INC.
360

SCOTT J. FOSTER
84652
LICENSED
PROFESSIONAL ENGINEER
3/2/2020

RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS


HEC-RAS
SCHEMATIC

Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No.

SHEET

11

HEC-RAS is a registered trademark of the United States Army Corps of Engineers. HEC-RAS is not to be used for any purpose other than the design and analysis of open channel flow. HEC-RAS is not to be used for any purpose other than the design and analysis of open channel flow. HEC-RAS is not to be used for any purpose other than the design and analysis of open channel flow.



TEXAS FIRM REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78630
FAX (512) 351-4622
FAX (512) 351-3331

PROFESSIONAL
SERVICES, INC.
360

SCOTT J. FOSTER
84652
LICENSED PROFESSIONAL ENGINEER
STATE OF TEXAS
1/1/2020


RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS

**OVERALL UTILITY
LAYOUT**

Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No.

Sheet
12

NOTES:
1. ON-SITE SURVEY AND TOPOGRAPHY PROVIDED BY
PAPE-DAWSON ENGINEERS, INC. DATED NOVEMBER
2018. OTHER DATA SHOWN PROVIDED BY
WILLIAMSON COUNTY. NO WARRANTY IS EXPRESSED
OR IMPLIED AS TO ITS ACCURACY.



SCALE IN FEET

LOCATION MAP
N.T.S.

LEGEND

- SUBJECT PROPERTY
- PROPERTY LINES
- PROP. WATER LINE
- PROP. WASTEWATER LINE

NOTES:
1. ON-SITE SURVEY AND TOPOGRAPHY PROVIDED BY PAPE-DAWSON ENGINEERS, INC. DATED NOVEMBER 2018. OTHER DATA SHOWN PROVIDED BY WILLIAMSON COUNTY. NO WARRANTY IS EXPRESSED OR IMPLIED AS TO ITS ACCURACY.

TEXAS FIRM REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78613
FAX (512) 331-4662
FAX (512) 331-4331

PROFESSIONAL
SERVICES, INC.

360




SCOTT J. FOSTER
84652
LICENSED PROFESSIONAL ENGINEER
STATE OF TEXAS
1/1/2020

RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS

UTILITY LAYOUT
(SHEET 1 OF 4)


Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No.

SHEET
13



LOCATION MAP
N.T.S.

LEGEND



TEXAS FIRM REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78630
PHONE (512) 351-4662
FAX (512) 351-3331

SCOTT J. FOSTER
84652
LICENSED PROFESSIONAL ENGINEER
1/1/2020


RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS

UTILITY LAYOUT
(SHEET 2 OF 4)



Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No.




SHEET
14

NOTES:
1. ON-SITE SURVEY AND TOPOGRAPHY PROVIDED BY
PAPE-DAWSON ENGINEERS, INC. DATED
NOVEMBER 2018. OTHER DATA SHOWN PROVIDED
BY WILLIAMSON COUNTY. NO WARRANTY IS
EXPRESSED OR IMPLIED AS TO ITS ACCURACY.




LEGEND






LOCATION MAP
N.T.S.

LEGEND



TEXAS FIRM REGISTRATION F4932
P.O. BOX 3639
CEDAR PARK, TEXAS 78630
PHONE (512) 351-4662
FAX (512) 351-4331

PROFESSIONAL
SERVICES, INC.
360



RIO BRAVO SUBDIVISION
(FORMERLY KNOWN AS EASTWOOD
SUBDIVISION PHASE III)
JARRELL, TEXAS

UTILITY LAYOUT
(SHEET 4 OF 4)

Scale: AS SHOWN
Designed by:
Drawn by:
Checked by:
Date: MARCH 2020
Project No.

SHEET
16

NOTES:
1. ON-SITE SURVEY AND TOPOGRAPHY PROVIDED BY
PAPE-DAWSON ENGINEERS, INC. DATED
NOVEMBER 2018. OTHER DATA SHOWN PROVIDED
BY WILLIAMSON COUNTY. NO WARRANTY IS
EXPRESSED OR IMPLIED AS TO ITS ACCURACY.