


The State of the State TEXAS FACTS


suicide prevention

THE SCOPE OF INJURY

- > Each day in Texas there are more than 6 suicide deaths and nearly 30 hospitalizations for attempted suicide.
- > Suicide is the 11th leading cause of death for Texans and the third leading cause of death among youth ages 15 to 24.
- > Suicide deaths occur disproportionately among males, Whites, and the elderly; 60% of Texas suicide deaths occur among people 25-64 years of age.
- > Rates of suicide among Whites increased 12% since 2000, particularly among females; rates among Blacks and Hispanics have remained stable during the same time.
- > Estimated medical costs of Texas hospitalizations for suicide attempts average \$8,849 per patient, or more than \$95.6 million annually. *Suicide Prevention Resource Center*



Texas Suicide Deaths
by Race/Ethnicity



FACT

9 of 10 people who die from suicide have a mental health disorder; 95% of people with a mental health disorder do not die from suicide. *Institute of Medicine, 2002*

This indicates the complex nature of suicide and the need for multifaceted approach to prevention.

RESOURCES AVAILABLE

Texas Suicide Prevention Network
www.texassuicideprevention.org

Suicide Prevention Resource Center
www.sprc.org

Texas Suicide Prevention Plan
http://www.sprc.org/stateinformation/PDF/stateplans/plan_tx.pdf

WHAT CAN YOU DO?

Suicides are preventable!

If you or someone you know is in crisis, call
1 (800) 273-TALK (8255)
to connect to a suicide/crisis center in your area.

Attend gate-keeper training to learn how to recognize
and respond to suicide warning signs.



Contact Texas Department of State Health Services
Environmental & Injury Epidemiology and Toxicology Unit
(512) 458-7111 FAX: (512) 458-7666
www.dshs.state.tx.us/injury



Contact CDC
Centers for Disease Control and Prevention
National Center for Injury Prevention and Control (NCIPC)
1-800-CDC-INFO (232-4636)
TTY: 1-888-232-6348
www.cdc.gov/injury