

DRAFT THRU:

ADDRESS:

FREIGHTLINER OF AUSTIN

Date: 09-17	7-2020		mith Rd. (Hwy. 183 So.) Fexas 78721 FAX: 512-389-0000 Fax: 512-389-2663 Wats: 1-800-395-2005			Invoice Number		
PURCHASING N	on County					TELEPHONE		
ADDRESS	on County				CITY	512-943-3368 STATE	Tain cons	
3151 SE	Inner Loop				Georgetown	Tx	ZIP CODE 78626	
YEAR	IMAKE	MODEL/BODY		IVIN				
2021	Freightliner	M2-106		Order			LICENSE PLATE	
	i roightimor	100	MILEAGE:	Order				
			TIPS Contra	ct 200 2	06			
				01 5			89,043.00	
			20	2021 Freightliner M2-106 chassis to include Ox 10ft 7/8yd dump with elec tarp no trlr				
				JX TOIL 1	/ oyu dump with elec	tarp no trir		
				Extend	ed engine warranty 5	yr/200K	2,597.00	
					Trans , Towing			
	Disclaimer of Wari	rantice						
Any warrant	ties on the products sold he							
	. The Seller , Freightliner		^{'y}					
	isclaims all warranties, eith		d —					
	any implied warranty of mer			-				
	ular purpose, and Freightlir							
	or authorizes any other per		у					
liability in co	onnection with the sale of t	his vehicle.						
			CUSTOMER SIGN	ATURE				
			SALESMAN SIGNA		Tom Standard (512			
MILEAGE:	CLOSURE STATEMENT FOR USED VEH	ICLE ONLY. "The information you	see on the window form			the window form overrieds any contra	ry provisions in the contract of sale. "	
EAR .	MAKE	MODEL/BODY		VIN	TRADE-IN		LICENSE PLATE	
							DICENSE PEATE	
MILEAGE:					TRADE-IN		1	
EAR	MAKE	MODEL/BODY		VIN			LICENSE PLATE	
Lord Labor								
						TOTAL	91,640.00	
AYOFF TO:						Trade Allowance		
DDRESS:						Trading Difference		
						Sales Tax		
OOD UNTIL:						Vehicle Inventory Tax		
UOTED BY:						License Fee		
HOW LEIN T	0:				Body Type:	Documentary Fee		
DDRESS:					License Wt.:	Federal Excise Tax		
					State Insp.:	TOTAL SALE PRICE		
ATED:		LIEN AMOUNT \$			License:	Payoff on Trade		
RAFT FOR \$			V		Title:	Ext. Service Adreement		

Transfer:

Less Deposit

Total Balance Due

91,640.00



Quote Response Form

Page 2 of 3 03/10/2020 01:30 PM

Extended Price

Unit Price

EstimateTermsQuote DateExpiration DateSalespersonCustomer CurrencyFA01033475Net 90 Days3/10/20204/9/2020LAUREANO, JOSEUSD

Quantity Item
Body Style MAVERICK

Body ID 85

UM

Body Length 10'

Hoist Model 6382

Frame Style TUBE w/X-MEM 12 C/L

Description

Front Style STRAIGHT

Rear Style STRAIGHT

Front Exhaust Notch NO

Front Height 56

Side Height Front 32

Side Height Rear 32

Rear Height 40

Side Material SHEET-10GA-A36

Front Material SHEET-10GA-A36

Tailgate Material SHEET-7GA-A36

Floor Material SHEET-3/16-A36

Skirt Material NA

Cabshield Style STANDARD

Cabshield Projection 24

Cabshield Width 85

Tarp Style OX ELECTRIC

Tailgate Type DOUBLE ACTING

Coal Chutes 0

Tailgate Bracing Style 1 HORIZONTAL

Horizontal Side Brace NO

Side Top Rail Style 4x4x.120 (Standard)

Lineposts YES

Dump Apron STANDARD

Dump Apron Size 8"

Side Light Cutouts LOWER FRONT

Metro Light Quantity 1

Dirt Shedding Angle NO

Board Holder Height 8

Ladders / Steps Ladder from Automation Model (STD Ladder)

Body Add-On Paint

Paint Stock Ox Dark Green 1880641

Truck

Truck Installed

Side Boards BOARD KIT METAL 8" - UP TO 17' - NOT SLOPED SIDES 1248916

Hydraulic Tank HYD TANK PYRAMID FLAT BOTTOM STD PHINST 1250596

Rear Hinge ASSEMBLY HINGE REAR RETRO PHINST 1491883

Hoist - STD FRAMES W/ TUBING RUNNERS 1811165 - 6382 HYVA 1811165

Cab Controls: Auto Trans: CTRL KIT ES PTO/CABLE TO PUMP PHINS

Pump - Auto Trans: PUMP KIT CS/AUTO G102-D1-2.0(073)C/W ROT

PTO - Auto Transmission: PTO KIT ELEC AT 280GDFJP-B5RK PHINST

Mud Flaps - Maverick / Chisholm MUD FLAP KIT-36"TEXAS/TAGLIGHT PHINST

Backup Alarm STD BACK-UP ALARM KIT PHINST 1248915

Front Harness Options LTS KIT-C/S-2 C/M-PHINST 1847309

Side Harness Options LTS KIT-LWR FRT C/M-10-14-PHINST 1848536

Rear Harness Options LTS KIT-1SET MET-PHINST 1847317

Truck Plug Options CAT PIGTAIL ADAPTER 1856362

Air Tailgate Kit TAILGATE KIT AIR PHINST 1248914

Body Prop BODY PROP PHINST KIT <=16FT 1385729

Chrome Turnout Cabshield Installed - Chrome Turnout 1603431

Cab Height Other Cab Height (Specify on Order)

UPOATE 8-16-20
OK V



Quote Response Form

Page 3 of 3 03/10/2020 01:30 PM

Ox Bodies INC 719 Columbus Street East Fayette AL 35555 USA 800-844-2519 End User: WILLIAMSON COUNTY,TX

Customer: 34358

Tom Standard

AUSTIN TRUCK & EQUIPMENT, LTD

1701 SMITH ROAD

D/B/A FOA BODY & EQUIPMENT

Austin TX 78721

USA

Phone: (512) 389-0000 Fax: 512-389-2663

	1 ux. 512-507-2005							
Estimate	Terms		Quote Date	Expiration Date	Salesperson	Cust	omer Currency	
FA01033475	Net 90 Days	1	3/10/2020	4/9/2020	LAUREANO, JO	SE	USD	
UM Q	Quantity Item	Description			Unit	Price	Extended Price	
EA	1.00 2275657	TARP ELEC-N	MOUNTAIN-10-	16FT-MSH-N/FL-ET	TC		21	

Lift Axle

Taken By: Jennifer Reed

Alignment of lift axle must be preformed by end user prior to the unit being placed in service. Failure to properly align the axle prior to being placed in service can cause non-warrantable failure, including but not limited to premature tire wear. The end user is responsible for the alignment prior to placing the unit in service.

PTO Maintenance:

Per OEM manufacturer guidelines the following recommendations should be followed. Failure to follow OEM guidelines can result in non warrantable failure.

Within the first week of use, recheck the installation of the PTO. Check for leaks and loose mounting hardware (studs, cap screws, nuts). Recheck the cable or lever connections for proper adjustment and tighten any loose connections. At regular maintenance intervals, check adjustments and lubricate moving parts, tighten and repair the connections, mounting hardware, cable or lever linkage. Refer to OEM owners manual for regular maintenance intervals.

**By signing below I acknowledge that I have reviewed the specs above and confirmed they are correct. I understand that once my order is placed and sent into production that I will not be able to make changes to the order. I assume full ownership of the body once production begins.

X		
TRUCK YEAR/MAKE	MODEL	CLEAR CT:
VIN	TRANS	
CHASSIS ETA	DU	MP BODY COLOR

^{**}Pto switch in dash is recommended for all automatic or automated transmissions. **

^{**}Tractor valve must be in cab for glads to be plumbed **

^{*****}VERIFY SHIP TO ADDRESS ON QUOTE*****