



DATE: September 23, 2020

QUOTE #:263563-01

**WILLIAMSON COUNTY FLEET**  
**RON ROBERTS**

**Jeffrey Kell**  
**512.917.3277**

3151 SE INNER LOOP STE B  
GEORGETOWN, TEXAS 78626-6343

**One (1) New Caterpillar Inc Model: 416F C4E Backhoe Loaders with all standard equipment in addition to the additional specifications listed below:**

**STOCK NUMBER: TBD      SERIAL NUMBER:      YEAR: 2020**

SALE PRICE	\$123,781.00
<b>TOTAL PRICE</b>	<b>\$123,781.00</b>
<hr/>	
<b>SUB TOTAL</b>	<b>\$123,781.00</b>
<b>TOTAL SOURCEWELL PURCHASE PRICE</b>	<b>\$123,781.00</b>

**WARRANTY**

**Standard Warranty:      12 Month/Unlimited Hours Total Machine**

**Additional Warranty available Powertrain, Hydraulics, and Technology select and ADD:**

**-60 months or 2,000 hours    \$1,741.00**  
**-60 months or 2,500 hours    \$1,847.00**  
**-60 months or 3,000 hours    \$1,929.00**  
**-60 months or 4,000 hours    \$2,080.00**  
**-60 months or 5,000 hours    \$2,329.00**

**NOTES**

**Cab, 4x4, Ext-a-Stick, Wain Roy Style rear coupler, 24" Bucket**

**MP 4:1 Front Bucket, Ride Control, Hydraulic Thumb rear**

**Delivery – 6-8 weeks**

**Sourcewell Contract number #032119-CAT**

<b>416F List Price</b>	<b>\$120,334.00</b>
<b>Sourcewell Discount 22%</b>	<b>(\$26,473.00)</b>
<b>Adjusted Sales Price</b>	<b>\$93,871.00</b>
<b>Prep</b>	<b>\$1,500.00</b>
<b>Bucket 4:1 MP</b>	<b>\$6,627.00</b>
<b>Valve, Controls, installation</b>	<b>\$6,650.00</b>
<b>Thumb Hydraulic, controls</b>	<b>\$6,761.00</b>
<b>Installation</b>	<b>\$3,389.00</b>
<b>Ride Control</b>	<b>\$1,683.00</b>
<b>Manuals Service &amp; Maintenance</b>	<b>\$1,750.00</b>
<b>No Charge Field Service 12 months</b>	<b>\$1,000.00</b>
<b>Delivery</b>	<b>\$550.00</b>
<b>TOTAL Sourcewell Purchase price</b>	<b>\$123,781.00</b>

DATE: September 23, 2020QUOTE #:Quote 263563-01

#### MACHINE SPECIFICATIONS

**STOCK NUMBER:**      **SERIAL NUMBER:**      **YEAR: 2020**      **HOURS:**

DESCRIPTION	REF.#
416F2 BHL ST, TIER 4 HRC, 70KW	450-8445
LANE 3 ORDER	0P-9003
CONTROLS, BACKHOE PATTERN	398-2496
PT, 4WD, STD SHIFT, MECH	450-8604
ENGINE, 70KW, C4.4 ACERT, T4F	450-8754
HYDRAULICS, GP, 5FCN/7BNK	450-8511
CAB, STANDARD	450-8680
SEAT, FABRIC	433-4805
BELT, SEAT, 2" SUSPENSION	206-1747
AIR CONDITIONER, T4	450-8711
COUNTERWEIGHT, 1015 LBS	337-9696
SECURITY SYSTEM, KEYPAD	387-6570
STABILIZER PADS, FLIP-OVER	9R-6007
BUCKET-GP, 1.30 YD3, PO	337-7385
WORKLIGHTS (8) HALOGEN LAMPS	491-6734
CUTTING EDGE, TWO PIECE	9R-5321
INSTRUCTIONS, ANSI	430-9944
SERIALIZED TECHNICAL MEDIA KIT	421-8926
RADIO, FM BLUETOOTH	540-2298
PRODUCT LINK, CELLULAR PL641	581-1781
BATTERY, HEAVY DUTY	457-2797
PLATE GROUP - BOOM WEAR	423-7607
GUARD, STABILIZER	353-1389
PACK, DOMESTIC TRUCK	0P-0210

DESCRIPTION	REF.#
SHIPPING/STORAGE PROTECTION	461-6839
RUST PREVENTATIVE APPLICATOR	462-1033
COUPLER, PIN LOCK, BL F	544-1901
BUCKET, HOE, (NONE)	175-7877
TIRES, 12.5 80/19.5L-24, GY	379-2161
STICK, EXTENDABLE, 14FT, MECH	450-8727
RIDE CONTROL	398-2680
HYDRAULICS MP, 6FCN/8BNK, PT	450-8522

## STANDARD EQUIPMENT

---

### CONSIST NOTE

THIS LISTING IS A GENERAL DESCRIPTION  
OF A 416F2 BACKHOE LOADER EQUIPPED WITH

THE LOWEST CHARGE ITEMS.

### BOOMS, STICKS AND LINKAGES

14'4" Center pivot excavator style  
backhoe with 2-lever control  
Boom transport lock  
Swing transport lock  
Street type stabilizer shoes  
Bucket level indicator  
Lift cylinder brace

Return-to-dig  
(automatic bucket positioner)  
Self-leveling loader with single lever  
control  
Transmission neutralizer switch  
Single Tilt Loader

### POWERTRAIN

Cat C4.4, 70KW (Net 87HP / 65kW)  
- Direct Injection Turbo Charged Engine,  
- with ACERT technology.  
- US EPA Tier4 FinalEmissions Compliant  
- Selective Catalytic Reduction (SCR)  
Water separator  
Thermal starting aid system  
A dry type axial seal air cleaner with  
- integral precleaner  
- automatic dust ejection system  
- filter condition indicator  
Hydraulically boosted multi-plate wet  
disk brake with

- dual pedals & interlock  
Differential lock  
Drive-line parking brake  
Torque converter  
Transmission-four speed synchro mesh inc  
- power shuttle  
- neutral safety switch  
Spin-on filters for  
- fuel  
- engine oil  
- transmission oil  
Outboard Planetary Rear Axles

### HYDRAULICS

Load sensing, variable flow system with  
- 35 gpm axial piston pump  
6 micron hydraulic filter  
O-ring face seal hydraulic fittings

Caterpillar XT-3 hose  
Hydraulic oil cooler  
Flow-Sharing Hydraulic Valves  
Hydraulic suction strainer

### ELECTRICAL

12 volt electrical start  
150 ampere alternator  
Horn  
Backup alarm  
Hazard flashers/turn signals  
Halogen head lights (2)  
Halogen rear flood lights (2)

Stop and tail lights  
Audible system fault alarm  
Key start/stop system  
880 CCA maintenance free battery  
Battery disconnect switch  
External Power Receptacle (12v)  
Remote jump start connector

#### **OPERATOR ENVIRONMENT**

Lighted gauge group  
Interior rearview mirror  
Rear fenders  
ROPS canopy

2-inch retractable seat belt  
Hand and foot throttle  
Air suspension seat  
Coat Strap

#### **FLUIDS**

Antifreeze - Extended Life Coolant

-30C (-20F)

#### **OTHER STANDARD EQUIPMENT**

Hydrostatic power steering  
Standard Storage Box  
Transport tie-down points  
Ground line fill fuel tank with  
44 gallon capacity  
Ground line fill diesel exhaust fluid  
tank with 5 gallon capacity

Rubber impact strips on radiator guards  
Bumper  
CD-ROM Parts Manual  
Backhoe Safety Manual  
Operations and Maintenance Manual  
Lockable hood  
Tire Valve Stem Protection

