



DATE: September 23, 2020

QUOTE #:263460-01

**WILLIAMSON COUNTY FLEET**  
**RON ROBERTS**

**Jeffrey Kell**  
**512.917.3277**

3151 SE INNER LOOP STE B  
GEORGETOWN, TEXAS 78626-6343

**One (1) New Caterpillar Inc Model: 926M Wheel Loaders with all standard equipment in addition to the additional specifications listed below:**

**STOCK NUMBER: TBD      SERIAL NUMBER:      YEAR: 2020**

SALE PRICE	\$187,422.00
<b>TOTAL PRICE</b>	<b>\$187,422.00</b>
<hr/>	
<b>SUB TOTAL</b>	<b>\$187,422.00</b>
<b>TOTAL SOURCEWELL PURCHASE PRICE</b>	<b>\$187,422.00</b>

**WARRANTY**

**Standard Warranty:      12 Month/Unlimited Hours Total Machine**

**Additional Warranty available Powertrain, Hydraulics, and Technology select and ADD:**

<b>-60 months or 2,000 Hours</b>	<b>\$1,718.00</b>
<b>-60 months or 3,000 Hours</b>	<b>\$2,141.00</b>
<b>-60 months or 4,000 Hours</b>	<b>\$2,341.00</b>
<b>-60 months or 5,000 Hours</b>	<b>\$2,694.00</b>

**NOTES**

**Includes 4 in 1 Multi-Purpose front Bucket  
Ride Control**

**Delivery – 4-6 weeks**

**Sourcewell Contract number #032119-CAT**

**Sourcewell Pricing below:**

<b>926M List Price</b>	<b>\$199,555.00</b>
<b>Sourcwell Discount 24%</b>	<b>(\$47,893.00)</b>
<b>Adjusted Sales Price</b>	<b>\$151,662.00</b>
<b>Ride Control</b>	<b>\$4,105.00</b>
<b>MP Front Bucket</b>	<b>\$19,526.00</b>
<b>Machine Prep</b>	<b>\$1,500.00</b>
<b>Valve and Controls MP Bucket</b>	<b>\$2,164.00</b>
<b>Installation MP Bucket</b>	<b>\$4,953.00</b>
<b>Delivery</b>	<b>\$750.00</b>
<b>Manuals Service and Maintenance</b>	<b>\$1,762.00</b>
<b>No Charge Field Service 12 months</b>	<b>\$1,000.00</b>
<b>TOTAL Sourcwell Purchase Price</b>	<b>\$187,422.00</b>

DATE: September 23, 2020QUOTE #:Quote 263460-01

#### MACHINE SPECIFICATIONS

**STOCK NUMBER: HLK042439**

**SERIAL NUMBER: 0LTE08098**

**YEAR: 2020**

**HOURS: 3.40**

DESCRIPTION	REF.#
926M WHEEL LOADER	536-5300
LANE 2 ORDER	0P-9002
PREP PACK, UNITED STATES	430-2943
HYDRAULICS, 2V, CPLR READY, SL	536-5322
STEERING, STANDARD	430-2996
DIFFERENTIAL, OPEN REAR	333-6528
ENVIRONMENT, STANDARD	536-5320
WEATHER, STANDARD	454-0609
ENGINE AR	430-3038
CAB, DELUXE	536-5309
CAMERA, REAR VIEW	377-5635
SEAT, DELUXE	563-5967
RADIO READY, BLUETOOTH,MIC,AUX	378-0951
TIRES, 20.5R25 TI MXL * L3	376-0827
FENDERS, STANDARD	366-8148
TOOLBOX AUX, NONE	519-8081
COUNTERWEIGHT, HEAVY	348-2579
KIT,SERIALIZED TECHNICAL MEDIA	0P-2491
LIGHTS, STD HALOGEN	488-1112
HYDRAULICS, STANDARD, HL	536-5282
LIGHTS, ROADING, HALOGEN, RH	541-3066
JUMPER LINES, NONE	536-5339
PACK, DOMESTIC TRUCK	0P-0210
LINES, AUX 3RD, NONE	536-5329
PRODUCT LINK, CELLULAR PL641	565-0908
TRANSPORT GROUP	387-2859

## STANDARD EQUIPMENT

---

### POWERTRAIN

Axle seal guards  
Auto Idle shut down feature  
Cat C7.1ACERT engine  
-Power Modes (Standard and Performance)  
-Power by Range (High Power in Range 4)  
-Tier 4 Final/Stage IV compliant  
-Turbocharged and aftercooled  
-Filtered crankcase breather  
-Diesel particulate filter  
-Selective Catalyst Reduction  
Coolant protection to -34C (-29F)  
Differential lock in front axle  
Dry type air cleaner  
Enclosed wet disc full hydraulic brakes  
Fuel priming pump, automatic  
Fuel water separator

Hydraulically driven demand cooling fan  
Hydrostatic transmission with electronic control  
-Operator Modes (Default, TC, Hystat and Ice)  
-Directional Shift Aggressiveness (Fast, Medium, Slow)  
-Rimpull control, adjust wheel torque  
-Creeper control, adjust ground speed  
Lubed for life driveshafts  
Parking brake, electric  
Single plane cooling package wide 6 fins per inch density  
S-O-S port, engine, coolant, transmission oil

### HYDRAULICS

Automatic lift and bucket kickouts, adjustable in-cab  
Bucket and Fork Modes, adjustable in-cab  
Cylinder damping at kickout and mechanical end stops  
Fine Mode control (Fast, Medium, Slow) in Fork Mode

Hydraulic Response setting (Fast, Medium, Slow)  
Hydraulic diagnostic connectors and S-O-S ports  
Hydraulic sight gauge, visible  
Load sensing hydraulics and steering  
Seat mounted hydraulic joystick controls

### ELECTRICAL

Alternator, 115-amp, heavy duty  
12V power supply in cab (2)  
Batteries, 1,000 CCA (2) 24 volt system, disconnect switch  
Back up alarm  
Emergency shutdown switch  
Halogen work lights front and rear, LED

rear stop and turn lights  
Heavy duty gear reduction starter  
Product Link PRO w/3 year subscription  
Remote jump start post  
Resettable main and critical function breakers  
Roading lights front and rear

### OPERATOR ENVIRONMENT

75 mm (3 in) retractable seatbelt  
Automatic temperature control  
Cab, enclosed ROPS/FOPS pressurized and sound suppressed  
Cup holders  
External heated mirrors with lower parabolic  
Ground level cab door release  
Gauges  
-Digital hour meter, odometer and tachometer

Interior cab lighting, door and dome  
Interior rearview mirrors (2)  
Lunch box storage  
Operator warning system indicators  
Radio ready speakers  
Rear window defrost, electric  
Seat mounted electronic implement controls, adjustable  
Sliding glass on the side windows  
Column mounted multi function control  
-lights, wipers, turn signal

- Digital ground speedometer and direction indicator
- Engine coolant temperature gauge
- Fuel and Diesel Exhaust Fluid level indicator
- Hydraulic oil temperature gauge
- Hydraulic control lockout

#### **OTHER STANDARD EQUIPMENT**

- Large-access enclosure doors with adjustable close/open force
- Parallel lift loader linkage
- Recovery hitch with pin

- Suspension seat, fabric
- Tilt and telescope steering wheel
- Tinted front glass
- Wet arm wiper/washer, 2-speed and intermittent, front
- Wet arm wiper washer, rear

- Remote mounted lubrication points
- Vandalism protection-lockable compartments

