FINAL PLAT PHASE TWO MESA VISTA RANCH

BEING A 163.781 ACRE TRACT OF LAND LOCATED IN THE E. LEICHTLE SURVEY ABSTRACT NO. 382, AND THE IRWIN ADDISON SURVEY, ABSTRACT NO. 22, WILLIAMSON COUNTY, TEXAS, SAID 163.781 ACRE TRACT BEING A PORTION OF THAT CALLED 398.52 ACRE TRACT RECORDED IN DOCUMENT NO. 2017038953, OFFICIAL PUBLIC RECORDS, WILLIAMSON COUNTY, TEXAS.

PHASE ACREAGE = 163.781 ACRES NET ACREAGE IN RIGHT-OF-WAY DEDICATIONS = 4.593 ACRES NET ACREAGE OF RIGHT-OF-WAY = 12.632 ACRES NET ACREAGE OF RESIDENTIAL LOTS = 146.556 ACRES TOTAL NUMBER OF LOTS = 70

ALL LOTS CONTAIN A MINIMUM OF 30 FEET OF FRONTAGE

ALONG THE FRONT PROPERTY LINE.

PUBLIC UTILITY EASEMENT

A 20' PUBLIC UTILITY EASEMENT IS SHOWN ON THE FRONT OF ALL LOTS ADJACENT TO THE PUBLIC RIGHT-OF-WAY.

BUILDING SETBACK LINES (TYPICAL - ADDITIONAL SETBACKS MAY BE RECORDED IN THE SUBDIVISION RESTRICTIONS.)

- A 25' FRONT BUILDING SETBACK LINE EXISTS ON THE FRONT OF ALL LOTS ADJACENT TO THE PUBLIC RIGHT-OF-WAY. WATER WILL BE SERVED BY PRIVATE WATER WELLS.
- SEWER WILL BE SERVED BY ONSITE SEPTIC SYSTEMS.

FIELD NOTES FOR A 163,781 ACRE TRACT OF LAND:

BEING A 163,781 ACRE TRACT OF LAND, LOCATED IN THE E, LEICHTLE SURVEY, ABSTRACT NO. 382, AND THE IRWIN ADDISON SURVEY, ABSTRACT NO. 22, WILLIAMSON COUNTY, TEXAS; SAID 163,781 ACRE TRACT, BEING A PORTION OF THAT CALLED 398.52 ACRE TRACT OF LAND RECORDED IN DOCUMENT NO. 2017038953, OFFICIAL PUBLIC RECORDS, WILLIAMSON COUNTY, TEXAS; SAID 163.781 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS

BEGINNING AT A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP LOCATED AT AN EXTERIOR CORNER OF THE REMAINDER OF SAID 398.52 ACRE TRACT, BEING THE EASTERNMOST CORNER OF A RIGHT-OF-WAY DEDICATION SHOWN FOR MESA VISTA RANCH, PHASE ONE, ACCORDING TO THE PLAT OF RECORD IN DOCUMENT NO. 2019023850, OFFICIAL PUBLIC RECORDS, WILLIAMSON COUNTY, TEXAS, BEING IN A SOUTHWEST LINE OF THAT CALLED 68.09 ACRE TRACT OF LAND RECORDED IN DOCUMENT NO. 1999022868, OFFICIAL PUBLIC RECORDS, WILLIAMSON COUNTY, TEXAS, AND BEING THE EASTERNMOST NORTHEAST CORNER OF THE HEREIN DESCRIBED TRACT OF LAND;

1. THENCE, WITH A NORTHEAST LINE OF THE REMAINDER OF SAID 398.52 ACRE TRACT, A SOUTHWEST LINE OF SAID 68.09 ACRE TRACT, \$ 21° 43' 27" E, A DISTANCE OF 503.78', TO A 1/2" IRON ROD LOCATED FOR AN ANGLE POINT OF THE REMAINDER OF SAID 398.52 ACRE TRACT, AN EXTERIOR CORNER OF SAID 68.09 ACRE TRACT, AN EXTERIOR CORNER OF THAT CALLED 199.675 ACRE TRACT OF LAND RECORDED IN DOCUMENT NO. 2002003487, OFFICIAL PUBLIC RECORDS, WILLIAMSON COUNTY, TEXAS, AND BEING AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND;

THENCE, WITH THE NORTHEAST LINES OF THE REMAINDER OF SAID 398.52 ACRE TRACT, THE SOUTHWEST LINES OF SAID 199.675 ACRE TRACT, THE FOLLOWING FOUR (4) COURSES AND DISTANCES:

2. \$ 22° 13' 40" E. A DISTANCE OF 342.93', TO A 1/2" IRON ROD LOCATED FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND

3.5 20° 42' 30" E, A DISTANCE OF 1067.74', TO A 1/2" IRON ROD LOCATED FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND;

4. \$ 22° 20' 22" E, A DISTANCE OF 832.03', TO A 1/2" IRON ROD LOCATED FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND;

5.\$ 20° 19' 29" E, A DISTANCE OF 588.27", TO A 1/2" IRON ROD LOCATED FOR AN EXTERIOR CORNER OF THE REMAINDER OF SAID 398.52 ACRE TRACT, AND EXTERIOR CORNER OF SAID 199.675 ACRE TRACT, BEING IN A NORTHWEST LINE OF THE REMAINDER OF THAT CALLED 125 ACRE TRACT OF LAND RECORDED IN VOLUME 451, PAGE 501, DEED RECORDS, WILLIAMSON COUNTY, TEXAS, AND BEING AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND;

6. THENCE, WITH A SOUTHEAST LINE OF THE REMAINDER OF SAID 398.52 ACRE TRACT, A NORTHWEST LINE OF THE REMAINDER OF SAID 125 ACRE TRACT, \$ 68° 35' 54" W, A DISTANCE OF 1069.46', TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET IN A SOUTHEAST LINE OF THE REMAINDER OF SAID 398.52 ACRE TRACT, A NORTHWEST LINE OF THE REMAINDER OF SAID 125 ACRE TRACT, AND BEING AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND;

THENCE, ACROSS THE REMAINDER OF SAID 398.52 ACRE TRACT, THE FOLLOWING SEVENTEEN (17) COURSES AND DISTANCES:

7. N 21° 34' 40" W, A DISTANCE OF 156.94', TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 8. \$ 73° 05' 45" W, A DISTANCE OF 211.10', TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 9. N 21° 34' 40" W, A DISTANCE OF 344.43', TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 10, \$ 73° 06' 17" W, A DISTANCE OF 476.08', TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND AND

11. WITH SAID CURVE TO THE RIGHT CONTAINING A RADIUS OF 470.00', A CENTRAL ANGLE OF 005°19'13", A CHORD WHICH BEARS N 05° 35' 35" E, A CHORD DISTANCE OF 43.63', CONTINUING A TOTAL CURVE LENGTH OF 43.64', TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP SET FOR A POINT OF TANGENCY OF THE HEREIN DESCRIBED TRACT OF LAND;

12. N 08° 15' 11" E, A DISTANCE OF 173.42', TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 13. N 81° 44' 49" W, A DISTANCE OF 60.00', TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 14. \$ 08° 15' 11" W, A DISTANCE OF 173.42", TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR THE BEGINNING OF A CURVE TO THE LEFT OF THE HEREIN DESCRIBED TRACT

15, WITH SAID CURVE TO THE LEFT CONTAINING A RADIUS OF 530.00', A CENTRAL ANGLE OF 004°40'58", A CHORD WHICH BEARS \$ 05° 54' 42" W, A CHORD DISTANCE OF 43.30', CONTINUING A TOTAL CURVE LENGTH OF 43.32", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP SET FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND;

16. \$ 75° 46' 37" W, A DISTANCE OF 1000.63", TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 17. \$ 15° 08' 28" E, A DISTANCE OF 208.17', TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 18, N 85° 46' 35" W, A DISTANCE OF 34.65", TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR THE BEGINNING OF A CURVE TO THE LEFT OF THE HEREIN DESCRIBED TRACT

19. WITH SAID CURVE TO THE LEFT CONTAINING A RADIUS OF 530.00', A CENTRAL ANGLE OF 009°20'41", A CHORD WHICH BEARS S 89° 33' 04" W, A CHORD DISTANCE OF 86.35", CONTINUING A TOTAL CURVE LENGTH OF 86.44", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP SET FOR A POINT OF TANGENCY OF THE HEREIN DESCRIBED TRACT OF LAND:

20. \$ 84° 52' 44" W, A DISTANCE OF 164.45", TO A TO A 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP SET FOR THE BEGINNING OF A CURVE TO THE LEFT OF THE HEREIN DESCRIBED TRACT

21, WITH SAID CURVE TO THE LEFT CONTAINING A RADIUS OF 530,00', A CENTRAL ANGLE OF 020°17'25", A CHORD WHICH BEARS \$ 74° 44' 01" W, A CHORD DISTANCE OF 186.71', CONTINUING A TOTAL

CURVE LENGTH OF 187.69", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP SET FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND; 22. N 88° 46' 15" W, A DISTANCE OF 88.91', TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP SET FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND;

23. \$ 58° 44' 30" W, A DISTANCE OF 25.00", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP SET IN THE NORTHEAST RIGHT-OF-WAY LINE OF COUNTY ROAD 201, A SOUTHWEST LINE OF

THE REMAINDER OF SAID 398.52 ACRE TRACT, AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND; THENCE, WITH THE NORTHEAST RIGHT-OF-WAY LINE OF COUNTY ROAD 201, THE SOUTHWEST LINES OF THE REMAINDER OF SAID 398.52 ACRE TRACT, THE FOLLOWING TWO (2) COURSES AND DISTANCES:

24. N 31° 15' 30" W, A DISTANCE OF 33.13', TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP SET FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND;

25. N 31° 17' 39" W, A DISTANCE OF 775.69", TO A 1/2" IRON ROD LOCATED IN THE NORTHEAST RIGHT-OF-WAY LINE OF COUNTY ROAD 201, BEING AN EXTERIOR CORNER OF THE REMAINDER OF SAID 398.52 ACRE TRACT, THE SOUTHWEST CORNER OF THAT CALLED 10.0 ACRE TRACT OF LAND RECORDED IN DOCUMENT NO. 2016086326, OFFICIAL PUBLIC RECORDS, WILLIAMSON COUNTY, TEXAS, AND BEING AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND:

THENCE, DEPARTING THE NORTHEAST RIGHT-OF-WAY LINE OF COUNTY ROAD 201, WITH THE COMMON BOUNDARY LINES OF THE REMAINDER OF SAID 398.52 ACRE TRACT AND SAID 10.0 ACRE TRACT, THE FOLLOWING FOUR (4) COURSES AND DISTANCES:

26. N 73° 32' 41" E, A DISTANCE OF 683.37", TO A 1/2" IRON ROD LOCATED FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND;

27. N 12° 39' 28" W, A DISTANCE OF 91.66', TO A 1/2" IRON ROD LOCATED FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND; 28. N 08° 00' 28" W, A DISTANCE OF 24.34', TO A 1/2" IRON ROD LOCATED FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND;

46. N 68° 16' 33" E, A DISTANCE OF 60.00', TO THE POINT OF BEGINNING CONTAINING 163.781 ACRES OF LAND.

29. N 06° 19' 28" W, A DISTANCE OF 440.25", TO A 1/2" IRON ROD LOCATED FOR AN EXTERIOR CORNER OF THE REMAINDER OF SAID 398.52 ACRE TRACT, THE NORTHEAST CORNER OF SAID 10.0 ACRE TRACT,

AN ANGLE POINT OF LOT 6, BLOCK 4, OF SAID MESA VISTA RANCH, PHASE ONE, AND BEING AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND:

THENCE, WITH THE COMMON BOUNDARY LINES OF THE REMAINDER OF SAID 398.52 ACRE TRACT AND SAID MESA VISTA RANCH, PHASE ONE, THE FOLLOWING SEVENTEEN (17) COURSES AND DISTANCES:

30. N 88° 55' 12" E, A DISTANCE OF 402.48", TO A 1/2" IRON ROD WITH A "QUICK INC RPLS 6447" PLASTIC CAP LOCATED FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 31. N 07° 26' 26" W, A DISTANCE OF 452.09", TO A 1/2" IRON ROD WITH A "QUICK INC RPLS 6447" PLASTIC CAP LOCATED FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 32. N 82° 33' 34" E, A DISTANCE OF 60,00', TO A 1/2" IRON ROD WITH A "QUICK INC RPLS 6447" PLASTIC CAP LOCATED FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 33. \$ 07° 26' 26" E, A DISTANCE OF 199.66', TO A 1/2" IRON ROD WITH A "QUICK INC RPLS 6447" PLASTIC CAP LOCATED FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 34. N 88° 12' 35" E, A DISTANCE OF 230.34', TO A 1/2" IRON ROD WITH A "QUICK INC RPLS 6447" PLASTIC CAP LOCATED FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 35. N 01° 57' 13" W, A DISTANCE OF 394.76", TO A 1/2" IRON ROD WITH A "QUICK INC RPLS 6447" PLASTIC CAP LOCATED FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND AND BEING IN A CURVE TO THE LEFT:


36. WITH SAID CURVE TO THE LEFT CONTAINING A RADIUS OF 970.00', A CENTRAL ANGLE OF 001°07'49", A CHORD WHICH BEARS S 82° 10' 32" W, A CHORD DISTANCE OF 19.14', CONTINUING A TOTAL CURVE LENGTH OF 19.14", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND;


37, N 08° 23' 23" W, A DISTANCE OF 60.00', TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND; 38. N 21° 10' 08" W, A DISTANCE OF 402.95", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND: 39, N 68° 49' 52" E, A DISTANCE OF 802.77", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 40. N 21° 10' 08" W, A DISTANCE OF 506.74", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 41. N 68° 49' 52" E, A DISTANCE OF 480.00', TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 42. N 21° 10' 08" W, A DISTANCE OF 98.08', TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 43. N 68° 49' 52" E, A DISTANCE OF 60.00', TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 44. \$ 21° 10' 08" E, A DISTANCE OF 37.57", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT OF LAND; 45. N 68° 49' 53" E, A DISTANCE OF 465.86", TO A 1/2" IRON ROD WITH A BLUE "QUICK INC. RPLS 6447" PLASTIC CAP LOCATED FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT OF LAND;

NOTE: THE BASIS OF BEARING WAS ESTABLISHED USING THE TRIMBLE VRS NETWORK, NAD (83), TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE, 4203, US SURVEY FOOT, GRID. A SURVEY PLAT WAS PREPARED BY A SEPARATE DOCUMENT.

1) FIELD WORK PERFORMED ON: MARCH 2020 2) BASIS OF BEARING: TEXAS STATE PLANE, CENTRAL ZONE, NAD83 3) THIS SURVEY WAS DONE WITHOUT THE BENEFIT OF A CURRENT TITLE COMMITMENT, THEREFORE ALL SETBACKS, EASEMENTS, ENCUMBRANCES AND RESTRICTIONS MAY NOT BE SHOWN HEREON. THE SURVEYOR DID NOT COMPLETE AN ABSTRACT OF TITLE.

FEMA FLOOD PLAIN - ACCORDING TO THE NATIONAL FLOOD INSURANCE PROGRAM FLOOD INSURANCE RATE MAP FOR WILLIAMSON COUNTY, TEXAS, MAP NUMBER 48491 C0230F, EFFECTIVE DATE DECEMBER 20, 2019, THIS PROPERTY LIES IN ZONE "X", WHICH IS DEFINED AS AREAS DETERMINED TO BE OUTSIDE OF THE 100 YEAR FLOOD PLAIN. THE NATIONAL FLOOD INSURANCE PROGRAM FLOOD INSURANCE RATE MAP IS FOR USE IN ADMINISTERING THE NATIONAL FLOOD INSURANCE PROGRAM; IT DOES NOT NECESSARILY IDENTIFY ALL AREAS SUBJECT TO FLOODING, PARTICULARLY FROM LOCAL DRAINAGE SOURCES OF SMALL SIZE, OR ALL PLANIMETRIC FEATURES OUTSIDE SPECIAL FLOOD HAZARD AREAS. THIS FLOOD STATEMENT DOES NOT IMPLY THAT THE PROPERTY AND/OR STRUCTURES LOCATED THEREON WILL BE FREE FROM FLOODING OR FLOOD DAMAGE. THE FLOOD HAZARD AREA IS SUBJECT TO CHANGE AS DETAILED STUDIES OCCUR AND/OR WATERSHED OR CHANNEL CONDITIONS CHANGE, THIS FLOOD STATEMENT SHALL NOT CREATE LIABILITY ON THE PART OF THE SURVEYOR.





0

NORTHING: 10235040.37' EASTING: 3039515.64' **ELEVATION: 1114.23'**

OWNER/AGENT WARR-SWINBACK, LLC MATKIN HOOVER ENGINEERIN 3303 SHELL ROAD, SUITE 3 950 ECHO LN. SUITE 357 OUSTON, TEXAS, 77024 GEORGETOWN, TEXAS 78628 281-330-9769

830-249-0600


Land Surveying. Land Planning. Consulting GAGEANDCADECONSTRUCTION.COM Firm: 10194104 512-915-4950 1430 N. Robertson Road, Salado, Texas 76571

SUBMITTAL DATE: OCTOBER 12, 2020 REVISION DATE: NOVEMBER 16, 2020

> SHEET 1 OF 6 COVER PAGE




BEING A 163.781 ACRE TRACT OF LAND LOCATED IN THE E. LEICHTLE SURVEY, ABSTRACT NO. 382, AND THE IRWIN ADDISON SURVEY, ABSTRACT NO. 22, WILLIAMSON COUNTY, TEXAS, SAID 163.781 ACRE TRACT BEING A PORTION OF THAT CALLED 398.52 ACRE TRACT RECORDED IN DOCUMENT NO. 2017038953, OFFICIAL PUBLIC RECORDS, WILLIAMSON COUNTY, TEXAS.



1) *DENOTES APPROXIMATE ACREAGE OF LOT LOCATED OUTSIDE OF THE EXISTING WET WEATHER CREEK BANKS OR PROPOSED CHANNELS AS DEFINED BY THE WILLIAMSON COUNTY ENGINEERS OFFICE. APPROXIMATE CREEK BANK LOCATION BASED ON ENGINEERING ANALYSIS COMPLETED BY MATKIN HOOVER ENGINEERING STAFF. MEASUREMENTS DO NOT CONSTITUTE A LEGAL BOUNDARY.

LEGEND	
P.O.B.	POINT OF BEGINNING
	1/2" IRON ROD FOUND
0	SET 1/2" IRON ROD WITH A BLUE "QUICK INC RPLS 6447" PLASTIC CAP
	SETBACKS, REFER TO SHEET 6 FOR DETAILS
	PUDEBE, REFER TO SHEET 6 FOR DETAILS
MFFE	MINIMUM FINISHED FLOOR ELEVATIONS
	100 YEAR WATER SURFACE ELEVATION AS CALCULATED BY MATKIN HOOVER ENGINEERING STUDY SEALED ON 09/15/2020

DRIVEWAY CULVERT TABLE								
LOT	BLOCK	CULVERT	CULVERT	INVERT UP	INVERT			
NUMBER	NUMBER	Dia. (in)	LENGTH (ft)	(ft)	DOWN (ft)			
54	1	24	22	1046.81	1046.15			
55	1	24	22 1050.25		1049.59			
56	1	24	22 1054.50		1053.84			
57	1	18	22	1060.50	1059.84			
58	1	18	22	1065.83	1065.17			
59	1	18	22	1071.22	1070.56			
62	1	18	22	1087.88	1087.66			
63	1	18	22	1088.05	1087.83			
64	1	18	22	1088.04	1087.82			
65	1	18	22	1089.83	1089.61			
66	1	18	22	1092.26	1092.04			
67	1	18 or DIP	22	1093.91	1093.69			
68	1	18	22	1090.50	1090.28			
10	2	(2) 30	22 1033.72		1033.50			
11	2	24	22 1034.44		1034.22			
12	2	24	22	1034.44	1034.22			
13	2	24	22	1034.44	1034.22			
14	2	24	22	1042.30	1042.08			
15	2	18 or DIP	22	1042.08	1041.86			
16	2	18	22	1042.08	1041.86			
2	3	18	22	1074.00	1073.78			
3	3	18	22 1070.48		1070.26			
4	3	18	22 1065.59		1065.37			
5	3	18	22 1056.41		1056.19			
6	3	18 or DIP	22	1049.00	1048.78			
15	3	(2) 30	22	1109.57	1109.35			
16	3	(2) 30	22	1109.57	1109.35			
24	3	18	22	1088.82	1088.60			
15	4	18	22	1109.57	1109.35			
16	4	18	22	1105.47	1105.25			
17	4	18	22	1102.44	1102.22			
18	4	18	22	1100.34	1100.12			
19	4	18	22 1099.3		1099.13			
20	4	18	22	1093.49	1093.27			
21	4	18	22	1083.26	1083.04			
22	4	24	22	1079.61	1079.39			



LOT 46, BLOCK 1

N68° 49' 53"E

465.86'

50' DRAINAGE EASEMENT

1430 N. Robertson Road, Salado, Texas 76571

SITE DETAIL

LOT 9, BLOCK 2


N68° 49' 52"E 480.00'


480.00'

P.O.B.

E: 3041627.32


N: 10238692.07'







FINAL PLAT PHASE TWO MESA VISTA RANCH


BEING A 163.781 ACRE TRACT OF LAND LOCATED IN THE E. LEICHTLE SURVEY, ABSTRACT NO. 382, AND THE IRWIN ADDISON SURVEY, ABSTRACT NO. 22, WILLIAMSON COUNTY, TEXAS, SAID 163.781 ACRE TRACT BEING A PORTION OF THAT CALLED 398.52 ACRE TRACT RECORDED IN DOCUMENT NO. 2017038953, OFFICIAL PUBLIC RECORDS, WILLIAMSON COUNTY, TEXAS.







NOTE: THE LOCATIONS SHOWN HEREON ARE FOR CONCEPTUAL PURPOSES ONLY. ALL WELL LOCATIONS MUST BE APPROVED BY THE PROPER AUTHORITY PRIOR TO BEING CONSTRUCTED.



- ACREAGE OF SUBDIVISION = 163.781 ACRES. THE OVERALL AVERAGE DENSITY OF LOTS IN THIS SUBDIVISION IS 2,34 AC/LOT NO LOT IN THIS SUBDIVISION IS ENCROACHED BY A SPECIAL FLOOD HAZARD AREA(S) INUNDATED BY THE 100-YEAR (1% CHANCE) FLOOD AS IDENTIFIED BY THE U.S. FEDERAL EMERGENCY MANAGEMENT AGENCY FLOOD INSURANCE RATE MAP, COMMUNITY PANEL NO. 48491C0230F, EFFECTIVE DATE DECEMBER 20, 2019 FOR WILLIAMSON COUNTY, TEXAS.
- MAINTENANCE RESPONSIBILITY FOR DRAINAGE WILL NOT BE ACCEPTED BY THE COUNTY OTHER THAN THAT ACCEPTED IN CONNECTION WITH DRAINING OR PROTECTING THE ROAD SYSTEM. MAINTENANCE RESPONSIBILITY FOR STORM WATER MANAGEMENT CONTROLS WILL REMAIN WITH THE OWNER.
- WATER SERVICE FOR THIS SUBDIVISION WILL BE PROVIDED VIA INDIVIDUAL PRIVATE, ON-SITE WELLS ON EACH LOT.
- SEWER SERVICE FOR THIS SUBDIVISION WILL BE PROVIDED BY ONSITE SEWAGE FACILITIES.
- ELECTRIC SERVICE PROVIDED BY PEDERNALES ELECTRIC COOPERATIVE.
- POSTAL SERVICE WILL BE PROVIDED BY CLUSTER BOXES ALONG VERBENA BLOSSOM BLUFF IN PHASE 1.
- 8. A TWENTY (20) FOOT PUBLIC UTILITY EMBANKMENT/BACKSLOPE AND DRAINAGE EASEMENT (P.U.D.E.B.E.) IS HEREBY DEDICATED ALONG THE FRONT PROPERTY LINE OF ALL LOTS IN THIS SUBDIVISION IN ADDITION TO THOSE UTILITY AND DRAINAGE EASEMENTS SHOWN ON THE PLAT. THERE IS ALSO HEREBY DEDICATED A FIVE (5) FOOT WIDE UTILITY AND DRAINAGE EASEMENT ADJACENT TO ALL NON-ROADWAY LOT LINES UNLESS OTHERWISE NOTED ON THE PLAT. IF TWO OR MORE LOTS ARE COMBINED AS A SINGLE HOME SITE, THIS EASEMENT SHALL BE RELINQUISHED ALONG THE COMMON LINE OR LINES OF THE COMBINED LOTS SO LONG AS NO UTILITY LINES OR DRAINAGE IMPROVEMENTS ARE LOCATED THEREIN.
- ALL PUBLIC UTILITY EASEMENTS ARE FOR UTILITY IMPROVEMENTS, INCLUDING BUT NOT LIMITED TO ELECTRIC. TELEPHONE AND/OF CATV LINES AND APPURTENANCES.
- 10. GRANTOR HEREBY AGREES TO DEDICATE TO THE PUBLIC A UTILITY EASEMENT AND/OR UTILITY RIGHT-OF-WAY ON THIS PLAT FOR UTILITY PURPOSES
- 11. UNLESS OTHERWISE NOTED, ALL CORNERS, ANGLES AND POINTS OF CURVATURE ARE MARKED WITH A SET 1/2" IRON ROD WITH A RED "QUICK, INC. RPLS #6447" PLASTIC CAP.
- 12. BASIS OF BEARING: WAS ESTABLISHED USING THE TRIMBLE VRS NETWORK, TEXAS STATE PLANE COORDINATE SYSTEM, CENTRAL ZONE, 4203, US SURVEY FOOT, GRID.
- 13. IN APPROVING THIS PLAT BY THE COMMISSIONER'S COURT OF WILLIAMSON COUNTY, TEXAS, IT IS UNDERSTOOD THAT THE BUILDING OF ALL STREETS, ROADS, AND OTHER PUBLIC THOROUGHFARES AND ANY BRIDGES OR CULVERTS NECESSARY TO BE CONSTRUCTED OR PLACED IS THE RESPONSIBILITY OF THE OWNER(S) OF THE TRACT OF LAND COVERED BY THIS PLAT IN ACCORDANCE WITH THE PLANS AND SPECIFICATIONS PRESCRIBED BY THE COMMISSIONER'S COURT OF WILLIAMSON COUNTY, TEXAS. SAID COMMISSIONER'S COURT ASSUMES NO OBLIGATION TO BUILD ANY OF THE STREETS, ROADS, OR OTHER PUBLIC THOROUGHFARES SHOWN ON THIS PLAT OR OF CONSTRUCTING ANY OF THE BRIDGES OR DRAINAGE IMPROVEMENTS IN CONNECTION THEREWITH. THE COUNTY WILL ASSUME NO RESPONSIBILITY FOR DRAINAGE WAYS OR EASEMENTS IN THE SUBDIVISION, OTHER THAN THOSE DRAINING OR PROTECTING THE ROAD SYSTEM.
- 14. IT IS THE RESPONSIBILITY OF THE OWNER, NOT THE COUNTY, TO ASSURE COMPLIANCE WITH THE PROVISIONS OF ALL APPLICABLE STATE, FEDERAL, AND LOCAL LAWS AND REGULATIONS RELATING TO THE PLATTING AND DEVELOPMENT OF THE PROPERTY. THE COUNTY ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OF REPRESENTATIONS BY OTHER PARTIES IN THIS PLAT. FLOODPLAIN DATA, IN PARTICULAR. IT IS FURTHER UNDERSTOOD THAT THE OWNERS OF THE TRACT OF LAND COVERED BY THIS PLAT MUST INSTALL AT THEIR OWN EXPENSE ALL TRAFFIC CONTROL DEVICES AND SIGNAGE THAT MAY BE REQUIRED BEFORE THE STREETS IN THE SUBDIVISION HAVE FINALLY BEEN ACCEPTED FOR MAINTENANCE BY THE COUNTY.
- 15. EXCEPT IN CERTAIN ISOLATED AREAS REQUIRED TO MEET ACCESSIBILITY REQUIREMENTS THE MINIMUM LOWEST FINISHED FLOOR ELEVATION SHALL BE ONE FOOT HIGHER THAN THE HIGHEST SPOT ELEVATION THAT IS LOCATED WITHIN FIVE FEET OUTSIDE THE PERIMETER OF THE BUILDING, OR ONE FOOT ABOVE THE BFE, WHICHEVER IS HIGHER.
- 16. ALL DRIVEWAYS ONTO RURAL COUNTY ROADS WHOSE LOT IS SERVED BY A SEPTIC SYSTEM SHALL BE REQUIRED TO OBTAIN A PERMIT FROM THE WILLIAMSON COUNTY AND CITIES HEALTH DISTRICT PRIOR TO CONSTRUCTION. THE SUBDIVISION DEVELOPER WILL BE HELD RESPONSIBLE TO NOTIFY BUILDERS AND LOT OWNERS OF THIS REQUIREMENT.
- ONE-WAY "CIRCULAR" DRIVEWAYS SHALL BE PROHIBITED ON ALL ROADS.
- 18. RIGHT-OF-WAY EASEMENTS FOR WIDENING ROADWAYS OR IMPROVING DRAINAGE SHALL BE MAINTAINED BY THE LANDOWNER UNTIL ROAD OR DRAINAGE IMPROVEMENTS ARE ACTUALLY CONSTRUCTED ON THE PROPERTY. THE COUNTY HAS THE RIGHT AT ANY TIME TO TAKE POSSESSION OF ANY ROAD WIDENING EASEMENT FOR THE CONSTRUCTION, IMPROVEMENT OR MAINTENANCE OF THE ADJACENT ROAD.
- THE LANDOWNER ASSUMES ALL RISKS ASSOCIATED WITH IMPROVEMENTS LOCATED IN THE RIGHT-OF-WAY OR ROAD WIDENING EASEMENTS. BY PLACING ANYTHING IN THE RIGHT-OF-WAY OR ROAD WIDENING EASEMENTS, THE LANDOWNER INDEMNIFIES AND HOLDS THE COUNTY, IT'S OFFICERS AND EMPLOYEES HARMLESS FROM ANY LIABILITY OWING TO PROPERTY DEFECTS OR NEGLIGENCE NOT ATTRIBUTABLE TO THEM AND ACKNOWLEDGES THAT THE IMPROVEMENTS MAY BE REMOVED BY THE COUNTY AND THAT THE OWNER OF THE IMPROVEMENT SHALL BE RESPONSIBLE FOR THE RELOCATION AND/OR REPLACEMENT OF THE
- 20. THE OWNER SHALL CREATE A MANDATORY HOMEOWNERS ASSOCIATION THAT SHALL BE RESPONSIBLE FOR THE MAINTENANCE AND LIABILITY OF ANY LANDSCAPING, IRRIGATION, SIDEWALKS, ILLUMINATION, SUBDIVISION IDENTIFICATION SIGNS, WATER QUALITY FEATURES, ETC. PLACED WITHIN THE WILLIAMSON COUNTY RIGHT-OF-WAY, THIS HOMEOWNERS ASSOCIATION SHALL HAVE ASSESSMENT AUTHORITY TO INSURE THE PROPER FUNDING FOR MAINTENANCE.
- 21. RESIDENTIAL DRIVEWAYS ARE TO BE LOCATED NO CLOSER TO THE CORNER OF INTERSECTING RIGHTS OF WAY THAN 60 PERCENT OF THE PARCEL FRONTAGE OR 50 FEET, WHICHEVER IS LESS.
- 22. DRIVEWAYS SHALL CONNECT ONLY TO AN INTERNAL PLATTED ROAD AND NOT TO COUNTY ROAD 201.
- 23. THE MINIMUM FINISHED FLOOR ELEVATIONS SHOWN ON THIS PLAT WERE DETERMINED BY ADDING ONE (1) FOOT TO THE BASE FLOOD ELEVATION (BFE) AS DETERMINED BY A STUDY PREPARED BY MATKINHOOVER ENGINEERING AND SURVEYING, PROJECT NO. 2899.02 DATED SEPTEMBER 15, 2020.
- 24. THIS DEVELOPMENT IS CONSIDERED EXEMPT FROM ON-SITE STORMWATER DETENTION CONTROLS BASED ON WILLIAMSON COUNTY SUBDIVISION REGULATION B11.1.3.
- 25. A DE FACTO CERTIFICATE OF COMPLIANCE IS HEREBY ISSUED FOR ALL LOTS WITHIN THIS SUBDIVISION. THE CERTIFICATE IS VALID UNTIL SUCH TIME AS FEMA REVISES OR NEWLY ADOPTS FLOOD PLAIN BOUNDARIES IN THIS AREA.
- 26. MAXIMUM OF 20% IMPERVIOUS COVER PER LOT.
- 27. ALL OBSTRUCTIONS ARE PROHIBITED WITHIN DRAINAGE EASEMENTS.

20' PUBLIC UTILITY, DRAINAGE AND EMBANKMENT/BACKSLOPE EASEMENT (P.U.D.E.B.E.) PUBLIC RIGHT-OF-WAY 25' BUILDING SETBACK LOT LOT LOT 5' UTILITY AND DRAINAGE 5' SIDE & REAR EASEMENT **BUILDING SETBACK** - 5' UTILITY AND DRAINAGE EASEMENT

TYPICAL LOT EASEMENTS

N.T.S. (ESTABLISHED ON ALL LOTS)

FINAL PLAT PHASE TWO MESA VISTA RANCH

BEING A 163,781 ACRE TRACT OF LAND, LOCATED IN THE E, LEICHTLE SURVEY, ABSTRACT NO. 382 AND THE IRWIN ADDISON SURVEY, ABSTRACT NO. 22, WILLIAMSON COUNTY, TEXAS; SAID 163.781 ACRE TRACT BEING A PORTION OF THAT CALLED 398.52 ACRE TRACT RECORDED IN DOCUMENT NO. 2017038953, OFFICIAL PUBLIC RECORDS, WILLIAMSON COUNTY, TEXAS,

NEW RESIDENTIAL LOTS: 70

I GARRETT D. KELLER, REGISTERED PROFESSIONAL ENGINEER IN THE STATE OF TEXAS, DO HEREBY CERTIFY THAT THIS SUBDIVISION IS NOT LOCATED IN THE EDWARDS AQUIFER RECHARGE ZONE AND IS ENCROACHED BY SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100 YEAR FLOOD AS IDENTIFIED BY THE U.S. FEDERAL EMERGENCY MANAGEMENT AGENCY BOUNDARY MAP, (FLOOD INSURANCE RATE MAP), COMMUNITY PANEL NO. 48491C0230F. EFFECTIVE DATE DECEMBER 20, 2019 FOR WILLIAMSON COUNTY, TEXAS.

TO CERTIFY WHICH, WITNESS MY HAND AND SEAL AT GEORGETOWN, WILLIAMSON COUNTY, TEXAS, THIS DAY OF November, 2020.

GARRETT D. KELLER REGISTERED PROFESSIONAL ENGINEER NO. 111511 STATE OF TEXAS



STATE OF TEXAS

§ KNOW ALL MEN BY THESE PRESENTS

KNOWN AS MESA VISTA RANCH PHASE 2.

§ KNOW ALL MEN BY THESE PRESENTS

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS

WILLIAMSON COUNTY ADDRESSING COORDINATOR

§ KNOW ALL MEN BY THESE PRESENTS

MY COMMISSION EXPIRES ON: Soplember 14, 2023

ROAD NAME AND ADDRESS ASSIGNMENTS VERIFIED THIS THE

PROPER RECORDS OF THE COUNTY CLERK OF WILLIAMSON COUNTY, TEXAS

IN THE OFFICIAL PUBLIC RECORDS OF SAID COUNTY IN INSTRUMENT NO.

GEORGETOWN, TEXAS, THE DATE LAST SHOWN ABOVE WRITTEN.

WARR-SWINBANK, LLC

950 ECHO LN, STE 357

HOUSTON, TX 77024

STATE OF TEXAS

STATE OF TEXAS

COUNTY OF WILLIAMSON §

BILL GRAVELL, JR, COUNTY JUDGE

WILLIAMSON COUNTY, TEXAS

STATE OF TEXAS

COUNTY OF WILLIAMSON

MY OFFICE ON THE ___ DAY OF

DULY RECORDED THIS THE ___ DAY OF

COUNTY OF WILLIAMSON §

C/O KENNY WARR

I, KENNY WARR, CO-OWNER AND AGENT FOR WARR-SWINBANK, LLC. SOLE OWNER OF THE CERTAIN TRACT OF

LAND SHOWN HEREON AND DESCRIBED IN A DEED RECORDED IN DOCUMENT NO. 2017038953 OF THE OFFICIAL

RECORDS OF WILLIAMSON COUNTY, TEXAS, AND DO HEREBY STATE THAT THERE ARE NO LIEN HOLDERS OF

THE CERTAIN TRACT OF LAND, AND DO HEREBY SUBDIVIDE SAID TRACT AS SHOWN HEREON, AND DO HEREBY

CONSENT TO ALL PLAT NOTE REQUIREMENTS SHOWN HEREON, AND DO HEREBY FOREVER DEDICATE TO THE

PUBLIC THE ROADS, ALLEYS, RIGHTS-OF-WAY, EASEMENTS AND PUBLIC PLACES SHOWN HEREON FOR SUCH

PUBLIC ROADWAYS AND EASEMENTS AS SHOWN ON THIS PLAT ARE FREE OF LIENS. THIS SUBDIVISION IS TO BE

BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC IN AND FOR SAID COUNTY AND STATE, ON THIS DAY

PERSONALLY APPEARED KENNY WARR. KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO

I, BILL GRAVELL, JR, COUNTY JUDGE OF WILLIAMSON COUNTY, TEXAS, DO HEREBY CERTIFY THAT THIS MAP OR PLAT, WITH FIELD NOTES HEREON, FOR A SUBDIVISION HAVING BEEN FULLY PRESENTED TO THE

COMMISSIONER'S COURT OF WILLIAMSON COUNTY, TEXAS, AND BY THE SAID COURT DULY CONSIDERED, WERE

ON THIS DAY APPROVED AND THAT THIS PLAT IS AUTHORIZED TO BE REGISTERED AND RECORDED IN THE

KNOW ALL MEN BY THESE PRESENTS;

20____, A.D., AT

, 20 , A.D., AT

NANCY RISTER, CLERK COUNTY COURT OF WILLIAMSON COUNTY, TEXAS

I, NANCY RISTER, CLERK OF THE COUNTY COURT OF SAID COUNTY. DO HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT IN WRITING, WITH ITS CERTIFICATE OF AUTHENTICATION WAS FILED FOR RECORD IN

TO CERTIFY WHICH, WITNESS MY HAND AND SEAL AT THE COUNTY COURT OF SAID COUNTY, AT MY OFFICE IN

DAY OF

PUBLIC PURPOSES AS WILLIAMSON COUNTY MAY DEEM APPROPRIATE, AND DO HEREBY STATE THAT ALL

TO CERTIFY WHICH, WITNESS BY MY HAND THIS DAY OF NOVEMBER 2020

GIVEN UNDER MY HAND AND SEAL OF OFFICE THIS DAY OF NOVEMBER

COUNTY OF WILLIAMSON §

STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS

COUNTY OF WILLIAMSON

I, TRAVIS QUICKSALL, REGISTERED PROFESSIONAL LAND SURVEYOR IN THE STATE OF TEXAS, DO HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECTLY MADE FROM AN ACTUAL SURVEY MADE ON THE GROUND OF THE PROPERTY LEGALLY DESCRIBED HEREON, AND THAT THERE ARE NO APPARENT DISCREPANCIES, CONFLICTS, OVERLAPPING OF IMPROVEMENTS, VISIBLE UTILITY LINES OR ROADS IN PLACE, EXCEPT AS SHOWN ON THE ACCOMPANYING PLAT, AND THAT THE CORNER MONUMENTS SHOWN THEREON WERE PROPERLY PLACED UNDER MY SUPERVISION IN ACCORDANCE WITH THE SUBDIVISION REGULATIONS OF THE CITY OF GEORGETOWN, TEXAS.

TO CERTIFY WHICH, WITNESS MY HAND AND SEAL AT GEORGETOWN, WILLIAMSON COUNTY, TEXAS, THIS /B DAY OF NOVENIBER, 2020

TRAVIS QUICKSALL REGISTERED PROFESSIONAL LAND SURVEYOR NO. 6447 STATE OF TEXAS



BASED UPON THE REPRESENTATIONS OF THE ENGINEER OR SURVEYOR WHOSE SEAL IS AFFIXED HERETO, AND AFTER REVIEW OF THE PLAT AS REPRESENTED BY THE SAID ENGINEER OR SURVEYOR, I FIND THAT THIS PLAT COMPLIES WITH THE REQUIREMENTS OF EDWARDS AQUIFER REGULATIONS FOR WILLIAMSON COUNTY AND WILLIAMSON COUNTY ON-SITE SEWAGE FACILITY REGULATIONS. THIS CERTIFICATION IS MADE SOLELY UPON SUCH REPRESENTATIONS AND SHOULD NOT BE RELIED UPON FOR VERIFICATIONS OF THE FACTS ALLEGED. THE WILLIAMSON COUNTY ENGINEER'S OFFICE AND WILLIAMSON COUNTY DISCLAIM ANY RESPONSIBILITY TO ANY MEMBER OF THE PUBLIC FOR INDEPENDENT VERIFICATION OF THE REPRESENTATIONS, FACTUAL OR OTHERWISE, CONTAINED IN THIS PLAT AND THE DOCUMENTS ASSOCIATED WITH IT.

FOR J. TERRON EVERTSON, P.E., D.R., C.F.M. Adam D. WILLIAMSON COUNTY ENGINEER BOOKING AY

			STREET SUMMA	RY TABLE		
NAME	LENGTH	ROW WIDTH	CLASSIFICATION	DESIGN SPEED	PAVEMENT WIDTH	MAINTENANCE AUTHORITY
ESPERANZA PETAL PASS	2873 LF	60¹	LOCAL RURAL	25 MPH	23'	PUBLIC
LANTANA BUD TRAIL	1378 LF	60'	LOCAL RURAL	25 MPH	23'	PUBLIC
VERBENA BLOSSOM BLUFF	1136 LF	60'	LOCAL RURAL	25 MPH	23'	PUBLIC
PURPLE SALVIA COVE	2654 LF	60'	LOCAL RURAL	25 MPH	23'	PUBLIC
YELLOW SENNA PLACE	628 LF	60'	LOCAL RURAL	25 MPH	23'	PUBLIC

(1) DIMENSIONS FROM BACK OF **CURB TO BACK OF CURB**

C/O KENNY WARR 950 ECHO LN, STE 357 HOUSTON, TX 77024 OFF: (281) 330-9769 KENNY@GAGEANDCADECONSTRUCTION.COM

SURVEYOR:

QUICK INC. C/O TRAVIS QUICKSALL, R.P.L.S 3303 SHELL RD, SUITE 4 **GEORGETOWN, TEXAS 78628** (512) 915-4950

AGENT/PREPARER: MATKIN HOOVER **ENGINEERING & SURVEYING** C/O GARRETT D. KELLER, P.E. 3303 SHELL RD SUITE 3 **GEORGETOWN, TEXAS 78628** OFF: (512) 868-2244 FAX: (830) 249-0099

GKELLER@MATKINHOOVER.COM

& SURVEYING

3303 SHELL ROAD SUITE 3 GEORGETOWN, TEXAS 78628 OFFICE: 512.868,2244 8 SPENCER ROAD SUITE 100 BOERNE, TEXAS 78006 OFFICE: 830,249,0600 CONTACT@MATKINHOOVER.COM

JOB NO. - 2899.01

TEXAS REGISTERED ENGINEERING FIRM F-004512 SURVEYING FIRM F-10024000

SHEET 6 OF 6

DATE: OCTOBER 2020

DUSTI L. HERMAN

My Notary ID # 10210997

Expires September 14, 2023

, 20 A.D.

O'CLOCK, __.M., AND

, DEPUTY

O'CLOCK, __.M.,

OWNER/DEVELOPER:

WARR-SWINBANK, LLC