

DATE: September 21, 2021 QUOTE #:

WILLIAMSON COUNTY FLEET RON ROBERTS

Jeffrey Kell 512.917.3277

3151 SE INNER LOOP STE B GEORGETOWN, TEXAS 78626-6343

One (1) New Caterpillar Inc. Model: 330 TC Excavators with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER:

SALE PRICE	\$312,752.00
TOTAL PRICE	\$312,752.00
SUB TOTAL	\$312,752.0

List Price \$380,116.00
Sourcewell Discount 15% (\$57,017.00)
Adjusted Sales Price \$323,099.00
Dealer Prep \$1,900.00
Delivery \$750.00
Holt Cat Discount (\$12,997.00)
Total Sourcewell Purchase price \$312,752.00

Pin Grabber - Add \$9,100.00

Delivery - December or 1st Quarter 2021

WARRANTY

Standard Warranty:

12 Month/Unlimited Hours Total Machine

Extended Warranty

Powertrain, Hydraulics, and Technology

48 months or 2000 hours - \$7,920.00 60 months or 2,500 hours - \$8,080.00 329,772

NOTES

Hydraulic Lines for Hammer and other Attachments, Bucket 48", Lines kit for Pin Grabber Includes 12 month Field Service and Maintenance Manuals Pricing good until 12/31/2022 and delivery in 2022

MACHINE SPECIFICATIONS

STOCK NUMBER: HLK046245

DESCRIPTION	REF.#
330 07C HEX AM-N CFG1B	597-1011
330 07 EXCAVATOR ARRANGEMENT	527-2180
COMMON ARRANGEMENT .	579-4738
GUARD, SWIVEL	134-8883
PEDAL, STRAIGHT TRAVEL	490-7715
MONITOR, 10"	511-9428
SENSOR, PRESSURE, EOU	513-3214
GUARD, TRAVEL MOTOR, HD	514-7013
CYLINDER, BOOM	516-8457
VALVE, FINE SWING	520-1923
FILM, OPERATING PATTERN, 2WAY	520-9418
MACHINE ECM	525-7678
CAB, DELUXE	546-0111
COUNTERWEIGHT, 14,770LB	575-2677
LIGHT, CHASSIS	577-3907
LINES, A/C	577-7867
TRAVEL, ALARM	592-8316
UNDERCARRIAGE, LONG	593-4943
LANE 3 ORDER	0P-9003
BOOM, REACH 20'2"	577-5867
STICK, R10'6"	516-8566
LINKAGE, BKT CB2 W/EYE GRADE	521-8015
CYLINDER, STICK	516-5832
CONTROL, QC	517-4758
CYLINDER, BKT, CB2	516-5840
BOOM TUBE W/EOU	516-8550
TRACK, 31" TG	516-8657
GUARD, TRACK GUIDING, SEGMENTED	346-7150
LINES, DRAIN, PQC	549-9535
BATTERIES, 2	506-5013
CAMERA, REAR + RH VIEW	593-4954
LIGHTS PKG, REACH & SLR BOOM	581-1525

DESCRIPTION	REF.#
LIGHT, REACH BOOM LH & SLR LH	577-6543
LIGHT, REACH BOOM & SLR RH	577-6544
LIGHTS, CAB, W/O 360	577-3853
PROD LINK, PLE643/PLE743 RADIO	594-9052
RADIO MODULE, PL243 CELLULAR	589-1744
WIRING, PRODUCT LINK ELITE	594-2025
DECALS, EXTERIOR, ANSI	578-2910
DECALS, CAB, ANSI	573-4351
DECALS, STICK WARNING, ANSI	567-3815
INSTRUCTIONS, ENGLISH	0P-3380
LINES, HP, REACH BOOM	562-6221
LINES-HP, R10'6" STICK	356-8134
LINES, QC, REACH BOOM	516-7688
LINES-QC, R10'6" STICK	321-0150
WIPER, RADIAL W/LOWER	484-8022
QUICK DRAINS READY	578-2915
STORAGE PROTECTION (EXPORT)	0G-4126
GRADE W/2D, ASSIST&PAYLOAD	516-0550
GRADE SENSOR, REACH BOOM	519-6977
GRADE SENSOR, R10'6" STICK	519-6978
MIRROR, CAB, W/O GUARD	580-8628
FILM, EMC	528-4738
FILM, ROPS	567-3818
ROLL ON-ROLL OFF	0G-4202
INTEGRATED RADIO, W/O DAB	502-7166
HYDRAULIC PKG, COMB ADV	597-0955
UPPER COVER, CENTER	555-5784
VALVE, HYDRAULIC, TCS, HL	516-9252
LINES, MAKE UP, TCS	560-5828
RETURN PIPE, TCS	516-7669
CIRCUIT, ADVANCE COMBINED	516-6643
NETWORK MANAGER, STD	555-7286
GUARD, BOTTOM HD	576-9456
FIXTURE, BUCKET LINKAGE CB	578-9964
JOYSTICKS, VERTICAL SLIDER	528-6835
STORAGE PROTECTION (EXPORT)	0P-7563

STANDARD EQUIPMENT

POWERTRAIN

C7.1e twin turbo Tier 4 Final diesel engine Electric fuel priming pump Reversible electric cooling fans Two-stage fuel filtration system with

water separator and indicator 2x115 amp. dual alternator Sealed double element air filter with integrated pre-cleaner Biodiesel capable (up to B20)

UNDERCARRIAGE

Grease lubricated track link Tie down points on base frame (ISO 15818 compliant)

HYDRAULICS

Electronic main control valve Auto warm up Tandem type electronic main pump (165cc/rev) Electric boom regeneration circuit

Stick regeneration circuit Automatic two speed travel Boom and stick drift reduction valve Element type main hydraulic filter

ELECTRICAL

Maintenance free battery Centralized electrical disconnect switch CAT product link After engine shut down, programmable

time delay LED working lights: One chassis mounted, one LH boom mounted

OPERATOR ENVIRONMENT

Sound suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount Increased rear window size as emergency exit Openable tempered front upper windshield w/assist device and removable tempered lower windshield with in cab storage bracket 51mm (2 inch) orange seat belt Upper radial wiper for 70/30 Automatic bi-level air conditioner with pressurized function Washable floor mat

Roller front sunscreen Beacon ready 2 x 12V DC outlet and USB Port Dome and lower LED interior lights, coat hook, cup holder, console storage rear storage with net, and overhead storage with net (Comfort cab) -Mechanical suspension comfort seat

w/ headrest, console height adjustment w/ tools, arm rest angle adjustment

-Fixed left side console -Openable steel hatch

SAFETY AND SECURITY

RH hand rail and hand hold (ISO 2867 compliant) Service platform with anti-skid plate and countersunk bolts

all controls Ground level accessible secondary engine shutoff switch in cab Signaling / warning horn

Hydraulic lock out lever neutralizes

OTHER STANDARD EQUIPMENT

Side entry to service platform Grouped location for engine oil and fuel filters Ground level 2nd dipstick for engine oil Sampling ports for scheduled oil Sampling (S.O.S)




DATE: September 18, 2021 QUOTE #:

WILLIAMSON COUNTY FLEET RON ROBERTS Jeffrey Kell 512.917.3277

3151 SE INNER LOOP STE B GEORGETOWN, TEXAS 78626-6343

One (1) New Caterpillar Inc. Model: 926M Wheel Loader with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER



List Price	\$229,890.00
Sourcewell Discount 24%	(\$55,173.00)
Adjusted Sales price	\$174,717.00
Dealer Prep	\$1,250.00
Delivery	\$450.00
Holt Cat Discount	(\$9,405.00)
Total Sourcewell Purchase Price	\$167,012.00

Delivery - December or 1st quarter 2022 subject to prior Sale

WARRANTY

Standard Warranty:

12 Month/Unlimited Hours Total Machine

Extended Warranty Powertrain, Hydraulics, and Technology ADD: 48 months or 2000 hours - \$1260.00

60 months or 2,500 hours - \$1,705.00

Sourcewell #032119-CAT

NOTES

Bucket 3.2 Yard and Beacon

Includes 12 month Field Service and Service and Maintenance Manuals

Pricing good until 12/31/2021 and delivery in 2022

DATE: September 18, 2021QUOTE #:Quote

MACHINE SPECIFICATIONS

STOCK NUMBER: HLK046631

DESCRIPTION	REF.#
926M WHEEL LOADER	541-2670
PREP PACK, UNITED STATES	430-2943
HYDRAULICS, 2V, CPLR READY, SL	541-3072
STEERING, STANDARD	430-2996
ENVIRONMENT, STANDARD	536-5320
WEATHER, STANDARD	454-0609
ENGINE	527-0422
CAB, DELUXE	549-0451
SEAT, DELUXE	563-5967
RADIO READY, BLUETOOTH,MIC,AUX	378-0951
FENDERS, STANDARD	366-8148
TOOLBOX AUX, NONE	519-8081
LIGHTS, AUX, HALOGEN	559-0841
COUNTERWEIGHT, STANDARD	348-2579
CUTTING EDGE, BOLT ON, 4 PIECE	345-2758
KIT,SERIALIZED TECHNICAL MEDIA	0P-2491
TIRES, 20.5R25 TI MXL * L3	376-0828
HYDRAULICS, STANDARD, SL	536-5281
LIGHTS, ROADING, HALOGEN, RH	541-3066
JUMPER LINES, NONE	536-5339
PACK, DOMESTIC TRUCK	0P-0210
LINES, AUX 3RD, NONE	536-5329
PRODUCT LINK, CELLULAR PL641	565-0908
LANE 2 ORDER	0P-9002
DIFFERENTIAL, OPEN REAR	333-6529
BUCKET-GP, 3.2 YD3, PO	345-2824

POWERTRAIN

Axle seal guards

Auto Idle shut down feature

Cat C7.1ACERT engine

Power Modes (Standard and Performance)

-Power by Range (High Power in Range 4)

-Tier 4 Final/Stage IV compliant

-Turbocharged and aftercooled

-Filtered crankcase breather

-Diesel particulate filter

-Selective Catalyst Reduction

Coolant protection to -34C (-29F)

Differential lock in front axle

Dry type air cleaner

Enclosed wet disc full hydraulic brakes

Fuel priming pump, automatic

Fuel water separator

control -Operator Modes (Default, TC, Hystat and -Directional Shift Agressiveness (Fast, Medium, Slow) -Rimpull control, adjust wheel torque -Creeper control, adjust ground speed

Hydraulically driven demand cooling fan

Hydrostatic transmission with electronic

Lubed for life driveshafts Parking brake, electric

Single plane cooling package wide 6 fins

per inch density

S-O-S port, engine, coolant, transmission

oil

HYDRAULICS

Automatic lift and bucket kickouts. adjustable in-cab Bucket and Fork Modes, adjustable in-cab Cylinder damping at kickout and mechanical end stops Fine Mode control (Fast, Medium, Slow)

in Fork Mode

ELECTRICAL

Alternator, 115-amp, heavy duty 12V power supply in cab (2) Batteries, 1,000 CCA (2) 24 volt system, disconnect switch Back up alarm Emergency shutdown switch

Halogen work lights front and rear, LED

OPERATOR ENVIRONMENT

75 mm (3 in) retractable seatbelt Automatic temperature control Cab, enclosed ROPS/FOPS pressurized and sound suppressed Cup holders External heated mirrors with lower parabolic Ground level cab door release Gauges

-Digital hour meter, odometer and

Hydraulic Response setting (Fast, Medium, Slow) Hydraulic diagnostic connectors and S-O-S ports Hydraulic sight gauge, visible Load sensing hydraulics and steering Seat mounted hydraulic joystick controls

rear stop and turn lights Heavy duty gear reduction starter Product Link PRO w/3 year subscription Remote jump start post Resettable main and critical function breakers Roading lights front and rear

Interior cab lighting, door and dome Interior rearview mirrors (2) Lunch box storage Operator warning system indicators Radio ready speakers Rear window defrost, electric Seat mounted electronic implement controls, adjustable Sliding glass on the side windows Column mounted multi function control tachometer

- -Digital ground speedometer and direction indicator
- -Engine coolant temperature gauge
- -Fuel and Diesel Exhaust Fluid level indicator
- -Hydraulic oil temperature gauge Hydraulic control lockout

OTHER STANDARD EQUIPMENT

Large-access enclosure doors with adjustable close/open force Parallel lift loader linkage Recovery hitch with pin -lights, wipers, turn signal
Suspension seat, fabric
Tilt and telescope steering wheel
Tinted front glass
Wet arm wiper/washer, 2-speed and
intermittent, front
Wet arm wiper washer, rear

Remote mounted lubrication points Vandalism protectionlockable compartments



DATE: September 24, 2021 QUOTE #

WILLIAMSON COUNTY FLEET Shea Webb Jeffrey Kell 512.917.3277

3151 SE INNER LOOP STE B GEORGETOWN, TEXAS 78626-6343

One (1) New Caterpillar Inc Model: D5 VP Track Type Tractors with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER:

SALE PRICE	\$314,870.00
TOTAL PRICE	\$314,870.00
SUB TOTAL	\$314,870.00
TOTAL SOURCEWELL PURCHASE PRICE	\$314,870.00

 List Price
 \$421,686.00

 Sourcewell Discount 23%
 (\$101,204.00)

 Adjusted Sales price
 \$320,482.00

 Dealer Prep
 \$2,500.00

 Delivery
 \$660.00

 Holt Cat Discount
 (\$5,772.00)

 Total Sourcewell Sales Price
 \$314,870.00

Delivery - Factory order 2022 first quarter

3/8/926

WARRANTY

Standard Warranty:

12 Month/Unlimited Hours Total Machine

Extended Warranty Powertrain, Hydraulics, and Technology ADD:

-48 months or 2000 hours - \$2,690.00

-60 months or 2,500 hours - \$4,056.00

Sourcewll #032119-CAT

NOTES

Factory Order – includes 6 way Blade, front Sweeps, Screens Front and side hinged, Guards Lights, Radiator Fan reversing

Includes 12 month Field Service and Maintenance manuals

Pricing good until 12/31/2021 and delivery in 2022

MACHINE SPECIFICATIONS

STOCK NUMBER:

DESCRIPTION	REF.#
D5 VPAT TRACTOR	510-7535
LANE 3 ORDER	0P-9003
REGIONAL PACKAGE AM-N	550-5590
CONFIGURATION 17B, VPAT, HRC	532-9785
FINAL DRIVE, 74"	510-9717
ENGINE	575-9709
AIR CLEANER, STANDARD	521-4270
UC, HDXL	523-9388
TRACK, 24", ES, HDXL	575-7733
GUARD GUIDING, CENTER, HDXL	606-5091
RIPPER CONTROL PACKAGE	515-7372
FAN, STANDARD	510-1530
BATTERY, STANDARD PACKAGE	550-5561
LIGHTS, 6, LED, VPAT	575-5507
CAB, PREMIUM	583-9463
GRAB HANDLES, VPAT	505-5306
SEAT, STANDARD	470-7252
PREMIUM CORP RADIO (12V)	579-5779
REAR CAMERA	577-8623
FLOOR, CAB, PREMIUM	543-1114
AIR CONDITIONING, QUICK DISC	575-9698
AIR FILTER, CAB	441-9252
ARO W/ ASSIST	587-7162
JOYSTICK, ARO/GRADE, VPAT	435-5759
DOZER CTL, ARO/GRADE, VPAT	550-5571
PROD LINK, PLE643/PLE743 RADIO	577-7697
FUEL TANK, BASIC	508-1610
RADIATOR, STANDARD HRC	510-1531
GUARD, BOTTOM, VPAT	550-5585
RIPPER PKG, STRAIGHT TEETH	515-3715
BULLDOZER PACKAGE, VPAT	515-3737
HYDRAULIC OIL, STANDARD	550-5600
ENGINE COOLANT, -35F	579-5798
LUBRICANT, STANDARD	579-5795
LIGHT, UNDERHOOD	575-5503
OIL CHANGE SYSTEM, HIGH SPEED	523-8887
BLADE, VPAT	575-9796
COMPLETE STORAGE PROTECTION	0G-9236
PACK-DISMOUNTED OR N.I. BLADE	0G-3256
SCREEN, REAR, HINGED	599-7940
SCREEN, SIDES, HINGED	600-1434

DESCRIPTION	REF.#
GUARD, LIGHTS, PREMIUM, VPAT	575-5630
OPEN SWEEPS, PACKAGE, VPAT	532-9799
FAN, REVERSING	510-1532

STANDARD EQUIPMENT

POWERTRAIN

C7.1 Caterpillar diesel engine
Enhanced auto shift (EAS)
Torque divider, lock up clutch
Transmission, electronically controlled
powershift, 3-Speed
Shift management:
-automatic directional and downshift

-automatic directional and downshift -controlled throttle, load compensated -programmable/selectable bi-directional

UNDERCARRIAGE

Carrier rollers, lifetime lubricated Equalizer bar Idlers, sealed and lubricated Rollers, lifetime lubricated

HYDRAULICS

Independent steering and implement pumps Load sensing hydraulics

ELECTRICAL

LED lights Alarm, backup Alternator, 105 A Batteries, two maintenance-free 12 V

OPERATOR ENVIRONMENT

One-piece cab, sound suppressed:
-Integrated rollover protection
IROPS/FOPS
-Cab-mounted modular HVAC system
8-inch (203 mm) gauge cluster display
Cloth seat
Machine Security System
Lights - 4 LED
Slope Indicate
Cupholders

TECHNOLOGY PRODUCTS

RADIOS - Authorization varies by country please contact your Cat marketing representative with questions or click on the link below:https://dealer.cat.com

shifting

-Infinite ground speed adjustment (GSA)
Air cleaner, integrated pre-cleaner with
dust ejector
Aftercooler, air to air (ATAAC)
Coolant, extended life
Fuel priming pump, electric
Radiator, aluminum bar plate
Starting aid, ether ready, automatic

Track adjusters, hydraulic Track roller frames, tubular Track, sealed and lubricated Sprocket segments, replaceable

Fan, hydraulic, cold weather

(950 cca) (24 V system) Converter, one 15A 12V outlets Horn, forward warning Starter, 24 V

Electro-hydraulic implement steering controls

Footpads, dash Glovebox Lunchbox storage Mirror, rear view

Seatbelt, retractable, 76mm (3 inch)

Wipers

Mounts, cab, viscous

PRODUCT LINK- Availability varies by country, please contact your Cat marketing representative with questions or click on the link below:

/en/products/technology.html

OTHER STANDARD EQUIPMENT

Mounts, cab, viscous
C-Frame, cylinders (VPAT) and lines
Ecology drains (engine oil, engine
coolant, powertrain case, hydraulic)
Engine enclosures, perforated, lockable
Extended service intervals (500 hrs
engine, 1000 hrs powertrain)
Front pull device
Grill, radiator, heavy duty
Ground level service center with remote

https://dealer.cat.com/pl/certification

electrical disconnect and secondary shutdown switch Guards, hinged bottom Pitch link, adjustable (VPAT) Pressure taps, centralized & remote mounted Scheduled Oil Sampling (SOS) ports Rear access ladder Shovel holder Drawbar



DATE: September 18, 2021 QUOTE #

WILLIAMSON COUNTY FLEET RON ROBERTS Jeffrey Kell 512.917.3277

3151 SE INNER LOOP STE B GEORGETOWN, TEXAS 78626-6343

One (1) New Caterpillar Inc. Model: CS56B Paving and Compaction with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER:

SALE PRICE	\$168,517.00
TOTAL PRICE	\$168,517.00
SUB TOTAL	\$168,517.00
TOTAL SOURCEWELL PURCHASE PRICE	\$168,517.00

List Price	\$224,349.00
Sourcewell Discount 19%	(\$42,636.00)
Adjusted Sales price	\$181,713.00
Dealer Prep	\$1,300.00
Delivery	\$450.00
Holt Cat discount	(14,946.00)
Total Sourcewell Purchase price	\$168,517.00

WARRANTY

Standard Warranty:

12 Month/Unlimited Hours Total Machine

169,777

Extended Warranty Powertrain, Hydraulics, and Technology ADD:

-48 month or 2000 hours - \$1,260.00

-60 months or 2,500 hours - \$1,728.00

SOURCEWELL -#032119-CAT

NOTES

Sales price includes – Beacon, 12 month No Charge Field Service, Service and Operation Maintenance Manuals, Delivery

Pricing good until 12/31/2022 and delivery in 2022

STOCK NUMBER: HLK046629

DESCRIPTION	REF.#
CS56B VIBRATORY COMPACTOR	433-1614
LANE 2 ORDER	OP-9002
ENGINE, TIER 4F/STAGE 4	420-9160
FUEL SYSTEM, DOOR	479-9015
OIL, HYDR, FACTORY FILLED	362-4940
PLATFORM, ROPS/FOPS	435-8035
SEAT, VINYL	356-1226
SEAT BELT, 2"	382-9003
LANGUAGES, OPTION 1	477-9990
PRODUCT LINK, CELLULAR PL641	454-5454
SENSOR, DRIVE POWER	441-6675
TIRES, 23,1-26 TI 8PR	203-4717
FREQUENCY, VARIABLE	355-3546
SCRAPER, POLYURETHANE	360-0500
NO BLADE	357-6261
NSTRUCTIONS, NA PLATFORM	437-9888
LIGHTING, WARNING	355-3059
LIGHTS, UPGRADED	355-3056
MIRRORS, REARVIEW, EXTERNAL	354-5413
GUARD, TRANSMISSION	355-2660
NSTALLATION, ROPS/FOPS	454-0250
PACK, DOMESTIC TRUCK	0P-0210

MACHINE SPECIFICATIONS

STANDARD EQUIPMENT

POWERTRAIN

CAT C4.4 four cylinder, turbo-charged diesel engine with glow-plug heater Dual element air cleaner Fuel filter/water separator/electronic priming pump and water indicator Three-speed throttle switch Including ECOMODE

Dual propel pumps - 1 for drum and 1 for tires Dual braking systems (service & parking, drum only) Two-speed hydrostatic transmission Limited slip differential

ELECTRICAL

24-volt starting and charging system

(2 front-facing and 2 rear-facing)

alternator
(2) Maintenance free batteries 750 CCA
Halogen working lights - canopy mounted

Backup alarm and forward warning horn Product Link Ready Beacon Ready

OPERATOR ENVIRONMENT

ROPS/FOPS platform
Four heavy-duty isolation mounts
Platform handrails/guardrails
Power steering
Adjustable tilt-steering column
Adjustable, rotating suspension seat
Retractable seat belt
Adjustable, padded arm rest for
propel lever operation
On-board display with audible
warning alarm and interface for:
-hydraulic oil temperature gauge,

-engine oil pressure gauge,

-engine coolant temperature gauge
-alternator charge,
-fuel level gauge,
-service hour meter,
-engine RPM
-ground speed, vibe speed
-fuel rate gauge
-engine load gauge
-basic compaction measurement
Lockable, vandalism guard for
on-board display
12-volt power point

COOLING

Premixed 50% concentration of Extended Life Coolant with freeze protection to -37C (-35F)

DRUMS

Smooth drum 84" (2134 mm) wide x 60.4" (1534 mm) diameter Dual amplitude with single frequency Dual, pod-style eccentric weight housings Front adjustable steel scraper

OTHER STANDARD EQUIPMENT

Locking composite engine enclosure Sealed-for-life hitch bearings Sight gauges: -coolant level -hydraulic oil level Hydraulic tank locking cap Articulated frame with safety lock Transport tie-down and lift points

Fuel tank with lockable cap
Quick connect hydraulic pressure test
ports
SOS ports:
-engine
-hydraulic
-coolant
Universal bumper




DATE: September 24, 2021 QUOTE #:

WILLIAMSON COUNTY FLEET Shea Web Jeffrey Kell 512.917.3277

3151 SE INNER LOOP STE B GEORGETOWN, TEXAS 78626-6343

One (1) New Caterpillar Inc Model: 120 Motor Graders with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER



 List price
 \$401,391.00

 Sourcewell discount 34%
 (\$136, 473.00)

 Adjusted Price
 \$264,918.00

 Dealer Prep
 \$2,220.00

 Delivery
 \$750.00

 Holt Cat Discount
 (\$12,696.00)

 Total Sourcewell Purchase Price
 \$255,192.00

WARRANTY

Standard Warranty:

12 Month/Unlimited Hours Total Machine

Add Extended

Warranty Powertrain,

Hydraulics, Technology

48 mo/2000 hr \$3210.

48 mo/3000 hr \$3610

60mo/3000 hr \$4830

260,022

Sourcewell #32119-CAT

NOTES

Leveler Control, Front Scarifer Push Block, Beacon Includes 12 month Field Service no Charge Pricing good until 12/31/2021 and delivery in 2022

STOCK NUMBER:

DESCRIPTION	REF.#
120 14B MOTOR GRADER	468-2237
GLOBAL ARRANGEMENT LVR	561-9459
MOLDBOARD, 14' BASIC	320-7431
WEATHER, STANDARD TND	467-7404
ACCUMULATORS, WITH ARO, LVR	468-2255
DRAIN, HIGH SPEED, ENGINE OIL	505-7041
LIGHTS, ARM, FOLD DOWN, LED	563-2430
STARTER, STANDARD DUTY	462-6512
CAB, ROPS, PREMIUM, LVR, TND	461-3559
SEAT COMFORT, SUSPENSION, LVR	461-3554
COMFORT PACKAGE, PREMIUM, LVR	471-5352
PRODUCT LINK, CELLULAR PLE742	491-5100
CAT GRADE ARO, LVR, TND	468-2246
TIRES, 17.5R25 BS VKT * D2A MP	252-0775
FUEL ANTIFREEZE, -25C (-13F)	0P-3978
LANGUAGE, ENGLISH	462-6595
LOW BAR, HALOGEN, LVR, TND	565-5395
LIGHTS, WORKING, PLUS,HAL,LVR	468-7619
LIGHTS, CAB HALOGEN, LVR	490-2608
ALTERNATOR, 150 AMP	438-5769
NO LOCK OUT	461-3545
CAMERA, REAR VISION, LVR	492-0617
MIRRORS, EXTERNAL, BASE, LVR	483-9353
WIPER, REAR, LVR	471-5346
GUARD, BOTTOM	453-4972
PUSH PLATE, COUNTERWEIGHT	336-1559
STARTING AID	422-6605
JUMP START RECEPTACLE	506-4261
HVAC, BASIC,W/O AIR COMPRESSOR	510-8447
DECALS, ENGLISH (U.S)	472-5087

DESCRIPTION	REF.#
DRAWBAR,TOP ADJUST,HYD TIP,LVR	468-1607
REAR PANEL W/O ACCESS DOOR	518-1195
ROLL ON-ROLL OFF	0P-2265
LANE 3 ORDER	0P-9003
ENGINE, STAGE V AND T4 FINAL	590-7345
FUEL FILTER, NEXT GEN	574-8803
GROUND LEVEL, FUELING	577-8014
FAN, STANDARD TND	575-7683
SEAT BELT	594-6359
BASE+2(TIP,MMS), ARO, LVR	599-8687
MMS-V TYPE W/O BOLSTER BRACKET	468-2229
DRAWBAR,TOP ADJUST,HYD TIP,LVR	468-1607
FAN, REVERSING TND	575-7684