





BOTTLE FILLER ENLARGEMENT

NOTES:

PROJECT REF#: 10894-3/31/2021-2

ROOF MATERIAL AND EXTERIOR PAINT TO MATCH PARK HEADQUARTERS BUILDING. CONTRACTOR TO COORDINATE MATERIALS TO ENSURE PROPER MATCH OF MATERIALS AND FINAL APPEARANCE.

- STANDING SEAM METAL ROOF, COLOR: SLATE GRAY
- EXTERIOR PAINT: SHERWIN WILLIAMS SW 6164 SVELTE SAGE

DETAILS ARE FOR REFERENCE ONLY. PUBLIC RESTROOM COMPANY TO PROVIDE SHOP DRAWINGS FOR REVIEW AND APPROVAL PRIOR TO CONSTRUCTION.

PROCEDURE:

- 1. CONTRACTOR TO PREPARE BUILDING BASE PER PUBLIC RESTROOM COMPANY SPECIFICATIONS.
- 2. CONTRACTOR TO COORDINATE DELIVERY WITH WILLIAMSON COUNTY AND
- PUBLIC RESTROOM COMPANY.

 3. PUBLIC RESTROOM COMPANY TO PROVIDE RESTROOM AND INSTALL;
- CONTRACTOR TO COORDINATE INSTALL.
- 4. CONTRACTOR TO COORDINATE INSTALL.

 4. CONTRACTOR TO COORDINATE INSTALL.

SUPPLIER INFORMATION:

PUBLIC RESTROOM COMPANY 2587 BUSINESS PARKWAY MINDEN, NEVADA, 89423

CONTACT
CHAD KAUFMAN
888.888.2060 EXT 109
CHAD@PUBLICRESTROOMCOMPANY.COM

PRE-FABRICATED RESTROOM

VICTOR STANLEY, INC.®
-Manufacturers of Quality Site Furnishings since 1962-TOLL FREE: (800) 368-2573 (USA & CANADA) TEL (301) 855-8300 - FAX (410) 257-7579 WEB SITE: HTTP://WWW.VICTORSTANLEY.COM * ALL DIMENSIONS ARE IN INCHES * THIS PRODUCT IS COVERED BY ONE OR MORE OF THE FOLLOWING U.S. PATENTS D523,263 S; D526,805 S; D563,689 S; CANADIAN Ф110953; 110954; EC REG. DES. NO. 000503297-0001 INTEGRAL WELDED CROSS-MEMBERS OF 1-7/8" TUBULAR STEEL CENTER-TO-CENTER DISTANCES ARE APPROXIMATE (VARIATIONS IN CASTINGS ARISE FROM DIFFERENT RATES OF COOLING) INTERMEDIATE & CENTER ARMRESTS 10 STANDARD COLORS, 2 OPTIONAL METALLIC COLORS, CUSTOM COLORS (INCLUDING THE RAL RANGE) 4', 6', & 8' AVAILABLE WITH OPTIONAL ARMRESTS RECYCLED PLASTIC SLATS (NOT 2nd SITE SYSTEMS®) COLORS: GRAY, MAPLE, CHERRY, AND WALNUT STANDARD 6' LENGTH SHOWN SEE FRAMERS MODERN™ SERIES FOR ALTERNATIVE SLAT OPTIONS NOTES:
1. DRAWINGS NOT TO SCALE. DO NOT SCALE DRAWINGS. 2. ALL FABRICATED METAL COMPONENTS ARE STEEL SHOTBLASTED, ETCHED, PHOSPHATIZED, PREHEATED, AND ELECTROSTATICALLY POWDER-COATED WITH T.G.I.C. POLYESTER POWDER COATINGS, PRODUCTS ARE FULLY CLEANED AND PRETREATED, PREHEATED AND COATED WHILE HOT TO FILL CREVICES AND BUILD COATING FILM. COATED PARTS ARE THEN FULLY CURED TO COATING MANUFACTURER'S SPECIFICATIONS. THE THICKNESS OF THE RESULTING FINISH AVERAGES 8-10 MILS (200-250 MICRONS).
3. IT IS NOT RECOMMENDED TO LOCATE ANCHOR BOLTS UNTIL BENCH IS IN PLACE. THIS VICTOR STANLEY, INC. PRODUCT MUST BE PERMANENTLY AFFIXED TO THE GROUND. CONSULT YOUR LOCAL CODES FOR REGULATIONS. ANCHOR BOLTS NOT PROVIDED BY VICTOR STANLEY, INC.
 FOR HIGH SALT ABUSIVE CLINATES, HOT DIP GALVANIZING BEFORE POWDER COATING IS AVAILABLE. SEE WRITTEN SPECIFICATIONS FOR DETAILS. 6. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE. CONTACT MANUFACTURER FOR DETAILS. 7. THIS PRODUCT IS SHIPPED PARTIALLY UNASSEMBLED. GREENSITES SERIESTM STANDARD BENCH WITH DUCTILE IRON END FRAMES SHOWN: STANDARD 6-FOOT LENGTH COPYRIGHT 2011 VICTOR STANLEY, INC. ALL RIGHTS RESERVED REV. 5/3/11 DRAWN R.G.O. 2011-325

SUBMISSIONS | REVISIONS:: PROJECT #2020-P560

09.21.2021 ISSUE FOR BID

studio | 6:10

design • collaborate • solve • impact
305 w. liberty, suite 100 p 512.534.8680

round rock, texas 78664 studio1619.com



Ins document is an instrument of service protected by the copyright law of the United States of America, 17 U.S.C. § 102, and shall not be copied or reproduced without the express written consent of studio | 16:19, LLC

civil engineer ::

wgi brad lingvai, pe p:: 512.669.5560 x1008

mep engineer ::

wgi casey sveiven, pe p:: 512.669.5560 x1062

structural engineer:: gessner engineering evan roe, pe p:: 979.680.8840

owner ::

williamson county
219 perry mayfield boulevard
leander, tx 78641
angel gomez
p:: 512.943.1625

MOTE RESTROOM PERRY MAYFIELD BOULEVARD, LEANDER, TX 78641

NTS

sheet information ::

project #:: 19.558
date :: 09.21.2021
designed :: jw, bm
drawn :: ck, ym, cc
checked :: bab
approved :: jw

HS5.02

RESTROOM DETAILS