

			CURVE TA	BLE	
NUMBER	ARC LENGTH	RADIUS	DELTA	CHORD BEARING	CHORD DISTANCE
C1	121.99'	965.00'	714'35"	N 48°47'37" W	121.91
C2	142.85'	965.00'	8'28'54"	N 40°55'53" W	142.72'
C3	196.66'	835.00'	13*29'39"	N 43*26'16" W	196.20'
C4	39.03'	25.00'	89*27'10"	N 05°27'30" W	35.19'
C5	39.12'	25.00'	89'39'23"	S 84°05'45" W	35.25'
C6	39.21'	25.00'	89*51'57"	N 05'47'57" W	35.31'
C7	492.01'	1,140.00'	24*43'41"	N 51°37'55" E	488.20'
C8	40.62'	25.00'	93°05'05"	S 69°27'42" E	36.29'
C9	54.56'	1,035.00	3°01'14"	S 24°25'47" E	54.56'
C10	38.09'	25.00'	87*17'47"	S 17°42'30" W	34.51'
C11	38.09'	25.00'	87*17'47"	S 74*59'43" E	34.51'
C12	192.78	1,035.00'	10'40'18"	S 36*40'59" E	192.50'
C13	38.25'	25.00'	87*39'38"	S 01°48'41" W	34.63'
C14	39.27'	25.00'	90,00,00,	S 89*21'30" E	35.36'
C15	17.70'	25.00'	40*33'56"	S 24*04'32" E	17.33'
C16	21.57'	25.00'	49*26'04"	S 20*55'28" W	20.91
C17	23.55'	25.00'	53*58'05"	N 72°37'32" E	22.69'
C18	113.03'	60.00'	107*56'10"	N 45*38'30" E	97.04'
C19	39.27	25.00'	90.00,00	S 84°16'05" W	35.36'
C20	99.25'	500.00'	11*22'25"	N 45°02'43" W	99.09'
C21	21.03'	25.00'	48"11'21"	N 15*15'48" W	20.41'
C22	167.01'	50.00'	191'22'46"	S 86*51'30" E	99.51
C23	21.03'	25.00'	48"11'20"	S 21°32'47" W	20.41'
C24	41.45'	25.00'	95*00'00"	S 86°51'30" E	36.86'
C25	37.09'	25.00'	85*00'00"	S 03°08'30" W	33.78'
C26	41.45'	25.00'	95*00'00"	S 86°51'30" E	36.86'
C27	109.18'	550.00'	11*22'25"	N 45*02'43" W	109.00'
C28	39.27'	25.00'	90,00,00	S 05°43'55" E	35.36'
C29	82.14'	475.00'	9*54'29"	S 44*13'19" W	82.04'
C30	58.46'	275.00'	12*10'49"	S 55°15'58" W	58.35
C31	69.09'	325.00'	12'10'49"	S 55"15'58" W	68.96'
C32	90.79'	525.00'	9*54'29"	S 44°13'19" W	90.67'
C33	29.98'	325.00'	5*17'09"	S 58°42'49" W	29.97
C34	39.11	325.00'	6*53'41"	S 52*37'24" W	39.08'
C35	4.75'	525.00'	0*31'08"	S 48°55'00" W	4.75'
C36	50.02'	525.00'	5*27'32"	S 45*55'40" W	50.00'
C37	36.01'	525.00'	3*55'49"	S 41"13'59" W	36.01
C38	54.04'	275.00	11"15'30"	S 55*43'38" W	53.95'
C39	4.43'	275.00'	0*55'19"	S 49°38'13" W	4.42'
C40	57.87'	475.00'	6*58'49"	S 45'41'09" W	57.83'
C41	24.27	475.00'	2*55'40"	S 40°43'55" W	24.27'
C42	34.93'	550.00'	3*38'20"	N 48*54'45" W	34.92'
043	74.25'	550.00'	7*44'05"	N 43°13'33" W	74.19'
C44	9.72'	25.00'	2217'06"	N 34*29'57" E	9.66'
C45	11.85'	25.00'	27*08'58"	N 09°46'55" E	11.74'
C46	14.05'	500.00'	1*36'38"	N 49*55'36" W	14.05'
C47	64.15'	500.00'	7*21'02"	N 45°26'46" W	64.10'
248	21.05'	500.00'	2*24'45"	N 40°33'53" W	21.05'
249	8.88'	50.00'	10'10'32"	S 03°44'37" W	8.87'
50 !	52.89'	50.00'	60*36'17"	S 31°38'48" E	50.46'
51 ;	38.07'	50.00'	43*37'30"	S 83°45'41" E	37.16'
52	63.12'	50.00'	72*19'58"	N 38°15'35" E	59.01'
53 4	4.05'	50.00'	4*38'29"	N 0013'39" W	4.05'

## FINAL PLAT LARIAT SECTION 2

A SUBDIVISION OF 22.149 ACRES OF LAND LOCATED IN THE JAMES HACKETT SURVEY, A-312, JOHN MCDEVITT SURVEY A-415, IN WILLIAMSON COUNTY, TEXAS.

LINE TABLE							
NUMBER	BEARING	DISTANCE					
L1	S 3510'51" W	75.34					
L2	N 45°10'20" W	103.73'					
L3	N 36*41'26" W	147.89'					
L4	N 50°41'15" W	50.00'					
L5	N 50°43'55" W	100.15'					
L6	S 22°55'10" E	52.24'					
L7	S 28*38'37" E	50.00'					
L8	S 43°20'46" E	50.01'					
L9	S 03°47'34" E	13.44'					
L10	S 44°21'30" E	50.00'					
L11	S 44*53'10" E	109.71					
L12	S 44*52'01" E	72.11'					
L13	N 39°16'05" E	96.08					
L14	S 50°43'55" E	74.04'					
L15	N 39°21'30" W	18.70'					
L16	N 50°43'55" W	74.03'					
L17	N 61°21'23" E	20.64					
L18	S 61°21'23" W	20.64					
L19	S 50°46′10" E	60.00'					
L20	S 22°17'51" E	52.30'					
L21	S 22°17'51" E	52.30'					
L22	S 46*55'40" E	50.44'					
L23	S 46*55'40" E	50.44'					
L24	N 00°54'30" E	30.74					
L12 L13 L14 L15 L16 L17 L18 L19 L20 L21 L22 L23	S 44°52'01" E  N 39°16'05" E  S 50°43'55" E  N 39°21'30" W  N 50°43'55" W  N 61°21'23" E  S 61°21'23" W  S 50°46'10" E  S 22°17'51" E  S 22°17'51" E  S 46°55'40" E  S 46°55'40" E	72.11' 96.08' 74.04' 18.70' 74.03' 20.64' 60.00' 52.30' 52.30' 50.44'					

## LEGAL DESCRIPTION

ALL THAT CERTAIN PARCEL OR TRACT OF LAND OUT OF THE JAMES HACKETT SURVEY. ABSTRACT NO. 312, AND THE JOHN MCDEVITT SURVEY, ABSTRACT NO. 415, SITUATED IN WILLIAMSON COUNTY, TEXAS; BEING A PORTION OF THE CALLED 57.98 ACRE TRACT OF LAND AS CONVEYED TO TRI POINTE HOMES TEXAS, INC. BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2021138739 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS, AND A PORTION OF THE REMAINDER OF A CALLED 678.09 ACRE TRACT OF LAND DESCRIBED AS TRACT 1 AS CONVEYED TO RIVER OAKS LAND PARTNERS II, LLC, A TEXAS LIMITED LIABILITY COMPANY, BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2021137550 OF THE OFFICAL PUBLIC RECORDS OF WILLIAMSON COUNTY, TEXAS; AND BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING AT A 1/2-INCH IRON ROD WITH CAP STAMPED "LSI SURVEY" FOUND ON THE SOUTHEASTERN LINE OF THE ABOVE DESCRIBED TRI POINTE HOMES OF TEXAS, INC 57.98 ACRE TRACT, FOR AN ANGLE POINT AND POINT OF BEGINNING OF THE HEREIN

THENCE, WITH THE SOUTHEASTERLY LINE OF SAID TRI POINTE HOMES OF TEXAS, INC 57.98 ACRE TRACT, S 35"10'51" W, A DISTANCE OF 75.34 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR THE SOUTHERN CORNER OF THE HEREIN DESCRIBED TRACT:

THENCE, DEPARTING THE SOUTHEASTERLY LINE OF SAID TRI POINTE HOMES OF TEXAS, INC 57.98 ACRE TRACT, CROSSING OVER AND ACROSS SAID TRI POINTE HOMES OF TEXAS, INC 57.98 ACRE TRACT THE FOLLOWING EIGHT (8) COURSES:

- 1) ALONG A CURVE TO THE RIGHT, AN ARC DISTANCE OF 121.99 FEET, HAVING A RADIUS OF 965.00 FEET, A CENTRAL ANGLE OF 7"14"35" AND CHORD WHICH BEARS N 48'47'39" W, A DISTANCE OF 121.91 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR A POINT OF TANGENCY;
- 2) N 45"10'20" W A DISTANCE OF 103.73 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR A POINT OF CURVATURE OF A CURVE TO THE RIGHT;
- 3) ALONG SAID CURVE TO THE RIGHT, AN ARC DISTANCE OF 142.85 FEET, HAVING A RADIUS OF 965.00 FEET, A CENTRAL ANGLE OF 8'28'54" AND CHORD WHICH BEARS N 40°55'53" W, A DISTANCE OF 142.72 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR A POINT OF TANGENCY;
- 4) N 36'41'26" W A DISTANCE OF 147.89 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR A POINT OF CURVATURE OF A CURVE TO THE LEFT;
- 5) ALONG SAID CURVE TO THE LEFT, AN ARC DISTANCE OF 196.66 FEET, HAVING A RADIUS OF 835.00 FEET, A CENTRAL ANGLE OF 13°29'39" AND CHORD WHICH BEARS N 43°26'16" W, A DISTANCE OF 196.20 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET AT A POINT OF REVERSE CURVATURE;
- 6) ALONG SAID CURVE TO THE RIGHT, AN ARC DISTANCE OF 39.03 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 89°27'10" AND CHORD WHICH BEARS N 5°27'30" W, A DISTANCE OF 35.19 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;
- 7) N 50'41'15" W A DISTANCE OF 50.00 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;
- 8) ALONG A CURVE TO THE RIGHT, AN ARC DISTANCE OF 39.12 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 89'39'23" AND CHORD WHICH BEARS S 84°05'45" W, A DISTANCE OF 35.25 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR A POINT OF TANGENCY;

THENCE, CONTINUING OVER AND ACROSS SAID TRI POINTE HOMES OF TEXAS, INC. 57.98 ACRE TRACT, OVER AND ACROSS SAID RIVER OAKS LAND PARTNERS II, LLC 678.09 ACRE TRACT, N 50°43'55" W, A DISTANCE OF 100.15 FEET TO THE TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR A POINT OF CURVATURE OF A CURVE TO THE RIGHT;

THENCE, CONTINUING OVER AND ACROSS SAID RIVER OAKS LAND PARTNERS II, LLC 678.09 ACRE TRACT, ALONG SAID CURVE TO THE RIGHT, AN ARC DISTANCE OF 39.21 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 89'51'57" AND CHORD WHICH BEARS N 5'47'57" W, A DISTANCE OF 35.31 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET ON THE SET ON THE FUTURE COUNTY ROAD 214 SOUTHERLY RIGHT-OF-WAY LINE, FOR THE WESTERLY NORTHWEST CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE, WITH THE FUTURE COUNTY ROAD 214 SOUTHERLY RIGHT-OF-WAY LINE, CONTINUING OVER AND ACROSS SAID RIVER OAKS LAND PARTNERS II, LLC 678.09 ACRE TRACT THE FOLLOWING THREE (3) COURSES:

- 1) N 3916'05" E, A DISTANCE OF 535.74 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR A POINT OF CURVATURE OF A CURVE TO THE RIGHT:
- ALONG SAID CURVE TO THE RIGHT, AN ARC DISTANCE OF 492.01 FEET, HAVING A RADIUS OF 1,140.00 FEET, A CENTRAL ANGLE OF 24'43'41" AND CHORD WHICH BEARS N 51'37'55" E, A DISTANCE OF 488.20 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR A POINT OF COMPOUND CURVATURE, FOR THE NORTHERLY CORNER OF THE HEREIN DESCRIBED TRACT; AND
- 3) ALONG SAID CURVE TO THE RIGHT, AN ARC DISTANCE OF 40.62 FEET, HAVING A

RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 93'05'05" AND CHORD WHICH BEARS S 69°27'42" E, A DISTANCE OF 36.29 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET AT A POINT OF TANGENCY;

THENCE, CONTINUING OVER AND ACROSS SAID RIVER OAKS LAND PARTNERS II, LLC 678.09 ACRE TRACT, OVER AND ACROSS SAID TRI POINTE HOMES OF TEXAS, INC 57.98 ACRE TRACT, S 22'55'10" E, A DISTANCE OF 52.24 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" FOR THE BEGINNING OF A TANGENT CURVE TO THE

THENCE, CONTINUING OVER AND ACROSS SAID TRI POINTE HOMES OF TEXAS, INC. 57.98 ACRE TRACT THE FOLLOWING SEVENTEEN (17) COURSES:

- 1) ALONG SAID CURVE TO THE LEFT, AN ARC DISTANCE OF 54.56 FEET, HAVING A RADIUS OF 1,035.00 FEET, A CENTRAL ANGLE OF 3'01'14" AND CHORD WHICH BEARS S 24°25'47" E, A DISTANCE OF 54.56 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR A POINT OF REVERSE CURVATURE:
- 2) ALONG SAID CURVE TO THE RIGHT, AN ARC DISTANCE OF 38.09 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 8717'47" AND CHORD WHICH BEARS S 17°42'30" W, A DISTANCE OF 34.51 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT:
- S 28'38'37" E A DISTANCE OF 50.00 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;
- 4) ALONG A CURVE TO THE RIGHT, AN ARC DISTANCE OF 38.09 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 8717'47" AND CHORD WHICH BEARS S 74°59'43" E, A DISTANCE OF 34.51 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR A POINT OF REVERSE CURVATURE;
- 5) ALONG SAID CURVE TO THE LEFT, AN ARC DISTANCE OF 192.78 FEET, HAVING A RADIUS OF 1,035.00 FEET, A CENTRAL ANGLE OF 10'40'18" AND CHORD WHICH BEARS S 36'40'59" E, A DISTANCE OF 192.50 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR A POINT OF REVERSE CURVATURE;
- 6) ALONG SAID CURVE TO THE RIGHT, AN ARC DISTANCE OF 38.25 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 87'39'38" AND CHORD WHICH BEARS S 1°48'41" W, A DISTANCE OF 34.63 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;
- S 43°20'46" E A DISTANCE OF 50.01 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;
- 8) ALONG A CURVE TO THE RIGHT, AN ARC DISTANCE OF 39.27 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 90°00'00" AND CHORD WHICH BEARS S 89°21'30" E, A DISTANCE OF 35.36 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET AT A POINT OF TANGENCY;
- 9) S 44°21'30" E A DISTANCE OF 179.79 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR A POINT OF CURVATURE OF A CURVE TO THE RIGHT;
- 10) ALONG SAID CURVE TO THE RIGHT, AN ARC DISTANCE OF 17.70 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 40'33'56" AND CHORD WHICH BEARS S 24'04'32" E, A DISTANCE OF 17.33 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET AT A POINT OF TANGENCY;
- 11) S 3°47'34" E, A DISTANCE OF 13.44 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR A POINT OF CURVATURE OF A CURVE TO THE RIGHT:
- 12) ALONG SAID CURVE TO THE RIGHT, AN ARC DISTANCE OF 21.57 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 49°26'04" AND CHORD WHICH BEARS S 20°55'28" W, A DISTANCE OF 20.91 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;
- 13) S 44\*21'30" E, A DISTANCE OF 50.00 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR TAN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;
- 14) ALONG A CURVE TO THE RIGHT, AN ARC DISTANCE OF 23.55 FEET, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 53°58'05" AND CHORD WHICH BEARS N 72°37'32" E, A DISTANCE OF 22.69 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR A POINT OF REVERSE CURVATURE;
- 15) ALONG SAID CURVE TO THE LEFT, AN ARC DISTANCE OF 113.03 FEET, HAVING A RADIUS OF 60.00 FEET, A CENTRAL ANGLE OF 107\*56'10" AND CHORD WHICH BEARS N 45°38'30" E, A DISTANCE OF 97.04 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;
- 16) S 44\*53\*10" E, A DISTANCE OF 109.71 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED 'BGE INC" SET FOR AN ANGLE POINT OF THE HEREIN DESCRIBED TRACT; AND
- 17) S 44°52'01" E, A DISTANCE OF 72.11 FEET TO A 1/2-INCH IRON ROD WITH CAP STAMPED "BGE INC" SET ON THE SOUTHEASTERN LINE OF SAID TRI POINTE HOMES OF TEXAS, INC 57.98 ACRE TRACT, FOR THE MOST EASTERLY SOUTHEAST CORNER OF THE HEREIN DESCRIBED TRACT:
- THENCE, WITH THE SOUTHEASTERLY LINE OF SAID TRI POINTE HOMES OF TEXAS, INC. 57.98 ACRE TRACT S 48°07'12" W, A DISTANCE OF 975.04 FEET TO THE POINT OF BEGINNING AND CONTAINING 22.149 ACRES OF LAND, MORE OR LESS.

STREET NAMES							
STREET	R.O.W. WIDTH	PAVEMENT WIDTH	CENTERLINE LENGTH	DESIGN SPEED	MAINTENANCE AUTHORITY	CLASSIFICATION	
OLD WOOD ROAD	50 FEET	33 FEET	745 FEET	25 MPH	PUBLIC	LOCAL ROAD (URBAN)	
FAULKNER STREET	50 FEET	33 FEET	944 FEET	25 MPH	PUBLIC	LOCAL ROAD (URBAN)	
OAK BLOSSOM ROAD	50 FEET	33 FEET	1,354 FEET	25 MPH	PUBLIC	LOCAL ROAD (URBAN)	
TOTAL LINEAR FEE	T OF NEW STREE	TS:	3,043 FEET				



BGE. Inc. 101 West Louis Henna Blvd., Suite 400 Austin, Texas 78728 Tel: 512-879-0400 • www.bgeinc.com TBPELS Registration No. F-1046 TBPELS Licensed Surveying Firm No. 10106502 KNOW ALL MEN BY THESE PRESENTS:

THAT TRI POINTE HOMES TEXAS, INC., A TEXAS CORPORATION, ACTING HEREBY AND THROUGH, JOHN STANLEY, VICE A PORTION OF THIS SUBDIVISION LIES WITHIN THE STUDIED 100-YEAR FLOODPLAIN AS SHOWN ON THIS PLAT. PRESIDENT - LAND ACQUISITION, OWNER OF 57.98 ACRES OF LAND AS CONVEYED TO IT BY SPECIAL WARRANTY DEEDS AS RECORDED IN DOCUMENT NUMBER 2021138739 OF THE OFFICIAL PUBLIC RECORDS OF WILLIAMSON COUNTY. TEXAS, AND THAT RIVER OAKS LAND PARTNERS II, LLC, A TEXAS LIMITED LIABILITY COMPANY ACTING, HEREBY AND THROUGH RANDY ROLLO, IT'S MANAGER, OWNER OF THE REMAINDER OF 678.09 ACRES AS CONVEYED

TO IT BY SPECIAL WARRANTY DEED RECORDED IN DOCUMENT NUMBER 2021137550 OFFICIAL PUBLIC RECORDS WILLIAMSON COUNTY, TEXAS SAID LAND BEING OUT OF THE JAMES HACKETT SURVEY, ABSTRACT NO. 312, AND THE JOHN MCDEVITT SURVEY, ABSTRACT NO. 415, SITUATED IN WILLIAMSON COUNTY, TEXAS, AND DO HEREBY STATE THAT THERE ARE NO LIEN HOLDERS OF THOSE CERTAIN TRACTS OF LAND, AND THAT WE OWNERS OF SAID 22.149 ACRES AS SHOWN HEREON, DO HEREBY SUBDIVIDE AND CONSENT TO ALL PLAT NOTE REQUIREMENTS SHOWN HEREON, AND DO HEREBY FOREVER DEDICATE TO THE PUBLIC THE ROADS, ALLEYS, RIGHTS-OF-WAY, EASEMENTS, AND PUBLIC PLACES SHOWN HEREON FOR SUCH PUBLIC PURPOSES AS WILLIAMSON COUNTY MAY DEEM APPROPRIATE AND DO HERBY STATE THAT ALL PUBLIC ROADWAYS AND EASEMENTS AS SHOWN ON THIS PLAT ARE FREE OF LIENS. THIS SUBDIVISION IS TO BE KNOWN AS:

## LARIAT SECTION 2

AUSTIN, TX 78729

WITNESS MY HAND, THIS THE 10 DAY OF March, 2023, A.D.

TRI POINTE HOMES TEXAS, INC, A TEXAS CORPORATION 13640 BRIARWICK DR., SUITE 170

TRI POINTE HOMES TEXAS, INC, A TEXAS CORPORATION

JOHN STANLEY VICE PRESIDENT - LAND ACQUISITION

STATE OF TEXAS

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF WILLIAMSON

BEFORE ME, THE UNDERSIGNED AUTHORITY, PERSONALLY APPEARED JOHN STANLEY, VICE PRESIDENT, KNOWN TO ME 2. WATER SERVICE FOR THIS SUBDIVISION WILL BE PROVIDED BY GEORGETOWN UTILITY SYSTEMS. TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATION THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED

STATE OF TEXAS

PRINT NOTARY'S NAME

7-28-2024 MY COMMISSION EXPIRES

IRIS LEAL Notary Public, State of Texas Comm. Expires 07-28-2024 Notary ID 130685944

WITNESS MY HAND, THIS THE 13 DAY OF March

RIVER OAKS LAND PARTNERS II, LLC, A TEXAS LIMITED LIABILITY COMPANY 13809 RESEARCH BLVD., SUITE 745 AUSTIN, TX 78750

RIVER OAKS LAND PARTNERS II, LLC

STATE OF TEXAS

COUNTY OF WILLIAMSON

KNOW ALL MEN BY THESE PRESENTS:

BFFORE ME. THE UNDERSIGNED AUTHORITY, PERSONALLY APPEARED RANDY ROLLO, MANAGER, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATION THEREIN EXPRESSED AND IN THE CAPACITY THEREIN

NOTARY PUBLIC, STATE OF TEXAS

PRINT NOTARY'S NAME

7-28-2024 MY COMMISSION EXPIRES

FINAL PLAT

## LARIAT SECTION 2

A SUBDIVISION OF 22.149 ACRES OF LAND LOCATED IN THE JAMES HACKETT SURVEY, A-312, JOHN MCDEVITT SURVEY A-415, IN WILLIAMSON COUNTY, TEXAS.

THIS TRACT IS NOT LOCATED WITHIN THE EDWARDS AQUIFER RECHARGE ZONE.

NO PORTION OF THIS SUBDIVISION LIES WITHIN THE DESIGNATED 100 YEAR FLOOD PLAIN AS DEFINED BY F.E.M.A. MAP NO. 48491C0235F, DATED DECEMBER 20, 2019.

I, JOSEPH YAKLIN, AM AUTHORIZED UNDER THE LAWS OF THE STATE OF TEXAS, TO PRACTICE THE PROFESSION OF ÉNGINEERING, AND DO HEREBY CERTIFY THAT THIS PLAT IS FEASIBLE FROM AN ENGINEERING STANDPOINT, AND IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.

JOSEPH YAKLIN, P.E. LICENSED PROFESSIONAL ENGINEER NO. 107869

101 WEST LOUIS HENNA BLVD., SUITE 400

AUSTIN, TEXAS 78728



3-21-23 DATE

3-21-23

I, JONATHAN O. NOBLES, AM AUTHORIZED UNDER THE LAWS OF THE STATE OF TEXAS, TO PRACTICE THE PROFESSION OF LAND SURVEYING, AND DO HEREBY CERTIFY THAT THIS PLAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND WAS PREPARED FROM AN ACTUAL ON THE GROUND SURVEY, UNDER MY SUPERVISION.

JONATHAN O. NOBLES, R.P.L.S. REGISTERED PROFESSIONAL LAND SURVEYOR NO. 5777

101 WEST LOUIS HENNA BLVD., SUITE 400

Jonathan O. Nobles: 5777 AA POFESSION NO SURVE

3/21/2023

AUSTIN, TEXAS 78728

- 1. NO LOT IN THIS SUBDIVISION SHALL BE OCCUPIED UNTIL CONNECTED TO THE APPROVED WATER AND WASTEWATER SYSTEMS.
- 3. SEWER SERVICE FOR THIS SUBDIVISION WILL BE PROVIDED BY NORTH SAN GABRIEL MUD NO. 1.
- 4. ELECTRIC SERVICES FOR THIS SUBDIVISION WILL BE PROVIDED BY PEDERNALES ELECTRIC COOPERATIVE.
- 5. ALL PUBLIC ROADWAYS AND EASEMENTS AS SHOWN ON THIS PLAT ARE FREE OF LIENS.
- 6. IT IS THE RESPONSIBILITY OF THE OWNERS, NOT THE COUNTY, TO ASSURE COMPLIANCE WITH THE PROVISIONS OF ALL APPLICABLE STATE. FEDERAL AND LOCAL LAWS AND REGULATIONS RELATING TO THE PLATTING AND DEVELOPMENT OF THIS PROPERTY.
- 7. THIS SUBDIVISION IS SUBJECT TO STORM-WATER MANAGEMENT CONTROLS AS REQUIRED BY WILLIAMSON COUNTY SUBDIVISION REGULATIONS, SECTION B11.1, ON NEW DEVELOPMENT THAT WOULD EVOKE SUCH CONTROLS BEYOND EXISTING CONDITIONS.
- 8. ALL SIDEWALKS SHALL BE MAINTAINED BY EACH OF THE ADJACENT PROPERTY OWNERS.
- 9. A 25 FOOT FRONT YARD SETBACK FOR ALL LOTS IS REQUIRED PER WILLIAMSON COUNTY SUBDIVISION REGULATIONS.
- 10. A 25 FOOT BACK YARD SETBACK FOR LOTS BACKING CR 214 IS REQUIRED PER WILLIAMSON COUNTY SUBDIVISION REGULATIONS.
- 11. A TEN FOOT WIDE PUBLIC UTILITY EASEMENT IS HEREBY DEDICATED ADJACENT TO ALL STREET RIGHT-OF-WAY.
- 12. NO LOT IN THIS SUBDIVISION IS ENCROACHED BY A SPECIAL FLOOD HAZARD AREA(S) INUNDATED BY THE 100-YEAR (1% CHANCE) FLOOD AS IDENTIFIED BY THE U.S. FEDERAL EMERGENCY MANAGEMENT AGENCY FLOOD INSURANCE RATE MAP NO. 48491C0235F, DATED DECEMBER 20, 2019 FOR WILLIAMSON COUNTY, TEXAS.
- 13. BLOCK D LOT 11 AND BLOCK G LOT 12 MAY NOT BE FURTHER SUBDIVIDED.
- 14. DRIVEWAYS SHALL ONLY CONNECT TO AN INTERNAL PLATTED ROAD AND NOT TO CR 214, THE ADJACENT COUNTY ROAD.
- 15. DRIVEWAY ACCESS TO LOTS WITHIN THIS SUBDIVISION FROM SIDE STREETS IS PROHIBITED.
- 16. IMPROVEMENTS WITHIN THE COUNTY ROAD RIGHT-OF-WAY INCLUDING, BUT NOT LIMITED TO, LANDSCAPING. IRRIGATION LIGHTING, CUSTOM SIGNS, IS PROHIBITED WITHOUT FIRST OBTAINING AN EXECUTED LICENSE AGREEMENT WITH WILLIAMSON COUNTY.
- 17. ALL STRUCTURES/OBSTRUCTIONS ARE PROHIBITED WITHIN DRAINAGE EASEMENTS.
- 18. MAINTENANCE RESPONSIBILITY FOR DRAINAGE WILL NOT BE ACCEPTED BY THE COUNTY OTHER THAN THAT ACCEPTED IN CONNECTION WITH DRAINING OR PROTECTING THE ROAD SYSTEM. MAINTENANCE RESPONSIBILITY FOR STORM WATER MANAGEMENT CONTROLS WILL REMAIN WITH THE OWNER.
- 19. THIS DEVELOPMENT IS CONSIDERED EXEMPT FROM ON-SITE STORMWATER DETENTION CONTROLS BASED ON WILLIAMSON COUNTY SUBDIVISION REGULATION B11.1.1, WHICH STATES THAT A PROPOSED DEVELOPMENT MAY BE CONSIDERED EXEMPT FROM PROVIDING ON-SITESTORMWATER DETENTION IF THE DEVELOPMENT RELEASES UNDETAINED STORMWATER DIRECTLY INTO A DETENTION EXEMPT STREAM REACH.
- 20. THE MINIMUM FINISHED FLOOR ELEVATIONS (FFE) FOR LOTS SHOWN ON THIS PLAT ARE DETERMINED BY A STUDY PREPARED BY BGE, INC., DATED AUGUST 8TH, 2021.
- 21. A CERTIFICATE OF COMPLIANCE IS HEREBY ISSUED FOR ALL LOTS WITHIN THIS SUBDIVISION. THIS CERTIFICATE OF COMPLIANCE IS VALID UNTIL SUCH TIME AS FEMA OR THE COUNTY REVISES OR NEWLY ADOPTS FLOODPLAIN BOUNDARIES IN THIS VICINITY.

- 22. PER THE APPROVED DEVELOPMENT AGREEMENT, THE SOUTHERN TWO LANES OF CR 214 SHALL BE CONSTRUCTED AND PASS COUNTY INSPECTION PRIOR TO RECORDATION OF FINAL PLAT.
- 23. THE NORTHERN TWO LANES OF CR 214 SHALL BE CONSTRUCTED AND PASS COUNTY INSPECTION WHEN THE AVERAGE DAILY TRIPS FOR LARIAT REACHES 4,000 ADT.
- 24. THE MINIMUM FFE SHALL BE AT LEAST ONE FOOT ABOVE THE ADJACENT FINISHED GRADE AND BFE. EXCEPTIONS CAN BE MADE AT ENTRANCE AND EGRESS POINTS, WHERE NECESSARY, TO MEET THE AMERICANS WITH DISABILITIES ACT (ADA). RECREATIONAL VEHICLE PARKING PADS MUST ALSO BE PLACED AT LEAST ONE FOOT

	ROAD NA	ME AND	ADDRESS	ASSIGNMENT	VERIFIED	THIS	THE	DAY	OF	, 2021	A.D.	
--	---------	--------	---------	------------	----------	------	-----	-----	----	--------	------	--

WILLIAMSON COUNTY ADDRESS COORDINATOR

IN APPROVING THIS PLAT BY THE COMMISSIONERS' COURT OF WILLIAMSON COUNTY, TEXAS, IT IS UNDERSTOOD THAT THE BUILDING OF ALL STREETS, ROADS, AND OTHER PUBLIC THOROUGHFARES AND ANY BRIDGES OR CULVERTS NECESSARY TO BE CONSTRUCTED OR PLACED IS THE RESPONSIBILITY OF THE OWNERS OF THE TRACT OF LAND COVERED BY THIS PLAT IN ACCORDANCE WITH THE PLANS AND SPECIFICATIONS PRESCRIBED BY THE COMMISSIONERS' COURT OF WILLIAMSON COUNTY, TEXAS. SAID COMMISSIONERS' COURT ASSUMES NO OBLIGATION TO BUILD ANY OF THE STREETS, ROADS, OR OTHER PUBLIC THOROUGHFARES SHOWN ON THIS PLAT OR OF CONSTRUCTING ANY OF THE BRIDGES OR DRAINAGE IMPROVEMENTS IN CONNECTION THEREWITH. THE COUNTY WILL ASSUME NO RESPONSIBILITY FOR DRAINAGE WAYS OR EASEMENTS IN THE SUBDIVISION, OTHER THAN THOSE DRAINING OR PROTECTING THE ROAD SYSTEM AND STREETS.

THE COUNTY ASSUMES NO RESPONSIBILITY FOR THE ACCURACY OF REPRESENTATIONS BY OTHER PARTIES IN THIS PLAT. FLOOD PLAIN DATA, IN PARTICULAR, MAY CHANGE DEPENDING ON SUBSEQUENT DEVELOPMENT. IT IS FURTHER UNDERSTOOD THAT THE OWNERS OF THE TRACT OF LAND COVERED BY THIS PLAT MUST INSTALL AT THEIR OWN EXPENSE ALL TRAFFIC CONTROL DEVICES AND SIGNAGE THAT MAY BE REQUIRED BEFORE THE STREETS IN THE SUBDIVISION HAVE FINALLY BEEN ACCEPTED FOR MAINTENANCE BY THE COUNTY.

STATE OF TEXAS	8	
	§	KNOW ALL MEN BY THESE PRESENTS:
COUNTY OF WILLIAMSON	8	

I, BILL GRAVELL, JR., COUNTY JUDGE OF WILLIAMSON COUNTY, TEXAS, DO HEREBY CERTIFY THAT THIS MAP OR PLAT, WITH FIELD NOTES HEREON, THAT A SUBDIVISION HAVING BEEN FULLY PRESENTED TO THE COMMISSIONERS' COURT OF WILLIAMSON COUNTY, TEXAS, AND BY THE SAID COURT DULY CONSIDERED, WERE ON THIS DAY APPROVED AND PLAT IS AUTHORIZED TO BE REGISTERED AND RECORDED IN THE PROPER RECORDS OF THE COUNTY CLERK OF WILLIAMSON COUNTY, TEXAS.

BILL GRAVELL, JR., COUNTY JUDGE WILLIAMSON COUNTY, TEXAS	DATE

STATE OF TEXAS	§	
	§	KNOW ALL MEN BY THESE PRESENTS:
COUNTY OF WILLIAMSON	§	

THAT I, NANCY RISTER, CLERK OF THE COUNTY COURT OF SAID COUNTY, DO HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT IN WRITING, WITH ITS CERTIFICATION OF AUTHENTICATION, WAS FILED FOR RECORD IN MY OFFICE ON THE \_\_\_DAY OF\_\_\_\_\_ A.D., 20\_\_, AT \_\_\_\_ O'CLOCK \_\_\_M. AND DULY RECORDED ON THE \_\_\_DAY OF \_\_\_\_\_, A.D., 20\_\_, AT \_\_\_O'CLOCK \_\_\_M. IN THE

PLAT RECORDS OF SAID COUNTY, IN DOCUMENT NO.\_\_\_\_\_

WITNESS MY HAND AND SEAL OF THE COUNTY COURT OF SAID COUNTY, AT OFFICE IN GEORGETOWN, TEXAS, THE DATE LAST ABOVE WRITTEN.

NANCY RISTER, CLERK, COUNTY COURT WILLIAMSON COUNTY, TEXAS



DEPUTY

BGE, Inc. 101 West Louis Henna Blvd., Suite 400 Austin, Texas 78728 Tel: 512-879-0400 • www.bgeinc.com TBPELS Registration No. F-1046 TBPELS Licensed Surveying Firm No. 10106502

SHEET 5 OF 3