



DATE: Aug 02, 2023
QUOTE #:323188-01

WILLIAMSON COUNTY FLEET

Kell, Jeffrey
512.917.3277

3151 SE INNER LOOP
GEORGETOWN, TEXAS 78626

One (1) New Caterpillar Inc Model: 140LVR Motor Graders with all standard equipment in addition to the additional specifications listed below:

SALE PRICE	\$344,357.00
EXT WARRANTY	Included
TOTAL PRICE	\$344,357.00
<hr/>	
SUB TOTAL	\$344,357.00
TOTAL SOURCEWELL PURCHASE PRICE	\$344,357.00

WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine
Extended Warranty: 84 MO/5000 HR POWERTRAIN + HYDRAULICS + TECH

List Price	\$540,123.00
Sourcewell Discount 30%	(\$162,036.00)
Adjusted Sales Price	\$378,087.00
Dealer Prep	\$1,200.00
Delivery to Wilco	\$850.00
Warranty Standard and Extended	\$5,740.00
Service and Maintenance Manuals	\$1,800.00
Sales Price	\$387,677.00
Holt Discount to Wilco	(\$43,320.00)
Total Sourcewell Purchase Price	\$344,357.00

Sourcewell# 032119-CAT

Lever controls (LVR), 14ft Blade, Rear Ripper, Lights

Includes one year no charge Field Service

DATE: Aug 02, 2023QUOTE #:Quote 323188-01

MACHINE SPECIFICATIONS

DESCRIPTION	REF.#
LVR/14'MB/17.5TI/PPLT	515-2449
LANE 2 ORDER	0P-9002
MOLDBOARD, 14' PLUS	439-9110
LINK BAR, HYDRAULIC	559-2201
NO LOCK OUT, CAB	437-0690
RIPPER-SCARIFIER, REAR	515-4649
LIGHTS, CAB ROOF, HALOGEN	501-4739
WEATHER, STANDARD, TANDEM	522-6386
NO GRADE CONTROL TECHNOLOGY	566-5529
STARTER, HEAVY DUTY	515-2231
CAB, PLUS	522-6688
MIRROR, EXTERNAL BASIC	565-2320
PRODUCT LINK, CELLULAR PLE641	519-3712
FAN, STANDARD TANDEM	558-3846
TIRES, 17.5R25 BS VKT * D2A MP	252-0775
COOLANT (-40C)	522-6654
FUEL ANTIFREEZE, -25C (-13F)	0P-3978
DECALS, ENGLISH (US)	516-2552
CIRCLE SAVER	521-3250
CAMERA, REAR VISION	524-1768
PREMIUM CORP RADIO (12V)	518-3026
GUARD, TRANSMISSION	522-2419
PUSH PLATE, COUNTERWEIGHT	336-1559
ROLL ON-ROLL OFF	0P-2265
SEAT, CLOTH AIR SUSPENSION	518-3382
DRAWBAR, TOP ADJUST	522-6756
PRECLEANER, NON SY-KLONE	380-6774
ROADING LIGHTS W/FOLD DOWN ARM	562-3742
LIGHTS, WORK BASIC, HALOGEN	522-6533
LOW BAR, HALOGEN, TANDEM	519-3700
ACCUMULATORS, NO ARO	526-9853
COVERS, UNDER CAB	522-2402
SERIALIZED TECHNICAL MEDIA KIT	421-8926
BASE+1 (RIP)	599-9883

STANDARD EQUIPMENT

POWERTRAIN

Air cleaner, dual stage dry type radial seal with service indicator and automatic dust ejector
Air-to-air after cooler (ATAAC)
Belt, serpentine, automatic tensioner
Brakes, oil disc, four-wheel, hydraulic
Demand fan, hydraulic
Electronic over-speed protection
Engine, C9 with ACERT technology, diesel with automatic engine derate and idle control. EPA/ARB tier 4 final & EU

stage IV certified engine & aftertreatment
Parking brake, multi-disc, sealed and oil cooled
Sediment drain, fuel tank
Tandem drive
Transmission, 8 speed forward and 6 speed reverse, power shift, direct drive
VHP Plus (Variable Horse Power Plus)

ELECTRICAL

Alarm, back-up
Alternator, 150 ampere, sealed
Batteries, maintenance free, heavy duty, 1125 CCA

Breaker panel
Electrical system, 24 volt
Lights, reversing
Starter, electric

OPERATOR ENVIRONMENT

Steering wheel
Air Conditioning with heater
Articulation
Centershift pin indicator
Display, digital speed and gear
Load sensing hydraulic controls:
-Right/left blade lift
-Circle drive
-Center shift
-Side shift
-Blade tip
-Front wheel lean
Doors, left and right side
Gauge, machine level
Gauges (analog) inside the cab (includes fuel, articulation, engine coolant temp, engine RPM and hydraulic oil temp, DEF/AdBlue)

Lights, night time cab
Messenger Display
-Meter
-Hour digital
Mirror
Inside rearview, wide angle
Power port, 12V
Radio ready, entertainment
ROPS cab, 77dB(A) ISO 6394
Storage area for cooler/lunchbox
Throttle control, electronic
Windows: laminated glass
Fixed front with intermittent wiper windows: tempered
Left and right side wipers
Rear with intermittent wiper
Cab Storage

SAFETY AND SECURITY

Clutch, circle drive slip
Doors, 2 engine compartment, (two left hand, two right hand) locking
Doors, 2 service, left and right locking
Ground level engine shutdown

Hammer (emergency exit)
Horn, electric
Seat belt, retractable 3"
Secondary steering
Tandem walkway/guards

FLUIDS

Antifreeze

Extended life coolant -35C/-30F

OTHER STANDARD EQUIPMENT

Accumulators -brake -dual certified

Drawbar,6 shoe w/replaceable wear strips

Fluid check, ground level

Fuel tank, 100 gallon (378 L)

Ground level fueling

DEF/AdBlue Tank, 3.3 gallon (12.5 L)

Hydraulic lines for base functions

Pump, hydraulic, high capacity

(100cc / 6 cu in)

Radiator, cleanout access

(both sides with swing doors)

SOS ports - engine -hydraulic

-transmission -coolant -fuel

Tool box

Debris guard

THE NEXT GENERATION OF MOTOR GRADERS

CAT® 140 MOTOR GRADER

140

RELIABLE.
DURABLE.
FAMILIAR
CONTROLS.



CAT TECHNOLOGY AND PERFORMANCE WITH STEERING WHEEL AND LEVER CONTROLS.

UP TO **20%** LOWER MAINTENANCE COST

- New filtration technology for extended fluid / filter maintenance intervals
- Grouped filters for easy access
- Reversing Fan option for debris removal
- Proven powertrain with ECO mode from the 140M3 with All-Wheel Drive (AWD) option

CAB DESIGNED FOR **OPERATOR COMFORT.**

- Control familiarity with steering wheel and levers
- Ergonomically designed and adjustable control console
- Options from basic to air suspension seat

UP TO **40%** MATERIAL TO SAVINGS WITH CAT GRADE TECHNOLOGY

- Cat® GRADE with Cross Slope Technology develops consistent slope with less material
- Improve grade quality and reduce bounce with Stable Blade
- Scalable solutions to fit your needs

REV UP Dealer On-To-Market & NPI Summit 2018

CAT

Page 5