



DATE: Aug 02, 2023

QUOTE #:323555-01

WILLIAMSON COUNTY FLEET

Kell, Jeffrey
512.917.3277

3151 SE INNER LOOP
GEORGETOWN, TEXAS 78626

One (1) New Caterpillar Inc Model: 308 Compact Construction Equipment with all standard equipment in addition to the additional specifications listed below:

SALE PRICE	\$161,737.00
EXT WARRANTY	Included
TOTAL PRICE	\$161,737.00
<hr/>	
SUB TOTAL	\$161,737.00
TOTAL SOURCEWELL PURCHASE PRICE	\$161,737.00

WARRANTY

Standard Warranty: 24 Month/2000 Hour Total Machine Limited Warranty
Extended Warranty: 60 MO/4000 HR POWERTRAIN + HYDRAULICS + TECH

List Price	\$186,607.00
Sourcewell discount discount 20%	(\$37,321.00)
Adjusted Sales Price	\$149,286.00
Dealer Prep	\$950.00
Thumb, hydraulic	\$5,831.00
Install thumb	\$1,200.00
Quick Coupler, bucket	\$1,100.00
Delivery to Wilco	\$450.00
Warranty Standard and Extended	\$1,120.00
Service and Maintenance manuals	\$1,800.00
Total Sourcewell Purchase Price	\$161,737.00

Sourcewell# 032119-CAT

NOTES

Includes Rubber Track, Long Stick, Hydraulic Wet Kit, Bucket 24" quick coupler
Includes one year no charge field service

MACHINE SPECIFICATIONS

DESCRIPTION	REF.#
QP1/LN3/CAB/STRT BLD/LNG STK	637-9562
LINES, BOOM	514-8055
LINES, STICK	514-8067
STICK, LONG	563-2071
STD BLADE, STD U/C, TG W/PAD	562-3698
SEAT, AIR SUSP, FABRIC, HEATED	510-6070
PRODUCT LINK, CELLULAR PLE643	557-5123
CAMERA, REAR VIEW	511-6235
COUNTERWEIGHT, EXTRA	525-6657
INSTRUCTIONS, ANSI	523-3993
SERIALIZED TECHNICAL MEDIA KIT	421-8926
SHIPPING/STORAGE PROTECTION	0P-2266
LINKAGE, BUCKET W/ LIFTING EYE	568-1567
EOU HOUSE SWING COVER, 8T	605-3340
BELT, SEAT, 3" RETRACTABLE	510-6085
CAT KEY, WITH PASSCODE OPTION	522-6460
LIGHT, REAR, LED	511-6211
MIRROR, RIGHT SIDE, REAR VIEW	523-6409
BUCKET-HD, 24", 8.1 FT ³ , 7T	295-5952
MONITOR NEXT GEN, ADVANCED, CR	511-6177
PACKING, LAST MILE PROGRAM	0P-4299
LANE 3 ORDER	0P-9003
INTEGRATED RADIO	511-6219

STANDARD EQUIPMENT**POWERTRAIN**

CAT C3.3B diesel engine
 US EPA Tier 4 Final/EU Stage V/
 China NR III
 ISO 9249/EEC 80/1270
 Rated net power 55kW/72hp
 Electronic engine, turbo, DPF
 Automatic engine idle

Automatic engine shut-off
 Automatic swing brake
 Automatic two speed travel
 Fuel water separator with indicator
 Radial seal air filter
 Double element with warning indicator
 Extended life coolant - 37C

UNDERCARRIAGE

Greased and lubricated track
 Hydraulic track adjusters

Tie down eyes on track frame

HYDRAULICS

Smart tech electronic pump
Variable displacement piston pump
Load sensing/flow sharing hydraulics
Power on demand

Hydraulic temperature monitoring
Accumulator - certified
Hydro advanced hydraulic oil

ELECTRICAL

90 ampere alternator
850 CCA maintenance free battery
Battery disconnect
Circuit breaker
Ignition key stop switch

Signaling/warning horn
Work lights
- Cab, boom left, front right
- Courtesy safety light

OPERATOR ENVIRONMENT

Sealed and pressurized cab
Ergonomic joysticks control levers
Adjustable wrist rests
Air conditioner/heater with defroster &
Automatic temp control
Coat hook
Color LCD monitor:
- Fuel level, coolant temp, & warning
indicators
- Maintenance and machine monitoring
- Performance & machine adjustments
- Numeric security code
- Multiple languages
- Hour meter
- Ground level wakeup switch
- Jog dial control interface
Cup holder

Hydraulic lockout for all controls
LED interior light
Literature holder
Mirror rear view - Cab left
Molded footrests
Openable front windshield with assist &
integrated lower window
Rear window emergency exit
Removable washable floor mat
Retractable seat belt
Seat, fabric, high back, suspension
Travel control pedals with hand levers
Utility space for mobile phone
Front post mounted windshield wiper &
washer
Skylight
Mounting bosses for front & top guard

FLUIDS

Extended life coolant - 37C

Hydro advanced hydraulic oil

OTHER STANDARD EQUIPMENT

Accumulator, certification
Caterpillar corporate "one key" system
Door locks on cab door and external
enclosure doors
Lockable fuel cap
Beacon Socket
Ecology drain - engine
Radial seal engine air filter, double
element with restriction indicator
Side by side engine & hydraulic oil
cooler
Hydraulic fluid temperature monitoring
Joystick travel and steering mode
Travel cruise control

High definition hydraulics
- load sensing/flow sharing
Power on demand
Rear reflectors
Roll over protective structure (ROPS)
(ISO 12117-2)
Product link elite lite (regulations
apply)
Auxiliary hydraulic lines:
- 1-way and 2-way (combined function)
- Auxiliary line quick disconnects
- In cab adjustable auxiliary flow
- Continuous flow

